

Material Safety Data Sheet

Product Name	Red Ginseng Water-HD
---------------------	-----------------------------

1. Identification of the material and supplier

A. Product Name : Red Ginseng Water-HD

B. Recommended product use: Cosmetic ingredient

C. Supplier

- **Company name :** Smile Company Co.,Ltd.
- **Address :** 29, Balsan 6-Gil, Jeongnam-Myeon, Hwaseong-Si, Gyeonggi-Do, Republic of Korea
- **Emergency phone number :** 031-364-8866
- **Fax :** 031-366-6520

2. Hazards identification

A. Hazard risk classification

Not classified according to OSHA 29 CFR 1910.1200

B. GHS label elements, including precautionary statements

- Pictogram and symbol : Not applicable
- Signal word : Not applicable
- Hazard statements : Not applicable
- Precautionary statements : Not applicable

C. Other hazard information not included in hazard classification (NFPA)

- **Health :** 0
- **Flammability :** Not available
- **Reactivity :** Not available

3. Composition/information on ingredients

INCI Name	CAS Number	EINECS Number	Content(%)
Panax Ginseng Root Water	72480-62-7	927-874-4	97

1,2-Hexanediol	6920-22-5	230-029-6	3
----------------	-----------	-----------	---

4. First aid measures

A. Eye contact

- In case of contact with substance, immediately flush eyes with running water at least 20 minutes.

B. Skin contact

- In case of contact with substance, immediately flush skin with running water at least 20 minutes.
- Remove and isolate contaminated clothing and shoes.
- Wash contaminated clothing and shoes before reuse.
- Get immediate medical advice/attention.

C. Inhalation

- Specific medical treatment is urgent.
- Move victim to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.

D. Ingestion

- Do not let him/her eat anything, if unconscious.
- Get immediate medical advice/attention.

E. Indication of immediate medical attention and notes for physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

F. Most important symptoms and effects, both acute and delayed

- Not available

5. Fire fighting measures

A. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO₂
- Unsuitable extinguishing media: High pressure water streams

B. Specific hazards arising from the chemical

- May be ignited by heat, sparks or flames.
- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Fire will produce irritating and/or toxic gases.

- If inhaled, may be harmful.

c. Special protective equipment and precautions for fire-fighters

- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks; Always stay away from tanks engulfed in fire.

6. Accidental release measures

A. Personal precautions, protective equipment and emergency procedures

- Eliminate all ignition sources.
- Stop leak if you can do it without risk.
- Please note that materials and conditions to avoid.
- Ventilate the area.
- Do not touch or walk through spilled material.
- Prevent dust cloud.

B. Environmental precautions and protective procedures

- Prevent entry into waterways, sewers, basements or confined areas.

C. The methods of purification and removal

- Small Spill; Flush area with flooding quantities of water. And take up with sand or other non-combustible absorbent material and place into containers for later disposal.
- Large Spill; Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

7. Handling and storage

A. Precautions for safe handling

- Please note that materials and conditions to avoid.
- Wash thoroughly after handling.
- Please work with reference to engineering controls and personal protective equipment.
- Be careful to high temperature.

B. Conditions for safe storage

- Store in a closed container.
- Store in cool and dry place.

8. Exposure controls/personal protection

A. Occupational Exposure limits

- Korea regulation : Not available
- ACGIH regulation : Not available
- Biological exposure index : Not available
- OSHA regulation : Not available
- NIOSH regulation : Not available
- EU regulation : Not available
- Other : Not available

B. Appropriate engineering controls

- Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

C. Personal protective equipment

- **Respiratory protection**
 - Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.
 - In case exposed to gaseous/liquid material, the respiratory protective equipments as follow are recommended. escape full facepiece gas mask (of use for acid gas, in case of acid gas for organic compounds) or escape half facepiece gas mask (of use for acid gas, in case of acid gas for organic compounds) or direct full facepiece gas mask (of use for acid gas, in case of acid gas for organic compounds) half facepiece gas mask (of use for acid gas, in case of acid gas for organic compounds) or powered air-purifying gas mask.
 - In lack of oxygen(< 19.5%), wear the supplied-air respirator or self-contained oxygen breathing apparatus.
- **Eye protection**
 - Wear facepiece with goggles to protect.
 - An eye wash unit and safety shower station should be available nearby work place.
 - Wear the protective glasses or breathable safety goggles to protect from vaporous state organic material causing eye irritation or other disorder.
 - An eye wash unit and safety shower station should be available nearby work place.
- **Hand protection**
 - Wear chemical resistant gloves.

- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
- **Body protection**
 - Wear appropriate protective chemical resistant clothing.
 - Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

9. Physical and chemical properties

A.	Appearance	
·	Description	Liquid
·	Color	Colorless
B.	Odor	Characteristic
C.	Odor threshold	Not available
D.	pH	5.0 ~ 8.0
E.	Melting point/freezing point	Not available
F.	Initial boiling point and boiling range	Not available
G.	Flash point	Not available
H.	Evaporation rate	Not available
I.	Flammability (solid, gas)	Not applicable
J.	Upper/lower flammability or explosive limits	Not available Not available
K.	Vapor pressure	Not available
L.	Solubility	Not available
M.	Vapor density	Not available
N.	Specific gravity	0.98 ~ 1.04
O.	Partition coefficient: n-octanol/water	Not available
P.	Auto ignition temperature	Not available
Q.	Decomposition temperature	Not available
R.	Viscosity	Not available
S.	Molecular weight	Not available

10. Stability and reactivity

- A. Chemical stability and Possibility of hazardous reactions**
- Fire may produce irritating and/or toxic gases.
 - Inhalation of material may be harmful.
- B. Conditions to avoid**

- Ignition sources (heat, sparks or flames)
- C. Incompatible materials**
 - Combustibles
- D. Hazardous decomposition products**
 - Irritating and/or toxic gases

11. Toxicological information

A. Information on the likely routes of exposure

Not available

B. Information of Health Hazardous

- **Acute toxicity**
 - Oral** : Not classified (ATEmix = 6166 mg/kg)
 - **1,2-Hexanediol** : Rat LD₅₀ = 6166 mg/kg (male), 5339 mg/kg ≤ LD₅₀ ≤ 6470 mg/kg (female) (OECD Guideline 401)
 - Dermal** : Not classified
 - **1,2-Hexanediol** : Rat LD₅₀ > 2000 mg/kg (male/female) (Read across;structural analogue or surrogate) (OECD Guideline 402)
 - Inhalation** : Not classified
 - **1,2-Hexanediol** : Rat LC₅₀ > 7015 mg/L / 4 hr (male/female) (Read across;structural analogue or surrogate) (OECD Guideline 403)
- **Skin corrosion/ irritation**: Not classified
 - **1,2-Hexanediol** : Skin irritation test using rabbit, not skin irritation. (OECD Guideline 404)
- **Serious eye damage/ irritation**
 - **1,2-Hexanediol** : Eye irritation test using rabbit showed irritating symptoms but recovered up to 14 days. (GLP)
- **Respiratory sensitization** : Not available
- **Skin sensitization** : Not classified
 - **1,2-Hexanediol** : Skin sensitization test using mouse (female), not skin sensitization. (OECD Guideline 429, GLP)
- **Carcinogenicity** : Not classified
 - OSHA , IARC , NTP , ACGIH , KOREA-ISHL, EU CLP , KOREA-NIER, NITE: Not listed
 - **1,2-Hexanediol** : OSHA , IARC , NTP , ACGIH , KOREA-ISHL, EU CLP , KOREA-NIER, NITE: Not listed
- **Mutagenicity** : Not classified
 - **1,2-Hexanediol** : In vitro mammalian chromosome aberration test using Chinese

hamster ovary showed no symptoms related to mutagenicity. (OECD Guideline 473, GLP)

- **Reproductive toxicity** : Not classified
 - **1,2-Hexanediol** : As a result of reproductive toxicity test using rats(male/female), the effect of toxicity was not observed. (NOAEL = 700 mg/kg bw/day) (OECD Guideline 411, GLP)
No toxic effects on maternal and fetal were observed. (NOAEL = 300 mg/kg bw/day) (OECD Guideline 414, GLP)
- **Specific target organ toxicity (single exposure)**: Not classified
 - **1,2-Hexanediol** : Results of acute oral toxicity studies in rats(male/female) observed reduction of muscular tonicity and effects on coordination capability. (OECD Guideline 401, GLP)
Results of acute inhalation toxicity studies in rats(male/female) observed 3380 mg/m³ resulted in slight, to 7015 mg/m³ in moderate dyspnoea. All animals exposed to the test material recovered within 1 day. (OECD Guideline 403)
- **Specific target organ toxicity (repeat exposure)**: Not classified
 - **1,2-Hexanediol** : The results of repeated oral toxicity study of rat(male/female) about 90 days showed very mild erythema. (NOAEL = 700 mg/kg bw/day) (Read across; structural analogue or surrogate) (OECD Guideline 411, GLP)
- **Aspiration Hazard** : Not available

12. Ecological information

A. Ecological toxicity

- **Acute toxicity** : Not classified

Fish

- **1,2-Hexanediol** : 96hr-LC₅₀(*Salmo gairdneri*) > 1000 mg/L (OECD Guideline 203)(Read-across, CAS No, 5343-92-0)

Crustacean :

- **1,2-Hexanediol** : 48hr-EC₅₀(*Daphnia magna*) > 110 mg/L (OECD Guideline 202, GLP)

Algae :

- **1,2-Hexanediol** : 72hr-EC₅₀(*Selenastrum capricornutum*) > 100 mg/L (OECD Guideline 201, GLP)(Read across, CAS No. 1117-86-8)

- **Chronic aquatic toxicity** : Not available

Fish : Not available

Crustacean : Not available

Algae : Not available

B. Persistence and degradability

Persistence :

- **1,2-Hexanediol** : Low persistency (log Kow is less than 4 estimated.) (log Kow = 0.58)

Degradability : Not available

C. Bioaccumulative potential

Bioaccumulation :

- **1,2-Hexanediol** : Bioaccumulation is expected to be low according to the BCF < 500 (BCF = 3.162) (estimated)

Biodegradation :

- **1,2-Hexanediol** : As well-biodegraded, it is expected to have low accumulation potential in living organisms(83.7% biodegradation was observed after 28day)

D. Mobility in soil : Not available

- **1,2-Hexanediol** : No potency of mobility to soil. (Koc = 3.047) (estimated)

E. Other hazardous effect: Not available

F. Hazardous to the ozone layer: Not available

13. Disposal considerations

A. Disposal method

- Waste must be disposed of in accordance with federal, state and local environmental control regulations.

B. Disposal precaution

- Consider the required attentions in accordance with waste treatment management regulation.

14. Transport information

A. UN Number : Not applicable

B. UN Proper shipping name : Not applicable

C. Transport Hazard class : Not applicable

D. Packing group : Not applicable

E. Environmental hazards : Not applicable

F. Special precautions

in case of fire : Not applicable

in case of leakage : Not applicable

15. Regulatory information

① KOREA Regulatory information

A. Occupational Safety and Health Act : Not regulated

B. Chemicals Control Act :

1,2-Hexanediol : Existing Chemical Substance

C. Safety Control of Dangerous Substances Act :

1,2-Hexanediol : 4000ℓ Petroleum class 4-3 (water soluble liquid)

D. Wastes Control Act : Not regulated

E. Other regulation

Internal information

Persistent Organic Pollutants Acts : Not regulated

② Foreign Regulatory Information

External information

EU classification(classification) : Not regulated

EU classification(risk phrases) : Not regulated

EU SVHC list : Not regulated

EU Authorisation List : Not regulated

EU Restriction list : Not regulated

EU BPR : Not regulated

U.S.A management information (OSHA Regulation) : Not regulated

U.S.A management information (CERCLA Regulation) : Not regulated

U.S.A management information (EPCRA 302 Regulation) : Not regulated

U.S.A management information (EPCRA 304 Regulation) : Not regulated

U.S.A management information (EPCRA 313 Regulation) : Not regulated

Substance of Rotterdam Convention : Not regulated

Substance of Stockholm Convention : Not regulated

Substance of Montreal Protocol : Not regulated

16. Other information

A. Information source and references :

- American Conference of Governmental Industrial Hygienists TLVs and BEIs.
- EPISUITE v4.11; <http://www.epa.gov/opt/exposure/pubs/episuitedl.html>
- IARC Monographs on the Evaluation of Carcinogenic Risks to Humans;
<http://monographs.iarc.fr>
- Korea Occupational Health & Safety Agency; <http://www.kosha.net>
- National Chemicals Information System; <http://ncis.nier.go.kr/ncis/>
- National Toxicology Program; <http://ntp.niehs.nih.gov/results/dbsearch/>

- NIOSH Pocket Guide; <http://www.cdc.gov/niosh/npg/npgdcas.html>
- REACH information on registered substances;
<http://apps.echa.europa.eu/registered/registered-sub.aspx>
- REACH information on registered substances; <https://echa.europa.eu/information-on-chemicals/registered-substances>
- TOMES-LOLI®; <http://www.rightanswerknowledge.com/loginRA.asp>
- Waste Control Act enforcement regulation attached [1]

B. Issuing date : 2024.01.04

C. Revision number and date

revision number : 0

date of the latest revision : -

D. Others

- The content is based on the latest information and knowledge that we currently possess.
- This SDS was authored to aid buyer, processor or any other third person who handles the chemical of subject in the SDS; additionally, it does not warrant suitability of the chemical for special purposes or the commercial use of statements that approves the use of it in combination with other chemicals as well as technical or legal liabilities.
- The content of the SDS may vary depending on the country or the region and may not coincide with the actual regulations. Therefore, the buyer or the processor of the chemical is responsible for observing responsible government's or the region's regulations.