



ENTRANCE THRESHOLD MARKER

Honed marble tile 600 × 450 × 20 · carved wordmark · gilded dot · inset QR plate 150



- GENERAL NOTES
- Artwork: carve from the supplied logotype vector (the logo file) — never re-set in the font.
 - Lettering: hand-carved V-incision preferred (CNC acceptable); letters left bare.
 - Lighting: warm 2700–3000K grazing from one side; a tight glint on the dot. Never cool / blue.
 - Fixing: full-bed adhesive + concealed 316 pins sized to the 20 thick tile; verify substrate.
 - Setting-out: tile top ≈ 1600–1620 AFL → wordmark centre ≈ 1480–1500; QR centre ≈ 1260–1280.
 - Sign-off: cut a stone sample (two letters + gilded dot) and scan-test the QR in sun and dusk.

- KEYNOTES
- 1 Carved wordmark
from the logotype FILE (brand vector) — never typeset · V-cut · bare · letters 69 high
 - 2 Gild this dot only
23.5ct gold leaf — the single gold accent
 - 3 Engraved URL
'aethon.house' — permanent (a link never ages)
 - 4 Inset QR plate
see panel 3 · matte · replaceable
 - 5 Honed marble tile
600 × 450 × 20 · matte · sealed · shelter from spray
 - 6 Clear space
≥ 2X around the lock-up (1X = gold-dot diameter)

AETHON · HOUSE OF LIGHT		PAPHOS, CYPRUS	
AETHON · ENTRANCE PLATE		SCALE — DO NOT SCALE	
Sheet 1 of 2 · ENTRANCE THRESHOLD MARKER		figured dims (mm) govern	
MATERIALS / FINISH		STATUS — design study	
□ Honed marble — tile 600 × 450 × 20		for fabrication · verify on site	
■ 23.5ct gold leaf — dot only		DATE 2026-07	
■ Enamel / etched 316 stainless — QR tile		REV D · plate 600 × 450 · QR 150 · dims in mm · not for stru	
■ V-cut incision — bare letters			