

ENTRANCE THRESHOLD MARKER


Honed marble tile 600 × 400 × 20 · carved wordmark · gilded dot · inset QR




GENERAL NOTES

- Lettering hand-carved V-incision preferred (CNC acceptable); letters left bare.
- Lighting: warm 2700–3000K grazing from one side; a tight glint on the dot. Never cool / blue.
- Fixing: full-bed adhesive + concealed 316 pins sized to the 20 thick tile; verify substrate.
- Setting-out: wordmark centre-line approx. 1400–1500 AFL; QR centre approx. 1200–1300 AFL.
- Sign-off: cut a stone sample (two letters + gilded dot) and scan-test the QR in sun and dusk.

2 — SECTIONS (2:1)



3 — QR SPECIFICATION



Links to	aethon.house · verified scannable
Error corr.	Level H (30%) — survives weather / grime
Centre	AETHON 'A' · ≤ 20% of area
Code / tile	≥ 90 code · 132 tile · quiet zone ≥ 4 modules
Finish	matte, dark-on-pale, anti-glare — never gloss
Execution	porcelain-enamel OR etched 316 stainless, flush

KEYNOTES

- 1 **Carved wordmark**
LT Museum (brand vector) · V-cut · bare · cap height 69
- 2 **Gild this dot only**
23.5ct gold leaf — the single gold accent
- 3 **Engraved URL**
'aethon.house' — permanent (a link never ages)
- 4 **Inset QR plate**
see panel 3 · matte · replaceable
- 5 **Honed marble tile**
600 × 400 × 20 · matte · sealed · shelter from spray
- 6 **Clear space**
≥ 2X around the lock-up (1X = gold-dot diameter)

AETHON · HOUSE OF LIGHT

PAPHOS, CYPRUS

AETHON · ENTRANCE PLATE

Sheet 1 of 2 · ENTRANCE THRESHOLD MARKER

MATERIALS / FINISH

- Honed marble — tile 600 × 400 × 20
- 23.5ct gold leaf — dot only
- Enamel / etched 316 stainless — QR tile
- V-cut incision — bare letters

SCALE — DO NOT SCALE

figured dims (mm) govern

STATUS — design study

for fabrication · verify on site

DATE 2026-07

REV B · monochrome print set · not for structural use