


ENTRANCE THRESHOLD MARKER

Honed travertine / marble plate · carved wordmark · gilded dot · inset QR



GENERAL NOTES

- Lettering hand-carved V-incision preferred (CNC acceptable); letters left bare.
- Lighting: warm 2700–3000K grazing from one side; a tight glint on the dot. Never cool / blue.
- Fixing: concealed 316 stainless pins + epoxy into masonry; ventilated cavity.
- Setting-out: wordmark centre-line approx. 1400–1500 AFL; QR centre approx. 1200–1300 AFL.
- Sign-off: cut a stone sample (two letters + gilded dot) and scan-test the QR in sun and dusk.



3 — QR SPECIFICATION



Links to	aethon.house · verified scannable
Error corr.	Level H (30%) — survives weather / grime
Centre	AETHON 'A' · ≤ 20% of area
Code / tile	≥ 90 code · 132 tile · quiet zone ≥ 4 modules
Finish	matte, dark-on-pale, anti-glare — never gloss
Execution	porcelain-enamel OR etched 316 stainless, flush

KEYNOTES

- 1 **Carved wordmark**
LT Museum (brand vector) · V-cut · bare letters
- 2 **Gild this dot only**
23.5ct gold leaf — the single gold accent
- 3 **Engraved URL**
'aethon.house' — permanent (a link never ages)
- 4 **Inset QR plate**
see panel 3 · matte · replaceable
- 5 **Honed travertine**
matte · sealed · shelter from direct spray
- 6 **Clear space**
≥ 2X around the lock-up (1X = gold-dot diameter)

AETHON · HOUSE OF LIGHT		PAPHOS, CYPRUS
AETHON · ENTRANCE PLATE Sheet 1 of 2 · ENTRANCE THRESHOLD MARKER		SCALE — DO NOT SCALE figured dims (mm) govern
MATERIALS / FINISH Honed travertine / marble — plate 23.5ct gold leaf — dot only Enamel / etched 316 stainless — QR tile V-cut incision — bare letters		STATUS — design study for fabrication · verify on site
		DATE 2026-06 REV A · not for structural use