




ENTRANCE THRESHOLD MARKER

Honed marble tile 600 × 400 × 20 · carved wordmark · gilded dot · inset QR



- GENERAL NOTES
- Lettering hand-carved V-incision preferred (CNC acceptable); letters left bare.
 - Lighting: warm 2700–3000K grazing from one side; a tight glint on the dot. Never cool / blue.
 - Fixing: full-bed adhesive + concealed 316 pins sized to the 20 thick tile; verify substrate.
 - Setting-out: wordmark centre-line approx. 1400–1500 AFL; QR centre approx. 1200–1300 AFL.
 - Sign-off: cut a stone sample (two letters + gilded dot) and scan-test the QR in sun and dusk.

- KEYNOTES
- 1 **Carved wordmark**
LT Museum (brand vector) · V-cut · bare letters
 - 2 **Gild this dot only**
23.5ct gold leaf — the single gold accent
 - 3 **Engraved URL**
'aethon.house' — permanent (a link never ages)
 - 4 **Inset QR plate**
see panel 3 · matte · replaceable
 - 5 **Honed marble tile**
600 × 400 × 20 · matte · sealed · shelter from spray
 - 6 **Clear space**
≥ 2X around the lock-up (1X = gold-dot diameter)

AETHON · HOUSE OF LIGHT		PAPHOS, CYPRUS
AETHON · ENTRANCE PLATE Sheet 1 of 2 · ENTRANCE THRESHOLD MARKER		SCALE — DO NOT SCALE figured dims (mm) govern
MATERIALS / FINISH Honed marble — tile 600 × 400 × 20 23.5ct gold leaf — dot only Enamel / etched 316 stainless — QR tile V-cut incision — bare letters		STATUS — design study for fabrication · verify on site
		DATE 2026-07 REV B · monochrome print set · not for structural use