

## **Silicon Institute of Technology**

Silicon Hills, Bhubaneswar | An Autonomous Institute |

## 3rd Semester B.Tech. Mid Term Examination 2021-22 OOP USING JAVA(BTCS-T-ES-005)

Duration: 01:30 Full Marks: 25

```
1 Answer All
```

```
Find the output of the following code:
                                                                                                           1
    public class Test {
       static final int a=10;
       public static void main(String[] args) {
                int x = 20;
                System.out.println(x+a);
          }
    }
   Find the output of the following code:
                                                                                                           1
    public class Array
        public static void main(String args[])
          int a[][] = new int[5][];
          a[0] = new int[3];
          System.out.println(a.length + " "+a[0].length);
   }
<sup>c</sup> Which of the following option is correct with respect to "this" keyword in java?
                                                                                                           1
  i. refer to current class object.
  ii. refer to static method of the class.
  iii. refer to parent class object.
  iv. refer to static variable of the class.
d What will be output of the following code?
                                                                                                           1
   class A
     protected void msg()
       System.out.println("Hello java");
  public class Simple extends A
     void msg(){System.out.println("Hello java");}
  class Test
     public static void main(String args[])
       Simple obj=new Simple();
       obj.msg();
```

```
What will be the output of the following program?
                                                                                                          1
    class A
       A(){ System.out.println(" A class Const"); }
    class B extends A
      B(){ System.out.println(" B class Const"); }
    class C extends B
      C(){ System.out.println(" C class Const"); }
    class Test
      public static void main( String args[])
         C ob=new C();
    What is the default behavior of the data members of an interface?
                                                                                                          1
2 Answer All
  ^{
m a} Write a java program to read an array of "n" integers using Scanner class and find the min and max
                                                                                                          3
    value from the collection.
    Explain the use of static method with example.
                                                                                                          3
    What will be the problem, when we have a class which is both abstract and final? Justify
                                                                                                          3
    your answer.
3 Answer any One
  <sup>a</sup> Write a java program which has a class BankAccount having data members
                                                                                                          5
    accountHolderName, acNum and acBalance. The class should also contain methods
    deposit(), withdrw() and display the account details. Use constructor to initialize the data
    members of the class.
    Design a class ComplexNum having data members real and img. The class should have a
                                                                                                          5
    parameterized constructor to initialize its data members. It should also have methods
    displayCompNumber() to display the complex number (in the format 5+3i for example),
    addCompNumber() to add two Complex numbers. Test these methods by creating main
    method in another class.
4 Answer any One
    Define an abstract class named as Shape, having data members dimOne and dimTwo.
                                                                                                          5
    Extend this class to create two concrete classes named as Rectangle and Triangle. Override
    the computeArea() method in the sub classes. Invoke the computeArea() method in the
    main method of another Driver class through an abstract class reference variable.
    Define a class Employee having basic data members empName, empID and empSal,
                                                                                                          5
    with necessary member functions and constructors. Define a class Manager which is
    inherited from Employee class and having a data member bonus. Define the driver class
    that create object of the class Manager and access Manager details.
```