

Complexity–Packing–Dynamics (CPD) as a Predictive Toolkit: From Conceptual Foundations to Operational Hypotheses

Andrew Pasternak¹

¹*Independent Researcher, Sydney, Australia**

(Dated: November 26, 2025)

Complexity–Packing–Dynamics (CPD) is a proposed geometric framework for comparing the behavior of heterogeneous complex systems using three abstract quantities: (1) effective capacity C , (2) effective packing pressure P , and (3) geometric flux q that transports, reshapes, or injects structure into the C – P domain. A foundational paper (Pasternak, 2025; DOI: 10.5281/zenodo.17717223) introduced CPD as a universal descriptive language and proposed four universality classes based on the dominance of capacity, packing, feedback, or noise. The present article addresses the next step: how to make CPD *predictive*. We operationalize C , P , and q , propose testable hypotheses connecting their ratios to qualitative regime changes, and introduce a preliminary composite index (CCN) as a first–approximation predictor of transitions between universality classes. We also provide short cross–domain examples, focusing on simple but illustrative systems (2D particle in a box, Chess, Go, and elementary cellular automata) while listing broader areas of applicability. The goal is a practical, cross–domain toolkit rather than a finished theory.

I. INTRODUCTION: FROM CPD FOUNDATIONS TO PREDICTIVE USE

The CPD framework was originally motivated by turbulence modeling, where an energy–carrying flux q interacts with structural capacity C and packing pressure P . The foundational CPD paper proposed that many distinct nonlinear systems—from turbulence to ecology to computation—share this geometric triad.

In Paper 1, CPD was formulated as a *descriptive* geometry: systems store structure (C), experience constraints (P), and are shaped by fluxes (q). The present work advances CPD toward a *predictive* tool, identifying measurable proxies and introducing an operational composite quantity:

$$\text{CCN} = \frac{q}{CP},$$

which acts as a universal indicator of dynamical regime.

This article remains conceptual and cross–domain; mathematical rigor is intentionally flexible. The goal is to offer a practical toolkit useful for researchers in physics, biology, economics, computation, and artificial systems.

II. OPERATIONALIZING THE CPD QUANTITIES

CPD becomes predictive when C , P , and q are linked to measurable proxies. CPD does not specify domain–specific forms; instead it formalizes *roles*.

A. Capacity C

C measures the effective ability of a system to store or stabilize structure. Examples:

- correlation volume in fields;
- metabolic or resource reserves;
- liquidity buffers in finance;
- memory footprint in computational or neural systems.

* turbulence1@live.com.au

B. Packing Pressure P

P quantifies how tightly elements must interact under constraints:

- density or crowding;
- resource or constraint strength;
- task concurrency;
- frustration in physical or combinatorial spaces.

C. Flux q

q is the geometric flux that transports or reshapes internal structure:

- transport or flow rate;
- deformation rate;
- injection/extraction of complexity;
- reconfiguration or update velocity.

III. PREDICTIVE CPD HYPOTHESES

With C , P , and q measurable, transitions between qualitative regimes arise naturally.

A. H1: Low-Flux Regime

$$q \ll CP$$

Flux is too weak to reshape constraints. Systems exhibit:

- near-linear response,
- exponential relaxation,
- minimal rearrangement.

B. H2: Intermediate-Flux Regime

$$q \sim CP$$

Flux begins to reorganize structures:

- intermittent transitions,
- multistability,
- coherent structures.

C. H3: High-Flux Regime

$$q \gg CP$$

Flux dominates:

- transient structures,
- saturated memory,
- constraint breaking and noise dominance.

D. CCN as a First-Approximation Predictor

The *Composite CPD Normalizer*:

$$\text{CCN} = \frac{q}{CP}$$

classifies dynamical regime:

$$\begin{aligned} \text{CCN} \ll 1 &\Rightarrow \text{capacity-constrained, linear regime,} \\ \text{CCN} \sim 1 &\Rightarrow \text{reorganization and multistability,} \\ \text{CCN} \gg 1 &\Rightarrow \text{flux-dominated, high complexity.} \end{aligned}$$

CCN is proposed not as a final invariant but as a starting point for empirical exploration.

IV. UNIVERSAL CPD DYNAMICAL CLASSES

Although CPD is fully general, most systems fall into one of four broad dynamical classes depending on which quantity dominates the internal balance.

A. C-Dominated Systems (Structure-Bound, Ordered)

Geometry or stored structure overwhelms other effects. Perturbations decay and dynamics remain reversible or periodic.

$$C \gg P, q, \quad \text{CCN} \rightarrow 0$$

Examples:

- particle in a rigid 2D box (geometry fixes all motion);
- simple cellular automata (e.g. Rule 90);
- crystalline lattices or mechanical linkages.

B. P-Dominated Systems (Tension-Regulated, Critical)

Constraints or competitive interactions dominate. Systems hover at the edge of reorganization.

$$P \gtrsim C, \quad \text{CCN} \approx 1$$

Examples:

- Go (local cuts and ladders creating tension);
- Chess positional struggles;
- Ising model near the critical point;
- Wolfram Rule 110.

C. q -Dominated Systems (Flow-Driven, Chaotic)

Flux overwhelms structure and constraints. Sensitivity to initial conditions increases sharply.

$$q \gg C, P, \quad \text{CCN} \gg 1$$

Examples:

- turbulent patches in fluid flow;
- chaotic cellular automata (Rule 30);
- tactical flurries in fast time-control Chess.

D. Noise-Dominated Systems (Stochastic, Non-Informational)

External randomness exceeds internal structure, making CPD geometry secondary.

Noise $\gg C, P, q$.

Examples:

- random Boolean networks with high flip probability;
- high-temperature Brownian motion;
- coin-flip cellular automata.

These four classes form a coarse-grained CPD phase diagram: ordered (C), critical (P), chaotic (q), and random (noise).

V. ILLUSTRATIVE CROSS-DOMAIN EXAMPLES

This section provides four short, concrete examples where CPD quantities can be immediately interpreted. Broader domains are listed afterward without elaboration.

A. Particle in a 2D Reflecting Box

A single particle moves freely, reflecting elastically from rigid walls.

- C : accessible phase-space area (constant in time);
- P : boundary constraints imposed by the box geometry;
- q : kinetic flux transporting state along deterministic trajectories.

Because nothing reorganizes or couples,

$$q \ll CP,$$

and $\text{CCN} \ll 1$. This is the trivial CPD baseline: linear, memoryless, and reversible.

B. Chess

A deterministic strategic system with alternating moves.

- C : mobility and number of viable strategic continuations;
- P : tactical forcing, pinning, material imbalance;
- q : initiative flux—the rate at which positions force reactions.

Quiet positional play: $CCN \ll 1$. Sharp tactical sequences: $CCN \sim 1$. Wild complications (sacrifices, open kings): $CCN \gg 1$.

C. Go

A spatial, combinatorial system with global balance.

- C : territorial potential and liberties;
- P : local forcing, cutting points, life-and-death constraints;
- q : flux of influence and initiative across the board.

Stable territorial play: $CCN \ll 1$. Fighting and invasions: $CCN \sim 1$. Chaotic capturing races: $CCN \gg 1$.

D. Wolfram Elementary Cellular Automata

Update rules generate evolving patterns on a 1D lattice.

- C : size, persistence, and internal degrees of freedom of structures;
- P : rule-defined local constraints;
- q : rate of state changes per update.

Class I automata: $CCN \ll 1$ (fixed, trivial). Class II: $CCN \sim 1$ (periodic patterns). Class III/IV: $CCN \gg 1$ (chaos or complex computation).

E. Other Areas of Applicability (Listed Only)

- traffic jams and flow breakdown,
- macroeconomic cycles and liquidity shocks,
- chemical reactions and catalysis,
- protein folding and misfolding pathways,
- agent-based systems,
- ecological networks,
- neural and cognitive dynamics,
- turbulence and transport phenomena.

VI. CONCLUSION

CPD becomes a cross-domain predictive toolkit when measurable proxies are assigned to C , P , and q , and when their combined ratio (CCN) is used to classify dynamical regimes. The examples above demonstrate how CPD offers a unified geometric lens across physical, computational, and strategic systems while remaining simple enough for practical application.

-
- [1] A. Pasternak, “The Curvature–Packing–Dynamics (CPD) Framework: A Geometric Foundation for Structure and Motion,” Zenodo (2025). DOI: 10.5281/zenodo.17717223
 - [2] E. N. Lorenz, “Deterministic Nonperiodic Flow,” J. Atmos. Sci. **20**, 130 (1963).
 - [3] N. Goldenfeld, *Lectures on Phase Transitions and the Renormalization Group* (CRC Press, 2018).
 - [4] M. Mézard, G. Parisi, M. Virasoro, *Spin Glass Theory and Beyond* (World Scientific, 1987).
 - [5] E. T. Jaynes, “Information Theory and Statistical Mechanics,” Phys. Rev. **106**, 620 (1957).