







Batteries




SD Card




USB




AT - Programming Port






Programming Port



CAN




EXTRA HEADER




Connectors

Title			Fujin: calculation/datalogging/batterymonitoring
Size	Number	Revision	
A4		01	
Date:	2012-12-16	Sheet of	
File:	Z:\Dropbox\...\Connectors.SchDoc	Drawn By:	


XBEE




CAN




RTC



LEDS






EEPROM




Devices / Communication

Title			
Fujin: calculation/datalogging/batterymonitoring			
Size	Number	Revision	
A4		01	
Date:	2012-12-16	Sheet of	
File:	Z:\Dropbox\...\Devices+Comm.SchDoc	Drawn By:	




Title			Fujin: calculation/datalogging/batterymonitoring		
Size		Number		Revision	
A4				01	
Date:	2012-12-16			Sheet of	
File:	Z:\Dropbox\mcu.SchDoc			Drawn By:	

Current/Voltage Monitor




Voltage regulation


REGULATORS




USB Power Source Switch




Grounds



Power Separation



LED's



Power

Title	Fujin: calculation/datalogging/batterymonitoring		
Size	Number	Revision	
Tabloid		01	
Date:	2012-12-16	Sheet of	
File:	Z:\Dropbox\Power.SchDoc	Drawn By:	