

Template for Computer Programming I Practical Recording

Date	:	04/03/2025
Problem Specification	:	find the baby name from father name and mother name.
Assumption	:	user inputs are valid.
Limitation	:	N/A
Input	:	Input father name, mother name, gender of baby.
Processing	:	It takes the first half of the father's name and the first half of the mother's name. If the baby is a boy (B), the father's half-name is placed first. If the baby is a girl (G), the mother's half-name is placed first.
Output	:	The generated baby name is displayed.
Algorithm	:	Step1: Start Step2: Create a function as getName() 1. Declare a string array namearray[] with a size of 2. 2. prompt "Enter father name for firstName1" 3. get input from user for firstnamme 1 and assign for namearray[0] 4. "Enter mother name for firstName2" 5. get input from user for firstnamme 1 and assign for namearray[0] 6. return value namearray Step3: Create a function as getHalfName() 1. Declare a string array namearray[] with a size of 2. 2. Get inputs for namearray2 from using function getName() 3. Declare a string array nameHalfarray[] with a size of 2. 4. get half name from namearray[0] and assaign nameHalfarray[0] 5. get half name from namearray[1] and assaign nameHalfarray[2] 6. return value nameHalfarray

Step4: Create a function as babyName()

1 .Declare a string array halfname[] with a size of 2.

2. Get inputs for halfname from using function
getHalfName()

3.prompt "Enter the baby gender B: for boy,G: for girl")

4.read input from user and assign for gender

5.Declare variable BabyName

6.if(gender.equals("b")) is true

Declare BabyName ← h1+h2

Else if (gender.equals("g"))

Declare BabyName ← h2+h1

Else

Print as "gender input is wrong "

7.print BabyName as "Baby name is "

Step5: Declare an array named a and get inputs for a using the
getName() function.

Step6:Print the baby name from using getHalfName() function

Step7: End the Programme

Programme listing : Programme file **attached**

Test data and expected output : 1. Test data: firstName1:-tharmapalan
firstName2:-eswary
Gender :-b

Expected output: tharmesw

Output obtained for test data : 1. Test data: firstName1:-tharmapalan
firstName2:-eswary
Gender :- b

Expected output: tharmesw

Discussion

: This program takes the names of the parents and generates a baby name based on the given gender. While the logic is straightforward, there are several aspects to consider regarding its design and functionality.

Conclusion

: The Baby Name Generation program effectively combines parts of the parents' names based on the baby's gender. Improvements in input validation and string handling can enhance its accuracy and user experience.