

CSS Cheat Sheet

Syntax

```
selector {  
  property: value;  
}
```

Ways to Add CSS

```
<!-- Inline -->  
<p style="color: red;">Text</p>  
  
<!-- Internal -->  
<style> p { color: red; } </style>  
  
<!-- External (preferred) -->  
<link rel="stylesheet" href="style.css">
```

Selectors

Selector	Example	Matches
Element	p	All <p> tags
Class	.box	Elements with class="box"
ID	#header	Element with id="header"
Universal	*	All elements
Descendant	div p	<p> inside <div>
Child	div > p	Direct <p> children of <div>
Adjacent sibling	h1 + p	<p> immediately after <h1>
Attribute	input[type="text"]	Inputs with that attribute value
Pseudo-class	a:hover	Link on hover
Pseudo-element	p::first-line	First line of a paragraph
Multiple	h1, h2	Both h1 and h2

Colors & Units

```
color: red;  
color: #ff0000;  
color: rgb(255, 0, 0);  
color: rgba(255, 0, 0, 0.5);  
color: hsl(0, 100%, 50%);
```

Units: px, %, em (relative to parent font-size), rem (relative to root), vw/vh (viewport width/height).

Box Model

```
.box {  
  width: 200px;  
  padding: 10px; /* inside border */  
  border: 2px solid black;  
  margin: 20px; /* outside border */  
}
```

Total width = width + padding + border + margin (unless box-sizing: border-box, which includes padding & border inside width).

```
* { box-sizing: border-box; }
```

Typography

```
font-family: 'Arial', sans-serif;  
font-size: 16px;  
font-weight: bold; /* or 100-900 */  
font-style: italic;  
line-height: 1.5;  
text-align: center;  
text-decoration: underline;  
text-transform: uppercase;  
letter-spacing: 1px;
```

Backgrounds

```
background-color: #f0f0f0;  
background-image: url('bg.jpg');  
background-size: cover;  
background-position: center;  
background-repeat: no-repeat;
```

Display & Positioning

```
display: block | inline | inline-block | none;  
position: static | relative | absolute | fixed | sticky;  
top: 0; left: 0; right: 0; bottom: 0;  
z-index: 10;
```

Flexbox (parent)

```
.container {  
  display: flex;  
  flex-direction: row | column;  
  justify-content: flex-start | center | space-between | space-around;  
  align-items: flex-start | center | stretch;  
  flex-wrap: wrap;  
  gap: 10px;  
}
```

Flex item: flex: 1; align-self: center;

Grid (parent)

```
.container {  
  display: grid;  
  grid-template-columns: repeat(3, 1fr);  
  grid-template-rows: auto;  
  gap: 10px;  
}  
.item {  
  grid-column: 1 / 3;  
  grid-row: 1;  
}
```

Borders & Radius

```
border: 1px solid #ccc;  
border-radius: 8px;  
border-radius: 50%; /* circle */  
box-shadow: 2px 2px 8px rgba(0,0,0,0.2);
```

Transitions & Transforms

```
transition: all 0.3s ease-in-out;  
transform: scale(1.1) rotate(10deg) translateX(20px);
```

Media Queries (Responsive)

```
@media (max-width: 768px) {  
  .container { flex-direction: column; }  
}
```

Common Pseudo-classes

```
:hover :focus :active :first-child :last-child :nth-child(2)  
:not(.class)
```

CSS Variables

```
:root {  
  --main-color: #3498db;  
}  
.box {  
  color: var(--main-color);  
}
```