

HTML Cheat Sheet

Document Structure

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Page Title</title>
</head>
<body>
  <!-- content -->
</body>
</html>
```

Text & Headings

Tag	Purpose
<h1> to <h6>	Headings (h1 = largest, h6 = smallest)
<p>	Paragraph
 	Line break (self-closing)
<hr>	Horizontal rule
 / 	Bold text
 / <i>	Italic text
<small>	Smaller text
<mark>	Highlighted text
<sub> / <sup>	Subscript / Superscript
<blockquote>	Long quotation
<abbr title="...">	Abbreviation with tooltip
<pre>	Preformatted text
<code>	Inline code

Links & Navigation

```
<a href="https://example.com" target="_blank">Visit Site</a>
<a href="#section1">Jump to Section</a>
<a href="mailto:someone@example.com">Email</a>
<a href="tel:+911234567890">Call</a>
```

Images & Media

```

<audio controls src="audio.mp3"></audio>
<video controls width="400" src="video.mp4"></video>
<iframe src="https://example.com" width="400" height="300"></iframe>
```

Lists

```
<ul>
  <li>Unordered item</li>
</ul>

<ol>
  <li>Ordered item</li>
</ol>

<dl>
  <dt>Term</dt>
  <dd>Definition</dd>
</dl>
```

Tables

```
<table>
  <thead>
    <tr><th>Header 1</th><th>Header 2</th></tr>
  </thead>
  <tbody>
    <tr><td>Data 1</td><td>Data 2</td></tr>
  </tbody>
</table>
```

Forms

```
<form action="/submit" method="POST">
  <label for="name">Name:</label>
  <input type="text" id="name" name="name" placeholder="Enter name"
required>

  <input type="email" name="email">
  <input type="password" name="password">
  <input type="number" name="age" min="1" max="100">
  <input type="checkbox" name="agree"> Agree
  <input type="radio" name="gender" value="male"> Male
  <input type="date" name="dob">
  <input type="file" name="upload">

  <select name="options">
    <option value="1">Option 1</option>
    <option value="2">Option 2</option>
  </select>

  <textarea name="message" rows="4" cols="30"></textarea>

  <button type="submit">Submit</button>
  <input type="reset" value="Reset">
</form>
```

Semantic Layout Tags

Tag	Purpose
-----	---------

<header>	Page/section header
<nav>	Navigation links
<main>	Main content
<section>	Thematic grouping
<article>	Self-contained content
<aside>	Sidebar/related content
<footer>	Page/section footer
<div>	Generic block container
	Generic inline container

Attributes (Common)

- id — unique identifier
- class — CSS class (reusable)
- style — inline CSS
- src, href, alt, title
- target="_blank" — open in new tab
- disabled, required, readonly, checked

Comments

```
<!-- This is a comment -->
```

Character Entities

Entity	Renders as
<	<
>	>
&	&
©	©
 	(space)
