# Sale

## Execution Environment

| | |
|---|---|
| Host name | venkata.annam - FW1-D-DTA-ZENQ1 |
| OS | Windows 10 64bit |
| Katalon version | 6.3.2.4 |
| Browser | Firefox 68.0 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/FirstView/Sale | | |
| Description | | | |
| Total | 4 | | |
| Passed | 4 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-10-30 06:26:22 | End | 2019-10-30 06:33:03 |
| Elapsed | 6m - 40.671s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/FirstView/Sale/TC_Sales_001 | | PASSED |
| 2 | Test Cases/FirstView/Sale/TC_Sales_005 | | PASSED |
| 3 | Test Cases/FirstView/Sale/TC_Sales_006 | | PASSED |
| 4 | Test Cases/FirstView/Sale/TC_Sales_003 | | PASSED |

# TC_Sales_001

## Information

ID          Test Cases/FirstView/Sale/TC_Sales_001

Description

Tag

Start       2019-10-30 06:26:24          End          2019-10-30 06:27:42

Elapsed     1m - 18.594s

Status      PASSED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.097s | PASSED |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) | 0.003s | NOT_RUN |
| 3 | delay(delayForElement)<br><br>NOT_RUN: delay(delayForElement) | 0.001s | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), RetailAccountOption, "Select by Value", [25])<br><br>NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale | 0.029s | NOT_RUN |
| 5 | delay(delayBetweenTestSteps)<br><br>NOT_RUN: delay(delayBetweenTestSteps) | 0.003s | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [delayForElement])<br><br>utilities.SafeActions.openBrowser is PASSED | 16.066s | PASSED |

# TC_Sales_001

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | pages.Login.login(uName, password) | 5.991s | PASSED |
| | pages.Login.login is PASSED | | |
| 8 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) | 4.060s | PASSED |
| | Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | | |
| 9 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) | 6.748s | PASSED |
| | Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | | |
| 10 | switchToWindowTitle("Transcenter - VPOS") | 4.860s | PASSED |
| | Switched to window with title: 'Transcenter - VPOS' | | |
| 11 | pages.Sale.verifyIfEntryModeIsChecked(tabName, entryModeCheckBox, delayBetweenTestSteps) | 6.709s | PASSED |
| | pages.Sale.verifyIfEntryModeIsChecked is PASSED | | |



| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 12 | Scroll down to Element inputAmount | 0.394s | PASSED |
| | Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | | |
| 13 | click(findTestObject("Pages/Sale/input_Amount")) | 0.002s | NOT_RUN |
| | NOT_RUN: click(findTestObject("Pages/Sale/input_Amount")) | | |

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 14 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput)<br><br>utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.337s | PASSED |
| 15 | focus(findTestObject("Pages/Sale/input_Amount"))<br><br>NOT_RUN: focus(findTestObject("Pages/Sale/input_Amount")) | 0.002s | NOT_RUN |
| 16 | delay(2)<br><br>Delayed 2 second(s) | 2.003s | PASSED |
| 17 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement])<br><br>utilities.SafeActions.safeType is PASSED | 1.237s | PASSED |
| 18 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), delayBetweenTestSteps)<br><br>Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.141s | PASSED |
| 19 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), delayBetweenTestSteps) | 0.895s | PASSED |
| 20 | println(total_Amount) | 0.003s | PASSED |
| 21 | pages.Sale.verifyIfEntryModeIsChecked(tabName, cardInformationCheckBox, delayBetweenTestSteps)<br><br>pages.Sale.verifyIfEntryModeIsChecked is PASSED | 0.027s | PASSED |
| 22 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeType is PASSED | 1.799s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 23 | delay(delayBetweenTestSteps)<br><br>Delayed 3 second(s) | 3.004s | PASSED |
| 24 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Enter Month", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.536s | PASSED |
| 25 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.512s | PASSED |
| 26 | utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_ExpirationYear"), "Click on Exp Year label", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED | 0.939s | PASSED |
| 27 | delay(delayBetweenTestSteps)<br><br>Delayed 3 second(s) | 3.004s | PASSED |
| 28 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), securityCode, "Enter Security code", [delayForElement])<br><br>NOT_RUN:<br>utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), | 0.001s | NOT_RUN |
| 29 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps)<br><br>Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.293s | PASSED |
| 30 | invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps) | 0.846s | PASSED |

# TC_Sales_001

| # | Description | Elapsed | Status |
|---|---|---|---|
| 31 | println(invoiceNumber) | 0.001s | PASSED |
| 32 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.218s | PASSED |
| 33 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete"))<br><br>The screen is Transaction Complete screen | 1.521s | PASSED |
| 34 | delay(delayBetweenTestSteps)<br><br>Delayed 3 second(s) | 3.008s | PASSED |
| 35 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.267s | PASSED |
| 36 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Management/tab_TransactionManagement"), "Transaction Management Tab", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.133s | PASSED |
| 37 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/button_Search"), "Search", [delayBetweenTestSteps])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.408s | PASSED |
| 38 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), delayBetweenTestSteps)<br><br>Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 0.145s | PASSED |

# TC_Sales_001

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 39 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_Management/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount) | 2.495s | PASSED |
| 40 | closeBrowser()<br><br>Browser is closed | 2.558s | PASSED |
| 41 | Start listener action : sampleAfterTestCase | 0.008s | PASSED |
| 42 | Start listener action : sampleAfterTestCase | 0.008s | PASSED |

# TC_Sales_005

## Information

| | |
|---|---|
| ID | Test Cases/FirstView/Sale/TC_Sales_005 |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 06:27:42 | End | 2019-10-30 06:29:57 |
| Elapsed | 2m - 14.744s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.033s | PASSED |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) | 0.006s | NOT_RUN |
| 3 | delay(6)<br><br>NOT_RUN: delay(6) | 0.069s | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce", "Select by Value", [25])<br><br>NOT_RUN:<br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce", | 0.026s | NOT_RUN |
| 5 | delay(3)<br><br>NOT_RUN: delay(3) | 0.019s | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime])<br><br>utilities.SafeActions.openBrowser is PASSED | 33.115s | PASSED |

# TC_Sales_005

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | pages.Login.login(uName, password) | 9.942s | PASSED |
| | pages.Login.login is PASSED | | |
| 8 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) | 5.036s | PASSED |
| | Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | | |
| 9 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) | 6.487s | PASSED |
| | Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | | |
| 10 | switchToWindowTitle("Transcenter - VPOS") | 4.912s | PASSED |
| | Switched to window with title: 'Transcenter - VPOS' | | |
| 11 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Manually Keyed", delayBetweenTestSteps) | 7.672s | PASSED |
| | pages.Sale.verifyIfEntryModeIsChecked is PASSED | | |
| 12 | Scroll down to Element inputAmount | 0.232s | PASSED |
| | Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | | |
| 13 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amount) | 0.214s | PASSED |
| | utilities.SafeActions.safeTypeUsingJavascript is PASSED | | |

# TC_Sales_005

| # | Description | Elapsed | Status |
|---|---|---|---|
| 14 | delay(2)<br><br>Delayed 2 second(s) | 2.003s | PASSED |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Amount field", [delayForElement])<br><br>utilities.SafeActions.safeType is PASSED | 1.242s | PASSED |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s | NOT_RUN |
| 17 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime) | 1.604s | PASSED |
| 18 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.101s | PASSED |
| 19 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Card Not Present", delayBetweenTestSteps)<br><br>pages.Sale.verifyIfEntryModeIsChecked is PASSED | 0.033s | PASSED |
| 20 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 1.913s | PASSED |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Enter Expiration Month", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 2.027s | PASSED |

# TC_Sales_005

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 22 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Enter Expiration Year", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 6.715s | PASSED |
| 23 | scrollToElement(findTestObject("Pages/Sale/input_CustomerName"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/input_CustomerName' successfully | 0.316s | PASSED |
| 24 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CustomerName"), customerName, "Enter Customer Name", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 1.762s | PASSED |
| 25 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Address"), address, "Enter Address", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 2.601s | PASSED |
| 26 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_PostalCode"), postalCode, "Enter Postal Code", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 1.464s | PASSED |
| 27 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 1.030s | PASSED |
| 28 | invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) | 1.751s | PASSED |
| 29 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 2.608s | PASSED |

# TC_Sales_005

| # | Description | Elapsed | Status |
|---|---|---|---|
| 30 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_Transaction Complete"))<br><br>The screen is Transaction Complete screen | 2.101s | PASSED |
| 31 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 2.137s | PASSED |
| 32 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Management/tab_TransactionManagement"), "Transaction Management Tab", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 2.103s | PASSED |
| 33 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/button_Search"), "Search", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 2.025s | PASSED |
| 34 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 0.279s | PASSED |
| 35 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_Management/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount) | 4.658s | PASSED |
| 36 | closeBrowser()<br><br>Browser is closed | 24.918s | PASSED |
| 37 | Start listener action : sampleAfterTestCase | 0.005s | PASSED |

# TC_Sales_005

| # | Description | Elapsed | Status |
|---|---|---|---|
| 38 | Start listener action : sampleAfterTestCase | 0.001s | PASSED |

# TC_Sales_006

## Information

| | |
|---|---|
| ID | Test Cases/FirstView/Sale/TC_Sales_006 |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 06:29:57 | End | 2019-10-30 06:31:31 |
| Elapsed | 1m - 34.369s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.133s | PASSED |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) | 0.021s | NOT_RUN |
| 3 | delay(6)<br><br>NOT_RUN: delay(6) | 0.038s | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto", "Select by Value", [25])<br><br>NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto", | 0.037s | NOT_RUN |
| 5 | delay(3)<br><br>NOT_RUN: delay(3) | 0.018s | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime])<br><br>utilities.SafeActions.openBrowser is PASSED | 25.941s | PASSED |

# TC_Sales_006

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | pages.Login.login(uName, password) | 5.843s | PASSED |
| | pages.Login.login is PASSED | | |
| 8 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) | 3.355s | PASSED |
| | Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | | |
| 9 | utilities.SafeActions.javascriptclick(findTestObject("Pages/FirstView/link_Home"), delayForElement) | 0.222s | PASSED |
| | utilities.SafeActions.javascriptclick is PASSED | | |
| 10 | switchToWindowTitle("Transcenter - VPOS") | 4.749s | PASSED |
| | Switched to window with title: 'Transcenter - VPOS' | | |
| 11 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Manually Keyed", delayBetweenTestSteps) | 7.663s | PASSED |
| | pages.Sale.verifyIfEntryModeIsChecked is PASSED | | |



| # | Description | Elapsed | Status |
|---|---|---|---|
| 12 | Scroll down to Element inputAmount | 0.898s | PASSED |
| | Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | | |
| 13 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amount) | 0.376s | PASSED |
| | utilities.SafeActions.safeTypeUsingJavascript is PASSED | | |

# TC_Sales_006

| # | Description | Elapsed | Status |
|---|---|---|---|
| 14 | delay(2)<br><br>Delayed 2 second(s) | 2.012s | PASSED |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Amount field", [delayForElement])<br><br>utilities.SafeActions.safeType is PASSED | 1.260s | PASSED |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s | NOT_RUN |
| 17 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.278s | PASSED |
| 18 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Card Not Present", delayBetweenTestSteps)<br><br>pages.Sale.verifyIfEntryModeIsChecked is PASSED | 0.055s | PASSED |
| 19 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 1.864s | PASSED |
| 20 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Enter Expiration Month", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 2.660s | PASSED |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Enter Expiration Year", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.769s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 22 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.101s | PASSED |
| 23 | invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) | 0.999s | PASSED |
| 24 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.672s | PASSED |
| 25 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete"))<br><br>The screen is Transaction Complete screen | 1.113s | PASSED |
| 26 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/totalAmount_In_TransactionComplete"), PageLoadTime) | 1.343s | PASSED |
| 27 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.915s | PASSED |
| 28 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Management/tab_TransactionManagement"), "Transaction Management Tab", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.584s | PASSED |
| 29 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/button_Search"), "Search", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.234s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 30 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 1.632s | PASSED |
| 31 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_Management/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount) | 3.932s | PASSED |
| 32 | closeBrowser()<br><br>Browser is closed | 18.382s | PASSED |
| 33 | Start listener action : sampleAfterTestCase | 0.006s | PASSED |
| 34 | Start listener action : sampleAfterTestCase | 0.000s | PASSED |

# TC_Sales_003

## Information

| | |
|---|---|
| ID | Test Cases/FirstView/Sale/TC_Sales_003 |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-10-30 06:31:31 | End | 2019-10-30 06:33:03 |
| Elapsed | 1m - 31.749s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Start listener action : sampleBeforeTestCase | 0.015s | PASSED |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) | 0.001s | NOT_RUN |
| 3 | delay(delayForPageLoad)<br><br>NOT_RUN: delay(delayForPageLoad) | 0.047s | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), accountType, "Select by Value", [PageLoadTime])<br><br>NOT_RUN:<br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale | 0.021s | NOT_RUN |
| 5 | delay(3)<br><br>NOT_RUN: delay(3) | 0.032s | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime])<br><br>utilities.SafeActions.openBrowser is PASSED | 20.634s | PASSED |

# TC_Sales_003

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | pages.Login.login(uName, password)<br><br>pages.Login.login is PASSED | 6.020s | PASSED |
| 8 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 5.211s | PASSED |
| 9 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 6.084s | PASSED |
| 10 | switchToWindowTitle("Transcenter - VPOS")<br><br>Switched to window with title: 'Transcenter - VPOS' | 4.431s | PASSED |
| 11 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Manually Keyed", PageLoadTime)<br><br>pages.Sale.verifyIfEntryModeIsChecked is PASSED | 8.433s | PASSED |
| 12 | Scroll down to Element inputAmount<br><br>Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | 0.324s | PASSED |
| 13 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput)<br><br>utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.412s | PASSED |
| 14 | delay(2)<br><br>Delayed 2 second(s) | 2.004s | PASSED |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement])<br><br>utilities.SafeActions.safeType is PASSED | 1.422s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime])<br><br>NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s | NOT_RUN |
| 17 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime) | 0.895s | PASSED |
| 18 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.126s | PASSED |
| 19 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Card Not Present", PageLoadTime)<br><br>pages.Sale.verifyIfEntryModeIsChecked is PASSED | 0.045s | PASSED |
| 20 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime])<br><br>utilities.SafeActions.safeType is PASSED | 2.955s | PASSED |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.838s | PASSED |
| 22 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [PageLoadTime])<br><br>utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.500s | PASSED |
| 23 | utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_ExpirationYear"), "Click on Exp Year label", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED | 1.022s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 24 | delay(delayBetweenTestSteps)<br><br>Delayed 3 second(s) | 3.003s | PASSED |
| 25 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), securityCode, "Enter Security code", [delayForElement])<br><br>NOT_RUN:<br>utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), | 0.002s | NOT_RUN |
| 26 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.147s | PASSED |
| 27 | invoiceNumber =<br>utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) | 1.133s | PASSED |
| 28 | pages.Sale.verifyIfAdditionalPromptingIsChecked("Save to Vault?", PageLoadTime)<br><br>pages.Sale.verifyIfAdditionalPromptingIsChecked is PASSED<br><br>**Additional Prompting**<br><br>Invoice Number  157242074550586<br><br>Set up Recurring Payment?  ☐ Yes  ☑ No  Label1<br>Save to Vault?  ☐ Yes  ☑ No  Label2<br>Set as Future Payment?  ☐ Yes  ☑ No  Label3<br><br>**Purchase Card Information**<br><br>Purchase Order #  Purchase Order #<br>Destination Postal Code  Postal Code<br><br>Checkout   Clear<br><br>Version: build 9, release 2 | 0.535s | PASSED |
| 29 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.448s | PASSED |

# TC_Sales_003

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 30 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_Transacti onComplete")) <br><br> The screen is Transaction Complete screen | 1.943s | PASSED |
| 31 | scrollToElement(findTestObject("Pages/Sale/input_VaultReferenceNumber"), PageLoadTime) <br><br> Scroll to object 'Object Repository/Pages/Sale/input_VaultReferenceNumber' successfully | 0.114s | PASSED |
| 32 | vaultReference = utilities.SafeActions.timeWithMilliSeconds() <br><br> utilities.SafeActions.timeWithMilliSeconds is PASSED | 0.025s | PASSED |
| 33 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_VaultReferenceNumber"), vaultReference, "Enter Vault Reference Number", [PageLoadTime]) <br><br> utilities.SafeActions.safeType is PASSED | 1.373s | PASSED |
| 34 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_SaveToVault "), "Click on Save To Vault button", [PageLoadTime]) <br><br> utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.311s | PASSED |
| 35 | popupFromMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/popupAfterClickOn_SaveToVa ult"), PageLoadTime) | 0.773s | PASSED |
| 36 | saveToVaultPopUpMessage = "Successfully Saved to Vault: Reference Number:" + " " + vaultReference | 0.000s | PASSED |
| 37 | utilities.SafeActions.verifyPopupMessage(saveToVaultPopUpMessage, popupFromMessage) <br><br> Popup Message : Successfully Saved to Vault: Reference Number: 2019-10-30 06:32:44.734 matched with expected message : Successfully Saved to Vault: Reference Number: 2019-10-30 06:32:44.734 | 0.002s | PASSED |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 38 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/close_TextBox"), "Click on Close", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.396s | PASSED |
| 39 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.515s | PASSED |
| 40 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/tab_FirstPayVault"), "First Pay Vault Tab", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.661s | PASSED |
| 41 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/button_SearchVault"), "Click on Search Vault", [PageLoadTime])<br><br>utilities.SafeActions.safeClickwithScroll is PASSED | 1.558s | PASSED |
| 42 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/FirstPayVault/button_Search"), "Click On Search button", [PageLoadTime])<br><br>utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.070s | PASSED |
| 43 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)<br><br>Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 1.161s | PASSED |
| 44 | pages.FirstPayVault.verifyInvoiceRecord(findTestObject("Pages/FirstPayVault/footer_NextButton"), findTestObject("Pages/FirstPayVault/page_Number"), vaultReference)<br><br>The Vault is found in page 1 | 1.458s | PASSED |
| 45 | closeBrowser()<br><br>Browser is closed | 5.487s | PASSED |

# TC_Sales_003

| #  | Description                                | Elapsed | Status |
|----|--------------------------------------------|---------|--------|
| 46 | Start listener action : sampleAfterTestCase | 0.005s  | PASSED |
| 47 | Start listener action : sampleAfterTestCase | 0.001s  | PASSED |