Sale_TestSuite

Execution Environment

Host name venkata.annam - FW1-D-DTA-ZENQ1

OS Windows 10 64bit

Katalon version 6.3.2.4
Browser Firefox 70.0

Summary

ID Test Suites/FirstView/Sale_TestSuite

Description

Total 6

Passed 4 Failed 2
Error 0 Incomplete 0

Start 2019-11-04 07:24:36 End 2019-11-04 07:33:02

Elapsed 8m - 26.180s

| # | ID | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_ECommerce_ No_AdditionalPrompting | 3 | FAILED |
| 2 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Moto_No_A ditionalPrompting | d | FAILED |
| 3 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_No_AdditionalPrompting | A | PASSED |
| 4 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_RecurringPayment | r | PASSED |
| 5 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_Save ToVault | | PASSED |
| 6 | Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_SetA FuturePayment | S | PASSED |

VPOS_Sale_Transaction_ECommerce_No_AdditionalPro mpting

Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/FirstView/Sale/VPOS_Sale_Transaction_ECommerce_No_Additional Prompting}$

Description

Tag

Start 2019-11-04 07:24:40 End 2019-11-04 07:26:24

Elapsed 1m - 44.023s

Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.254s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED | 42.366s | PASSED |
| 3 | pages.Login.login(uName, password) pages.Login.login is PASSED | 6.505s | PASSED |
| 4 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 6.088s | PASSED |
| 5 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 8.083s | PASSED |
| 6 | switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS' | 4.634s | PASSED |
| 7 | delay(delayForElement) Delayed 6 second(s) | 6.005s | PASSED |

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 8 | pages.Sale.verifyIfEntryModeIsChecked("Sale", "Manually Keyed", delayBetweenTestSteps) | 26.591s | FAILED |
| | Unable to check object " | | |
| 9 | Start listener action : sampleAfterTestCase | 0.010s | PASSED |
| 10 | Start listener action : sampleAfterTestCase | 0.002s | PASSED |

Information

ID Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

Description

Tag

Start 2019-11-04 07:26:24 End 2019-11-04 07:26:28

Elapsed 3.834s
Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.002s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) com.kms.katalon.core.exception.StepFailedException: unable to open Browser with url:https://q-www-firstview-net.faps.net/MVC/Account/Login | 0.659s | FAILED |
| 3 | pages.Login.login(uName, password) com.kms.katalon.core.exception.StepErrorException: Sale_TestSuite.ts:Click on Login is not | 0.981s | ERROR |

com.kms.katalon.core.exception.StepErrorException: Sale_TestSuite.ts:Click on Login is no Clickable

$VPOS_Sale_Transaction_Moto_No_Additional Prompting$

| Description | Elapsed | Status |
|--|--|--------|
| callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], | STOP_ON_FAILURE) 0.495s | FAILED |
| Unable to sell Test Cose (Test Coses/First) (issue) a sim/TO Cosed Co | idel (Deet equee) com | |
| Unable to call Test Case 'Test Cases/FirstView/Login/TC_SendCo | | |
| kms.katalon.core.exception.StepFailedException: Call Test Case ' | Test | |
| Cases/FirstView/Login/TC_SendCode' failed | | |
| at com.kms.katalon.core.keyword.builtin. | | |
| CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCa | aseKeyword.groovy:63) | |
| at com.kms.katalon.core.keyword.builtin. | | |
| CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCase | | |
| at com.kms.katalon.core.keyword.internal.KeywordMain | runkeyword | |
| (KeywordMain.groovy:68) | I IIT (O | |
| at com.kms.katalon.core.keyword.builtin.CallTestCaseK | eyword.call LestCase | |
| (CallTestCaseKeyword.groovy:81) | | |
| at com.kms.katalon.core.keyword.builtin.CallTestCaseK | eyword.execute | |
| (CallTestCaseKeyword.groovy:44) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExec | utor. | |
| executeKeywordForPlatform(KeywordExecutor.groovy:56) | (O (D))() | |
| at com.kms.katalon.core.keyword.BuiltinKeywords.callT | estCase(BuiltinKeywords. | |
| groovy:334) | the second | |
| at VPOS_Sale_Transaction_Moto_No_AdditionalPromp | ting.run | |
| (VPOS_Sale_Transaction_Moto_No_AdditionalPrompting:20) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEr | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAs | Raw i ext(ScriptEngine. | |
| java:119) | wint/TootCoooFyeografia | |
| at com.kms.katalon.core.main.TestCaseExecutor.runSc | πρι(TesiCaseExecutor. | |
| java:337) | vouto/TootCoooEvoquitor | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExe java:328) | cute(TestCaseExecutor. | |
| at com.kms.katalon.core.main.TestCaseExecutor.proces | es Exacution Phase | |
| (TestCaseExecutor.java:307) | SEXECUTIONFITASE | |
| at com.kms.katalon.core.main.TestCaseExecutor.acces | cMain Phace | |
| (TestCaseExecutor.java:299) | Siviali i i i i ase | |
| at com.kms.katalon.core.main.TestCaseExecutor.execu | te/TestCaseEvecutor | |
| java:233) | te(Testedacexecutor. | |
| at com.kms.katalon.core.main.TestSuiteExecutor.acces | sTestCaseMainPhase | |
| (TestSuiteExecutor.java:169) | Trottodoomann naoo | |
| at com.kms.katalon.core.main.TestSuiteExecutor.acces | sTestSuiteMainPhase | |
| (TestSuiteExecutor.java:142) | 57 Coto attornation Flago | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execu | te(TestSuiteExecutor.iava: | |
| 91) | (| |
| at com.kms.katalon.core.main.TestCaseMain.startTestS | uite(TestCaseMain.java: | |
| 157) | in the second se | |
| at com.kms.katalon.core.main.TestCaseMain\$startTest\$ | Suite\$0.call(Unknown | |
| Source) | • | |
| at TempTestSuite1572873863299.run(TempTestSuite15 | 572873863299.groovy:35) | |
| Caused by: com.kms.katalon.core.exception.StepFailedException | : Unable to verify if object | |
| 'Object Repository/Pages/SendCodeToValidate/header_SendCod | eToValidate' is visible in | |
| viewport | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUll | KeywordMain.stepFailed | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUll | KeywordMain.runKeyword | |
| (WebUlKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin. | | |
| VerifyElementVisibleInViewportKeyword.verifyElementVisibleInViewportCeyword.verifyElementVisibleInViewportCe | wport | |
| (VerifyElementVisibleInViewportKeyword.groovy:86) | | |
| at com.kms.katalon.core.webui.keyword.builtin. | | |
| VerifyElementVisibleInViewportKeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementCeyword.execute(VerifyElementVisibleInViewportCeyword.execute(VerifyElementCeyword.execute(VerifyElem | sibleInViewportKeyword. | |
| groovy:68) | | |

Elapsed

Status

```
Description
                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
verifyElementInViewport(WebUiBuiltInKeywords.groovy:3023)
                at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$verifyElementInViewport$7.call(Unknown Source)
                at pages.SendCode.verifyPage(SendCode.groovy:26)
                at pages.SendCode.invokeMethod(SendCode.groovy)
                at\ com. kms. katalon. core. main. Custom Keyword Delegating Meta Class.
invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
                at TC_SendCode.run(TC_SendCode:16)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:337)
                at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:328)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
                at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                 ... 20 more
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FW1-D-DTA-ZENQ1', ip: '172.25.52.168', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CFirefoxDriver
                at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
                at\ or g. open qa. selenium. remote. service. Driver Command Executor. execute
(DriverCommandExecutor.java:83)
                at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
                at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:
28)
                at\ org. open qa. selenium. remote. Remote WebDriver\$ Remote Target Locator. window
 (RemoteWebDriver.java:903)
                at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow
(DriverFactory.java:819)
                at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
 (DriverFactory.java:702)
                at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:685)
                at com.kms.katalon.core.webui.keyword.builtin.
VerifyElementVisibleInViewportKeyword$ verifyElementVisibleInViewport closure1.doCall
(VerifyElementVisibleInViewportKeyword.groovy:74)
                at com.kms.katalon.core.webui.keyword.builtin.
Verify Element V is ible In Viewport Keyword \$\_verify Element V is ible In Viewport\_closure 1. call
(VerifyElementVisibleInViewportKeyword.groovy)
                at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword Main. run Keyw
```

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | (WebUIKeywordMain.groovy:20) 38 more) | | |
| 5 | Start listener action : sampleAfterTestCase | 0.010s | PASSED |
| 6 | Start listener action : sampleAfterTestCase | 0.001s | PASSED |

Information

ID Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

Description

Tag

Start 2019-11-04 07:26:28 End 2019-11-04 07:27:35

Elapsed 1m - 7.760s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.003s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [delayForElement]) utilities.SafeActions.openBrowser is PASSED | 12.157s | PASSED |
| 3 | pages.Login.login(uName, password) pages.Login.login is PASSED | 4.341s | PASSED |
| 4 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 1.976s | PASSED |
| 5 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 4.856s | PASSED |
| 6 | switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS' | 4.743s | PASSED |
| 7 | delay(delayForElement) Delayed 6 second(s) | 6.014s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|---------|
| 8 | pages.Sale.verifylfEntryModelsChecked(tabName, entryModeCheckBox, delayBetweenTestSteps) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.069s | PASSED |
| 9 | Scroll down to Element inputAmount | 0.161s | PASSED |
| 3 | Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | 0.1013 | 1710025 |
| 10 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.134s | PASSED |
| 11 | delay(2) | 2.012s | PASSED |
| ,, | Delayed 2 second(s) | 2.0125 | TAGGED |
| 12 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED | 1.031s | PASSED |
| 13 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.135s | PASSED |
| 14 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), delayBetweenTestSteps) | 0.759s | PASSED |
| 15 | println(total_Amount) | 0.004s | PASSED |
| 16 | pages.Sale.verifylfEntryModelsChecked(tabName, cardInformationCheckBox, delayBetweenTestSteps) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.033s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 17 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [delayBetweenTestSteps]) utilities.SafeActions.safeType is PASSED | 1.356s | PASSED |
| 18 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.002s | PASSED |
| 19 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Enter Month", [delayBetweenTestSteps]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.220s | PASSED |
| 20 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [delayBetweenTestSteps]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.229s | PASSED |
| 21 | utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_Expir ationYear"), "Click on Exp Year label", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED | 0.996s | PASSED |
| 22 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.046s | PASSED |
| 23 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.217s | PASSED |
| 24 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps)</pre> | 0.703s | PASSED |
| 25 | println(invoiceNumber) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 26 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [delayBetweenTestSteps]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.278s | PASSED |
| 27 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete")) The screen is Transaction Complete screen | 1.816s | PASSED |
| 28 | transactionCompleteMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/ForceTransactions/approved_TransactionMessage_TransactionComplete_Screen"), delayForElement) utilities.SafeActions.safeGetText is PASSED | 0.713s | PASSED |
| 29 | println(transactionCompleteMessage) | 0.000s | PASSED |
| 30 | pages.Force_Transaction.verifyStrings(transactionCompleteMessage) Transaction is Successfull in Transaction Complete page | 0.008s | PASSED |
| 31 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.004s | PASSED |
| 32 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [delayBetweenTestSteps]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.142s | PASSED |
| 33 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Managemen t/tab_TransactionManagement"), "Transaction Management Tab", [delayBetweenTestSteps]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.314s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 34 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/bu tton_Search"), "Search", [delayBetweenTestSteps]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.360s | PASSED |
| 35 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction") , delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 0.074s | PASSED |
| 36 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_M anagement/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount) | 2.194s | PASSED |
| 37 | closeBrowser() Browser is closed | 2.980s | PASSED |
| 38 | Start listener action : sampleAfterTestCase | 0.004s | PASSED |
| 39 | Start listener action : sampleAfterTestCase | 0.000s | PASSED |

Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_RecurringPayment}$

Description

Tag

Start 2019-11-04 07:27:35 End 2019-11-04 07:29:38

Elapsed 2m - 2.275s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.001s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [delayForElement]) utilities.SafeActions.openBrowser is PASSED | 8.991s | PASSED |
| 3 | pages.Login.login(uName, password) pages.Login.login is PASSED | 4.247s | PASSED |
| 4 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 1.802s | PASSED |
| 5 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 5.918s | PASSED |
| 6 | switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS' | 2.937s | PASSED |
| 7 | delay(delayForElement) Delayed 6 second(s) | 6.001s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 8 | pages.Sale.verifylfEntryModelsChecked(tabName, entryModeCheckBox, delayBetweenTestSteps) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.034s | PASSED |
| | | | |
| 9 | Scroll down to Element inputAmount Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | 0.147s | PASSED |
| 10 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.194s | PASSED |
| 11 | delay(2) Delayed 2 second(s) | 2.005s | PASSED |
| 12 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED | 1.413s | PASSED |
| 13 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), delayBetweenTestSteps) | 1.021s | PASSED |
| 14 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.108s | PASSED |
| 15 | pages.Sale.verifyIfEntryModelsChecked(tabName, cardInformationCheckBox, delayBetweenTestSteps) pages.Sale.verifyIfEntryModelsChecked is PASSED | 0.025s | PASSED |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [10]) utilities.SafeActions.safeType is PASSED | 1.478s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 17 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.002s | PASSED |
| 18 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [5]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.240s | PASSED |
| 19 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [5]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.139s | PASSED |
| 20 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.038s | PASSED |
| 21 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.171s | PASSED |
| 22 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps)</pre> | 0.829s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 23 | pages.Sale.verifyIfAdditionalPromptingIsChecked("Set up Recurring Payment?", | 0.649s | PASSED |
| | delayBetweenTestSteps) | | |
| | pages.Sale.verifyIfAdditionalPromptingIsChecked is PASSED Verification | | |
| | Additional Prompting | | |
| | Invoice Number 157285608358027 | | |
| | Set up Recurring Payment? Yes No | | |
| | Save to Vault? Yes No Label3 | | |
| | Set as Future Payment? Yes S No | | |
| | Purchase Card Information | | |
| | Purchase Order# Purchase Order# | | |
| | Destination Postal Code Postal Code | | |
| | | | |
| | Checkout Clear | | |
| | | | |
| | Version: build 9, release 2 | | |
| 24 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), | 1.227s | PASSED |
| | "Click on Checkout button", [60]) | | |
| | utilities.SafeActions.safeClickwithScroll is PASSED | | |
| | | | |
| 25 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_Transacti | 1.139s | PASSED |
| | onComplete")) | | |
| | The screen is Transaction Complete screen | | |
| | | | |
| 26 | transactionCompleteMessage = | 0.753s | PASSED |
| 20 | utilities.SafeActions.safeGetText(findTestObject("Pages/ForceTransactions/approved_Trans | 0.7003 | TAGGLE |
| | actionMessage_TransactionComplete_Screen"), delayForElement) | | |
| | utilities.SafeActions.safeGetText is PASSED | | |
| | | | |
| 27 | println(transactionCompleteMessage) | 0.001s | PASSED |
| | | | |
| | | | |
| | | | |
| 28 | pages.Force_Transaction.verifyStrings(transactionCompleteMessage) | 0.001s | PASSED |
| | Transaction is Successfull in Transaction Complete page | | |
| | | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 29 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.003s | PASSED |
| 30 | scrollToElement(findTestObject("Pages/Sale/label_RecurringPayment_TransactionComplet eScreen"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/label_RecurringPayment_TransactionCompleteScreen' successfully | 0.084s | PASSED |
| 31 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/date_StartDate_TransactionComplete"), "Click on Date Input", [5]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.229s | PASSED |
| 32 | pages.Sale.selectMonthYear(findTestObject("Pages/Sale/link_MonthYear"), findTestObject("Pages/Sale/calender_NextButton"), cardMonth, cardYear) pages.Sale.selectMonthYear is PASSED | 9.591s | PASSED |
| 33 | pages.Sale.selectDate(start_date_Value) pages.Sale.selectDate is PASSED | 0.251s | PASSED |
| 34 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/date_EndDate_Tran sactionComplete"), "Click on Date Input", [5]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 0.956s | PASSED |
| 35 | pages.Sale.selectMonthYear(findTestObject("Pages/Sale/link_MonthYear"), findTestObject("Pages/Sale/calender_NextButton"), cardMonth, cardYear) pages.Sale.selectMonthYear is PASSED | 10.157s | PASSED |
| 36 | pages.Sale.selectDate(end_date_Value) pages.Sale.selectDate is PASSED | 0.448s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 37 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_Frequency_TransactionComplete"), "Weekly", "Select By Value", [10]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.338s | PASSED |
| 38 | utilities.SafeActions.safeCheckForElement(findTestObject("Pages/Sale/checkBox_Label_E mailReceipt_TransactionComplete"), 5) utilities.SafeActions.safeCheckForElement is PASSED | 1.066s | PASSED |
| 39 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/textBox_EmailAddress_TransactionComplete"), emailAddress, "Enter EmailAddress into text box", [5]) utilities.SafeActions.safeType is PASSED | 1.415s | PASSED |
| 40 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_SaveSetup") , "Click on SaveSetup", [delayForElement]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.317s | PASSED |
| 41 | delay(2) Delayed 2 second(s) | 2.002s | PASSED |
| 42 | popupFromMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/popupText_AfterClickOn_SaveAndReturnToSale_TransactionComplete"), 5) | 1.062s | PASSED |
| 43 | utilities.SafeActions.verifyPopupMessage("Your Setup has been completed.", popupFromMessage) Popup Message: Your Setup has been completed. matched with expected message: Your Setup has been completed. | 0.001s | PASSED |
| 44 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/close_TextBox"), "Click on SaveSetup", [delayForElement]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.031s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 45 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [15]) utilities.SafeActions.safeClickwithScroll is PASSED | 2.539s | PASSED |
| | dunites. Care Actions. Sare Oriek With Octobris 1 7 ACOLD | | |
| 46 | delay(5) Delayed 5 second(s) | 5.005s | PASSED |
| | | | |
| 47 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Future_Payments/tab_Future Payments"), "Click on Future Payments Tab", [10]) | 1.553s | PASSED |
| | utilities.SafeActions.safeClickwithScroll is PASSED | | |
| 48 | delay(2) | 2.023s | PASSED |
| | Delayed 2 second(s) | | |
| 49 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Future_Payments/search_Button"), "Search", [10]) | 1.301s | PASSED |
| | utilities.SafeActions.safeClickwithScroll is PASSED | | |
| 50 | println(invoiceNumber) | 0.000s | PASSED |
| 51 | println(total_Amount) | 0.001s | PASSED |
| | | | |
| 52 | scrollToElement(findTestObject("Pages/Future_Payments/invoiceForTransaction"), delayBetweenTestSteps) | 0.078s | PASSED |
| | Scroll to object 'Object Repository/Pages/Future_Payments/invoiceForTransaction' successfully | | |
| 53 | pages.Future_Payments.verifyInvoiceRecord(findTestObject("Pages/Future_Payments/foot er_NextButton"), findTestObject("Pages/Future_Payments/page_Number"), invoiceNumber, total_Amount) | 21.859s | PASSED |
| | | | |

The Transaction is found in page 4

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 54 | closeBrowser() | 2.934s | PASSED |
| | Browser is closed | | |
| 55 | Start listener action : sampleAfterTestCase | 0.012s | PASSED |
| 56 | Start listener action : sampleAfterTestCase | 0.001s | PASSED |

Information

ID Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_SaveToVault

Description

Tag

Start 2019-11-04 07:29:38 End 2019-11-04 07:30:53

Elapsed 1m - 15.118s

Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.002s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED | 8.481s | PASSED |
| 3 | pages.Login.login(uName, password) pages.Login.login is PASSED | 4.301s | PASSED |
| 4 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 2.874s | PASSED |
| 5 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 5.962s | PASSED |
| 6 | switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS' | 3.745s | PASSED |
| 7 | delay(delayForElement) Delayed 6 second(s) | 6.005s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 8 | pages.Sale.verifylfEntryModelsChecked("Sale", "Manually Keyed", PageLoadTime) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.051s | PASSED |
| 9 | Scroll down to Element inputAmount Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | 0.246s | PASSED |
| 10 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.086s | PASSED |
| 11 | delay(2) Delayed 2 second(s) | 2.004s | PASSED |
| 12 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED | 1.665s | PASSED |
| 13 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime) | 0.901s | PASSED |
| 14 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.100s | PASSED |
| 15 | pages.Sale.verifylfEntryModelsChecked("Sale", "Card Not Present", PageLoadTime) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.037s | PASSED |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED | 1.472s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 17 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.473s | PASSED |
| 18 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.392s | PASSED |
| 19 | utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_Expir ationYear"), "Click on Exp Year label", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED | 1.175s | PASSED |
| 20 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.004s | PASSED |
| 21 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.079s | PASSED |
| 22 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)</pre> | 0.775s | PASSED |

| # | Description | Elapsed | Status |
|----|--|-----------------|--------|
| 23 | pages.Sale.verifyIfAdditionalPromptingIsChecked("Save to Vault?", PageLoadTime) | 0.404s | PASSED |
| | pages.Sale.verifyIfAdditionalPromptingIsChecked is PASSED | | |
| | Additional Prompting | | |
| | Invoice Number 157285620829056 | | |
| | Set up Recurring Payment? Ves Ves Label1 | | |
| | Label2 Save to Vault? | | |
| | Set as Future Payment? Yes S No | | |
| | Purchase Card Information | | |
| | Purchase Order# Purchase Order# | | |
| | Destination Postal Code Postal Code | | |
| | | | |
| | Checkout | | |
| | | | |
| | Version: build 9, release 2 | | |
| 24 | delay(delayForElement) | 6.047s | PASSED |
| | Delayed 6 second(s) | | |
| | | | |
| 25 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checko | ut"), 1.954s | PASSED |
| 20 | "Click on Checkout button", [PageLoadTime]) | ut), 1.9945 | PASSED |
| | utilities.SafeActions.safeClickwithScroll is PASSED | | |
| | | | |
| | | | |
| 26 | <pre>pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_T onComplete"))</pre> | ransacti 1.010s | PASSED |
| | • " | | |
| | The screen is Transaction Complete screen | | |
| | | | |
| 27 | transactionCompleteMessage = | 0.813s | PASSED |
| | utilities.SafeActions.safeGetText(findTestObject("Pages/ForceTransactions/approve actionMessage_TransactionComplete_Screen"), delayForElement) | ea_1 rans | |
| | utilities.SafeActions.safeGetText is PASSED | | |
| | diminos. Saro ronorio. Saro Soci forcis i AGGED | | |
| | | | |
| 28 | println(transactionCompleteMessage) | 0.001s | PASSED |
| | | | |
| | | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 29 | pages.Force_Transaction.verifyStrings(transactionCompleteMessage) Transaction is Successfull in Transaction Complete page | 0.001s | PASSED |
| 30 | scrollToElement(findTestObject("Pages/Sale/input_VaultReferenceNumber"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/input_VaultReferenceNumber' successfully | 0.093s | PASSED |
| 31 | vaultReference = utilities.SafeActions.timeWithMilliSeconds() utilities.SafeActions.timeWithMilliSeconds is PASSED | 0.021s | PASSED |
| 32 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_VaultReferenceNumber"), vaultReference, "Enter Vault Reference Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED | 1.234s | PASSED |
| 33 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_SaveToVault "), "Click on Save To Vault button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.164s | PASSED |
| 34 | popupFromMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/popupAfterClickOn_SaveToVa ult"), PageLoadTime) | 0.949s | PASSED |
| 35 | saveToVaultPopUpMessage = "Successfully Saved to Vault: Reference Number:" + " " + vaultReference | 0.000s | PASSED |
| 36 | utilities.SafeActions.verifyPopupMessage(saveToVaultPopUpMessage, popupFromMessage) Popup Message: Successfully Saved to Vault: Reference Number: 2019-11-04 07:30:35.060 matched with expected message: Successfully Saved to Vault: Reference Number: 2019-11-04 07:30:35.060 | 0.000s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 37 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/close_TextBox"), "Click on Close", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.230s | PASSED |
| 38 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.709s | PASSED |
| 39 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/tab_FirstPayVault"), "First Pay Vault Tab", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.874s | PASSED |
| 40 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/button_Search Vault"), "Click on Search Vault", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.529s | PASSED |
| 41 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/FirstPayVault/button_Search"), "Click On Search button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.144s | PASSED |
| 42 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime) Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 3.021s | PASSED |
| 43 | pages.FirstPayVault.verifyInvoiceRecord(findTestObject("Pages/FirstPayVault/footer_NextB utton"), findTestObject("Pages/FirstPayVault/page_Number"), vaultReference) The Vault is found in page 1 | 1.444s | PASSED |
| 44 | closeBrowser() Browser is closed | 2.973s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 45 | Start listener action : sampleAfterTestCase | 0.008s | PASSED |
| 46 | Start listener action : sampleAfterTestCase | 0.000s | PASSED |

Information

 ${\sf ID} \qquad \qquad {\sf Test \ Cases/First View/Sale/VPOS_Sale_Transaction_Retail_SetAsFuture Payment}$

Description

Tag

Start 2019-11-04 07:30:53 End 2019-11-04 07:33:02

Elapsed 2m - 9.172s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.002s | PASSED |
| 2 | utilities.SafeActions.openBrowser(URL, [delayForElement]) utilities.SafeActions.openBrowser is PASSED | 15.215s | PASSED |
| 3 | pages.Login.login(uName, password) pages.Login.login is PASSED | 5.995s | PASSED |
| 4 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully | 2.636s | PASSED |
| 5 | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully | 6.328s | PASSED |
| 6 | switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS' | 3.436s | PASSED |
| 7 | delay(delayForElement) Delayed 6 second(s) | 6.008s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 8 | pages.Sale.verifylfEntryModelsChecked(tabName, entryModeCheckBox, delayBetweenTestSteps) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.529s | PASSED |
| 9 | Scroll down to Element inputAmount Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully | 0.238s | PASSED |
| 10 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED | 0.122s | PASSED |
| 11 | delay(2) Delayed 2 second(s) | 2.003s | PASSED |
| 12 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED | 1.093s | PASSED |
| 13 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), delayBetweenTestSteps) | 0.787s | PASSED |
| 14 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully | 0.130s | PASSED |
| 15 | pages.Sale.verifylfEntryModelsChecked(tabName, cardInformationCheckBox, delayBetweenTestSteps) pages.Sale.verifylfEntryModelsChecked is PASSED | 0.041s | PASSED |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [10]) utilities.SafeActions.safeType is PASSED | 1.606s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 17 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.006s | PASSED |
| 18 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [5]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.952s | PASSED |
| 19 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [5]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 1.466s | PASSED |
| 20 | delay(delayBetweenTestSteps) Delayed 3 second(s) | 3.006s | PASSED |
| 21 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully | 0.474s | PASSED |
| 22 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), delayBetweenTestSteps)</pre> | 0.787s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 23 | pages.Sale.verifyIfAdditionalPromptingIsChecked("Set as Future Payment?", delayForElement) | 1.141s | PASSED |
| | pages.Sale.verifyIfAdditionalPromptingIsChecked is PASSED Verification | | |
| | Additional Prompting | | |
| | Invoice Number 157285629247215 | | |
| | Set up Recurring Payment? Yes No | | |
| | Save to Vault? Yes No Label3 | | |
| | Set as Future Payment? Yes S No | | |
| | Purchase Card Information | | |
| | Purchase Order# Purchase Order# | | |
| | Destination Postal Code Postal Code | | |
| | | | |
| | Checkout Clear | | |
| | Gleckout | | |
| | Version: build 9, release 2 | | |
| 24 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/date_FuturePaymen | 1.236s | PASSED |
| | t"), "Click on Date Input", [delayBetweenTestSteps]) | | |
| | utilities.SafeActions.safeClickWithoutScroll is PASSED | | |
| | | | |
| | | 10.010 | D4005D |
| 25 | pages.Sale.selectMonthYear(findTestObject("Pages/Sale/link_MonthYear"), findTestObject("Pages/Sale/calender_NextButton"), cardMonth, cardYear) | 13.043s | PASSED |
| | | | |
| | pages.Sale.selectMonthYear is PASSED | | |
| | | | |
| 26 | pages.Sale.selectDate(start_date_Value) | 0.348s | PASSED |
| | pages.Sale.selectDate is PASSED | | |
| | | | |
| | | | |
| 27 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [delayBetweenTestSteps]) | 1.742s | PASSED |
| | | | |
| | utilities.SafeActions.safeClickwithScroll is PASSED | | |
| | | | |
| 28 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_Transacti | 1.090s | PASSED |
| | onComplete")) | | |
| | The screen is Transaction Complete screen | | |
| | | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 29 | transactionCompleteMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/ForceTransactions/approved_TransactionMessage_TransactionComplete_Screen"), delayForElement) utilities.SafeActions.safeGetText is PASSED | 0.720s | PASSED |
| 30 | println(transactionCompleteMessage) | 0.001s | PASSED |
| 31 | pages.Force_Transaction.verifyStrings(transactionCompleteMessage) Transaction is Successfull in Transaction Complete page | 0.004s | PASSED |
| 32 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [delayBetweenTestSteps]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.514s | PASSED |
| 33 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Future_Payments/tab_Future Payments"), "Click on Future Payments Tab", [delayBetweenTestSteps]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.473s | PASSED |
| 34 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Future_Payments/search_Button"), "Search", [delayBetweenTestSteps]) utilities.SafeActions.safeClickwithScroll is PASSED | 1.151s | PASSED |
| 35 | println(invoiceNumber) | 0.001s | PASSED |
| 36 | println(total_Amount) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 37 | scrollToElement(findTestObject("Pages/Future_Payments/invoiceForTransaction"), delayBetweenTestSteps) Scroll to object 'Object Repository/Pages/Future_Payments/invoiceForTransaction' successfully | 0.084s | PASSED |
| 38 | pages.Future_Payments.verifyInvoiceRecord(findTestObject("Pages/Future_Payments/foot er_NextButton"), findTestObject("Pages/Future_Payments/page_Number"), invoiceNumber, total_Amount) The Transaction is found in page 7 | 43.389s | PASSED |
| 39 | closeBrowser() Browser is closed | 4.009s | PASSED |
| 40 | Start listener action : sampleAfterTestCase | 0.006s | PASSED |
| 41 | Start listener action : sampleAfterTestCase | 0.000s | PASSED |