### Sale

#### **Execution Environment**

Host name venkata.annam - FW1-D-DTA-ZENQ1

OS Windows 10 64bit

Katalon version 6.3.2.4
Browser Firefox 68.0

Summary

ID Test Suites/FirstView/Sale

Description

Total 4

Passed 3 Failed 0
Error 1 Incomplete 0

Start 2019-10-31 01:19:13 End 2019-10-31 01:27:50

Elapsed 8m - 36.671s

| # | ID                                     | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/FirstView/Sale/TC_Sales_001 |             | ERROR  |
| 2 | Test Cases/FirstView/Sale/TC_Sales_005 |             | PASSED |
| 3 | Test Cases/FirstView/Sale/TC_Sales_006 |             | PASSED |
| 4 | Test Cases/FirstView/Sale/TC_Sales_003 |             | PASSED |

### Information

ID Test Cases/FirstView/Sale/TC\_Sales\_001

Description

Tag

Start 2019-10-31 01:19:17 End 2019-10-31 01:21:00

Elapsed 1m - 42.503s

Status ERROR

#### **Details**

| # | Description  | Elapsed     | Status  |
|---|--|-------------|---------|
| 1 | Start listener action : sampleBeforeTestCase   | 0.373s      | PASSED  |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  | 0.009s      | NOT_RUN |
| 3 | delay(delayForElement)  NOT_RUN: delay(delayForElement)  | 0.004s      | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), RetailAccountOption, "Select by Value", [25])  NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale | 0.004s      | NOT_RUN |
| 5 | delay(delayBetweenTestSteps)  NOT_RUN: delay(delayBetweenTestSteps)  | 0.002s      | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [delayForElement]) utilities.SafeActions.openBrowser is PASSED  | 1m - 5.283s | PASSED  |

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 7 | pages.Login.login(uName, password)  | 9.677s  | PASSED |
|   | pages.Login.login is PASSED   |         |        |
| 8 | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) | 8.911s  | PASSED |
|   | Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully            |         |        |

```
Description
                                                                                                 Elapsed
                                                                                                                  Status
    callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE)
                                                                                                 14.158s
                                                                                                                  FAILED
q
    Unable to call Test Case 'Test Cases/FirstView/Login/TC_FirstView' (Root cause: com.kms.
    katalon.core.exception.StepErrorException: Call Test Case 'Test
    Cases/FirstView/Login/TC_FirstView' failed because of error(s)
              at com.kms.katalon.core.keyword.builtin.
    CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)
              at com.kms.katalon.core.keyword.builtin.
    CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
              at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
    (KeywordMain.groovy:68)
              at\ com. kms. katalon. core. keyword. builtin. Call Test Case Keyword. call Test Case
    (CallTestCaseKeyword.groovy:81)
              at\ com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
    (CallTestCaseKeyword.groovy:44)
              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
    executeKeywordForPlatform(KeywordExecutor.groovy:56)
              at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
    groovy:334)
              at TC_Sales_001.run(TC_Sales_001:34)
              at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
              at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
    java:119)
              at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
    java:337)
              at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
    java:328)
              at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
    (TestCaseExecutor.java:307)
              at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
    (TestCaseExecutor.java:299)
              at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.
    java:233)
              at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
    (TestSuiteExecutor.java:169)
              at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
    (TestSuiteExecutor.java:142)
              at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
    91)
              at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
    157)
              at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
    Source)
              at TempTestSuite1572502738423.run(TempTestSuite1572502738423.groovy:35)
    Caused by: org.codehaus.groovy.runtime.InvokerInvocationException: com.kms.katalon.
    core.webui.exception.WebElementNotFoundException: Web element with id: 'Object
    Repository/Pages/FirstView/link_Home' located by 'By.xpath: //a[@id='InkHome']/span' not
    found
              at utilities.SafeActions.invokeMethod(SafeActions.groovy)
              at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass.
    invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50)
              at TC FirstView.run(TC FirstView:21)
              at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
              at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
    iava:119)
              at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
```

 $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.$ 

java:337)

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | java:328)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase                       |         |        |
|   | (TestCaseExecutor.java:307)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase                             |         |        |
|   | (TestCaseExecutor.java:299)   |         |        |
|   | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$    |         |        |
|   | java:233)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:                  |         |        |
|   | 114)  |         |        |
|   | at com.kms.katalon.core.keyword.builtin.  |         |        |
|   | CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) 20 more |         |        |
|   | Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web          |         |        |
|   | element with id: 'Object Repository/Pages/FirstView/link_Home' located by 'By.xpath: //a  |         |        |
|   | [@id='InkHome']/span' not found   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement                     |         |        |
|   | (WebUiCommonHelper.java:1097)   |         |        |
|   | at com.kms.katalon.core.webui.common.WebUiCommonHelper\$findWebElement.                   |         |        |
|   | call(Unknown Source)  |         |        |
|   | at utilities.SafeActions.javascriptclick(SafeActions.groovy:458)                          |         |        |
|   | 32 more   |         |        |
|   |   |         |        |

| 1 | 0 Start listener action : sampleAfterTestCase     | 1.098s | PASSED |
|---|---|--------|--------|
|   | Taking screenshot successfully                    |        |        |
|   |   |        |        |
|   |   |        |        |
|   |   |        |        |
|   |   |        |        |
| 1 | 1. Start listener action a comple After Teat Case | 0.0020 | DACCED |
| 1 | 1 Start listener action : sampleAfterTestCase     | 0.002s | PASSED |

### Information

ID Test Cases/FirstView/Sale/TC\_Sales\_005

Description

Tag

Start 2019-10-31 01:21:00 End 2019-10-31 01:23:24

Elapsed 2m - 23.897s

Status PASSED

#### **Details**

| # | Description  | Elapsed | Status  |
|---|--|---------|---------|
| 1 | Start listener action : sampleBeforeTestCase   | 0.012s  | PASSED  |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  | 0.084s  | NOT_RUN |
| 3 | delay(6)  NOT_RUN: delay(6)  | 0.061s  | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce", "Select by Value", [25])  NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce", | 0.051s  | NOT_RUN |
| 5 | delay(3)  NOT_RUN: delay(3)  | 0.003s  | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED   | 57.176s | PASSED  |

| #   | Description  | Elapsed | Status |
|-----|--|---------|--------|
| 7   | pages.Login.login(uName, password)   | 7.213s  | PASSED |
|     | pages.Login.login is PASSED  |         |        |
|     |  |         |        |
| 8   | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)  | 4.000s  | PASSED |
|     | Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully   |         |        |
|     |  |         |        |
| 9   | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE)   | 6.498s  | PASSED |
|     | Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully  |         |        |
|     |  |         |        |
| 10  | switchToWindowTitle("Transcenter - VPOS")  | 6.233s  | PASSED |
|     | Switched to window with title: 'Transcenter - VPOS'  |         |        |
| 4.4 | Target and the second of the second s | 7.000-  | DAGGED |
| 11  | pages.Sale.verifylfEntryModelsChecked("Sale", "Manually Keyed", delayBetweenTestSteps)   | 7.369s  | PASSED |
|     | pages.Sale.verifyIfEntryModelsChecked is PASSED  |         |        |
|     | stPaýl/pos   |         |        |
|     | Sale Refund 1stPayVault Future Payments Force Transaction Transaction Management Admin   |         |        |
|     | * Indicates required fields  Entry Mode:   |         |        |
|     | Sale Information Card Card Present Card Not Present  |         |        |
|     | *Amount \$ Amount  |         |        |
|     | *Card Number   |         |        |
|     | *Expiration Month  |         |        |
|     | *Expiration Year   |         |        |
|     | Additional Prompting   |         |        |
| 12  | Scroll down to Element inputAmount   | 0.595s  | PASSED |
|     | Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully  |         |        |
|     |  |         |        |
| 13  | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amount)   | 0.144s  | PASSED |
|     |  |         |        |

utilities.SafeActions.safeTypeUsingJavascript is PASSED

| #  | Description   | Elapsed | Status  |
|----|---|---------|---------|
| 14 | delay(2)  Delayed 2 second(s)   | 2.038s  | PASSED  |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED   | 1.199s  | PASSED  |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime])  NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s  | NOT_RUN |
| 17 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime)   | 0.827s  | PASSED  |
| 18 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully   | 0.190s  | PASSED  |
| 19 | pages.Sale.verifylfEntryModelsChecked("Sale", "Card Not Present", delayBetweenTestSteps)  pages.Sale.verifylfEntryModelsChecked is PASSED   | 0.043s  | PASSED  |
| 20 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED  | 3.061s  | PASSED  |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Enter Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED                                      | 2.231s  | PASSED  |

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 22 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Enter Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED | 2.727s  | PASSED |
| 23 | scrollToElement(findTestObject("Pages/Sale/input_CustomerName"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/input_CustomerName' successfully   | 0.799s  | PASSED |
| 24 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CustomerName"), customerName, "Enter Customer Name", [PageLoadTime]) utilities.SafeActions.safeType is PASSED   | 1.917s  | PASSED |
| 25 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Address"), address, "Enter Address", [PageLoadTime]) utilities.SafeActions.safeType is PASSED   | 1.316s  | PASSED |
| 26 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_PostalCode"), postalCode, "Enter Postal Code", [PageLoadTime]) utilities.SafeActions.safeType is PASSED   | 1.985s  | PASSED |
| 27 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully   | 0.265s  | PASSED |
| 28 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)</pre>  | 1.347s  | PASSED |
| 29 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime])  utilities.SafeActions.safeClickwithScroll is PASSED  | 1.627s  | PASSED |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 30 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete"))  The screen is Transaction Complete screen  | 1.297s  | PASSED |
| 31 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED                             | 1.621s  | PASSED |
| 32 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Managemen t/tab_TransactionManagement"), "Transaction Management Tab", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 1.659s  | PASSED |
| 33 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/button_Search"), "Search", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED  | 2.834s  | PASSED |
| 34 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully                  | 0.829s  | PASSED |
| 35 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_M anagement/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount)                 | 3.474s  | PASSED |
| 36 | closeBrowser() Browser is closed   | 17.782s | PASSED |
| 37 | Start listener action : sampleAfterTestCase  | 0.017s  | PASSED |

| #  | Description                                 | Elapsed | Status |
|----|---|---------|--------|
| 38 | Start listener action : sampleAfterTestCase | 0.000s  | PASSED |
|    |   |         |        |
|    |   |         |        |

### Information

ID Test Cases/FirstView/Sale/TC\_Sales\_006

Description

Tag

Start 2019-10-31 01:23:24 End 2019-10-31 01:25:25

Elapsed 2m - 1.853s Status PASSED

#### **Details**

| # | Description  | Elapsed | Status  |
|---|--|---------|---------|
| 1 | Start listener action : sampleBeforeTestCase   | 0.002s  | PASSED  |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  | 0.002s  | NOT_RUN |
| 3 | delay(6)  NOT_RUN: delay(6)  | 0.001s  | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto", "Select by Value", [25])  NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto", | 0.004s  | NOT_RUN |
| 5 | delay(3)  NOT_RUN: delay(3)  | 0.002s  | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED   | 40.070s | PASSED  |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | pages.Login.login(uName, password) pages.Login.login is PASSED   | 8.990s  | PASSED |
| 8  | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully  | 7.805s  | PASSED |
| 9  | utilities.SafeActions.javascriptclick(findTestObject("Pages/FirstView/link_Home"), delayForElement) utilities.SafeActions.javascriptclick is PASSED  | 0.171s  | PASSED |
| 10 | switchToWindowTitle("Transcenter - VPOS")  Switched to window with title: 'Transcenter - VPOS'   | 4.048s  | PASSED |
| 11 | pages.Sale.verifyIfEntryModeIsChecked ("Sale", "Manually Keyed", delayBetweenTestSteps)  pages.Sale.verifyIfEntryModeIsChecked is PASSED    Sale   Refund   IstPayVault   Future Payments   Force Transaction   Transaction Management   Admin | 6.647s  | PASSED |
| 12 | Scroll down to Element inputAmount  Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully  | 0.291s  | PASSED |
| 13 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amount)   | 0.249s  | PASSED |

utilities.SafeActions.safeTypeUsingJavascript is PASSED

| #  | Description   | Elapsed | Status  |
|----|---|---------|---------|
| 14 | delay(2)  Delayed 2 second(s)   | 2.009s  | PASSED  |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED   | 2.596s  | PASSED  |
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime])  NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s  | NOT_RUN |
| 17 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully   | 0.239s  | PASSED  |
| 18 | pages.Sale.verifylfEntryModelsChecked("Sale", "Card Not Present", delayBetweenTestSteps)  pages.Sale.verifylfEntryModelsChecked is PASSED   | 0.035s  | PASSED  |
| 19 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED  | 2.101s  | PASSED  |
| 20 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Enter Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED                                      | 1.666s  | PASSED  |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Enter Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED   | 1.563s  | PASSED  |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 22 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully  | 0.105s  | PASSED |
| 23 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)</pre>   | 0.937s  | PASSED |
| 24 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime])  utilities.SafeActions.safeClickwithScroll is PASSED                                     | 1.785s  | PASSED |
| 25 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete"))  The screen is Transaction Complete screen  | 1.355s  | PASSED |
| 26 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/totalAmount_In_TransactionComplete"), PageLoadTime)  | 0.766s  | PASSED |
| 27 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED                             | 3.305s  | PASSED |
| 28 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Managemen t/tab_TransactionManagement"), "Transaction Management Tab", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED | 3.621s  | PASSED |
| 29 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Transaction_Management/bu tton_Search"), "Search", [PageLoadTime])   | 2.321s  | PASSED |

utilities.SafeActions.safeClickwithScroll is PASSED

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 30 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully  | 11.637s | PASSED |
| 31 | pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_M anagement/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount) | 5.214s  | PASSED |
| 32 | closeBrowser() Browser is closed   | 11.155s | PASSED |
| 33 | Start listener action : sampleAfterTestCase  | 0.005s  | PASSED |
| 34 | Start listener action : sampleAfterTestCase  | 0.001s  | PASSED |

### Information

ID Test Cases/FirstView/Sale/TC\_Sales\_003

Description

Tag

Start 2019-10-31 01:25:25 End 2019-10-31 01:27:50

Elapsed 2m - 24.661s

Status PASSED

#### **Details**

| # | Description  | Elapsed | Status  |
|---|--|---------|---------|
| 1 | Start listener action : sampleBeforeTestCase   | 0.002s  | PASSED  |
| 2 | utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])  | 0.008s  | NOT_RUN |
| 3 | delay(delayForPageLoad)  NOT_RUN: delay(delayForPageLoad)  | 0.009s  | NOT_RUN |
| 4 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), accountType, "Select by Value", [PageLoadTime])  NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale | 0.001s  | NOT_RUN |
| 5 | delay(3)  NOT_RUN: delay(3)  | 0.001s  | NOT_RUN |
| 6 | utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED   | 42.670s | PASSED  |

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 7  | pages.Login.login(uName, password) pages.Login.login is PASSED   | 6.902s  | PASSED |
| 8  | callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully              | 5.065s  | PASSED |
| 9  | callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully            | 9.195s  | PASSED |
| 10 | switchToWindowTitle("Transcenter - VPOS")  Switched to window with title: 'Transcenter - VPOS'   | 3.231s  | PASSED |
| 11 | pages.Sale.verifylfEntryModelsChecked("Sale", "Manually Keyed", PageLoadTime) pages.Sale.verifylfEntryModelsChecked is PASSED                                      | 9.549s  | PASSED |
| 12 | Scroll down to Element inputAmount  Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully  | 0.585s  | PASSED |
| 13 | utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED      | 0.314s  | PASSED |
| 14 | delay(2)  Delayed 2 second(s)  | 2.006s  | PASSED |
| 15 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED | 1.219s  | PASSED |

| #  | Description   | Elapsed | Status  |
|----|---|---------|---------|
| 16 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime])  NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime]) | 0.001s  | NOT_RUN |
| 17 | total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime)   | 0.926s  | PASSED  |
| 18 | scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully   | 0.235s  | PASSED  |
| 19 | pages.Sale.verifyIfEntryModelsChecked("Sale", "Card Not Present", PageLoadTime) pages.Sale.verifyIfEntryModelsChecked is PASSED   | 0.156s  | PASSED  |
| 20 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED  | 3.653s  | PASSED  |
| 21 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED   | 1.857s  | PASSED  |
| 22 | utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED  | 1.745s  | PASSED  |
| 23 | utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_Expir ationYear"), "Click on Exp Year label", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED  | 1.481s  | PASSED  |

| #  | Description  | Elapsed | Status  |
|----|--|---------|---------|
| 24 | delay(delayBetweenTestSteps)   | 3.004s  | PASSED  |
|    | Delayed 3 second(s)  |         |         |
| 25 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), securityCode, "Enter Security code", [delayForElement])  NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"),  | 0.001s  | NOT_RUN |
| 26 | scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)  | 0.238s  | PASSED  |
|    | Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully   |         |         |
| 27 | <pre>invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)</pre>   | 0.932s  | PASSED  |
| 28 | pages.Sale.verifylfAdditionalPromptingIsChecked("Save to Vault?", PageLoadTime)  | 0.544s  | PASSED  |
|    | Invoice Number   157248880559187     Label1   Label2   Label3   Set up Recurring Payment?   Yes No Label3   Label3   Purchase Card Information   Purchase Order # Destination Postal Code   Postal C |         |         |
|    | Checkout   |         |         |
|    | Version: build 9, release 2  |         |         |

**PASSED** 

1.770s

utilities.SafeActions.safeClickwithScroll is PASSED

"Click on Checkout button", [PageLoadTime])

29

utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button\_Checkout"),

| #  | Description  | Elapsed | Status |
|----|--|---------|--------|
| 30 | pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete"))  The screen is Transaction Complete screen  | 1.633s  | PASSED |
| 31 | scrollToElement(findTestObject("Pages/Sale/input_VaultReferenceNumber"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Sale/input_VaultReferenceNumber' successfully  | 0.227s  | PASSED |
| 32 | vaultReference = utilities.SafeActions.timeWithMilliSeconds() utilities.SafeActions.timeWithMilliSeconds is PASSED   | 0.036s  | PASSED |
| 33 | utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_VaultReferenceNumber"), vaultReference, "Enter Vault Reference Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED   | 1.794s  | PASSED |
| 34 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_SaveToVault "), "Click on Save To Vault button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED   | 1.236s  | PASSED |
| 35 | popupFromMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/popupAfterClickOn_SaveToVa ult"), PageLoadTime)  | 0.876s  | PASSED |
| 36 | saveToVaultPopUpMessage = "Successfully Saved to Vault: Reference Number:" + " " + vaultReference  | 0.001s  | PASSED |
| 37 | utilities.SafeActions.verifyPopupMessage(saveToVaultPopUpMessage, popupFromMessage)  Popup Message: Successfully Saved to Vault: Reference Number: 2019-10-31 01:27:06.742 matched with expected message: Successfully Saved to Vault: Reference Number: 2019-10-31 01:27:06.742 | 0.001s  | PASSED |

Number: 2019-10-31 01:27:06.742

| #  | Description   | Elapsed | Status |
|----|---|---------|--------|
| 38 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/close_TextBox"), "Click on Close", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED                           | 1.476s  | PASSED |
| 39 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED                  | 2.329s  | PASSED |
| 40 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/tab_FirstPayVault"), "First Pay Vault Tab", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED               | 1.779s  | PASSED |
| 41 | utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/button_Search Vault"), "Click on Search Vault", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED           | 3.168s  | PASSED |
| 42 | utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/FirstPayVault/button_Search"), "Click On Search button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED          | 1.418s  | PASSED |
| 43 | scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime)  Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully | 1.657s  | PASSED |
| 44 | pages.FirstPayVault.verifyInvoiceRecord(findTestObject("Pages/FirstPayVault/footer_NextB utton"), findTestObject("Pages/FirstPayVault/page_Number"), vaultReference)  The Vault is found in page 1          | 1.225s  | PASSED |
| 45 | closeBrowser() Browser is closed  | 26.876s | PASSED |

| #  | Description                                 | Elapsed | Status |
|----|---|---------|--------|
| 46 | Start listener action : sampleAfterTestCase | 0.004s  | PASSED |
|    |   |         |        |
| 47 | Start listener action : sampleAfterTestCase | 0.000s  | PASSED |