

Sale

Execution Environment

Host name	venkata.annam - FW1-D-DTA-ZENQ1
OS	Windows 10 64bit
Katalon version	6.3.2.4
Browser	Firefox 68.0

Summary

ID	Test Suites/FirstView/Sale		
Description			
Total	4		
Passed	2	Failed	2
Error	0	Incomplete	0
Start	2019-11-01 02:16:30	End	2019-11-01 02:21:53
Elapsed	5m - 22.497s		

#	ID	Description	Status
1	Test	Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_No_AdditionalPrompting	FAILED
2	Test	Cases/FirstView/Sale/VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting	FAILED
3	Test	Cases/FirstView/Sale/VPOS_Sale_Transaction_Moto_No_AdditionalPrompting	PASSED
4	Test	Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_SaveToVault	PASSED

VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

Information

ID	Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_No_AdditionalPrompting		
Description			
Tag			
Start	2019-11-01 02:16:34	End	2019-11-01 02:18:35
Elapsed	2m - 0.997s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.110s	PASSED
2	utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])	0.013s	NOT_RUN
3	delay(delayForElement) NOT_RUN: delay(delayForElement)	0.002s	NOT_RUN
4	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), RetailAccountOption, "Select by Value", [25]) NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale	0.004s	NOT_RUN
5	delay(delayBetweenTestSteps) NOT_RUN: delay(delayBetweenTestSteps)	0.003s	NOT_RUN
6	utilities.SafeActions.openBrowser(URL, [delayForElement]) com.kms.katalon.core.exception.StepFailedException: unable to open Browser with url:https://q-www-firstview-net.faps.net/MVC/Account/Login	1m - 50.984s	FAILED

VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

#	Description	Elapsed	Status
7	pages.Login.login(uName, password) com.kms.katalon.core.exception.StepErrorException: unable to enterZenQRetail in Enter userName in time -10seconds	1.898s	ERROR

VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/FirstView/Login/TC_SendCode' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at VPOS_Sale_Transaction_Retail_No_AdditionalPrompting.run (VPOS_Sale_Transaction_Retail_No_AdditionalPrompting:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1572592573210.run(TempTestSuite1572592573210.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify if object 'Object Repository/Pages/SendCodeToValidate/header_SendCodeToValidate' is visible in viewport at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword.verifyElementVisibleInViewport (VerifyElementVisibleInViewportKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword.execute(VerifyElementVisibleInViewportKeyword. groovy:68)</p>	1.804s	FAILED

VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementInViewPort(WebUiBuiltInKeywords.groovy:3023) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementInViewPort\$2.call(Unknown Source) at pages.SendCode.verifyPage(SendCode.groovy:26) at pages.SendCode.invokeMethod(SendCode.groovy) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass. invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50) at TC_SendCode.run(TC_SendCode:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FW1-D-DTA-ZENQ1', ip: '172.25.52.168', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.core.webui.driver.firefox.CGeckoDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 68.0.2, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20190813150448, moz:geckodriverVersion: 0.23.0, moz:headless: false, moz:processID: 481028, moz:profile: C:\Users\venkata.annam\AppData..., moz:shutdownTimeout: 60000, moz: useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: a12af917-4f36-4b02-bf4c-ea16bb0428e4 *** Element info: {Using=xpath, value=//h2[text()='Send Code to Validate']} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)</pre>		

VPOS_Sale_Transaction_Retail_No_AdditionalPrompting

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:761) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1093) at com.kms.katalon.core.webui.common.WebUiCommonHelper. isElementVisibleInViewport(WebUiCommonHelper.java:686) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword\$_verifyElementVisibleInViewport_closure1.doCall (VerifyElementVisibleInViewportKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword\$_verifyElementVisibleInViewport_closure1.call (VerifyElementVisibleInViewportKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		
9	Start listener action : sampleAfterTestCase	0.022s	PASSED
10	Start listener action : sampleAfterTestCase	0.002s	PASSED

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

Information

ID	Test Cases/FirstView/Sale/VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting		
Description			
Tag			
Start	2019-11-01 02:18:35	End	2019-11-01 02:18:40
Elapsed	5.057s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.007s	PASSED
2	utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])	0.039s	NOT_RUN
3	delay(6) NOT_RUN: delay(6)	0.038s	NOT_RUN
4	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce", "Select by Value", [25]) NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_AccountType"), "ranjanatest2 - 888814981372/002 Account Type: Ecommerce",	0.059s	NOT_RUN
5	delay(3) NOT_RUN: delay(3)	0.092s	NOT_RUN
6	utilities.SafeActions.openBrowser(URL, [PageLoadTime]) com.kms.katalon.core.exception.StepFailedException: unable to open Browser with url:https://q-www-firstview-net.faps.net/MVC/Account/Login	0.387s	FAILED

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

#	Description	Elapsed	Status
7	pages.Login.login(uName, password) com.kms.katalon.core.exception.StepErrorException: unable to enterZenQEcom in Enter userName in time -10seconds	0.999s	ERROR

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/FirstView/Login/TC_SendCode' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting.run (VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1572592573210.run(TempTestSuite1572592573210.groovy:35) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify if object 'Object Repository/Pages/SendCodeToValidate/header_SendCodeToValidate' is visible in viewport at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword.verifyElementVisibleInViewport (VerifyElementVisibleInViewportKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword.execute(VerifyElementVisibleInViewportKeyword.</p>	0.717s	FAILED

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

#	Description	Elapsed	Status
	<pre>groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementInViewport(WebUiBuiltInKeywords.groovy:3023) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementInViewport\$2.call(Unknown Source) at pages.SendCode.verifyPage(SendCode.groovy:26) at pages.SendCode.invokeMethod(SendCode.groovy) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass. invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50) at TC_SendCode.run(TC_SendCode:16) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FW1-D-DTA-ZENQ1', ip: '172.25.52.168', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CFirefoxDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java: 28) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.window (RemoteWebDriver.java:903) at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword\$_verifyElementVisibleInViewport_closure1.doCall (VerifyElementVisibleInViewportKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleInViewportKeyword\$_verifyElementVisibleInViewport_closure1.call</pre>		

VPOS_Sale_Transaction_ECommerce_No_AdditionalPrompting

#	Description	Elapsed	Status
	(VerifyElementVisibleInViewportKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		
9	Start listener action : sampleAfterTestCase	0.006s	PASSED
10	Start listener action : sampleAfterTestCase	0.005s	PASSED

VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

Information

ID	Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Moto_No_AdditionalPrompting		
Description			
Tag			
Start	2019-11-01 02:18:40	End	2019-11-01 02:20:10
Elapsed	1m - 29.751s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED
2	utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])	0.003s	NOT_RUN
3	delay(6) NOT_RUN: delay(6)	0.001s	NOT_RUN
4	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto", "Select by Value", [25]) NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), "ranjanatest2 - 888814981372/003 Account Type: Moto",	0.001s	NOT_RUN
5	delay(3) NOT_RUN: delay(3)	0.001s	NOT_RUN
6	utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED	23.600s	PASSED

VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

#	Description	Elapsed	Status
7	pages.Login.login(uName, password) pages.Login.login is PASSED	5.927s	PASSED
8	callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully	3.546s	PASSED
9	utilities.SafeActions.javascriptclick(findTestObject("Pages/FirstView/link_Home"), delayForElement) utilities.SafeActions.javascriptclick is PASSED	5.335s	PASSED
10	switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS'	4.637s	PASSED
11	delay(delayForElement) Delayed 6 second(s)	6.016s	PASSED
12	pages.Sale.verifyIfEntryModelsChecked("Sale", "Manually Keyed", delayBetweenTestSteps) pages.Sale.verifyIfEntryModelsChecked is PASSED	0.098s	PASSED
13	Scroll down to Element inputAmount Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully	0.171s	PASSED
14	utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amount) utilities.SafeActions.safeTypeUsingJavascript is PASSED	0.281s	PASSED
15	delay(2) Delayed 2 second(s)	2.013s	PASSED

VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

#	Description	Elapsed	Status
16	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED	1.468s	PASSED
17	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime]) NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amount, "Enter Amount into Amount text box", [PageLoadTime])	0.001s	NOT_RUN
18	scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully	0.201s	PASSED
19	pages.Sale.verifyIfEntryModelsChecked("Sale", "Card Not Present", delayBetweenTestSteps) pages.Sale.verifyIfEntryModelsChecked is PASSED	0.035s	PASSED
20	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED	1.974s	PASSED
21	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Enter Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED	1.801s	PASSED
22	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Enter Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED	1.407s	PASSED
23	scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully	0.221s	PASSED

VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

#	Description	Elapsed	Status
24	invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)	0.846s	PASSED
25	utilities.SafeActions.safeClickWithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime]) utilities.SafeActions.safeClickWithScroll is PASSED	1.716s	PASSED
26	pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete")) The screen is Transaction Complete screen	1.481s	PASSED
27	total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/totalAmount_In_TransactionComplete"), PageLoadTime)	1.589s	PASSED
28	utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED	1.880s	PASSED
29	utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Transaction_Management/tab_TransactionManagement"), "Transaction Management Tab", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED	1.989s	PASSED
30	utilities.SafeActions.safeClickWithScroll(findTestObject("Pages/Transaction_Management/button_Search"), "Search", [PageLoadTime]) utilities.SafeActions.safeClickWithScroll is PASSED	2.598s	PASSED
31	scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime) Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully	0.158s	PASSED

VPOS_Sale_Transaction_Moto_No_AdditionalPrompting

#	Description	Elapsed	Status
32	pages.Transaction_Management.verifyInvoiceRecord(findTestObject("Pages/Transaction_Management/footer_NextButton"), findTestObject("Pages/Transaction_Management/page_Number"), invoiceNumber, total_Amount)	3.686s	PASSED
33	closeBrowser() Browser is closed	13.611s	PASSED
34	Start listener action : sampleAfterTestCase	0.008s	PASSED
35	Start listener action : sampleAfterTestCase	0.007s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

Information

ID	Test Cases/FirstView/Sale/VPOS_Sale_Transaction_Retail_SaveToVault		
Description			
Tag			
Start	2019-11-01 02:20:10	End	2019-11-01 02:21:53
Elapsed	1m - 43.285s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.004s	PASSED
2	utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime]) NOT_RUN: utilities.SafeActions.openBrowser(Old_URL, [PageLoadTime])	0.037s	NOT_RUN
3	delay(delayForPageLoad) NOT_RUN: delay(delayForPageLoad)	0.002s	NOT_RUN
4	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale /dropDown_AccountType"), accountType, "Select by Value", [PageLoadTime]) NOT_RUN: utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale	0.002s	NOT_RUN
5	delay(3) NOT_RUN: delay(3)	0.009s	NOT_RUN
6	utilities.SafeActions.openBrowser(URL, [PageLoadTime]) utilities.SafeActions.openBrowser is PASSED	29.792s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
7	pages.Login.login(uName, password) pages.Login.login is PASSED	6.011s	PASSED
8	callTestCase(findTestCase("FirstView/Login/TC_SendCode"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_SendCode' successfully	3.858s	PASSED
9	callTestCase(findTestCase("FirstView/Login/TC_FirstView"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/FirstView/Login/TC_FirstView' successfully	8.034s	PASSED
10	switchToWindowTitle("Transcenter - VPOS") Switched to window with title: 'Transcenter - VPOS'	5.695s	PASSED
11	delay(delayForElement) Delayed 6 second(s)	6.007s	PASSED
12	pages.Sale.verifyIfEntryModelsChecked("Sale", "Manually Keyed", PageLoadTime) pages.Sale.verifyIfEntryModelsChecked is PASSED	0.137s	PASSED
13	Scroll down to Element inputAmount Scroll to object 'Object Repository/Pages/Sale/input_Amount' successfully	0.094s	PASSED
14	utilities.SafeActions.safeTypeUsingJavascript(findTestObject("Pages/Sale/input_Amount"), amountInput) utilities.SafeActions.safeTypeUsingJavascript is PASSED	0.159s	PASSED
15	delay(2) Delayed 2 second(s)	2.007s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
16	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Amount field", [delayForElement]) utilities.SafeActions.safeType is PASSED	1.267s	PASSED
17	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime]) NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_Amount"), amountInput, "Enter Amount into Amount text box", [PageLoadTime])	0.002s	NOT_RUN
18	total_Amount = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/total_Amount"), PageLoadTime)	1.010s	PASSED
19	scrollToElement(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/dropDown_ExpirationMonth' successfully	0.106s	PASSED
20	pages.Sale.verifyIfEntryModelsChecked("Sale", "Card Not Present", PageLoadTime) pages.Sale.verifyIfEntryModelsChecked is PASSED	0.031s	PASSED
21	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_CardNumber"), visaCardNumber, "Entering Card Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED	4.075s	PASSED
22	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationMonth"), cardMonth, "Select Expiration Month", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED	1.957s	PASSED
23	utilities.SafeActions.safeSelectOptionInDropDownByVisibleText(findTestObject("Pages/Sale/dropDown_ExpirationYear"), cardYear, "Select Expiration Year", [PageLoadTime]) utilities.SafeActions.safeSelectOptionInDropDownByVisibleText is PASSED	1.572s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
24	utilities.SafeActions.safeClickWithoutScrollOnLabel(findTestObject("Pages/Sale/label_ExpirationYear"), "Click on Exp Year label", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScrollOnLabel is PASSED	1.136s	PASSED
25	delay(delayBetweenTestSteps) Delayed 3 second(s)	3.004s	PASSED
26	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"), securityCode, "Enter Security code", [delayForElement]) NOT_RUN: utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_SecurityCode"),	0.003s	NOT_RUN
27	scrollToElement(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/invoiceNumber' successfully	0.829s	PASSED
28	invoiceNumber = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/invoiceNumber"), PageLoadTime)	0.870s	PASSED
29	pages.Sale.verifyIfAdditionalPromptingIsChecked("Save to Vault?", PageLoadTime) pages.Sale.verifyIfAdditionalPromptingIsChecked is PASSED	0.480s	PASSED

Additional Prompting

Invoice Number157257847110707

Set up Recurring Payment?

☐ Yes

☒ No

Save to Vault?

☐ Yes

☒ No

Set as Future Payment?

☐ Yes

☒ No

Label1

Label2

Label3

Purchase Card Information

Purchase Order #

Destination Postal Code

Checkout

Clear

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
30	utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_Checkout"), "Click on Checkout button", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED	1.993s	PASSED
31	pages.Sale.verifyTransactionCompletePage(findTestObject("Pages/Sale/heading_TransactionComplete")) The screen is Transaction Complete screen	1.482s	PASSED
32	scrollToElement(findTestObject("Pages/Sale/input_VaultReferenceNumber"), PageLoadTime) Scroll to object 'Object Repository/Pages/Sale/input_VaultReferenceNumber' successfully	0.180s	PASSED
33	vaultReference = utilities.SafeActions.timeWithMilliseconds() utilities.SafeActions.timeWithMilliseconds is PASSED	0.021s	PASSED
34	utilities.SafeActions.safeType(findTestObject("Pages/Sale/input_VaultReferenceNumber"), vaultReference, "Enter Vault Reference Number", [PageLoadTime]) utilities.SafeActions.safeType is PASSED	1.621s	PASSED
35	utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/button_SaveToVault"), "Click on Save To Vault button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED	1.387s	PASSED
36	popupFromMessage = utilities.SafeActions.safeGetText(findTestObject("Pages/Sale/popupAfterClickOn_SaveToVault"), PageLoadTime)	0.782s	PASSED
37	saveToVaultPopUpMessage = "Successfully Saved to Vault: Reference Number:" + " " + vaultReference	0.000s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
38	utilities.SafeActions.verifyPopupMessage(saveToVaultPopUpMessage, popupFromMessage) Popup Message : Successfully Saved to Vault: Reference Number: 2019-11-01 02:21:34.068 matched with expected message : Successfully Saved to Vault: Reference Number: 2019-11-01 02:21:34.068	0.000s	PASSED
39	utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/Sale/close_TextBox"), "Click on Close", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED	1.173s	PASSED
40	utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/Sale/button_ReturnToSale"), "Click on Return To Sale", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED	1.832s	PASSED
41	utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/tab_FirstPayVault"), "First Pay Vault Tab", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED	1.959s	PASSED
42	utilities.SafeActions.safeClickwithScroll(findTestObject("Pages/FirstPayVault/button_SearchVault"), "Click on Search Vault", [PageLoadTime]) utilities.SafeActions.safeClickwithScroll is PASSED	1.609s	PASSED
43	utilities.SafeActions.safeClickWithoutScroll(findTestObject("Pages/FirstPayVault/button_Search"), "Click On Search button", [PageLoadTime]) utilities.SafeActions.safeClickWithoutScroll is PASSED	1.652s	PASSED
44	scrollToElement(findTestObject("Pages/Transaction_Management/invoice_ForTransaction"), PageLoadTime) Scroll to object 'Object Repository/Pages/Transaction_Management/invoice_ForTransaction' successfully	2.263s	PASSED
45	pages.FirstPayVault.verifyInvoiceRecord(findTestObject("Pages/FirstPayVault/footer_NextButton"), findTestObject("Pages/FirstPayVault/page_Number"), vaultReference) The Vault is found in page 1	1.282s	PASSED

VPOS_Sale_Transaction_Retail_SaveToVault

#	Description	Elapsed	Status
46	closeBrowser() Browser is closed	3.730s	PASSED
47	Start listener action : sampleAfterTestCase	0.005s	PASSED
48	Start listener action : sampleAfterTestCase	0.001s	PASSED