

```

1  #include <iostream>
2
3  using namespace std;
4
5  int main()
6  {
7      int a = 3; 6
8      int b = 6; 3
9      int c = 9;
10     int sum;
11
12     sum = a + b + c;
13           3  6  9
14     cout << "Sum of a + b + c: " << sum << endl;
15
16     if(a < b)
17     {
18         cout << "Value of a is less than b." << endl;
19     }
20     else
21     {
22         cout << "Value of a is greater than b." << endl;
23     }
24
25     return 0;
26 }

```

Variable	
a	3
b	6
c	9
Sum	18

```

1  #include <iostream>
2
3  using namespace std;
4
5  int min(int, int);
6  int max(int, int);
7
8  int main()
9  {
10     int num1 = 10;
11     int num2 = 30;
12     int num3 = 25;
13
14     int result1, result2;
15
16     result1 = min(num1, num2);
17     result2 = max(num2, num3);
18
19     result1 = min(num3, num1);
20
21     return 0;
22 }
23
24 int min(int a, int b)
25 {
26     if (a < b)
27         return a;
28     else
29         return b;
30 }
31
32 int max(int a, int b)
33 {
34     if (a > b)
35         return a;
36     else
37         return b;
38 }

```

main:

num1	10	
num2	30	
num3	25	
r1	10	10
r2	30	

min(10, 30);

a	10
b	30

max(30, 25);

min(25, 10);