CA-C30L: Mobile Application Development Lab

LAB PROGRAM-4 : EXPLICIT-IMPLICIT INTENT

4. Create an application to implement new activity using explicit intent and implicit intent.

/* Explicit Intent: This involves navigating from one activity to another within the same application.

Implicit Intent: This involves triggering an action that can be handled by another application. */

Program description :

We will create **two activities** Mainactivity and SecondActivity .

- The first activity will contain a button explicit intent which when clicked redirects to the next activity SecondActivity
- Second activity contains a button implicit intent ,which when clicked opens a url www.google.com

Steps :

- **Creating the activities:** There will be two activities and hence two XML files, one for each activity.
- Right click on java folder select **New->activity->empty views activity** and name it as **SecondActivity.java.** (The xml file gets created automatically)
- Make changes in the code of all xml and java files as follows

acitivity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/apk/res/
android"
xmlns:app="http://schemas.android.com/apk/res-
auto"
```

```
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity"
android:orientation="vertical"
android:padding="30dp">

<Button
 android:id="@+id/btnExplicitContent"
 android:layout_width="match_parent"
 android:layout_height="wrap_content"
 android:text="Explicit Content"
 android:textSize="30sp"
 android:layout_marginTop="30dp" />

</LinearLayout>
```

MainActivity.java

```
public class MainActivity extends AppCompatActivity {

    Button btnExplicitContent;

    @Override
    protected void onCreate(Bundle
savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

btnExplicitContent =
findViewById(R.id.btnExplicitContent);
btnExplicitContent.setOnClickListener(new
View.OnClickListener() {
            @Override

public void onClick(View view) {
Intent intent = new Intent(MainActivity.this,
SecondActivity.class);
```

```
        startActivity(intent);
            }
 });
```

acitivity_second.xml

- Right click on java folder select **New->activity->empty views activity** and name it as **SecondActivity.java ,activity_second.xml is automatically generated. Include the button attribute** `android:text="Implicit Content"`

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/apk/res/
android"
    xmlns:app="http://schemas.android.com/apk/res-
auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".SecondActivity"
    android:orientation="vertical"
    android:padding="30dp">

 <Button
  android:id="@+id/btnImplicitContent"
  android:layout_width="match_parent"
  android:layout_height="wrap_content"
  android:text="Implicit Content"
  android:textSize="30sp"
  android:layout_marginTop="30dp"></Button>

</LinearLayout>
```

SecondActivity.java

In secondActivity.java include the following code under onCreate function

```
package com.example.explicitimplicitintent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class SecondActivity extends
AppCompatActivity {

Button btnImplicitContent;

    @Override
protected void onCreate(Bundle savedInstanceState)
{
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_second);

btnImplicitContent=findViewById(R.id.btnImplicitCo
ntent);

        btnImplicitContent.setOnClickListener(new
View.OnClickListener() {
            @Override
            public void onClick(View view) {

    Uri webpage =
Uri.parse("https://www.google.com");//Uri.parse()
converts the string into a format that Android can
use in intents.
```

```
    Intent intent = new Intent(Intent.ACTION_VIEW,
webpage);//Intent.ACTION_VIEW tells Android: "I
want to view this data."
    startActivity(intent);

}

        });

    }
}
```

****