Cucumber Report

| Start : Apr 26, 9:17:40.941 pm	End : Apr 26, 9:17:46.052 pm	Duration : 5.111 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validating Place API's	5.111 s	3	2	1	0	12	10	1	1

#	Feature Name	Scenario Name
1	*Validating Place API's*	*Verify if Place is being Successfully deleted using DeletePlaceAPI*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Smoke	3	2	1	0	1	0	1	0
@AddPlace	1	1	0	0	1	0	1	0
@regression	3	2	1	0	1	0	1	0
@GetPerson	1	1	0	0	1	0	1	0
@DeletePlace	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Validating Place API's	3	2	1	0	5.111 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validating Place API's	Verify if Place is being Successfully added using AddPlaceAPI	4	4	0	0	2.016 s
2		Verify if Place is being Successfully get using GetSinglePlaceAPI	4	4	0	0	1.280 s
3		Verify if Place is being Successfully deleted using DeletePlaceAPI	4	2	1	1	1.799 s

Validating Place API's

FAILED	DURATION - 5.111 s		Scenarios		Steps	
	/ 9:17:40.941 pm // 9:17:46.052 pm /		Total - 3		Total - 12	
			Pass - 2	3	Pass - 10	12
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 1	

Verify if Place is being Successfully added using AddPlaceAPI

PASSED	DURATION - 2.016 s		Steps	
/ 9:17:40.947 pm // 9:17:42.963 pm /			Total - 4	
Validating Place API's			Pass - 4	4
			Fail - 0	
@Smoke @AddPlace @regression			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Add Place Payload with "Frontline house" "English" "Tadigadapa"	PASSED	0.727 s
2	When user calls "AddPlaceAPI" with "Post" http request	PASSED	1.274 s
3	Then the "AddPlaceAPI" Call got success with status code "200"	PASSED	0.002 s
4	And "status" in response body is "OK"	PASSED	0.000 s
	AFTER - stepDefinitions.Hooks.afterScenario()	PASSED	0.001 s
	Request method: POST Request URI: https://rahulshettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: {		
	"location": { "lat": -38.383494, "lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": ["shoe park", "shop"], "website": "http://google.com", "language": "English" } HTTP/1.1 200 OK Date: Sat, 26 Apr 2025 15:47:48 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "status": "OK", "place_id": "e838ad2b3ddfa713f51e7a7908961c4a", "scope": "APP", "reference": "cc91773d028b856a049e0a546c498709cc91773d028b856a049e0a546c498709", "id": "cc91773d028b856a049e0a546c498709" }		

Verify if Place is being Successfully get using GetSinglePlaceAPI

PASSED	*DURATION - 1.280 s*
/ 9:17:42.971 pm // 9:17:44.251 pm /	
Validating Place API's	
@Smoke @regression @GetPerson	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given Get Place Payload with Place id	PASSED	0.009 s
2	When user calls "GetSinglePlaceAPI" with "GET" http request	PASSED	1.269 s
3	Then the "GetSinglePlaceAPI" Call got success with status code "200"	PASSED	0.000 s
4	And "status" in response body is "OK"	PASSED	0.000 s
	AFTER - stepDefinitions.Hooks.afterScenario()	PASSED	0.000 s
	Request method: POST Request URI: https://rahulshettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: { "location": { "lat": -38.383494, "lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": ["shoe park", "shop"], "website": "http://google.com", "language": "English"		
	} HTTP/1.1 200 OK Date: Sat, 26 Apr 2025 15:47:48 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "status": "OK", "place_id": "e838ad2b3ddfa713f51e7a7908961c4a", "scope": "APP", "reference": "cc91773d028b856a049e0a546c498709cc91773d028b856a049e0a546c498709", "id": "cc91773d028b856a049e0a546c498709" } Request method: GET Request URI: https://rahulshettyacademy. com/maps/api/place/get/json?place_id=e838ad2b3ddfa713f51e7a7908961c4a&key=qaclick123 Proxy: <none> Request params: <none> Query params: place_id=e838ad2b3ddfa713f51e7a7908961c4a key=qaclick123 Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: <none> HTTP/1.1 200 OK Date: Sat, 26 Apr 2025 15:47:48 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control- Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 240 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "location": { "latitude": "-38.383494", "longitude": "33.427362" }, "accuracy": "50", "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": "shoe park,shop", "website": "http://google.com", "language": "English" }		

Verify if Place is being Successfully deleted using DeletePlaceAPI

FAILED	DURATION - 1.799 s
/ 9:17:44.253 pm // 9:17:46.052 pm /	
Validating Place API's	
@Smoke @regression @DeletePlace	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given Delete Place Payload with place id	PASSED	0.006 s
2	When user calls "DeletePlaceAPI" with Delete http request	PASSED	1.787 s
3	Then the "DeletePlaceAPI" Call got success with status code "400"	FAILED	0.004 s

	java.lang.AssertionError: expected:<200> but was:<400>
	    at org.junit.Assert.fail(Assert.java:93)
	    at org.junit.Assert.failNotEquals(Assert.java:647)
	    at org.junit.Assert.assertEquals(Assert.java:128)
	    at org.junit.Assert.assertEquals(Assert.java:472)
	    at org.junit.Assert.assertEquals(Assert.java:456)
	    at stepDefinitions.StepDefinition.the_Call_got_success_with_status_code(StepDefinition.java:156)
	    at ?.the "DeletePlaceAPI" Call got success with status code "400"(file:///D:/eatOS/Appium/RahulShettyBDDAPIFramework/src/test/java/features/placeValidation.feature:34)
	* Not displayable characters are replaced by '?'.		

4	And "status" in response body is "OK"	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.afterScenario()	PASSED	0.000 s
	Request method: POST Request URI: https://rahulshettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: { "location": { "lat": -38.383494,		

#	Step / Hook Details	Status	Duration
"lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": ["shoe park", "shop"], "website": "http://google.com", "language": "English" } HTTP/1.1 200 OK Date: Sat, 26 Apr 2025 15:47:48 GMT Server: Apache/2.4. 52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "status": "OK", "place_id": "e838ad2b3ddfa713f51e7a7908961c4a", "scope": "APP", "reference": "cc91773d028b856a049e0a546c498709cc91773d028b856a049e0a546c498709", "id": "cc91773d028b856a049e0a546c498709" } Request method: GET Request URI: https://rahulshettyacademy.com/maps/api/place/get/json?place_id=e838ad2b3ddfa713f51e7a7908961c4a&key=qaclick123 Proxy: <none> Request params: <none> Query params: place_id=e838ad2b3ddfa713f51e7a7908961c4a key=qaclick123 Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: <none> HTTP/1. 1 200 OK Date: Sat, 26 Apr 2025 15:47:48 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 240 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "location": { "latitude": "-38.383494", "longitude": "33.427362" }, "accuracy": "50", "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": "shoe park,shop", "website": "http://google.com", "language": "English" } Request method: DELETE Request URI: https://rahulshettyacademy. com/maps/api/place/delete/json?key=qaclick123 Proxy: <none> Request params: <none> Query params: key=qaclick123 Form params: <none> Path params: <none> Headers: Accept=*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: { "place_id": "e838ad2b3ddfa713f51e7a7908961c4a" } HTTP/1.1 200 OK Date: Sat, 26 Apr 2025 15:47:49 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 15 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "status": "OK" }		