

# Cucumber Report

27-Apr-2025, 6:02:22 pm

Start : Apr 27, 6:02:16.465 pm

End : Apr 27, 6:02:21.637 pm

Duration : 5.172 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating Place API's</u>	5.172 s	3	2	1	0	12	10	1	1

#	Feature Name	Scenario Name
1	<u>Validating Place API's</u>	<u>Verify if Place is being Successfully deleted using DeletePlaceAPI</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Smoke	3	2	1	0	1	0	1	0
@AddPlace	1	1	0	0	1	0	1	0
@regression	3	2	1	0	1	0	1	0
@GetPerson	1	1	0	0	1	0	1	0
@DeletePlace	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validating Place API's</u>	3	2	1	0	5.172 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating Place API's</u>	<u>Verify if Place is being Successfully added using AddPlaceAPI</u>	4	4	0	0	2.039 s
2		<u>Verify if Place is being Successfully get using GetSinglePlaceAPI</u>	4	4	0	0	1.268 s
3		<u>Verify if Place is being Successfully deleted using DeletePlaceAPI</u>	4	2	1	1	1.851 s

## Validating Place API's



<b>FAILED</b>	DURATION - 5.172 s	Scenarios		Steps	
/ 6:02:16.465 pm // 6:02:21.637 pm /		Total - 3		Total - 12	
		Pass - 2		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## Verify if Place is being Successfully added using AddPlaceAPI

<div>PASSED</div> <div>DURATION - 2.039 s</div>	<div></div>	Steps	<div></div>
<div>/ 6:02:16.470 pm // 6:02:18.509 pm /</div>		Total - 4	
<div>Validating Place API's</div>		Pass - 4	
<div>@Smoke @AddPlace @regression</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Add Place Payload with "Frontline house" "English" "Tadigadapa"	PASSED	0.733 s
2	When user calls "AddPlaceAPI" with "Post" http request	PASSED	1.292 s
3	Then the "AddPlaceAPI" Call got success with status code "200"	PASSED	0.002 s
4	And "status" in response body is "OK"	PASSED	0.001 s
	AFTER - stepDefinitions.Hooks.afterScenario()	PASSED	0.002 s
	Request method: POST Request URI: https://rahuishettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: {		
	"location": { "lat": -38.383494, "lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": [ "shoe park", "shop" ], "website": "http://google.com", "language": "English" } HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:24 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json; charset=UTF-8 { "status": "OK", "place_id": "d2f74261c949f942bcc1e1857215d631", "scope": "APP", "reference": "409c27162f28c6eb1da6d3af3b69e7f2409c27162f28c6eb1da6d3af3b69e7f2", "id": "409c27162f28c6eb1da6d3af3b69e7f2" }		



## Verify if Place is being Successfully get using GetSinglePlaceAPI

<div>PASSED</div> <div>DURATION - 1.268 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:02:18.515 pm // 6:02:19.783 pm /</div>			
<div>Validating Place API's</div>			
<div>@Smoke @regression @GetPerson</div>			

#	Step / Hook Details	Status	Duration
1	Given Get Place Payload with Place id	PASSED	0.007 s
2	When user calls "GetSinglePlaceAPI" with "GET" http request	PASSED	1.259 s
3	Then the "GetSinglePlaceAPI" Call got success with status code "200"	PASSED	0.000 s
4	And "status" in response body is "OK"	PASSED	0.000 s
	AFTER - stepDefinitions.Hooks.afterScenario()	PASSED	0.000 s
	Request method: POST Request URI: https://rahulshettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=/*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: { "location": { "lat": -38.383494, "lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": [ "shoe park", "shop" ], "website": "http://google.com", "language": "English"		
	} HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:24 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "status": "OK", "place_id": "d2f74261c949f942bcc1e1857215d631", "scope": "APP", "reference": "409c27162f28c6eb1da6d3af3b69e7f2409c27162f28c6eb1da6d3af3b69e7f2", "id": "409c27162f28c6eb1da6d3af3b69e7f2" } Request method: GET Request URI: https://rahulshettyacademy.com/maps/api/place/get/json?place_id=d2f74261c949f942bcc1e1857215d631&key=qaclick123 Proxy: <none> Request params: <none> Query params: place_id=d2f74261c949f942bcc1e1857215d631 key=qaclick123 Form params: <none> Path params: <none> Headers: Accept=/*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: <none> HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:24 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 240 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json;charset=UTF-8 { "location": { "latitude": "-38.383494", "longitude": "33.427362" }, "accuracy": "50", "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": "shoe park,shop", "website": "http://google.com", "language": "English" }		

**Verify if Place is being Successfully deleted using DeletePlaceAPI**



<div>FAILED</div> <div>DURATION - 1.851 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 6:02:19.786 pm // 6:02:21.637 pm /				
Validating Place API's				
@Smoke @regression @DeletePlace				

#	Step / Hook Details	Status	Duration
1	Given Delete Place Payload with place id	PASSED	0.005 s
2	When user calls "DeletePlaceAPI" with Delete http request	PASSED	1.838 s
3	Then the "DeletePlaceAPI" Call got success with status code "400"	FAILED	0.007 s
	<pre>java.lang.AssertionError: expected:&lt;200&gt; but was:&lt;400&gt;     at org.junit.Assert.fail(Assert.java:93)     at org.junit.Assert.failNotEquals(Assert.java:647)     at org.junit.Assert.assertEquals(Assert.java:128)     at org.junit.Assert.assertEquals(Assert.java:472)     at org.junit.Assert.assertEquals(Assert.java:456)     at stepDefinitions.StepDefinition.the_Call_got_success_with_status_code(StepDefinition.java:155)     at ?.the "DeletePlaceAPI" Call got success with status code "400"(file:///D:/eatOS/Appium/RahulShettyBDDAPIFramework/src/test/resources/features/placeValidation.feature:34)     * Not displayable characters are replaced by '?'. </pre>		
4	And "status" in response body is "OK"	SKIPPED	0.000 s
	<b>AFTER - stepDefinitions.Hooks.afterScenario()</b> Request method: POST Request URI: https://rahulshettyacademy.com/maps/api/place/add/json Proxy: <none> Request params: <none> Query params: <none> Form params: <none> Path params: <none> Headers: Accept=/*/* Content-Type=application/json Cookies: <none> Multiparts: <none> Body: { "location": { "lat": -38.383494,	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>"lng": 33.427362 }, "accuracy": 50, "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": [ "shoe park", "shop" ], "website": "http://google.com", "language": "English" } HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:24 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 194 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json; charset=UTF-8 { "status": "OK", "place_id": "d2f74261c949f942bcc1e1857215d631", "scope": "APP", "reference": "409c27162f28c6eb1da6d3af3b69e7f2409c27162f28c6eb1da6d3af3b69e7f2", "id": "409c27162f28c6eb1da6d3af3b69e7f2" } Request method: GET Request URI: https://rahulshettyacademy.com/maps/api/place/get/json?place_id=d2f74261c949f942bcc1e1857215d631&amp;key=qaclick123 Proxy: &lt;none&gt; Request params: &lt;none&gt; Query params: place_id=d2f74261c949f942bcc1e1857215d631 key=qaclick123 Form params: &lt;none&gt; Path params: &lt;none&gt; Headers: Accept=/*/* Content-Type=application/json Cookies: &lt;none&gt; Multiparts: &lt;none&gt; Body: &lt;none&gt; HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:24 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 240 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json; charset=UTF-8 { "location": { "latitude": "-38.383494", "longitude": "33.427362" }, "accuracy": "50", "name": "Frontline house", "phone_number": "(+91) 983 893 3937", "address": "Tadigadapa", "types": "shoe park,shop", "website": "http://google.com", "language": "English" } Request method: DELETE Request URI: https://rahulshettyacademy.com/maps/api/place/delete/json?key=qaclick123 Proxy: &lt;none&gt; Request params: &lt;none&gt; Query params: key=qaclick123 Form params: &lt;none&gt; Path params: &lt;none&gt; Headers: Accept=/*/* Content-Type=application/json Cookies: &lt;none&gt; Multiparts: &lt;none&gt; Body: { "place_id": "d2f74261c949f942bcc1e1857215d631" } HTTP/1.1 200 OK Date: Sun, 27 Apr 2025 12:32:25 GMT Server: Apache/2.4.52 (Ubuntu) Access-Control-Allow-Origin: * Access-Control-Allow-Methods: POST Access-Control-Max-Age: 3600 Access-Control-Allow-Headers: Content-Type, Access-Control-Allow-Headers, Authorization, X-Requested-With Content-Length: 15 Keep-Alive: timeout=5, max=100 Connection: Keep-Alive Content-Type: application/json; charset=UTF-8 { "status": "OK" }</p>		