

# Cucumber Report

21-Feb-2024, 8:55:10 pm

Start : Feb 21, 8:50:13.578 pm

End : Feb 21, 8:55:09.213 pm

Duration : 4 m 55.635 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 0


PASSED - 21  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login scenarios</u>	50.285 s	2	2	0	0	4	4	0	0
<u>Payments</u>	4 m 5.336 s	6	5	1	0	18	17	1	0

#	Feature Name	Scenario Name
1	<u>Payments</u>	<u>Validate Service Charge Details EmptyServiceChargeAmount</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@All	8	7	1	0	2	1	1	0
@login	2	2	0	0	1	1	0	0
@discount	3	3	0	0	1	0	1	0
@payments	6	5	1	0	1	0	1	0
@serviceCharge	3	2	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login scenarios	2	2	0	0	50.285 s
2	Payments	6	5	1	0	4 m 5.336 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login scenarios</u>	<u>Validate Login Functionality</u>	2	2	0	0	15.999 s
2		<u>Validate Login Functionality</u>	2	2	0	0	34.270 s
3	<u>Payments</u>	<u>Validate Discount Details EmptyDiscountName</u>	3	3	0	0	38.341 s
4		<u>Validate Discount Details EmptyDiscountAmount</u>	3	3	0	0	39.767 s
5		<u>Validate Discount Details EmptyAllFields</u>	3	3	0	0	38.190 s
6		<u>Validate Service Charge Details EmptyServiceChargeName</u>	3	3	0	0	38.668 s
7		<u>Validate Service Charge Details EmptyServiceChargeAmount</u>	3	2	1	0	51.745 s
8		<u>Validate Service Charge Details EmptyAllFields</u>	3	3	0	0	38.577 s

## Login scenarios



<b>PASSED</b>	<b>DURATION - 50.285 s</b>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:50:13.578 pm // 8:51:03.863 pm /					

## Validate Login Functionality

<b>PASSED</b>	<b>DURATION - 15.999 s</b>		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:50:13.582 pm // 8:50:29.581 pm /				
Login scenarios				
@All @login				

#	Step / Hook Details	Status	Duration
1	When User enter "EmptyFields" Credentials	PASSED	6.012 s
2	Then User gets "EmptyFields" errorMsg	PASSED	1.624 s



## Validate Login Functionality

<b>PASSED</b>	<b>DURATION - 34.270 s</b>		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:50:29.593 pm // 8:51:03.863 pm /				
Login scenarios				
@All @login				



#	Step / Hook Details	Status	Duration
1	When User enter "ValidCredentials" Credentials	PASSED	23.413 s

#	Step / Hook Details	Status	Duration
2	Then User gets "ValidCredentials" errorMsg	PASSED	2.438 s

## Payments



FAILED	DURATION - 4 m 5.336 s	Scenarios		Steps	
/ 8:51:03.877 pm // 8:55:09.213 pm /		Total - 6		Total - 18	
		Pass - 5		Pass - 17	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Validate Discount Details EmptyDiscountName

PASSED	DURATION - 38.341 s		Steps	
/ 8:51:03.878 pm // 8:51:42.219 pm /			Total - 3	
Payments			Pass - 3	
@All @discount @payments			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	21.519 s
2	When User adds "EmptyDiscountName" Discount details	PASSED	6.786 s
3	Then User gets errorMsg for "EmptyDiscountName" Discount Details	PASSED	1.679 s



## Validate Discount Details EmptyDiscountAmount

PASSED	DURATION - 39.767 s		Steps	
/ 8:51:42.228 pm // 8:52:21.995 pm /			Total - 3	
Payments			Pass - 3	
@All @discount @payments			Fail - 0	
			Skip - 0	





#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	22.794 s
2	When User adds "EmptyDiscountAmount" Discount details	PASSED	7.082 s
3	Then User gets errorMsg for "EmptyDiscountAmount" Discount Details	PASSED	1.522 s

### Validate Discount Details EmptyAllFields

PASSED	DURATION - 38.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:52:22.004 pm // 8:53:00.194 pm /				
Payments				
@All @discount @payments				



#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	22.412 s
2	When User adds "EmptyAllFields" Discount details	PASSED	6.065 s
3	Then User gets errorMsg for "EmptyAllFields" Discount Details	PASSED	1.479 s

### Validate Service Charge Details EmptyServiceChargeName

PASSED	DURATION - 38.668 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:53:00.200 pm // 8:53:38.868 pm /				
Payments				
@All @serviceCharge @payments				


#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	21.718 s
2	When User adds "EmptyServiceChargeName" Service Charge details	PASSED	6.706 s
3	Then User gets errorMsg for "EmptyServiceChargeName" Service Charge Details	PASSED	1.917 s

## Validate Service Charge Details EmptyServiceChargeAmount



<b>FAILED</b>	DURATION - 51.745 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:53:38.877 pm // 8:54:30.622 pm /				
Payments				
@All @serviceCharge @payments				

#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	25.700 s
2	When User adds "EmptyServiceChargeAmount" Service Charge details	PASSED	6.062 s
3	Then User gets errorMsg for "EmptyServiceChargeAmount" Service Charge Details org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.widget.Toast[@text='Please set a valid amount, must be more than 0']}) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:64) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:77) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$krQYWJ5h.getText(Unknown Source) at com.qa.pages.PaymentsScreen.serviceChargeErrMsg(PaymentsScreen.java:225) at com.qa.stepdef.PaymentsStepDef.userGetsErrorMsgOnServiceChargeDetails(PaymentsStepDef.java:48) at ?.User gets errorMsg for "EmptyServiceChargeAmount" Service Charge Details(file:///D:/eatOS/Appium/eatMobilePOS/src/test/resources/Payments.feature:32) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@64159a7f (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:265) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:64) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:77) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$krQYWJ5h.getText(Unknown Source) at com.qa.pages.PaymentsScreen.serviceChargeErrMsg(PaymentsScreen.java:225) at com.qa.stepdef.PaymentsStepDef.userGetsErrorMsgOnServiceChargeDetails(PaymentsStepDef.java:48) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)	FAILED	11.347 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		

#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.widget.Toast[@text='Please set a valid amount, must be more than 0']}) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.17.0', revision: 'e52b1be057*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: driver.version: RemoteWebDriver</p> <p>at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:53)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)  at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160)  at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217)  at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER - com.qa.stepdef.Hooks.quit(io.cucumber.java.Scenario)	PASSED	4.860 s
	Validate Service Charge Details EmptyServiceChargeAmount		
			

### Validate Service Charge Details EmptyAllFields

PASSED		DURATION - 38.577 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0		
/ 8:54:30.636 pm // 8:55:09.213 pm /							
Payments							
@All @serviceCharge @payments							

#	Step / Hook Details	Status	Duration
1	Given User is on Payments Screen	PASSED	22.848 s
2	When User adds "EmptyAllFields" Service Charge details	PASSED	6.003 s
3	Then User gets errorMsg for "EmptyAllFields" Service Charge Details	PASSED	1.396 s