DiveSafe AI: domain validation form

Fillable form for a dive professional. Fill it in on screen (any PDF reader), save it, and send the saved file back. You can also print it and write by hand.

Signing a limit does not make any dive safe. This form feeds a decision-support tool. The diver, dive master or dive leader always makes the final decision.

Do not guess. A blank is safe for the software, because it stays cautious. A guessed number is not. Every limit needs a named, dated source: a training-agency standard, a local operator's written rule, an official marine authority publication, or your own documented site briefing. "Common practice" is not a source. **No numbers are suggested on purpose.**

"Not assessed" is an honest answer. While any factor is unassessed the software cannot say GO or CAUTION, so a partial form cannot unlock a recommendation. A NO-GO limit you supply can still feed the decision support.

What the software can apply today: a limit scoped to named sites and a maximum depth, for wind speed, wave height, swell, swell period or current, with your forecast margin, the worse direction, up to three bands, your source, reviewers and an expiry date. It cannot yet apply a limit that depends on diver qualification, dive type, season, exposure direction or per-factor data age. Such a limit is recorded as written and refused, never widened. Please still fill in the fields: your answers decide what we build next.

About you

Name and role

Qualifications / certifications

Organisation

Date

Part A: decisions about caution

These need a person with authority over safety policy. Each has a safe default that the software uses until you answer.

A1. May a regional model forecast ever support a GO or CAUTION?

The only data we hold for waves, swell, currents and temperature are coarse regional model forecasts, which the system grades "degraded". Even with perfect rules, the software currently refuses `GO` **and** `CAUTION` on degraded data alone. This is one switch for the whole system.

- ☐ Never. A recommendation needs measured or validated site data. (**software default today**)
- ☐ Yes, but only for factors you name, with a stated safety margin:

- ☐ Yes, with a mandatory briefing step recorded by the dive leader:

The second and third options are **requests for new features**; the software has no per-factor switch, margin or briefing step today. If you choose one, the developer will build and review it before it has any effect.

Your answer and reasoning (what protects the diver if the model is wrong?)

- ☐ Deferred: I am not answering this now (the safe default stays)

A2. Marine warnings

Today **any** MET Malaysia warning that overlaps the dive window, and **any** undated notice (whatever its date), stops an automatic GO, because the notices are free text covering several sea areas and the software will not guess whether one applies. This includes routine notices such as a "No Advisory" tropical-cyclone message.

Which notice titles are irrelevant to a recreational dive?

Which always mean no-go?

Which named sea areas cover each site? (Please give your source.)

Your answer and reasoning (what protects the diver if the model is wrong?)

- ☐ Deferred: I am not answering this now (the safe default stays)

A3. When sources disagree

If two sources give different values for the same factor, the software currently does not detect it. Should the advice always become more cautious? by how much? (Agreement between two sources only counts as confirmation if they are independent: some sources we use are built on the same upstream product, and the software records this. Please say how large a difference between independent sources should matter, per factor.)

Your answer and reasoning (what protects the diver if the model is wrong?)

☐ Deferred: I am not answering this now (the safe default stays)

A4. Data age and look-ahead

Please give a maximum age and a maximum look-ahead per factor, with a reason. (The software has no default; today the age limit is set by the operator.)

Your answer and reasoning (what protects the diver if the model is wrong?)

☐ Deferred: I am not answering this now (the safe default stays)

A5. Who may override

Today any authenticated user can override the system's advice, including a NO-GO, with a written reason. Should a NO-GO override need a second person, a particular qualification, or be disallowed? (The override record is only trustworthy once the API's authentication is deployed.)

Your answer and reasoning (what protects the diver if the model is wrong?)

☐ Deferred: I am not answering this now (the safe default stays)

Part B: one section per risk factor

For each factor you see what data we hold, so you can judge whether it can support a limit, then questions. Use a rule definition (after Part C) for every limit you supply, and say here which ones you attached.

B1. Wind (`wind`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Hourly regional model forecasts for wind at 10 m above the surface: wind speed (kilometres per hour, an instantaneous value), wind gusts (kilometres per hour, the maximum of the **preceding** hour) and wind direction (degrees; the convention, whether this is the direction the wind blows from, is not stated in the provider documentation we read and is to be verified before you rely on it). The provider chooses the underlying weather model automatically and does not tell us which one produced a value; resolution depends on that model. The values are model output for a grid cell the provider picks (we ask for a sea cell, so it may lie offshore of a shore entry or a lee shore, and the distance from the dive point is recorded), never a measurement at the dive site. A dive between two hourly values is judged on the worst of the surrounding values, and the wind result will always say that gusts and direction were not evaluated. Only wind speed can be encoded as a limit today. Wind can also appear in the free text of a MET Malaysia warning.

Questions

1. Would you use wind speed, gusts, direction, or all three? (Only speed can be encoded today.)

2. Does it matter more for boat transfers, surface conditions or shore entry?

3. What is the wind limit for each diver level and dive type?

4. Does direction relative to the site's exposure change the limit?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B2. Wave height (`wave_height`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Hourly regional model output: significant wave height (metres), plus wind-wave height, wave period (seconds) and wave direction (degrees; per the provider's documentation the direction the waves come FROM, to be verified before you rely on it). Grid cells are about 8 to 25 km across and the provider snaps to one cell (about 5 km from the Tioman reference point in the recordings we hold). The provider says coastal accuracy is limited and the data is not suitable for navigation. It is a forecast or model value, never a measurement at the dive site.

Questions

1. Which wave quantity do you use? Available as data: significant height, wind-wave height and swell height. Only significant height can be encoded as a limit today. A maximum or individual wave height is not available.

2. What limit, per diver level and dive type, for entry/exit and for the surface?

3. How much should the system add for the model being coarse and not site-specific?

4. Is there a sheltered or exposed side of the site that changes the limit?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B3. Swell (`swell`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Hourly regional model output: swell wave height (metres) and direction (degrees, direction FROM per the provider's documentation, to be verified). Same resolution and accuracy limits as wave height. The model gives the main swell; secondary components are not requested.

Questions

1. Is swell judged separately from total wave height?

2. Does swell direction relative to the site's exposure change the limit? Please describe the exposure of each site you cover.

3. What swell limit, per diver level and dive type?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B4. Swell period (`swell_period`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Hourly regional model output: swell period (seconds). Same resolution and accuracy limits as above.

Questions

1. Does period matter independently of height (for example for surge or entry/exit)?

2. What limit, if any, and for which diver level, dive type and site?

3. Is there an interaction between period and height you want treated as one rule?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B5. Current (`current`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Hourly regional model output: ocean current speed (kilometres per hour) and direction (degrees, the direction the current is heading TO per the provider's documentation, to be verified). The provider states it is computed at about 8 km resolution, includes tide and wave effects, and has limited accuracy near the coast. It cannot resolve reef-scale or channel currents at a dive site.

Questions

1. What current limit, per diver level and dive type (drift, moored, shore)?

2. Does direction relative to the site or the boat matter?

3. Is this data adequate to support a limit, and why or why not? If it is not, say so: the factor can stay unassessed until a better source exists.

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B6. Tidal current (`tidal_current`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: None. There is no verified tide or tidal-stream source. Official Malaysian tide predictions exist (printed tables, and a mobile app with a 7-day forecast) but we have found no licensed, machine-readable source. The model's sea-level value is relative to global mean sea level and is NOT a tide prediction, so the system does not use it.

Questions

1. Do you plan around slack water or tidal windows at your sites? Which sites?

2. What tidal-stream limit applies, per diver level and dive type?

3. Which official or local source would you trust for predictions, and can we obtain a licensed copy?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B7. Weather (`weather`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Only MET Malaysia marine and weather warnings, as free text that can cover several sea areas in one notice. A daily text forecast for the island (rain, thunderstorm, haze wording and daily min/max temperature, no wind or waves) is connected as context only; it cannot support any limit. There is no hourly weather data.

Questions

1. Which conditions matter (thunderstorms, heavy rain, low visibility, haze, lightning)?

2. Which of those are no-go, which caution?

3. How should a daily forecast be treated for a dive at a specific hour?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B8. Forecast uncertainty (`forecast_uncertainty`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Very little. We record the data type (model or forecast), the retrieval time and the grid-cell distance. We do not hold ensemble spread, model run time or any provider uncertainty estimate.

Questions

1. How far ahead is a forecast still usable for a go/no-go advice, per factor?

2. How old may the data be before it must be treated as missing?

3. Should a disagreement between two sources, or a marginal value close to a limit, always downgrade the advice? By how much margin?

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

B9. Site constraints (`site_constraint`)

Status: REQUIRES DOMAIN VALIDATION. The software has no limit for this factor and reports it as *not evaluated*.

Data we hold: Only one reference point: Pulau Tioman, from a public geocoder. No dive sites are registered. There are no stored site descriptions, exposure, hazards, entry points or local rules.

Questions

1. Which dive sites do you want covered first? Please give each site's name and a source for its coordinates.

2. For each: exposure (which directions are open to swell and wind), entry/exit type, typical depth and any known current or surge hazards.

3. Local rules (permits, marine-park regulations, operator policies) the system must respect, with their source.

Your answer / rule definitions attached (numbers of the rule forms)

☐ Not assessed (the factor stays TBD)

Part C: not asked, not evaluated

The software holds or may later hold data for these, but they are not risk factors with a form, so they do not influence any recommendation today. If you think one should be, say so.

- Sea temperature (held as model data; not evaluated).
- Visibility, and depth or experience limits (no data, no rule).
- Marine-warning classification beyond decision A2.

Your comments

Rule definition 1 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 2 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 3 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 4 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 5 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 6 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 7 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Rule definition 8 of 8: one per limit

Leave anything you do not know blank. **Do not fill a field with a number you cannot source.** Leave a copy empty if you have no limit to supply. Need more copies? Ask for another form or send a second file.

RULE ID (a short unique name, e.g. wave_height.shore.open_water)

RISK FACTOR

(choose)

STATUS: REQUIRES DOMAIN VALIDATION. This changes to VALIDATED only at sign-off, by the developer, after your written read-back confirmation.

Applies to

Site(s)

Dive type

- ☐ shore
- ☐ boat
- ☐ drift

Other dive type

Diver qualification

Maximum depth covered (with unit)

Seasons or conditions only

Limits (write the unit; one line per level you want)

NO-GO when

CAUTION when

GO is acceptable when (all other rules and evidence must also be OK)

Or describe the limit in your own words if it is not a simple band (conditional, combined with another factor, depends on a direction, ...)

Quantity the limit applies to (which kind of height, which direction convention)

Direction or exposure matters? (e.g. depends on swell direction relative to the site)

Forecast margin

How much error must the system allow for because the input is a forecast or a model?

If the data are older than (age) or further ahead than (look-ahead), treat as:

If the input is missing or unusable

The system will report "not evaluated" and INSUFFICIENT EVIDENCE. Do you agree?

- ☐ Yes, I agree
- ☐ No

Because

Source (required: a limit without a source cannot be used)

Document / authority

Version / date

Page or section

- ☐ It is written down publicly

Where

Can the software apply this today? (the developer fills this in; leave blank)

Fields the software cannot represent yet

Encoded narrower / refused

Review

Prepared by (name, role, qualification)

Date

Independent second reviewer (REQUIRED for any limit that can allow GO or CAUTION; for a NO-GO-only limit, record why if there is none)

Review expires on (the rule must not be used after this date without re-review)

Limitations you want shown to the user

Sign-off checklist

A rule is only encoded as VALIDATED when every box below is ticked for it. Tick the boxes that are true for the rules you attach.

Per rule

- ☐ Every limit has a unit and a named, dated source (not "common practice").
- ☐ The people and dives it covers are stated (qualification, dive type, depth, site).
- ☐ The unit AND the exact quantity are named (which height, which direction convention).
- ☐ A review expiry date is set.
- ☐ Forecast margin and data-age behaviour are stated.
- ☐ The behaviour with missing data is agreed ("not evaluated", `INSUFFICIENT EVIDENCE`).
- ☐ An independent second qualified person has reviewed it. **Required** for any limit that can allow `GO` or `CAUTION`; for a `NO-GO`-only limit, record why if there is none.
- ☐ You are comfortable with the system applying it **only as advice** that a human can override.

Per factor you did NOT assess

- ☐ You have written "not assessed". The factor stays `TBD`; **while any factor is unassessed the software cannot say `GO` or `CAUTION`.**

Part A decisions

- ☐ A1 to A5 in the questionnaire are each answered or explicitly deferred.

Overall

- ☐ You understand the system **cannot guarantee safety** and is not a substitute for training, briefings or the dive leader's judgment.
- ☐ You have not been asked to approve any limit you do not personally stand behind.

Name and role

Qualifications / certifications

Organisation

Date

Signature (type your name to sign on screen, or print this page and sign by hand)

The signed document is the only evidence that a rule is validated; the software cannot check it. The developer will send you a read-back table (limit, unit, quantity, scope, as encoded) and needs your written confirmation before marking anything VALIDATED.