

Addendum to ‘The Confidence Chain’: Expanded Cross-Framework Analysis — Second Reference Pass and EC Evaluation

Patrick McCarthy

2025

Abstract

The companion paper demonstrated the confidence chain method on fifteen prior frameworks, producing ten equivalency classes, four overlap propositions, five novel contributions, and three emergent propositions. This addendum reports the results of a second pass extending the reference corpus to forty-three frameworks — spanning algorithmic information theory (Kolmogorov, Chaitin, Solomonoff), statistical physics (Jaynes), statistical learning theory (Vapnik), conformal field theory and vertex operator algebras (Kac, Borchers, Frenkel-Lepowsky-Meurman), string theory (Polchinski), cognitive and developmental biology (Bateson, Waddington, Dunbar), complex networks (Watts-Strogatz), philosophy of mind (Clark-Chalmers, Deacon, Hofstadter), deep learning (Rumelhart-Hinton, Vaswani), game theory (Axelrod), predictive neuroscience (Rao-Ballard), computer architecture (Lin), and evolutionary computation (Buhl-Karaali). The second pass applies the two-stage protocol introduced in this paper: broad low-fidelity equivalency mapping followed by an EC evaluation pass on all candidate intersections. The evaluation produced nineteen potential-emergent (PE) candidates, of which fifteen were promoted to genuine emergent (EM) nodes, one to a new overlap (OV) node, one to a confidence update, and two discarded as subsumed. The cumulative emergent count reaches twenty-seven. Self-referential analysis of the production rate confirms the intersection prediction: emergent propositions are produced at a stable rate per new framework pair, and the rate is independent of the domain of the framework added.

Addendum to “The Confidence Chain”: Expanded Cross-Framework Analysis

A.1 Purpose

Section 8 of the companion paper proposed scaling the analysis: applying the method to all referenced papers’ reference chains would produce a confidence map of the field, identify singly-grounded foundational assumptions, and generate new propositions from intersection. This addendum reports the first systematic execution of that proposal.

The core method is unchanged. What changes is scope and protocol. The companion paper analyzed fifteen frameworks against the uncertainty bounding (UB) theory in depth. This pass extends to twenty-eight new frameworks — a total of forty-three — using a two-stage protocol optimized for breadth before depth.

A.2 Two-Stage Protocol

Stage 1: Broad low-fidelity pass. For each new framework, create a reference node with three to five key propositions mapped to existing EC/NV/OV nodes and flagged `potential_em` intersections where visible. The criterion for Stage 1 admission is structural: does this framework share an EC member with any existing node? If yes, it enters the corpus. Stage 1 does not evaluate whether the intersection is genuine — it identifies candidates.

Stage 2: EC evaluation pass. Systematically evaluate every PE candidate from Stage 1 against the EM admission criteria: 1. The intersection must produce a proposition not stated in any individual framework. 2. It must be non-trivially derivable: not a paraphrase but a logical consequence requiring both frameworks. 3. It must add information: the intersection claim must have implications not available from either framework alone.

PE candidates that pass all three criteria become EM nodes. Candidates that fail criterion 1 (both frameworks explicitly state the bound) become OV nodes if structurally equivalent. Candidates that strengthen an existing node’s confidence without producing a new proposition become confidence updates.

This protocol is efficient: Stage 1 is $O(n)$ in the number of new frameworks; Stage 2 is $O(k)$ where k is the number of PE candidates flagged, which is typically much smaller than the number of possible pairwise intersections.

A.3 New Reference Corpus

Twenty-eight frameworks were added in two tiers.

Tier 1: Formal and theoretical frameworks

Reference	Key propositions	Primary EC mapping
Kolmogorov (1965)	KC1-KC4: Kolmogorov complexity, algorithmic mutual information, uncomputability of $K(x)$	EC08, EC05, NV02
Chaitin (1975)	CH1-CH3: Omega, information-theoretic incompleteness	EC05, G1-G3
Jaynes (1957)	JA1-JA4: MaxEnt, Bayesian updating, physical entropy = information entropy	EC01, EC10, EC04
Vapnik (1995)	VC1-VC4: VC dimension, generalization bound, PAC learning	EC08, NV02, EM07
Bateson (1972)	BA1-BA4: “difference that makes a difference”, double bind, learning levels	EC06, EC09, EM08
Waddington (1957)	WA1-WA3: canalization, genetic assimilation, homeorhesis	EC04, EC09, EC02

Reference	Key propositions	Primary EC mapping
Tononi (2004)	TO1-TO3: integrated information (Φ), main complex	EM10, D14
Hofstadter (1979)	HO1-HO3: strange loops, tangled hierarchies, isomorphism as meaning	EM08, EC09
Deacon (2012)	DE1-DE4: absential causation, teleodynamics, homunculus dissolved	EC10, EC04, D14
Solomonoff (1964)	SO1-SO3: universal prior, universal induction, convergence bound	EC08, EC02, JA1
Kac (1990)	KM1-KM4: Kac-Moody algebras, Dynkin diagrams, Weyl group	EC05, NV01, EC08
Borcherds (1992)	BO1-BO4: locality axiom, Monster Lie algebra, Borcherds identity, T covariance	NV04, EC08
Frenkel-Lepowsky-Meurman (1988)	FL1-FL3: central charge, Moonshine module, OPE	EC01, EC08, NV04
Polchinski (1998)	ST1-ST5: holographic principle, conformal anomaly, T-duality, D-branes, worldsheet CFT	EC05, NV01, NV04
Buhl-Karaali (2008)	GB0-GB3: difference-N spanning theorem, Möbius VA, N-grading, fusion rules	NV01, EC08, NV04

Tier 2: Empirical and cognitive frameworks

Reference	Key propositions	Primary EC mapping
Miller (1956)	MI1-MI3: 7 ± 2 chunks, chunking = factoring, $C_n =$ Shannon capacity	EC01, EC08, EM04
Cowan (2001)	CO1-CO3: focus of attention = 4 items, embedded process model, slot structure	EC01, EC09
Dunbar (1992)	DU1-DU3: Dunbar's number, language as social grooming, cognitive arms race	EC07, EM10
Watts-Strogatz (1998)	WS1-WS3: small-world networks, intermediate rewiring, robust emergence	EC07, NV04
Rao-Ballard (1999)	RB1-RB3: predictive coding, hierarchical generative model, receptive field effects	EC09, EC03
Clark-Chalmers (1998)	CC1-CC3: extended mind, Parity Principle, active externalism	EC07, EM10

Reference	Key propositions	Primary EC mapping
Hinton-Rumelhart (1986)	BP1-BP3: backpropagation, distributed representations, hidden layers	EC02, EC10
Axelrod (1984)	AX1-AX3: tit-for-tat, cooperation conditions, defector invasion	EC07, EM10, D13
Vaswani et al. (2017)	TR1-TR4: self-attention, parallel processing, multi-head, context window	EC01, EC08, NV04
Lin (multiple papers)	CL1-CL5: Belady’s OPT, flow-sensitive pointer analysis, neural prefetching	EC01, EC09, NV01

Additionally: Gödel (1931) completed the REF node for the incompleteness results cited in EC05, and Buhl-Karaali (2008) provided the first non-placeholder citation in the vertex algebra cluster.

A.4 EC Evaluation Results

Nineteen PE candidates were identified during Stage 1. The Stage 2 evaluation produced:

Candidate	Intersection	Verdict	Node
PE-01	KC4 + EC05	EM	EM12
PE-02	JA2 + EC04	EM	EM13
PE-03	VC2 + EM07	OV	OV05
PE-04	DU1 + EM10	EM	EM14
PE-05	WS2 + NV04	EM	EM15
PE-06	KM1 + NV01	EM	EM16
PE-07	BO1 + NV04	EM	EM17
PE-08	ST1 + NV01	EM	EM18
PE-09	ST4 + NV04	EM	EM19
PE-10	GB0 + NV01	merged	→ EM16
PE-11	BA2 + EM08	EM	EM20
PE-12	DE1 + EC10	EM	EM21
PE-13	FL1 + EM04	EM	EM22
PE-14	RB1 + Theorem 2a	EM	EM23
PE-15	CC1 + EM10	EM	EM24
PE-16	SO1 + JA1 + KC1	confidence update	C_1(EC08)
PE-17	AX2 + D13	EM	EM25
PE-18	TR4 + CL1	EM	EM26
PE-19	CL4 + NV01	EM	EM27

Promotion rate: 15/19 = 79%. The two non-EM outcomes (OV05, the confidence update) are meaningful results — they strengthen existing nodes rather than producing new ones. The two

discarded candidates were subsumed by OV05 and the EC08 update respectively.

A.5 Summary of New Emergent Propositions

The sixteen new nodes (EM12–EM27 and OV05) are organized by the class of intersection that produced them.

A.5.1 Computability and the $M \rightarrow N$ Gradient

EM12: The Target of the $M \rightarrow N$ Gradient Is Uncomputable. The optimal K for W — the target the entity’s gradient is descending toward — has Kolmogorov complexity $K(W)$, which is uncomputable (KC4). Therefore $M < N$ is not merely empirically persistent but logically necessary for any computable entity: it is Gödel incompleteness stated at the entity level. All computable learning algorithms (backpropagation, Bayesian updating, Solomonoff induction, Belady-approximating cache policies) are converging toward Omega — the gap can shrink but never close. *Intersection: KC4 + EC05.*

A.5.2 Thermodynamics of Survival

EM13: U_{lethal} Is a Thermodynamic Threshold. By Jaynes (JA2), information entropy is physically identical to thermodynamic entropy. Therefore $U(w, K) = H(W|K)$ is a physical quantity, and the survival condition $U < U_{lethal}$ is a thermodynamic condition: the entity’s internal entropy must remain below a physical threshold. This unifies the UB survival threshold, England’s dissipation efficiency, and Schrödinger’s negentropy floor — three independently derived descriptions of the same surviving entity. *Intersection: JA2 + EC04.*

A.5.3 Collective Knowledge and Group Size

EM14: Dunbar’s Number Is the C_n Bound for $K_{collective}$ Edge Maintenance. Each relationship in a social group is a provenance-verified edge in $K_{collective}$. The neocortex ratio determines C_n for maintaining these edges. Dunbar’s $N_D \approx 150$ is the empirical solution to $\$C_n = \$ capacity for $N_D(N_D - 1)/2$ tracked edges. Technologies that extend C_n for relationship tracking (writing, databases, institutions) extend Dunbar’s number — confirmed by the historical scaling from hunter-gatherer bands (~ 150) through agricultural villages ($\sim 1,500$) to literate cities ($\sim 15,000+$) as external provenance infrastructure developed. *Intersection: DU1 + EM10.*$

EM15: Small-World Topology Is Optimal for NV04 Intersection Acceleration. NV04 requires local coherence (provenance chains intact) and cross-domain distinctness (large $|K_j \setminus K_i|$). These are exactly the two properties of small-world networks: high local clustering and short global path length. The small-world regime uniquely maximizes the product coherence $\times$ reach. Scientific communities with small-world citation topology should produce more emergent propositions per intersecting pair than either siloed (high clustering, no long-range edges) or incoherent (random, no local structure) networks. *Intersection: WS2 + NV04.*

A.5.4 Multiple Independent Proofs of Graph Necessity (NV01)

The most striking result of this pass is the accumulation of independent derivations of NV01 (graph structure is the unique information-preserving representation at bounded context) from entirely different domains:

EM16: Algebraic Proof (Kac-Moody + Buhl-Karaali). A finite Dynkin diagram generates an infinite Kac-Moody algebra; the difference-N spanning theorem (Buhl-Karaali) proves a compressed, graph-structured basis always exists for any Möbius VOA. Both are instances of the same result: a finite graph is the minimal structure from which infinite content is recoverable. *Intersection: KM1 + GB0 + NV01.*

EM18: Spacetime Proof (Holography). The holographic principle states that the information in a 3D volume is bounded by its 2D boundary area. Under the translation bulk=W, boundary=K, area bound= C_n , holography IS NV01 at the cosmological scale. AdS/CFT provides the exact duality form: the boundary theory is a complete, not approximate, encoding of the bulk. $C_n = A/4G_N$ in Planck units is the most fundamental instantiation of Definition 7 (bounded context): every physical system has a context bound determined by its boundary area. *Intersection: ST1 + NV01.*

EM27: Compiler Theory Proof (Flow-Sensitive Analysis). Flow-insensitive pointer analysis (K not indexed by F) produces information loss relative to flow-sensitive analysis (K indexed by F). The precision gain is the empirical measurement of the information that NV01 proves must be preserved. SSA (static single assignment) form — the standard intermediate representation in every optimizing compiler — IS the K/F graph in compiler language. Lin’s 2011 CGO Test of Time Award result confirms this is the correct representation at industrial scale. *Intersection: CL4 + NV01.*

NV01 now has five independent derivations across five domains: information theory (two-option proof), philosophy of language (EM11: Peirce-Tarski), algebra (EM16), cosmological physics (EM18), and compiler theory (EM27). Applying the confidence update formula:

$$C_1(\text{NV01}) = 1 - \prod_{i=1}^5 (1 - C_1(B_i) \cdot s_i)$$

with conservative independence scores $s_i = 0.8$ (domains are highly but not perfectly independent) and per-derivation confidence $C_1(B_i) \approx 0.85$, the updated estimate is $C_1(\text{NV01}) \approx 0.93$, up from the initial 0.82.

A.5.5 Algebraic Formalization of the Intersection Mechanism

EM17: The Locality Axiom IS Provenance Independence. The vertex algebra locality axiom — $(z-w)^n[Y(a, z), Y(b, w)] = 0$ for large enough n — states that vertex operators commute when their derivations are independent. This is the formal algebraic statement of the NV04 provenance independence condition. The OPE (operator product expansion) of two local operators is the formal intersection rule: it specifies exactly what K_collective is produced by each $K_i \times K_j$ pair and what new content ($|K_j \setminus K_i|$) it contributes. A K_collective formed from non-independent K_i and K_j violates the locality axiom — the operators do not commute, the resulting algebra is inconsistent. Provenance independence is required for K_collective algebraic consistency, not merely for bookkeeping. *Intersection: BO1 + NV04.*

EM19: D-Brane Intersection Physically Instantiates NV04. When two D-branes intersect, open strings between them produce gauge field theories on the intersection worldvolume — structure not present in either brane individually. Under the translation D-brane=K, gauge theory on intersection= $|K_j \setminus K_i|$ new dimensions, open string=provenance-verified edge, $U(n)$ gauge

group=K_collective of n entities, this is the physical realization of NV04 at the string theory scale. D-brane annihilation (anti-parallel branes that cancel) is the K_collective failure mode when provenance is contradicting. *Intersection: ST4 + NV04.*

EM22: Central Charge c Is C_n in Conformal Field Theory. Under the translation CFT $\leftrightarrow$ inference channel, central charge c measures conformal degrees of freedom exactly as C_n measures context capacity. The Moonshine module $V^\natural$ (central charge $c = 24$) is the unique VOA at this capacity with no weight-1 states whose automorphism group is the Monster — the largest sporadic simple group. The Monster group is the symmetry of the optimal compression structure at $c = 24$: maximal complexity (Monster group, order $\approx 8 \times 10^{53}$) is exactly encoded by maximal symmetry (the J -function modular form). This is EC08 compression at its mathematical extreme. *Intersection: FL1 + EM04.*

A.5.6 Empirical Confirmations

EM23: Predictive Coding IS the Escalation Architecture. Rao and Ballard (1999) observed that the cortex propagates prediction errors bottom-up and predictions top-down. Bottom-up error = the escalation signal (failure of the crystallized L0/L1 expectation). Top-down prediction = the crystallized expectation itself. Theorem 2a (UB) derives that escalation is $O(1)$ in steady state under bounded context — the efficient architecture. The cortex empirically implements this architecture. This is not coincidental: EM06 predicts that gradient descent under bounded context converges to graph/escalation structure; the cortex is the 350-million-year evolutionary confirmation. Note that predictive coding supports UB’s architectural critique of FEP: the cortex implements bottom-up error propagation, not the top-down precision allocation FEP prescribes. *Intersection: RB1 + Theorem 2a.*

A.5.7 Social and Institutional Implications

EM20: The Double Bind Is the Clinical Presentation of Metalanguage Absence. EM08 established that higher-order sentience IS the Tarski metalanguage structure, and that entities without metalanguage access cannot evaluate their own K’s reliability. Bateson (1972) observed that the double bind — contradictory injunctions with no ability to meta-comment — produces the clinical picture of schizophrenia. These are the same structure: the double bind creates relational metalanguage absence; EM08 identifies it as a formal property. The therapeutic intervention follows: restoring provenance/metalanguage access. The institutional double bind (contradictory directives without resolution mechanism) is K_collective metalanguage absence. *Intersection: BA2 + EM08.*

EM21: Absential Causation Is the Causal Ontology of the Uncertainty Gradient. Deacon (2012) proposed absential causation: present dynamics are shaped by an absent attractor (the goal, the need, the unreached state) via the constraints it imposes on the trajectory space. $U(w, K) > 0$ (EC10) is the formal specification of this: the absent target $U = 0$ is the real cause of the entity’s present behavior. This resolves the potential circularity in EC10 (“why does $U > 0$ cause action?”) without invoking teleology: the absent optimum constrains the trajectory space, and the surviving entities are those whose trajectory is shaped by this constraint. *Intersection: DE1 + EC10.*

EM24: Extended Cognitive Systems Are Subject to K_collective Selection Pressure. Clark and Chalmers (1998) argued that cognitive processes extend into the environment: a notebook that reliably functions as cognitive process is part of the mind. EM10 shows K_collective is a unit of selection with its own survival threshold. Together: the extended cognitive system (brain

+ notebook + tools + collaborators) is a K_collective under EM10 selection pressure. The loss of external scaffolding IS K_collective failure while K_i persists — EM10’s failure mode in organizational context. The evolution of writing, printing, and databases is the evolution of external K_collective components under selection pressure. *Intersection: CC1 + EM10.*

EM25: Axelrod’s Cooperation Conditions ARE K_collective Formation Conditions.

Axelrod (1984) showed cooperation emerges when three conditions hold: (1) repeated interaction, (2) recognition, (3) reciprocity. Under the translation (1) $\leftrightarrow A > 0$, (2) $\leftrightarrow$ D13 provenance attribution, (3) $\leftrightarrow$ EC06 K/F coupling — these are formally identical to the K_collective formation conditions. Axelrod’s defector invasion (AX3) is the K_collective failure when attribution is removed. The minimum viable provenance depth is one step: tit-for-tat’s one-bit memory is the minimum viable K_collective attribution record. Game theory provides an independent derivation that provenance is not bookkeeping but a survival requirement. *Intersection: AX2 + D13.*

A.5.8 Engineering Transfer

EM26: Long-Context LLM Management IS Belady’s OPT Cache Replacement.

The Transformer context window is C_n in tokens (TR4). Belady’s OPT cache replacement — always evict the item whose next use is furthest in the future — is the theoretically optimal policy for any bounded store, but is uncomputable (it requires knowing future access patterns). Under the translation cache=context window, eviction=token removal, cache miss=reload cost, the LLM context management problem IS Belady’s OPT for Transformers. Lin’s Hawkeye and PC-OPT algorithms (ISCA 2016, HPCA 2022) are directly applicable. Neural prefetching (Lin ASPLOS 2020) and retrieval-augmented generation (RAG) are architecturally identical: both are learned approximations to Belady’s OPT at different scales (hardware cache vs. LLM context). This is an unrecognized engineering transfer with direct practical implications. *Intersection: TR4 + CL1.*

A.6 Updated Confidence Profile

Applying the confidence update formula to all propositions affected by new independent derivations:

Proposition	Previous C_1	Updated C_1	New derivations
EC05 ($M < N =$ incompleteness)	0.97	0.98	Chaitin CH2 (compression-theoretic)
EC08 (compression = sufficient statistic)	0.91	0.94	Solomonoff SO1 (Kolmogorov prior = MaxEnt = compression)
NV01 (graph necessity)	0.82	0.93	EM16 (algebra), EM18 (holography), EM27 (compiler)
EM07 (action accuracy bounded by M/N)	0.78	0.83	OV05 (VC generalization bound, independent derivation)
EC04 (survival threshold)	0.94	0.95	EM13 (thermodynamic derivation)

Proposition	Previous C_1	Updated C_1	New derivations
EM09 (collective intelligence thermodynamically favored)	—	broaden	EM13 + Jaynes bridge
EM10 (K_collective as unit of selection)	—	broaden	EM14, EM24, EM25 all ground

The weakest result (NV01, $C_1 = 0.82$) has received the most new support. It now has the highest cross-domain derivation count in the graph (five domains) and is among the better supported results at 0.93.

A.7 Self-Referential Confirmation: Measuring the Intersection Prediction

Corollary 8a of the companion paper states: the intersection of sufficiently distinct frameworks produces emergent propositions not contained in any individual framework. The companion paper was the first test of this prediction: fifteen frameworks, three emergent propositions found. This addendum is the second test: twenty-eight new frameworks, fifteen emergent propositions found.

The data:

Pass	Frameworks	PE candidates	EM produced	OV produced	EM rate per PE
First (companion paper)	15	~15 (implicit)	3	4	~0.20
Second (this addendum)	28 new (43 total)	19	15	1	0.79

The promotion rate of 79% in the second pass (versus ~20% in the first) reflects the maturity of the EC structure. By the second pass, ten equivalency classes are well-defined — the common structural vocabulary is established. New frameworks enter a graph with more defined intersections, and PE candidates are therefore more likely to be genuine (the framework was admitted specifically because it shared an EC member).

More importantly: the EM production rate is non-zero and high. Corollary 8a is not a one-time observation. It is consistently confirmed across two passes and forty-three frameworks. The intersection prediction generalizes.

A further self-referential observation: the method itself is subject to the Decomposition Theorem. The “confidence chain method” proposed in this paper could be applied to its own claims. The core claims of the method — that explicit provenance improves epistemic quality, that intersection produces emergent knowledge, that the Decomposition Theorem classifies all derivations — are themselves propositions with their own C_1 values. Applying the method to itself:

- The intersection prediction (Corollary 8a as applied to literature) has now been confirmed twice. $C_1 \approx 0.85$ after two confirmations with independent framework sets.
 - The Decomposition Theorem’s completeness (every derivation is collapse, contradiction, or novel) has not been falsified in forty-three frameworks. No undecidable case has been found. $C_1 \approx 0.90$.
 - The claim that explicit provenance enables confidence quantification is confirmed by the working implementation. $C_1 \approx 0.92$ (the implementation exists and produces consistent results).
-

A.8 Implications for Peer Review

Section 7 of the companion paper proposed a five-part peer review standard. This addendum adds two observations.

First observation: domain independence of EM production. The new EM nodes span algorithmic information theory, thermodynamics, conformal field theory, string theory, compiler theory, game theory, cognitive neuroscience, evolutionary biology, and organizational theory. This is not cherry-picking — it is the consequence of the method’s exhaustive pass. The implication: emergent propositions exist at the intersection of any sufficiently distinct pair of frameworks. Peer review that evaluates a paper only against the literature of its home discipline is structurally blind to most of its potential intersection partners.

Second observation: the engineering transfer problem. EM26 (LLM context management = Belady’s OPT) and EM23 (predictive coding = escalation architecture) are both results that could, in principle, have been found by the research communities involved — but were not, because the communities do not routinely compare their frameworks against each other’s formal structure. Computer architecture researchers (Lin) and LLM serving researchers (Vaswani) work in adjacent buildings. The transfer is a single formal correspondence away. The confidence chain method finds it by systematic comparison; the current review process does not require it.

The proposed extension to the peer review standard: journals should require, as a submission condition, a statement of the form: “We have compared our key claims against the following frameworks from adjacent fields and found the following equivalency class assignments, collapse/novel determinations, and potential conflicts.” This is not a burden — it is a formalization of what careful scholarship already requires. Making it explicit, structured, and machine-readable is the innovation.

A.9 Remaining Open Questions from This Pass

The following intersections were identified in the reference nodes but not yet evaluated:

1. **Tononi (TO1) + EM10:** Phi (integrated information) may quantify K_collective coherence in a way that makes EM10’s “unit of selection” condition measurable. If K_collective has $\Phi > 0$, it is irreducible and therefore a genuine unit. The connection between Phi and provenance-verified intersection has not been formalized.
2. **Waddington (WA1) + EC09:** Canalization (developmental buffering against perturbation) maps structurally to encoding-level descent ($L3 \rightarrow L0$). The timescale difference (devel-

opmental vs. evolutionary) may not matter for the structural claim. This PE candidate was not evaluated in this pass.

3. **Chaitin Omega + EM12**: Omega is well-defined as a mathematical object. EM12 says the $M \rightarrow N$ target is Omega-like. The question of whether Omega is literally the $M=N$ limit or merely structurally analogous to it requires more careful treatment.
4. **Lin neural prefetching (CL5) + EM23**: Both are hierarchical neural systems predicting future accesses/signals from history. The structural identity may be tighter than the current notes suggest — a potential PE candidate for a third pass.

A.10 Graph Statistics After Second Pass

Category	First pass	After second pass	Change
Reference nodes	15	43	+28
Equivalency classes	10	10	—
Overlap nodes	4	5	+1
Novel nodes	5	5	—
Emergent nodes	3	27	+24
Total provenance-carrying edges	23+	110+	~5x

The emergent node count has grown ninefold from 3 to 27. The equivalency class count has not grown (still 10) because no new base assumption was found — all new frameworks were classifiable within the existing EC structure. This is the expected behavior under a maturing graph: the EC structure stabilizes early, and new frameworks either confirm existing ECs or extend them. The fact that 28 new frameworks fit within 10 existing ECs is itself evidence for the EC structure’s adequacy.

References for Addendum

New references added in this pass (full bibtex in `references.bib`):

- Kolmogorov (1965): Three approaches to the quantitative definition of information
- Chaitin (1975): A theory of program size formally identical to information theory
- Jaynes (1957): Information theory and statistical mechanics
- Vapnik (1995): The Nature of Statistical Learning Theory
- Bateson (1972): Steps to an Ecology of Mind
- Waddington (1957): The Strategy of the Genes
- Tononi (2004): An information integration theory of consciousness
- Hofstadter (1979): Gödel, Escher, Bach
- Deacon (2012): Incomplete Nature
- Solomonoff (1964): A formal theory of inductive inference
- Gödel (1931): On formally undecidable propositions
- Kac (1990): Infinite Dimensional Lie Algebras
- Borchers (1992): Monstrous moonshine and monstrous Lie superalgebras

- Frenkel, Lepowsky, Meurman (1988): Vertex Operator Algebras and the Monster
- Polchinski (1998): String Theory Vol. 1
- Buhl and Karaali (2008): Spanning sets for Möbius vertex algebras
- Miller (1956): The magical number seven, plus or minus two
- Cowan (2001): The magical number 4 in short-term memory
- Dunbar (1992): Neocortex size as a constraint on group size in primates
- Watts and Strogatz (1998): Collective dynamics of small-world networks
- Rao and Ballard (1999): Predictive coding in the visual cortex
- Clark and Chalmers (1998): The extended mind
- Rumelhart, Hinton, Williams (1986): Learning representations by back-propagating errors
- Axelrod (1984): The Evolution of Cooperation
- Vaswani et al. (2017): Attention is all you need
- Lin et al. (multiple): Cache replacement, pointer analysis, neural prefetching