

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- The above 3 meta tags *must* come first in the head; any other head content must come *after*
these tags -->

  <title>CarFaq</title>


  <!-- Bootstrap -->

  <link href="css/bootstrap.css" rel="stylesheet">

  <link href="css/formValidation.min.css" rel="stylesheet">

  <link href="css/morris.css" rel="stylesheet">


  <!-- Custom CSS -->

  <style>

    /* YOUR CSS HERE

    http://www.w3schools.com/Css/css_pseudo_classes.asp */

  </style>

</head>


<body>


  <ul class="nav nav-pills">

    <li class="active"><a href="index.html">Home</a></li>

    <li><a href="form.html">Form</a></li>

    <li class="Top cars"><a href="Analytics.html">Analytics</a></li>

    <li class="Categories">
```

```
<a class="dropdown-toggle" data-toggle="dropdown" href="#" aria-expanded="false">
  Categories <span class="caret"></span>
</a>
<ul class="dropdown-menu">
  <li><a href="#">Action</a></li>
  <li><a href="#">Another action</a></li>
  <li><a href="#">Something else here</a></li>
  <li class="divider"></li>
  <li><a href="#">Separated link</a></li>
</ul>
</li>
</ul>
```

```
<form id="registrationForm" class="form-horizontal">
  <div class="form-group">
    <label class="col-xs-3 control-label">Full name</label>
    <div class="col-xs-4">
      <input type="text" class="form-control" name="firstName" placeholder="First name" />
    </div>
    <div class="col-xs-4">
      <input type="text" class="form-control" name="lastName" placeholder="Last name" />
    </div>
  </div>

  <div class="form-group">
```

```
<label class="col-xs-3 control-label">Username</label>
<div class="col-xs-5">
  <input type="text" class="form-control" id="username" name="username" />
</div>
</div>
```

```
<div class="form-group">
  <label class="col-xs-3 control-label">Email address</label>
  <div class="col-xs-5">
    <input type="text" class="form-control" name="email" />
  </div>
</div>
```

```
<div class="form-group">
  <label class="col-xs-3 control-label">Password</label>
  <div class="col-xs-5">
    <input type="password" class="form-control" name="password" />
  </div>
</div>
```

```
<div class="form-group">
  <label class="col-xs-3 control-label">Gender</label>
  <div class="col-xs-5">
    <div class="radio">
      <label>
        <input type="radio" name="gender" value="male" /> Male
      </label>
    </div>
    <div class="radio">
```

```
<label>
  <input type="radio" name="gender" value="female" /> Female
</label>
</div>
<div class="radio">
  <label>
    <input type="radio" name="gender" value="other" /> Other
  </label>
</div>
</div>
</div>
```

```
<div class="form-group">
  <label class="col-xs-3 control-label">Date of birth</label>
  <div class="col-xs-3">
    <input type="text" class="form-control" name="birthday" placeholder="YYYY/MM/DD" />
  </div>
</div>
```

```
<div class="form-group">
  <div class="col-xs-9 col-xs-offset-3">
    <button type="submit" class="btn btn-primary" name="signup" value="Sign
up">Submit</button>
  </div>
</div>
</form>
```

```
<div id="test" height="500"></div>
```

```
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
```

```
<script src="js/jquery.min.js"></script>
<!-- Include all compiled plugins (below), or include individual files as needed -->
<script src="js/bootstrap.min.js"></script>
<script src="js/formValidation.min.js"></script>
<script src="js/framework/bootstrap.min.js"></script>
<script src="js/raphael-min.js"></script>
<script src="js/morris.min.js"></script>
```

```
<script>
$(document).ready(function() {
    $('#registrationForm').formValidation({
        framework: 'bootstrap',
        icon: {
            valid: 'glyphicon glyphicon-ok',
            invalid: 'glyphicon glyphicon-remove',
            validating: 'glyphicon glyphicon-refresh'
        },
        fields: {
            username: {
                row: '.col-xs-4',
                validators: {
                    notEmpty: {
                        message: 'The first name is required'
                    }
                }
            },
            lastName: {
                row: '.col-xs-4',
                validators: {
```

```
      notEmpty: {
        message: 'The last name is required'
      }
    },
    email: {
      validators: {
        notEmpty: {
          message: 'The email address is required'
        },
        emailAddress: {
          message: 'The input is not a valid email address'
        }
      }
    },
    password: {
      validators: {
        notEmpty: {
          message: 'The password is required'
        },
        different: {
          field: 'username',
          message: 'The password cannot be the same as username'
        }
      }
    },
    gender: {
      validators: {
        notEmpty: {
```

```
        message: 'The gender is required'
      }
    },
    birthday: {
      validators: {
        notEmpty: {
          message: 'The date of birth is required'
        },
        date: {
          format: 'YYYY/MM/DD',
          message: 'The date of birth is not valid'
        }
      }
    }
  }
});
});
```

</script>

```
<div align="center"><textarea> Do you have any cars you would like to see on this website?
</textarea></div>
```

</body>

</html>