Module – 2

CSS / CSS 3

1. What does css stand for ?

Ans. Css stand for Cascading Style Sheet.

2. Which html tag is used to define an internal stylesheet ?

Ans. <style> tag is used to define and internal stylesheet.

3. Which html attribute is used to define internal css ?

Ans. An internal css is defined in the <head> section of an HTML page, within a <style> element.

4. Which is the correct css syntax ?

Ans. A css syntax rule consists of a selector , property , and value.

5. TRUE – FALSE : css is case sensitive ?

Ans. False

6. How do you insert comment in css ?

Ans. For comment in css , simply place your plain text inside /**/ marks.

7. Which of the following tells the browser where you want to apply the rule ?

Ans. A css selector is the first part of a css rule. It is a pattern of an elements and other terms that tells the browser which HTML elements should be selected to have the css property values inside the rule applied them.

8. What is not an advantage of using css files?

Ans. This are not an advantages of using css files which are showing below.

   a. Css, css1 upto css3, result in creating of confusion among web browsers.
   b. There exists a scarcity of security.

c. There might be cross-browser issues while using css.

d. There are multiple levels which creates confusion for non-developers and beginners.

9. TRUE-FALSE : the borders of an element can vary only up to 2 sides.

Ans. False

10. Which property is used to specify table borders in css ?

Ans. To specify table borders in css there is a border property.

11. What is the css shorthand to set a borders top to 10, bottom to 5, left to 20 and right to 1 pixel ?

Ans. The shorthand to set border is border: 10px, 1px, 5px, 20px;

12. Which is the correct use of border-radius ?

Ans. The border-radius cs property rounds the corners of an element's outer border edge. You can set a single radius to make circular corners, or teo radii to make elliptical corners.

13. Which property is used to change the text color of an element?

Ans. The color property is used to change the color of the text. The color is specified by: a color name – like "red" a HEX value – like "#ff0000".

14. Which css property is used to change the background color ?

Ans. The background-color css property sets the background color of an element.

15. Which css property controls the text size ?

Ans. The font-size css property sets the size of the font size.

16. What is the correct css syntax for making elements bold ?

Ans. The css syntax for bold the text is *{font-weight:bold;} selects all elements on the page and sets their font-weight to bold.

17. Types of element positioning in css ?

Ans. There are 4 types of positions in css which are shown below .

a. Absolute

b. Sticky

c. Relative
d. Static

18. What property defines whether background images scroll along 58. With the element when the document is scrolled ?

Ans. The background-attachment property sets whether a background images scrolls with the rest of the page, or is fixed.

19. How to handle content overflow in the element ?

Ans. The overflow property helps you manage an element's content overflow. using the property, you can convey to a browser how it should handle overflow content. The default value of the <overflow> value type is visible.

20. What is padding ?

Ans. In css, a margin is the space around an element's border, while padding is the space between an element's border and the element's content.

21. Which property is used to change the left margin of an element ?

Ans. The margin-left property sets the margin area on the left side of an element.