
Que 1: Open MySQL Workbench or CLI and write a CREATE TABLE statement to create a table called 'restaurants' with columns: id (INT, primary key, auto-increment), name (VARCHAR(100)), location (VARCHAR(100)), and rating (DECIMAL(2,1)).


```
CREATE TABLE restaurants (
   id INT PRIMARY KEY AUTO_INCREMENT,
   name VARCHAR(100),
   location VARCHAR(100),
   rating DECIMAL(2,1)
);
```



Que 2: Use the ALTER TABLE command in MySQL to add a new column 'average_cost' (INT) to your 'restaurants' table.


Hint: Remember to specify the data type when adding a new column.

```
ALTER TABLE restaurants
ADD average_cost INT;
```



Que 3: Write a SQL statement to DROP the 'restaurants' table you created earlier. Double-check your command before running it to avoid accidental data loss.


DROP TABLE restaurants;



Que 4 :

Create a new table called 'playlists' for a music app like Spotify, with columns: playlist_id (INT, primary key, auto-increment), title (VARCHAR(50)), created_by (VARCHAR(50)), and created_at (DATE).

```
CREATE TABLE playlists (
    playlist_id INT PRIMARY KEY AUTO_INCREMENT,
    title VARCHAR(50),
    created_by VARCHAR(50),
    created_at DATE
);
```


localhost/phpmyadmin/index.php?route=/sql&pos=0&db=instaclone&table=playli
phpMyAdmin
Recent
Favorites
New
ecom
ecommerce
information_schema
instaclone
New
playlists
posts
users
mysql
Tables
Views
performance_schema
phpmyadmin
question-paper
test
Server: 127.0.0.1 » Database: instaclone » Table: playlists
Browse
Structure
SQL
Search
Insert
Export
MySQL returned an empty result set (i.e. zero rows). (Query took 0.0009 seconds.)
SELECT * FROM `playlists`
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]
playlist_id
title
created_by
created_at
Query results operations
Create view
Bookmark this SQL query
Label:
Let every user access this bookmark
Bookmark this SQL query