

Que 1: Create a table called Restaurant with columns: id, name, location, and cuisine. Apply NOT NULL constraint to name and location, and make id the PRIMARY KEY.

```
CREATE TABLE Restaurant2 (
   id INT PRIMARY KEY,
   name VARCHAR(100) NOT NULL,
   location VARCHAR(100) NOT NULL,
   cuisine VARCHAR(50)
);
```



Que 2: Create a table called FoodOrder with columns: order_id, restaurant_id, user_id, and order_total. Set order_id as PRIMARY KEY, and add a FOREIGN KEY constraint on restaurant_id referencing Restaurant(id).

```
CREATE TABLE FoodOrder (
   order_id INT PRIMARY KEY,
   restaurant_id INT,
   user_id INT,
   order_total DECIMAL(10,2),
   FOREIGN KEY (restaurant_id) REFERENCES restaurants(id)
);
```




Que 3:

Insert 6 rows into a table called SpotifyUser with columns: user_id, username, email, and subscription_type. Ensure that username is UNIQUE and email is NOT NULL.

Hint: Use the UNIQUE and NOT NULL constraints when creating the table.

```
CREATE TABLE SpotifyUser (
    user_id INT PRIMARY KEY,
    username VARCHAR(100) UNIQUE,
    email VARCHAR(100) NOT NULL,
    subscription_type VARCHAR(50)
);
INSERT INTO SpotifyUser
(user_id, username, email, subscription_type)
VALUES
(1, 'diya_music', 'diya@gmail.com', 'Premium'),
(2, 'nisarg_beats', 'nisarg@gmail.com', 'Free'),
(3, 'priya_songs', 'priya@gmail.com', 'Premium'),
(4, 'rahul_music', 'rahul@gmail.com', 'Free'),
(5, 'neha_tunes', 'neha@gmail.com', 'Student'),
(6, 'jay_playlist', 'jay@gmail.com', 'Premium');
```



Que 4 : Create a VIEW named TopSpendersView that shows usernames and order_total from a FoodOrder table where order_total is greater than 1000.

```
CREATE VIEW TopSpendersView AS


SELECT SpotifyUser.username, FoodOrder.order_total

FROM FoodOrder

INNER JOIN SpotifyUser

ON FoodOrder.user_id = SpotifyUser.user_id

WHERE FoodOrder.order_total > 1000;
```



Que 5 :

Write a SQL query to list all users from the TopSpendersView who have spent more than 2000, sorted by order_total descending.

Constraint: Only use the TopSpendersView for your query, not the original FoodOrder table.

SELECT username, order_total

FROM TopSpendersView

WHERE order_total > 2000

ORDER BY order_total DESC;

