

1. Description

1.1. Project

Project Name	Writing_Tool_Prototype
Board Name	custom
Generated with:	STM32CubeMX 6.10.0
Date	03/25/2024


1.2. MCU

MCU Series	STM32L0
MCU Line	STM32L0x0 Value Line
MCU name	STM32L010RBTx
MCU Package	LQFP64
MCU Pin number	64

1.3. Core(s) information

Core(s)	Arm Cortex-M0+

2. Pinout Configuration




3. Pins Configuration

Pin Number LQFP64	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	VDD	Power		
7	NRST	Reset		
8	PC0 *	I/O	GPIO_Input	Discrete_Bit_0
9	PC1 *	I/O	GPIO_Input	Discrete_Bit_1
10	PC2	I/O	ADC_IN12	Current_ADC_CMOS
11	PC3	I/O	ADC_IN13	Voltage_ADC_CMOS
12	VSSA	Power		
13	VDDA	Power		
14	PA0 *	I/O	GPIO_Input	SD_CardDetect_Input
15	PA1 *	I/O	GPIO_Output	SD_CardDetect_Output
18	VSS	Power		
19	VDD	Power		
20	PA4 *	I/O	GPIO_Output	
21	PA5	I/O	SPI1_SCK	
22	PA6	I/O	SPI1_MISO	
23	PA7	I/O	SPI1_MOSI	
25	PC5	I/O	ADC_IN15	Voltage_ADC_18650
26	PB0 *	I/O	GPIO_Input	Discrete_Bit_2
27	PB1	I/O	ADC_IN9	Current_ADC_18650
31	VSS	Power		
32	VDD	Power		
41	PA8 *	I/O	GPIO_Output	User_Input_Status_Light_R ed
42	PA9 *	I/O	GPIO_Output	User_Input_Status_Light_Gr een
43	PA10 *	I/O	GPIO_Output	User_Input_Status_Light_BI ue
47	VSS	Power		
48	VDDIO2	Power		
60	BOOT0	Boot		
63	VSS	Power		
64	VDD	Power		

^{*} The pin is affected with an I/O function

4. Clock Tree Configuration



5. Software Project

5.1. Project Settings

Name	Value	
Project Name	Writing_Tool_Prototype	
Project Folder	C:\Users\zlink\OneDrive\Documents\GitHub\Low_Powered_STM32_Project\Writi	
Toolchain / IDE	STM32CubeIDE	
Firmware Package Name and Version	STM32Cube FW_L0 V1.12.2	
Application Structure	Advanced	
Generate Under Root	Yes	
Do not generate the main()	No	
Minimum Heap Size	0x200	
Minimum Stack Size	0x400	

5.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy only the necessary library files
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	No
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power	No
consumption)	
Enable Full Assert	No

5.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	SystemClock_Config	RCC
2	MX_GPIO_Init	GPIO
3	MX_SPI1_Init	SPI1
4	MX_FATFS_Init	FATFS
5	MX_ADC_Init	ADC

1. Power Consumption Calculator report

1.1. Microcontroller Selection

Series	STM32L0
Line	STM32L0x0 Value Line
мси	STM32L010RBTx
Datasheet	DS12319_Rev1

1.2. Parameter Selection

Temperature	25
Vdd	3.0

1.3. Battery Selection

Battery	Li-SOCL2(AAA700)
Capacity	700.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	10.0 mA
Max Pulse Current	30.0 mA
Cells in series	1
Cells in parallel	1


1.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.0	3.0
Voltage Source	Battery	Battery
Range	Range1-High	NoRange
Fetch Type	FLASH	n/a
CPU Frequency	32 MHz	0 Hz
Clock Configuration	HSI PLL	ALL CLOCKS OFF
Clock Source Frequency	16 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	7.15 mA	430 nA
Duration	0.1 ms	0.9 ms
DMIPS	30.0	0.0
Ta Max	104.01	105
Category	In DS Table	In DS Table

1.5. Results

Sequence Time	1 ms	Average Current	715.39 µA
Battery Life	1 month, 10 days,	Average DMIPS	30.4 DMIPS
	7 hours		

1.6. Chart



2. Peripherals and Middlewares Configuration

2.1. ADC

mode: IN9 mode: IN12 mode: IN13 mode: IN15

2.1.1. Parameter Settings:

ADC_Settings:

Clock Prescaler Synchronous clock mode divided by 4 *

Resolution ADC 12-bit resolution
Data Alignment Right alignment
Scan Direction Forward
Continuous Conversion Mode Enabled *

Discontinuous Conversion Mode Disabled

DMA Continuous Requests Disabled

End Of Conversion Selection End of single conversion

Overrun behaviour Overrun data preserved

Low Power Auto WaitDisabledLow Frequency ModeDisabledAuto OffDisabledOversampling ModeDisabled

ADC_Regular_ConversionMode:

Sampling Time 160.5 Cycles *

External Trigger Conversion Source Regular Conversion launched by software

External Trigger Conversion Edge None

WatchDog:

Enable Analog WatchDog Mode false

2.2. RCC

2.2.1. Parameter Settings:

System Parameters:

VDD voltage (V) 3.3

Buffer Cache Enabled

Prefetch Disabled

Preread Enabled

Flash Latency(WS) 1 WS (2 CPU cycle)

RCC Parameters:

HSI Calibration Value 16

MSI Calibration Value 0

HSE Startup Timout Value (ms) 100

LSE Startup Timout Value (ms) 5000

Power Parameters:

Power Regulator Voltage Scale Power Regulator Voltage Scale 1

2.3. SPI1

Mode: Full-Duplex Master 2.3.1. Parameter Settings:

Basic Parameters:

Frame Format Motorola

Data Size 8 Bits

First Bit MSB First

Clock Parameters:

Prescaler (for Baud Rate) 2

Baud Rate 16.0 MBits/s *

Clock Polarity (CPOL) Low
Clock Phase (CPHA) 1 Edge

Advanced Parameters:

CRC Calculation Disabled
NSS Signal Type Software

2.4. SYS

Timebase Source: SysTick

2.5. FATFS

mode: User-defined 2.5.1. Set Defines:

Version:

FATFS version R0.12c

Function Parameters:

FS_READONLY (Read-only mode) Disabled
FS_MINIMIZE (Minimization level) Disabled

USE_STRFUNC (String functions) Enabled with LF -> CRLF conversion

USE_FIND (Find functions)

USE_MKFS (Make filesystem function)

USE_FASTSEEK (Fast seek function)

USE_EXPAND (Use f_expand function)

USE_CHMOD (Change attributes function)

USE_LABEL (Volume label functions)

USE_FORWARD (Forward function)

Disabled

USE_FORWARD (Forward function)

Disabled

Locale and Namespace Parameters:

CODE_PAGE (Code page on target) Latin 1

USE_LFN (Use Long Filename) Enabled with static working buffer on the BSS *

MAX_LFN (Max Long Filename) 255

LFN_UNICODE (Enable Unicode)

STRF_ENCODE (Character encoding)

FS_RPATH (Relative Path)

Disabled

Physical Drive Parameters:

VOLUMES (Logical drives) 1

MAX_SS (Maximum Sector Size)

MIN_SS (Minimum Sector Size)

MULTI_PARTITION (Volume partitions feature)

USE_TRIM (Erase feature)

FS_NOFSINFO (Force full FAT scan)

0

System Parameters:

FS_TINY (Tiny mode) Disabled
FS_EXFAT (Support of exFAT file system) Disabled

FS_NORTC (Timestamp feature) Dynamic timestamp

FS_REENTRANT (Re-Entrancy) Disabled
FS_TIMEOUT (Timeout ticks) 1000
FS_LOCK (Number of files opened simultaneously) 2

* User modified value

3. System Configuration

3.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
ADC	PC2	ADC_IN12	Analog mode	No pull-up and no pull-down	n/a	Current_ADC_CMOS
	PC3	ADC_IN13	Analog mode	No pull-up and no pull-down	n/a	Voltage_ADC_CMOS
	PC5	ADC_IN15	Analog mode	No pull-up and no pull-down	n/a	Voltage_ADC_18650
	PB1	ADC_IN9	Analog mode	No pull-up and no pull-down	n/a	Current_ADC_18650
SPI1	PA5	SPI1_SCK	Alternate Function Push Pull	No pull-up and no pull-down	Very High	
	PA6	SPI1_MISO	Alternate Function Push Pull	No pull-up and no pull-down	Very High	
	PA7	SPI1_MOSI	Alternate Function Push Pull	No pull-up and no pull-down	Very High	
GPIO	PC0	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	Discrete_Bit_0
	PC1	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	Discrete_Bit_1
	PA0	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	SD_CardDetect_Input
	PA1	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	SD_CardDetect_Output
	PA4	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	
	PB0	GPIO_Input	Input mode	No pull-up and no pull-down	n/a	Discrete_Bit_2
	PA8	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	User_Input_Status_Light_ Red
	PA9	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	User_Input_Status_Light_ Green
	PA10	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	User_Input_Status_Light_ Blue

3.2. DMA configuration

nothing configured in DMA service

3.3. NVIC configuration

3.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable Interrupt	true	0	0	
Hard fault interrupt	true	0	0	
System service call via SWI instruction	true	0	0	
Pendable request for system service	true	0	0	
System tick timer	true	3	0	
Flash and EEPROM global interrupt	unused			
RCC global interrupt	unused			
ADC global interrupt	unused			
SPI1 global interrupt	unused			


3.3.2. NVIC Code generation

Enabled interrupt Table	Select for init	Generate IRQ	Call HAL handler
	sequence ordering	handler	
Non maskable Interrupt	false	true	false
Hard fault interrupt	false	true	false
System service call via SWI instruction	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true

^{*} User modified value

4. System Views

- 4.1. Category view
- 4.1.1. Current



5. Docs & Resources

Type Link

IBIS models https://www.st.com/resource/en/ibis_model/stm32l0_ibis.zip

System View https://www.st.com/resource/en/svd/stm32l0_svd.zip

Description

Presentations https://www.st.com/resource/en/product_presentation/gt_stm32f0-l0.pdf

Presentations https://www.st.com/resource/en/product_presentation/stm32-

stm8_embedded_software_solutions.pdf

Presentations https://www.st.com/resource/en/product_presentation/stm32_eval-

tools_portfolio.pdf

Presentations https://www.st.com/resource/en/product_presentation/stm32_stm8_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product_presentation/stm32-

stm8_software_development_tools.pdf

Presentations https://www.st.com/resource/en/product_presentation/microcontrollers-

stm32-family-overview.pdf

Brochures https://www.st.com/resource/en/brochure/brstm32I0.pdf

Brochures https://www.st.com/resource/en/brochure/brstm32ulp.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32l0vline.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32trust.pdf

Magazine Articles https://www.st.com/resource/en/magazine/design-

elektronik_october2016.pdf

Application Notes https://www.st.com/resource/en/application_note/an1181-electrostatic-

discharge-sensitivity-measurement-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an1709-emc-design-

guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an2606-stm32-

microcontroller-system-memory-boot-mode-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an2639-soldering-

recommendations-and-package-information-for-leadfree-ecopack-mcus-

- and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an2867-oscillator-design-guide-for-stm8afals-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an3236-increase-thenumber-of-touchkeys-for-touch-sensing-applications-on-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an3960-esdconsiderations-for-touch-sensing-applications-on-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4013-stm32-crossseries-timer-overview-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4299-improveconducted-noise-robustness-for-touch-sensing-applications-on-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4310-sampling-capacitor-selection-guide-for-touch-sensing-applications-on-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4312-design-with-surface-sensors-for-touch-sensing-applications-on-mcus-

- stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4316-tuning-a-touch-sensing-application-on-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4445-stm32l0xx-ultralow-power-features-overview-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4467-getting-started-with-stm32l0xx-hardware-development-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4617-migrating-between-stm32f0-and-stm32l0-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4629-adc-hardware-oversampling-for-microcontrollers-of-the-stm32-l0-and-l4-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4635-minimization-of-power-consumption-using-lpuart-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4654-migrating-between-stm32l1-and-stm32l0-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4718-how-to-design-a-vbat-system-based-on-stm32l0l1-series-with-external-components-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4725-stm32cube-mcu-package-examples-for-stm32l0-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4729-stm32l0l4-firewall-overview-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4730-using-the-firewall-embedded-in-stm32l0l4l4-series-mcus-for-secure-access-to-sensitive-parts-of-code-and-data-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4759-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4809-migrating-between-stm32l0-series-and-stm32l4-series--stm32l4-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4908-stm32-usart-automatic-baud-rate-detection-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5036-thermal-management-guidelines-for-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5086-i2s-protocolemulation-on-stm32l0-series-microcontrollers-using-a-standard-spiperipheral-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5105-getting-started-with-touch-sensing-control-on-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5408-migrating-from-stm32l0-stm32l1-and-stm32l4-series-associated-with-sx12xx-transceivers-to-stm32wl-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5543-enhanced-methods-to-handle-spi-communication-on-stm32-devices-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application_note/an4899-stm32microcontroller-gpio-hardware-settings-and-lowpower-consumptionstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5156-introduction-to-stm32-microcontrollers-security-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an2548-using-the-stm32f0f1f3cxgxlx-series-dma-controller-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4991-how-to-wakeup-an-stm32-microcontroller-from-lowpower-mode-with-the-usart-or-thelpuart-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4838-introduction-to-memory-protection-unit-management-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an4230-random-number-generation-validation-using-nist-statistical-test-suite-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an2834-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5816-how-to-build-stm32-lpbam-application-using-stm32cubemx-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an5537-how-to-use-adcoversampling-techniques-to-improve-signaltonoise-ratio-on-stm32-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application_note/an1202_freertos_guide-for related Tools freertos-guide-stmicroelectronics.pdf
 & Software
- Application Notes https://www.st.com/resource/en/application_note/an1602_semihosting_in for related Tools _truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application_note/an1801_stm32cubeprog

for related Tools rammer_in_truestudio-installing-stm32cubeprogrammer-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/atollic_editing_keyboard

for related Tools _shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/iar_to_atollic_truestudio

for related Tools __migration_guide-truestudio-for-arm-migration-guide-iar-embedded-

& Software workbench-to-truestudio-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/stm32cubemx_installatio

for related Tools n_in_truestudio-stm32cubemx-installation-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an2592-achieving-32bit-

for related Tools timer-resolution-with-software-expansion-for-stm32cube-and-standard-

& Software peripheral-library-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4435-guidelines-for-

for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4500-how-to-display-

for related Tools sizeoptimized-pictures-on-a-4grey-level-epaper-from-stm32-embedded-

& Software memory-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4631-how-to-

for related Tools calibrate-an-stm32l0xx-internal-rc-oscillator-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an4635-minimization-of-

for related Tools power-consumption-using-lpuart-for-stm32-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4636-demonstration-

for related Tools of-Ic-sensor-for-gas-or-water-metering-based-on-stm32l073zeval-and-

& Software stm32l476rgnucleo-boards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4657-stm32-

for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an4725-stm32cube-

for related Tools mcu-package-examples-for-stm32l0-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an4736-how-to-

for related Tools calibrate-stm32l4-series-microcontrollers-internal-rc-oscillator-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4759-using-the-

for related Tools hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-

& Software stm32-microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4767-onthefly-

for related Tools firmware-update-for-dual-bank-stm32-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4808-writing-to-

for related Tools nonvolatile-memory-without-disrupting-code-execution-on-

& Software microcontrollers-of-the-stm32l0-and-stm32l1-series-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4841-digital-signal-

for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5054-secure-for related Tools programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5056-integration-

for related Tools guide-for-the-xcubesbsfu-stm32cube-expansion-package-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5282-using-

for related Tools xcuberccalib-software-to-calibrate-stm32wb-series-internal-rc-oscillators-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5426-migrating-

for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4865-lowpower-timer-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5676-how-to-

for related Tools calibrate-internal-rc-oscillators-on-stm32u5-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5698-adapting-the-for related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

& Software other-safety-standards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application note/an5857-using-

for related Tools xcuberccalib-software-to-calibrate-stm32c0-series-internal-rc-oscillator-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application_note/an4502-stm32-

for related Tools smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5126-how-to-

for related Tools calibrate-internal-oscillators-on-stm32g0-mcus-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an4777-how-to-

for related Tools optimize-power-consumption-on-stm32-mcus-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application_note/an5952-how-to-use-

for related Tools cmake-in-stm32cubeide-stmicroelectronics.pdf

& Software

Errata Sheets https://www.st.com/resource/en/errata_sheet/es0483-stm32l010xx-

device-errata-stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/dm00438059.pdf

Programming https://www.st.com/resource/en/programming_manual/pm0223-stm32-

Manuals cortexm0-mcus-programming-manual-stmicroelectronics.pdf

Reference https://www.st.com/resource/en/reference_manual/rm0451-ultralowpower-

Manuals stm32l0x0-advanced-armbased-32bit-mcus-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1163-description-of-

& Articles wlcsp-for-microcontrollers-and-recommendations-for-its-use-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-

& Articles shipping-media-for-stm32-microcontrollers-in-bga-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-

packages-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical_note/tn1433-reference-device-

& Articles marking-schematics-for-stm32-microcontrollers-and-microprocessors-

stmicroelectronics.pdf