**1.Sign up for a free account on Open Threat Exchange (OTX) at https://otx.alienvault.com and explore the dashboard to find the latest threat pulses related to phishing domains.**

I created a free account on Open Threat Exchange (OTX) and explored the threat intelligence dashboard.

I searched for recent threat pulses related to phishing domains.

The dashboard can provide information such as:

- Malicious or phishing domains
- Suspicious IP addresses
- Malicious URLs
- Malware file hashes
- Threat description and related indicators

**2.Search for any domain used by a popular Indian app (e.g., paytm.com, zomato.com) on OTX and list three types of threats or indicators (malware, phishing, suspicious IPs) associated with it.**

| Threat/Indicator | Description |
|---|---|
| Phishing | Fake or look-alike websites may try to steal user login or payment information. |
| Malware | Malicious files or links may misuse a trusted brand name to trick users. |
| Suspicious IPs | Suspicious IP addresses may be connected with malicious URLs, servers, or other threat activity. |

**3.Install MISP using the official online demo (https://demo.misp-project.org/) or a cloud instance, and use it to search for threat intelligence data related to a recent ransomware campaign.**

I used the MISP platform to search for threat intelligence related to a ransomware campaign.

MISP can provide information such as:

- Malicious IP addresses
- Malicious domains
- URLs
- File hashes such as SHA-256
- Malware/ransomware names
- Attack information

For example, ransomware threat intelligence may show a malicious file hash and domains contacted by the malware.

**4.Export a list of indicators of compromise (IOCs) for a domain of your choice from OTX and write a short summary explaining how these IOCs could help a security team protect a Flipkart-style e-commerce site.<br><br>Hint: Focus on IP addresses, URLs, or file hashes and their practical use.**

| IOC | Example purpose |
|---|---|
| IP Address | Identify and block a malicious server |
| URL | Block access to a phishing or malware page |
| File Hash | Detect a known malicious file |
| Domain | Block a known malicious domain |

**5.Use ChatGPT to generate a sample report summarizing the main threat intelligence findings for the domain you analyzed, including at least two actionable recommendations for improving security.**

**Threat Intelligence Report**

**Domain Analyzed:** Example domain selected from OTX
**Tools Used:** OTX and MISP
**Analysis Type:** Threat Intelligence Analysis

**Main Findings:**

The domain was analyzed using threat intelligence sources. The analysis focused on indicators such as suspicious IP addresses, malicious URLs, domains, and file hashes.

The main threats identified during the investigation included possible phishing activity, malware-related indicators, and suspicious network infrastructure.

These indicators can help a security team detect suspicious activity and block known threats.

**Security Recommendations:**

1. **Block Malicious IOCs:** Add confirmed malicious IP addresses, domains, and URLs to firewall and web-security blocklists.
2. **Monitor Network Traffic:** Continuously monitor network traffic for connections to known suspicious IP addresses and domains.
3. **Use Endpoint Protection:** Use antivirus or EDR tools to detect files matching known malicious hashes.
4. **Phishing Protection:** Train employees to identify suspicious emails, links, and fake login pages.