

Name : Patel Nisarg Atulkumar

RNO : 51

Div : A

Github : https://github.com/patelnisarg9617-netizen/51_NisargPatel_701_A1

1. Develop nodejs application with following requirements:
 - Develop a route `"/gethello"` with GET method. It displays `"Hello NodeJS!!"` as response.
 - Make an HTML page and display.
 - Call `"/gethello"` route from HTML page using AJAX call. (Any frontend AJAX call API can be used.)




AJAX Example

[Click Here](#)

Hello NodeJS !!



2. Develop a web server which serves static resources.




3. Develop a module for domain specific chatbot and use it in a command line application.

```
Node.js v24.18.0
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q3> node app.js
=====
College Admission Chatbot
=====
Ask about:
- admission
- fees
- courses
- hostel
- library
- placement
- contact
Type 'exit' to quit.

You: admission
Bot: Admission starts from June every year. Apply online through the college website.
You: fees
Bot: The annual tuition fee for B.Sc IT is ₹45,000.
You: courses
Bot: Available courses are B.Sc IT, BCA, B.Com, BBA and MCA.
You: placement
Bot: Top recruiters include TCS, Infosys, Wipro, Capgemini and Accenture.
You: 
```


4. Write a program to create a compressed zip file for a folder.

```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q3> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1> cd Q4
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q4> node server.js
ZIP file created successfully.
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q4>
```




5. Write a program to extract a zip file.


```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q4> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1> cd Q5
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q5> node server.js
ZIP file extracted successfully.
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q5>
```




6. Write a program to promisify fs.unlink function and call it.



```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q5> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1> cd Q6
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q6> node server.js
File deleted successfully.
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q6> 
```



7. Develop a node web server with a route /google which can fetch data of google page using fetch() using async-await model and show as a response.



8. Set a server script, a test script and 3 user defined scripts in package.json file in your nodejs application.

```
Server is running on http://localhost:3000
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q7> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1> cd Q8
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q8> node server.js
Node Server Started
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q8> 
```

9. A program which calls useful functions in fs module.

```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q8> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1> cd Q9
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q9> node server.js
File created successfully.
File Content: Hello NodeJS
Data appended successfully.
File renamed successfully.
File deleted successfully.
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q9> 
```

10. A program which uses global objects in nodejs. Also read command line arguments and print it.

```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10> node server.js
=== Global Objects ===
Current File: C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10\server.js
Current Directory: C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10

=== Command Line Arguments ===
No command line arguments provided.
This message is displayed after 2 seconds.
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10> node server.js Nisarg M.sc it
=== Global Objects ===
Current File: C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10\server.js
Current Directory: C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg Patel_701_A1\Q10

=== Command Line Arguments ===
Argument 1: Nisarg
Argument 2: M.sc
Argument 3: it
This message is displayed after 2 seconds.
```

11. Develop a useful package and publish it on npmjs.com. Write a program to use it.

```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q10> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1> cd Q11
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q11> node server.js
Welcome Nisarg
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q11>
```

12. Write a node program having at least 3 dependent tasks and call using chained promises.

```
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q11> cd ..
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1> cd Q12
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q12> node server.js
User Logged In
Profile Loaded
Dashboard Displayed
All Tasks completed
PS C:\Users\Admin\OneDrive\Desktop\sem7\MERN\51_Nisarg_Patel_701_A1\Q12>
```