

## Installation Guide for IBM Rational Developer for i Ver9.6 (RDi9.6)


- Download "RDi V9.6 - Install 1", "RDi V9.6 - Install 2" and "RDi V9.6 - Activation" files from ITS [Software Downloads](#) – iSeries,
- Unzip "RDi V9.6 - Install 1", and "RDi V9.6 - Install 2" zip files then move the “disk1” and “disk2” folders into a single folder.
- Go to “disk1” folder drive and click on **Launchpad.exe**. Note:
  - For **Linux**, go to disk1/InstallerImage\_linux\_gtk\_x86\_64 folder, run sudo ./Install
  - For **Mac OS**: From Finder, run **Launchpad.app** from disk1 or go to disk1/InstallerImage\_macosx\_cocoa\_x86\_64, and run ./install
  - To use the launchpad to install, you must have Administrator or root privileges.




- Click on **Install IBM Rational Developer for i**




- Stayed at the above screen for a while




- Click on **Next**




- Click on **Next**




- Check **I accept ...** and click on **Next**




- Click on **Next**




- Click on **Next**




- Click on **Next**





- Click on **Next**




- Click on **Install**




- Click on next, then RDi will start:



- Click on **Manage Licenses**
- (Or from Window Start button > All programs, launch the **IBM Installation Manager**)




- Click on **Apply License**




- Highlight **IBM® Rational® Developer for i 9.6.0.0** and check the radio button of **Import Product Activation Kit**, then click on next






- Unzip the downloaded "RDi V9.6 - Activation" zip file, then click the **Browse...** button to select "**com.ibm.rational.developer.ibm.rpgcobol.v96.pek.jar**" under the unzipped folder.
- Click on **Next**



- Click on **Finish**




- Click on finish:
  - You should see the start menu of **IBM Installation Manager** – DONE!

### Connect to Seneca IBM i (ZEUS) server using your user ID (profile) and password:

- Start your RDi, and click OK to use the default Workspace.
- In the Remote Systems Explorer view, expand New Connection then double click "IBM i ...":



- Enter ZEUS.SENECACOLLEGG.CA for the Host Name, then click Finish:



The screenshot shows a 'New Connection' dialog box with the title 'Remote IBM i System Connection'. The subtitle is 'Define connection information'. The dialog contains the following fields and options:

- Parent profile:** A dropdown menu showing 'SY-T2090-5789'.
- Host name:** A text field containing 'ZEUS.SENECACOLLEGG.CA'.
- Connection name:** A text field containing 'My Connection'.
- Description:** A text field containing 'Creating My First Connection to the Power System'.
- Verify host name:** An unchecked checkbox.
- Configure proxy settings:** A blue hyperlink.

At the bottom of the dialog, there are four buttons: a help icon (?), '< Back', 'Next >', and 'Finish' (which is highlighted with a blue border). A 'Cancel' button is also present to the right of the 'Finish' button.

- Expand the created connection, then Objects, Library list, ....
- Enter your user ID and password when the "Enter Password" window pops up. done.