



US010023654B2

(12) **United States Patent**
Sleeman et al.

(10) **Patent No.:** US 10,023,654 B2
(45) **Date of Patent:** *Jul. 17, 2018

(54) ANTI-PCSK9 ANTIBODIES

(71) Applicant: REGENERON PHARMACEUTICALS, INC., Tarrytown, NY (US)

(72) Inventors: **Mark W. Sleeman**, Victoria (AU); **Joel H. Martin**, Putnam Valley, NY (US); **Tammy T. Huang**, Cross River, NY (US); **Douglas MacDonald**, New York, NY (US)

(73) Assignee: Regeneron Pharmaceuticals, Inc., Tarrytown, NY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: 15/377,364

(22) Filed: Dec. 13, 2016

(65) Prior Publication Data

US 2017/0096496 A1 Apr. 6, 2017

Related U.S. Application Data

(60) Continuation of application No. 14/737,488, filed on Jun. 12, 2015, now Pat. No. 9,550,837, which is a (Continued)

(51) Int. Cl.

A61K 39/395	(2006.01)
C07K 16/40	(2006.01)
A61K 39/00	(2006.01)

(52) U.S. Cl.

CPC C07K 16/40 (2013.01); C12Y 304/21061 (2013.01); A61K 2039/505 (2013.01); (Continued)

(58) Field of Classification Search

CPC C07K 16/40; C12Y 304/21061 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,260,440 A 11/1993 Hirai

5,273,995 A 12/1993 Roth

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101489565 7/2009
EP 0409281 1/1991

(Continued)

OTHER PUBLICATIONS

Abifadel et al. (2003) Nature Genetics 34(2):154-156 "Mutations in PCSK9 cause autosomal dominant hypercholesterolemia".

(Continued)

Primary Examiner — Cherie M Stanfield

(57) ABSTRACT

An human antibody or antigen-binding fragment of a human antibody that specifically binds and inhibits human proprotein convertase subtilisin/kexin type 9 (hPCSK9) characterized by the ability to reduce serum LDL cholesterol by 40-80% over a 24, 60 or 90 day period relative to predose levels, with little or no reduction in serum HDL cholesterol and/or with little or no measurable effect on liver function, as determined by ALT and AST measurements.

18 Claims, 14 Drawing Sheets

H1H316P VH (SEQ ID NO:90)	EV Q L V E S G G G L V Q P G G S L R L S C A A S G F T F N N Y A M N W V R Q A P G K G	10	20	30	40
H1M300N VH (SEQ ID NO:218)	E M Q L V E S G G G L V Q P G G S L R L S C A A S G F T F S S H W M K W V R Q A P G K G				

CDR1

H1H316P VH (SEQ ID NO:90)	L D W V S T I S G S G G T T I N Y A D S V K G R F I I S R D S S K H T L Y L Q M N S L R A	50	60	70	80
H1M300N VH (SEQ ID NO:218)	L E W V A N I N Q D G S E K Y Y Y D S V K G R F T I S R D N A K N S L F L Q M N S L R A				

CDR2

H1H316P VH (SEQ ID NO:90)	E D T A V Y Y C A K D S N W G N F D L - - - - - W G R G T L V T V S S	90	100	110	120
H1M300N VH (SEQ ID NO:218)	E D T A V Y Y C A R D I V L M V Y D M D Y Y Y Y G M D V W G Q G T T V T V S S				

CDR3

H1H316P VK (SEQ ID NO:92)	D I V M T Q S P D S L A V S L G E R A T I N C K S S Q S V L Y R S N N R N F L G W Y Q Q	10	20	30	40
H1M300N VK (SEQ ID NO:226)	D I V M T Q S P L S L P V T P G E P A S I S C R S S Q S L L H S N G N N Y - L D W Y L Q				

CDR1

H1H316P VK (SEQ ID NO:92)	K P G Q P P N L L I Y W A S T R E S G V P D R F S G S G S G T D F T L T I S S L Q A E D	50	60	70	80
H1M300N VK (SEQ ID NO:226)	K P G Q S P Q L L I Y L G S N R A S G V P D R F S G S G S G T D F T L K I S R V E A E D				

CDR2

H1H316P VK (SEQ ID NO:92)	V A V Y Y C Q Q Y Y T T P Y T F G Q G T K L E I K	90	100	110	
H1M300N VK (SEQ ID NO:226)	V G V Y Y C M Q T L Q T P L T F G G G T K V E I K				

CDR3

US 10,023,654 B2

Page 2

Related U.S. Application Data

continuation of application No. 13/690,585, filed on Nov. 30, 2012, now abandoned, which is a continuation of application No. 12/949,846, filed on Nov. 19, 2010, now Pat. No. 8,501,184, which is a division of application No. 12/637,942, filed on Dec. 15, 2009, now Pat. No. 8,062,640.

- (60) Provisional application No. 61/122,482, filed on Dec. 15, 2008, provisional application No. 61/210,566, filed on Mar. 18, 2009, provisional application No. 61/168,753, filed on Apr. 13, 2009, provisional application No. 61/218,136, filed on Jun. 18, 2009, provisional application No. 61/249,135, filed on Oct. 6, 2009, provisional application No. 61/261,776, filed on Nov. 17, 2009.
- (52) **U.S. Cl.**
CPC C07K 2317/21 (2013.01); C07K 2317/33 (2013.01); C07K 2317/34 (2013.01); C07K 2317/56 (2013.01); C07K 2317/565 (2013.01); C07K 2317/76 (2013.01); C07K 2317/92 (2013.01)

(56) References Cited

U.S. PATENT DOCUMENTS

5,399,670 A	3/1995	Bhattacharya	2003/0113316 A1	6/2003	Kaisheva
5,851,999 A	12/1998	Ulrich	2003/0118592 A1	6/2003	Ledbetter
5,939,598 A	8/1999	Kucherlapati	2003/0133939 A1	7/2003	Ledbetter
6,011,003 A	1/2000	Charmock-Jones	2004/0101920 A1	5/2004	Radziejewski
6,171,586 B1	1/2001	Lam	2004/0197324 A1	10/2004	Liu
6,267,958 B1	7/2001	Andya	2005/0281831 A1	12/2005	Davis-Smyth
6,270,993 B1	8/2001	Shibuya	2006/0147945 A1	7/2006	Edmonds
6,596,541 B2	7/2003	Murphy	2007/0082345 A1	4/2007	Ota
6,629,949 B1	10/2003	Douglas	2007/0224663 A1	9/2007	Rosen
6,659,982 B2	12/2003	Douglas	2008/0008697 A1	1/2008	Mintier
6,875,432 B2	4/2005	Liu	2009/0142352 A1	6/2009	Jackson
7,001,892 B1	2/2006	Chmielweski	2009/0232795 A1	9/2009	Condra
7,029,895 B2	4/2006	Glucksmann	2009/0246192 A1	10/2009	Condra
7,060,268 B2	6/2006	Andya	2009/0269350 A1	10/2009	Glucksmann
7,129,338 B1	10/2006	Ota	2009/0318536 A1	12/2009	Freier
7,300,754 B2	11/2007	Fadel	2009/0326202 A1	12/2009	Jackson
7,482,147 B2	1/2009	Glucksmann	2010/0040610 A1	2/2010	Sitlani
7,572,618 B2	8/2009	Mintier	2010/0040611 A1	2/2010	Sparrow
7,608,693 B2	10/2009	Martin	2010/0041102 A1	2/2010	Sitlani
7,754,208 B2	7/2010	Ledbetter	2010/0068199 A1	3/2010	Liang
8,030,457 B2	10/2011	Jackson	2010/0136028 A1	6/2010	Sparrow
8,062,640 B2 *	11/2011	Sleeman	2010/0150937 A1	6/2010	Sparrow
		C07K 16/40	2010/0166768 A1	7/2010	Sleeman
		424/158.1	2010/0233177 A1	9/2010	Yowe
8,080,243 B2	12/2011	Liang	2011/0027287 A1	2/2011	Jackson
8,092,803 B2	1/2012	Furfine	2011/0033465 A1	2/2011	Hedrick
8,168,762 B2	5/2012	Jackson	2011/0098450 A1	4/2011	Igawa
8,188,233 B2	5/2012	Condra	2011/0111406 A1	5/2011	Igawa
8,188,234 B2	5/2012	Condra	2011/0142849 A1	6/2011	Rue
8,357,371 B2 *	1/2013	Sleeman	2011/0171241 A1	7/2011	Dix
		A61K 31/40	2011/0229489 A1	9/2011	Pons
		424/158.1	2011/0256148 A1	10/2011	Sleeman
8,501,184 B2 *	8/2013	Sleeman	2012/0014951 A1	1/2012	Liang
		C07K 16/40	2012/0015435 A1	1/2012	Liange
		424/158.1	2012/0020975 A1	1/2012	Jackson
8,795,669 B2 *	8/2014	Walsh	2012/0027765 A1	2/2012	Jackson
		A61K 39/39591	2012/0076799 A1	3/2012	Sparrow
		424/130.1	2012/0082679 A1	3/2012	Sparrow
8,829,165 B2	9/2014	Jackson	2012/0082680 A1	4/2012	Sitlani
8,883,157 B1 *	11/2014	Clube	2012/0093818 A1	4/2012	Jackson
		C07K 16/40	2012/0097565 A1	4/2012	Dix
		424/146.1	2012/0195910 A1	8/2012	Wu
9,034,332 B1 *	5/2015	Clube	2012/0213794 A1	8/2012	Luo
		C07K 16/40	2012/0213797 A1	8/2012	Jackson
		424/146.1	2012/0219558 A1	8/2012	Ni
			2012/0231005 A1	9/2012	Luo
9,034,332 B1 *	5/2015	Clube	2012/0251544 A1	10/2012	Jackson
		C07K 16/40	2013/0011866 A1	1/2013	Igawa
		424/146.1	2013/0064825 A1	3/2013	Chan
9,127,068 B2 *	9/2015	Okamoto	2013/0064834 A1	3/2013	Sleeman
9,193,801 B2 *	11/2015	Walsh	2013/0085266 A1	4/2013	Sleeman
9,358,287 B2 *	6/2016	Harp	2013/0243784 A1	9/2013	Swergold
9,540,449 B2 *	1/2017	Yancopoulos	2014/0004122 A1	1/2014	Chan
9,550,837 B2 *	1/2017	Sleeman	2014/0099312 A1	4/2014	Sleeman
2003/0092606 A1	5/2003	L'Italien	2014/0161821 A1	6/2014	Udata
			2014/0356370 A1	12/2014	Swergold
			2014/0356371 A1	12/2014	Swergold
			2015/0140002 A1	5/2015	Baccara-Dinet
			2015/0152191 A1	6/2015	Baccara-Dinet
			2015/0231236 A1	8/2015	Pordy
			2015/0283236 A1	10/2015	Baccara-Dinet
			2015/0284473 A1	10/2015	Bessac
			2016/0152734 A1	2/2016	Udata
			2017/0049886 A1	2/2017	Pordy
			2017/0096496 A1	4/2017	Sleeman
			2017/0296657 A1	10/2017	Sleeman

FOREIGN PATENT DOCUMENTS

EP	0521471	1/1993
EP	1067182	1/2001
EP	1514933	3/2005
EP	1317537	12/2006
EP	1618212	11/2007
EP	2 703 008	8/2012
EP	2 703 009	8/2012
EP	2 706 070	3/2014
WO	WO 1993/000807	1/1993

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO 1997/035620	10/1997
WO	WO 1998/22136	5/1998
WO	WO 1999/38495	8/1999
WO	WO 2001/057081	8/2001
WO	WO 2004/055164	7/2004
WO	WO 2004/097047	11/2004
WO	WO 2005/103081	11/2005
WO	WO 2007/143315	12/2007
WO	WO 2007/149334	12/2007
WO	WO 2008/057457	5/2008
WO	WO 2008/057458	5/2008
WO	WO 2008/057459	5/2008
WO	WO 2008/063382	5/2008
WO	WO 2008/125623	10/2008
WO	WO 2008/133647	11/2008
WO	WO 2008/138536	1/2009
WO	WO 2009/026558	2/2009
WO	WO 2009/042765	4/2009
WO	WO 2009/055783	4/2009
WO	WO 2009/100297	8/2009
WO	WO 2009/100318	8/2009
WO	WO 2010/029513	3/2010
WO	WO 2010/032220	3/2010
WO	WO 2010/077854	7/2010
WO	WO 2010/102241	9/2010
WO	WO 2010/148337	12/2010
WO	WO 2011/028938	3/2011
WO	WO 2011/039578	4/2011
WO	WO 2011/053759	5/2011
WO	WO 2011/061712	5/2011
WO	WO 2011/072263	6/2011
WO	WO 2011/111007	9/2011
WO	WO 2012/054438	4/2012
WO	WO 2012/064792	5/2012
WO	WO 2012/101251	8/2012
WO	WO 2012/101252	8/2012
WO	WO 2012/101253	8/2012
WO	WO 2012/109530	8/2012
WO	WO 2012/146776	11/2012
WO	WO 2012/154999	11/2012
WO	WO 2013/039958	3/2013
WO	WO 2013/039969	3/2013
WO	WO 2013/158984	10/2013
WO	WO 2013/166448	11/2013
WO	WO 2014/194111	12/2014
WO	WO 2014/197752	12/2014
WO	WO 2011/117401	3/2015
WO	WO 2015/054619	4/2015
WO	WO 2015/073494	5/2015
WO	WO 2015/123423	8/2015
WO	WO 2015/140079	9/2015
WO	WO 2015/142668	9/2015
WO	WO 2016/011256	1/2016
WO	WO 2016/011260	1/2016

OTHER PUBLICATIONS

- Abifadel et al. (2009) Human Mutation 30(4):520-529 "Mutations and polymorphisms in the proprotein convertase subtilisin kexin 9 (PCSK9) gene in cholesterol metabolism and disease".
- Abifadel et al. (2012) Atherosclerosis 223(2):394-400 "Identification and characterization of new gain-of-function mutations in the PCSK9 gene responsible for autosomal dominant hypercholesterolemia".
- Alborn et al. (2007) Clinical Chemistry 53(10):1814-1819 "Serum proprotein convertase subtilisin Kexin type 9 is correlated directly with serum LDL cholesterol".
- Almagro et al. (2008) Frontiers in Bioscience 13:1619-1633 "Humanization of antibodies".
- Al-Mashhadi et al. (2013) Science Translation Medicine, American Association for the Advancement of Science 5(166):44-53 "Atherosclerosis: Familial hypercholesterolemia and atherosclerosis in clones minipigs created by DNA transposition of a human PCSK9 gain-of-function mutant".

- Altschul et al. (1990) Journal of Molecular Biology 215(3):403-410 "Basic local alignment search tool".
- Altschul et al. (1997) Nucleic Acids Research 25(17):3389-3402 "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs".
- Amgen (May 27, 2010) Ascending Multiple Dose Study to Evaluate the Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of AMG 145 in Subjects With Hyperlipidemia on Stable Doses of a Statin; Available website: www.clinicaltrials.gov/ct2/show/nct01133522?term=amg+145&rank=2; Last update: Mar. 16, 2012; Accessed on: Aug. 6, 2014.
- Angal et al. (1993) Molecular Immunology 30(1):105-108 "A single amino acid substitution abolishes the heterogeneity of chimeric mouse/human (IgG4) antibody".
- Annex to Form PCT/ISA/206—Communication Relating to the Results of the Partial International Search for PCT/US2009/068013, dated Mar. 10, 2010.
- Anonymous: A Randomized, Double-Blind, Placebo-Controlled, Parallel Group Study to Evaluate the Effect of Alirocumab (SAR236553/REGN727) on the Occurrence of Cardiovascular Events in Patients Who Have Recently Experienced an Acute Coronary Syndrome. Archive from ClinicalTrials.gov for NCT01663402 on Mar. 11, 2014 (3 pages).
- Anonymous: Long-term Safety and Tolerability of Alirocumab SAR236553 (REGN727) in High Cardiovascular Risk Patients With Hypercholesterolemia Not Adequately Controlled With Their Lipid Modifying Therapy: A Randomized, Double-Blind, Placebo-Controlled Study. Archive from ClinicalTrials.gov for NCT01507831 on Jun. 27, 2013.
- Anthem.com (Sep. 21, 2015) Proprotein Convertase Subtilisin Kexin 9 (PCSK9) Inhibitors; Available Website: www.anthem.com/ca/medicalpolicies/policies/mp_pw_c182635.htm; Last Update: Aug. 4, 2016; Accessed on: Apr. 27, 2016.
- Attie and Seidah (2005) Cell Metabolism 5:290-292 "Dual regulation of the LDL receptor—Some clarity and new questions".
- Barbie and Lefranc (1998) Exp. Clin. Immunogenet. 15:171-183 "The Human Immunoglobulin Kappa Variable (IGKV) Genes and Joining (IGKJ) Segments".
- Bays et al. (2014) Circulation 130:2105-2126 "Efficacy and safety of combining alirocumab with atorvastatin or rosuvastatin versus statin intensification or adding ezetimibe in high cardiovascular risk patients: Odyssey Options I and II".
- Bays et al. (2015) J Clin Lipidol. 9(3):471-472 Abstract 183 "Alirocumab treatment effect on non-HDL-C: pooled analyses of ten Phase 3 trials in the Odyssey program".
- Bays et al. (2014) Circulation 130:A16194 "PCSK9 Inhibitor Alirocumab as Add-on to Atorvastatin versus Other Lipid Treatment Strategies in Patients at High CVD Risk: Odyssey Options I".
- Bee et al. (2009) Journal of Pharmaceutical Sciences 98(9): 3290-3301 "Precipitation of a monoclonal antibody by soluble tungsten".
- Benjannet et al. (2006) J. Biological Chemistry 281(41):30561-30572 "The Proprotein Convertase (PC) PCSK9 Is Inactivated by Furin and/or PC5/6A".
- Berthold and Berthold (2013) Atherosclerosis Supplements 14:10-5 "Hyperlipoproteinemia(a): Clinical significance and treatment options".
- Bird et al. (1988) Science 242(4877):423-426 "Single-chain antigen-binding proteins".
- Blom et al. (2014) New England Journal of Medicine 370(19):1809-1819 "A 52-Week Placebo-Controlled Trial of Evolocumab in Hyperlipidemia".
- Breen et al. (2001) Pharmaceutical Research 18(9): 1345-1353 "Effect of moisture on the stability of a lyophilized humanized monoclonal antibody formulation".
- Cannon et al. (2015) Eur Heart J 36(19):1186-1194 "The Odyssey Combo II Investigators. Efficacy and safety of alirocumab in high cardiovascular risk patients with inadequately controlled hypercholesterolemia on maximally tolerated doses of statins: the Odyssey Combo II randomized controlled trial".
- Cannon et al. (Aug. 31, 2014) Presented at ESC Congress "Efficacy and safety of alirocumab in high cardiovascular risk patients with

(56)

References Cited**OTHER PUBLICATIONS**

- inadequately controlled hypercholesterolaemia on maximally tolerated daily statin: results from the Odyssey Combo II study" abstract not published.
- Cariou et al. (May 23-26, 2015) International Symposium on Atherosclerosis. Abstract No. 1039 "Patient and physician perspectives on administration of the PCSK9 monoclonal antibody alirocumab, an injectable medication to lower LDL-C levels".
- Carpenter (1997) Pharm. Res. 14(8):969-975 Rational Design of Stable Lyophilized Protein Formulations: Some Practical Advice.
- Catapano and Papadopoulos (2013) Atherosclerosis 228(1):18-28 "The safety of therapeutic monoclonal antibodies: implications for cardiovascular disease and targeting the PCSK9 pathway".
- Chan et al. (2009) PNAS 106(24):9820-9825 "A proprotein convertase subtilisin/kexin type 9 neutralizing antibody reduces serum cholesterol in mice and nonhuman primates".
- Chaparro-Riggers et al. (2012) J. Biological Chemistry 287(14):11090-11097 "Increasing serum half-life and extending cholesterol lowering in vivo by engineering antibody with pH-sensitive binding to PCSK9".
- Clinicaltrials.gov (Dec. 23, 2010) "View of NCT01266876," US National Institutes of Health. [accessible on the internet at: https://clinicaltrials.gov/Archive/NCT01266876/2010_12_23].
- Clinicaltrials.gov (Feb. 1, 2011) "View of NCT01288443," US National Institutes of Health. [accessible on the internet at: https://clinicaltrials.gov/Archive/NCT01288443/2011_02_01].
- Clinicaltrials.gov (First Received: Aug. 8, 2012) "View of NCT01663402," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01663402>].
- Clinicaltrials.gov (First Received: Jun. 8, 2012) "View of NCT01617655," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01617655?term=NCT01617655&rank=1>].
- Clinicaltrials.gov (First Received: Jan. 6, 2012) "View of NCT01507831," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01507831?term=NCT01507831&rank=1>].
- Clinicaltrials.gov (First Received: Feb. 1, 2011) "View of NCT01288469," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01288469?term=NCT01288469&rank=1>].
- Clinicaltrials.gov (First Received: Oct. 8, 2012) "View of NCT01709500," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01709500?term=NCT01709500&rank=1>].
- Clinicaltrials.gov (First Received: Jul. 16, 2012) "View of NCT01644175," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01644175?term=NCT01644175&rank=1>].
- Clinicaltrials.gov (First Received: Jul. 16, 2012) "View of NCT01644188," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01644188?term=NCT01644188&rank=1>].
- Clinicaltrials.gov (First Received: Jul. 9, 2010) "View of NCT01161082," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01161082?term=NCT01161082&rank=1>].
- Clinicaltrials.gov (First Received: Jul. 17, 2012) "View of NCT01644474," US National Institutes of Health. [accessible on the internet at: <https://clinicaltrials.gov/ct2/show/NCT01644474?term=NCT01644474&rank=1>].
- Colhoun et al. (2014) BMC Cardiovascular Disorders, Biomed Central 14(1):121 "Efficacy and safety of alirocumab, a fully human PCSK9 monoclonal antibody, in high cardiovascular risk patients with poorly controlled hypercholesterolemia on maximally tolerated doses of statins: rationale and design of the Odyssey Combo I and II trials".
- Costet (2012) Drugs of the Future 37(5):331-341 "PCSK9 inhibitors as LDL cholesterol-lowering agents: Rationale, concerns and preliminary outcomes".
- Daugherty et al. (2006) Advanced Drug Delivery Reviews 58:686-706 "Formulation and delivery issues for monoclonal antibody therapeutics".
- Davidson et al. (2011) Journal of Clinical Lipidology 5:338-367 "Clinical utility of inflammatory markers and advanced lipoprotein testing: Advice from an expert panel of lipid specialists".
- Defesche et al. (Jun. 2-5, 2013) Abstract of a presentation presented at the 81st European Atherosclerosis Society (EAS) Congress, Lyon, France "Natural history of autosomal dominant hypercholesterolemia caused by gain-of-function mutations in proprotein convertase subtilisin/kexin type 9 (PCSK9) (funded by Regeneron/Sanofi)".
- Dube et al. (2012) Current Opinion Lipidol 23(2):133-140 "Lipoprotein(a): more interesting than ever after 50 years".
- Duff et al. Biochem Journal, the Biochemical Society (2009) 419(3):577-584.
- Dufour et al. (2012) Circulation 126 Abstract A16127 "Effect of REGN727/SAR236553 PCSK9 fully human monoclonal antibody in patients with elevated triglycerides/low high-density lipoprotein cholesterol: data from three phase 2 studies".
- Dufour et al. (2014) Can J Cardiol 30(10 suppl):S338 Abstract 546 "One year open-label treatment with alirocumab 150 mg every two weeks in heterozygous familial hypercholesterolemic patients".
- Fallon et al. (2000) J. Biological Chemistry 275(10):6790-6797 "Increased endosomal sorting of ligand to recycling enhances potency of an interleukin-2 analog".
- Farnier et al (2014) Atherosclerosis 235(2):e34-e35 [Abstract MP02E] "Relationship between alirocumab, PCSK9 and LDL-C levels: results from the Odyssey Mono Phase 3 trial of alirocumab 75 mg every 2 weeks".
- Farnier (2011) American Journal of Cardiovascular Drugs 11(3):145-152 "The role of proprotein convertase subtilisin/kexin type 9 in hyperlipidemia: Focus on therapeutic implications".
- Fasano et al. (2008) NMCD Nutrition Metabolism and Cardiovascular Diseases 18(1):S46 "45-Activity of Gain-of-Function PCSK9 Mutants on LDLR Correlates with Total-Cholesterol Values in ADH patients".
- Foody et al. (2013) Circulation 128:A17254 "Attainment of low-density lipoprotein cholesterol goals in patients at high cardiovascular risk: results from a managed care population study".
- Foote and Winter (1992) J. Mol. Biol. 224:487-499 "Antibody Framework Residues Affecting the Conformation of the Hypervariable Loops".
- Gaudet et al. (2013) J Clin Lipidol 7(3):283-284 Abstract 178 "Alirocumab, a fully human monoclonal antibody to PCSK9, reduces high plasma Lp(a) concentration: pooled analysis of 352 patients from phase 2".
- Gaudet et al. (2014) Am J Cardiol 114(5):711-715 "Effect of Alirocumab, a Monoclonal Proprotein Convertase Subtilisin/Kexin 9 Antibody, on Lipoprotein(a) Concentrations (a Pooled Analysis of 150 mg Every 2 Weeks Dosing from Phase 2 Trials)".
- Gaudet et al. (2012) Circulation 126:Abstract A14725 "Effect of SAR236553/REGN727 fully human monoclonal anti-proprotein convertase subtilisin/kexin type 9 antibody on plasma lipoprotein(a) concentrations: pooled analysis from three phase 2 studies (NCT:01266876; 01288469; 01288443)".
- Gaudet et al. (2017) Am Journal Cardiology 119:40-46 "Effect of Alirocumab on Lipoprotein(a) Over \pm 1.5 Years (from the Phase 3 Odyssey Program)".
- Ginsberg et al. (2014) Circulation 130:2119 "Odyssey High FH: Efficacy and Safety of Alirocumab in Patients with Severe Heterozygous Familial Hypercholesterolemia".
- Gonnet et al. (1992) Science 256:1443-1445 Exhaustive Matching of the Entire Protein Sequence Database.
- Gorcyca et al. (2015) J Clin Lipidol. 9(3):424 Abstract 118 "Prevalence of atherosclerotic cardiovascular disease and diabetes in the United States".
- Grozmanov et al. (2006) Biochem. Cell. Biol. 84:80-92 "Expression and localization of PCSK9 in rat hepatic cells".
- Gasarova (2013) "PCSK9 inhibition by monoclonal antibody as a promising strategy for LDL-C lowering" Presented as an oral presentation at South East Lipid Research Conference Sep. 25-28, 2013, Georgia, USA.

(56)

References Cited**OTHER PUBLICATIONS**

- Gusarova et al. (2012) Abstract of oral presentation at the Keystone Symposia on Molecular and Cellular Biology, Mar. 25-30, 2012 Montana, USA "Fully human antibody that blocks PCSK9 demonstrates reduction in LDL-C preclinically and in early clinical trials".
- Gusarova et al. (2012) Clin Lipidol 7(6):737-743 "Reduction of LDL cholesterol by a monoclonal antibody to PCSK9 in rodents and nonhuman primates".
- Haddley et al. (2013) Drugs of the Future 38(4):213-219 "ALIROCUMAB:Anti-Protein Convertase 9 (PCSK9) MAb Treatment of Hypercholesterolemia".
- Heap et al. (2005) Journal of General Virology 86(6):1791-1800 "Analysis of a 17-amino acid residue, virus-neutralizing microantibody".
- Hirayama et al. (2014) Circulation Journal 78(5):1073-1082 "Effects of evolocumab (AMG 145), a monoclonal antibody to PCSK9, in hypercholesterolemic, statin-treated Japanese patients at high cardiovascular risk—primary results from the phase 2 Yukawa study".
- Hochleitner et al. (2000) Protein Science 9:487-496 "Characterization of a discontinuous epitope of the human immunodeficiency virus (HIV) core protein p24 by epitope excision and differential chemical modification followed by mass spectrometric peptide mapping analysis".
- Hollinger et al. (1993) Proceedings of the National Academy of Sciences 90(14):6444-6448 "Diabodies": small bivalent and bispecific antibody fragments.
- Hopkins et al. (2007) Otolaryngology—Head and Neck Surgery 137(4):555-561 "The Lund-Mackay staging system for chronic rhinosinusitis: How is it used and what does it predict?"
- Hopkins et al. (2013) Circulation 128:Abstract A17156 "A randomized placebo-phase clinical trial with the monoclonal antibody alirocumab demonstrates reductions in low-density lipoprotein cholesterol in patients with proprotein convertase subtilisin/kexin type 9 gain-of-function mutations".
- Hopkins et al. (2011) Journal of Clinical Lipidology 5(3):S9-S17 "Familial Hypercholesterolemias: Prevalence, genetics, diagnosis and screening recommendations from the National Lipid Association Expert Panel on Familial Hypercholesterolemia".
- Hopkins et al. (Dec. 2015) Circ Cardiovasc Genet. 8(6):823-831 "Characterization of Autosomal Dominant Hypercholesterolemia Caused by PCSK9 Gain of Function Mutations and its Specific Treatment with Alirocumab, a PCSK9 Monoclonal Antibody".
- Horton et al. (2007) Trends Biochem Sci. 32(2): 71-77 "Molecular biology of PCSK9: its role in LDL metabolism".
- Hovingh et al. (2013) Eur Heart Journal 34(13):962-971 Diagnosis and treatment of familial hypercholesterolemia.
- Huang et al. (May 2015) J Clin Lipidol. 9(3):437-438 Abstract 134 "Clinical characteristics and unmet need among real-world atherosclerotic cardiovascular disease (ASCVD) patients stratified by statin use".
- Huston et al. (1988) Proceedings of the National Academy of Sciences 85(16): pp. 5879 "Protein engineering of antibody binding sites: Recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in *Escherichia coli*".
- Igawa et al. (2010) Nature Biotechnology 28(11):1203-1208 "Antibody recycling by engineered pH-dependent antigen binding improves the duration of antigen neutralization".
- IPRP for International Application No. PCT/EP12/051321 dated Jul. 30, 2013.
- ISR and WO for International Application No. PCT/US2014/046170 dated Oct. 2, 2014.
- ISR and WO from PCT/US2014/040050 dated Oct. 6, 2014.
- ISR and WO for corresponding International Application No. PCT/US2014/040695 dated Oct. 6, 2014.
- ISR and WO for International Application No. PCT/US2014/060109 dated Apr. 16, 2015.
- ISR and WO for International Application No. PCT/US2013/023784 dated Jul. 10, 2013.
- ISR for International Patent Application No. PCT/US2013/055747 dated Feb. 13, 2014.
- ISR for International Application No. PCT/US2013/057898 dated Feb. 13, 2014.
- ISR for International Application No. PCT/EP12/051321 dated Aug. 2, 2012.
- ISR with WO for International Patent Application No. PCT/EP2012/051321 dated Apr. 19, 2012.
- ISR for International Application No. PCT/US12/43338 dated Aug. 23, 2012.
- ISR for International Application No. PCT/EP2012/051320 dated Sep. 21, 2012.
- ISR with WO for International Patent Application No. PCT/EP2015/055369 dated May 21, 2015.
- ISR with WO for International Patent Application No. PCT/US2014/041204 dated Oct. 17, 2014.
- ISR with WO for International Patent Application No. PCT/US2015/040754 dated Oct. 14, 2015.
- ISR with WO for International Patent Application No. PCT/US2015/040765 dated Nov. 26, 2015.
- Ito et al. (1992) Federation of European Biochemical Societies 309(1):85-88 "The His-probe method: effects of histidine residues introduced into the complementarity-determining regions of antibodies on antigen-antibody interactions at different pH values".
- Jones et al. (2015) J Am Coll Cardiol 65(10S):A1363 "Pooled safety and adverse events in nine randomized, placebo-controlled, phase 2 and 3 clinical trials of alirocumab".
- Jorgensen et al. (2013) European Heart Journal 34:1826-1833 "Genetically elevated non-fasting triglycerides and calculated remnant cholesterol as causal risk factors for myocardial infarction".
- Junghans et al. (1990) Cancer Research 50:1495-1502 "Anti-Tac-H, a Humanized Antibody to the Interleukin 2 Receptor with New Features for Immunotherapy in Malignant and Immune Disorders".
- Kastelein et al. (2015) Eur Heart J. 36(43):2996-3003 "Odyssey FH I and FH II: 78-week results with alirocumab treatment in 735 patients with heterozygous familial hypercholesterolemia".
- Kastelein et al. (2014) Cardiovascular Drugs and Therapy 28(3):281-289 "Efficacy and Safety of Alirocumab in Patients with Heterozygous Familial Hypercholesterolemia not Adequately Controlled with Current Lipid-Lowering Therapy: Design and Rationale of the Odyssey FH Studies" Odyssey FH I and FH II studies; presented at ESC Congress Aug. 31, 2014, abstract not published.
- Katayama et al. (2004) J. Pharm. Sci. 93(10):2609-2623 "Retrospective statistical analysis of lyophilized Protein Formulations of Progenipoitin Using PLS: Determination of the Critical Parameters for Long-Term Storage Stability".
- Kawashiri et al. (2012) Circulation 126(21):13869 "Statin Therapy Improves Fractional Catabolic Rate of LDL without Affecting Impaired VLDL and VLDL Remnant Catabolism in Homozygous FH Patient Due to PCSK9 Gene Mutation: Evidence from Kinetic Study With Stable Isotope".
- Kerejakes et al. (2014) Circulation 130(23):2119-2120 "Efficacy and safety of alirocumab in high cardiovascular risk patients with suboptimally controlled hypercholesterolemia on maximally tolerated doses of statins: the Odyssey Combo I study".
- Kerejakes et al. (2015) Am Heart J 169(6):906-915 "Efficacy and safety of the proprotein convertase subtilisin/kexin type 9 inhibitor alirocumab among high cardiovascular risk patients on maximally tolerated statin therapy: the Odyssey Combo I study".
- Kolata (2015) The New York Times "Praluent Looks Cheap to Those with Extreme Cholesterol" Website [Online] Available Web-site: www.nytimes.com/2015/07/28/health/praluent-looks-cheap-to-those-with-extreme-cholesterol.html; Last Update: unknown; Accessed on: Nov. 8, 2016.
- Konrad et al. (2011) Lipids in Health and Disease 10(1):38 "Effects of currently prescribed LDL-C-lowering drugs on PCSK9 and implications for the next generation of LDL-C-lowering agents".
- Koren et al. (2012) Eur Heart J 33(Abstract Supplement)37 Abstract 429 "Efficacy, safety and tolerability of 150 mg Q2W dose of the anti-PCSK9 mAb, REGN727/SAR236553: data from 3 phase 2 studies".
- Koren et al. (2014) J Am Coll Cardiol 63(12 Suppl 1):A1373 "Effects of alirocumab, a fully human monoclonal antibody to

(56)

References Cited**OTHER PUBLICATIONS**

- proprotein convertase subtilisin/kexin type 9, on lipoprotein particle concentrations determined by nuclear magnetic resonance: substudy of a randomized double-blind phase II clinical trial".
- Koren et al. (2015) Postgrad Med 22:1-8 "Safety and efficacy of alirocumab 150 mg every 2 weeks, a fully human proprotein convertase subtilisin/kexin type 9 monoclonal antibody: a Phase II pooled analysis".
- Koren et al. (2013) J Clin Lipidol 7(3):279-280 Abstract 172 "Efficacy, safety and tolerability of alirocumab 150 mg Q2W, a fully human PCSK9 monoclonal antibody: a pooled analysis of 352 patients from phase 2".
- Koschinsky and Boffa (2014) Endocrinology and Metabolism Clinics of North America 43(4): 949-962 "Lipoprotein(a): An Important Cardiovascular Risk Factor and a Clinical Conundrum".
- Kostner et al. (2013) European Heart Journal 34:3268-3276 "When should we measure lipoprotein (a)"?
- Krauss et al. (2014) Circulation 130:A15525 "Alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, and its effects on lipoprotein subfractions determined by ion mobility".
- Kühnast et al. (2013) Circulation 128:A15823 "PCSK-9 monoclonal antibody alirocumab dose-dependently decreases atherosclerosis development and enhances the effects of atorvastatin in APOE*3Leiden.CETP mice".
- Kühnast et al. (2014) J Lipid Res. 55(10):2103-2112 "Alirocumab inhibits atherosclerosis, improves the plaque morphology, and enhances the effects of a statin".
- Kuiper (2015) Pharma ISA Poster "Statin use and low density lipoprotein cholesterol goal attainment among a high cardiovascular risk population in the Netherlands".
- Lagace et al. (2006) J Clin Invest Am Soc Clin Invest 116(11):2995-3005 "Secreted PCSK9 decreases the number of LDL receptors in hepatocytes and in liver of parabiotic mice".
- Lambert et al. (2014) J Am Coll Cardiol 64(21):2299-2300 "Normalization of Low-Density Lipoprotein Receptor Expression in Receptor Defective Homozygous Familial Hypercholesterolemia by Inhibition of PCSK9 With Alirocumab".
- Lambert et al. (2012) J Lipid Res 53(12):2515-2524 "The PCSK9 decade".
- Lamont-Fava et al. (2011) Journal of Lipid Research 52:1181-1187 "Lipoprotein(a) levels, apo(a) isoform size, and coronary heart disease risk in the Framingham Offspring Study".
- Goodson (1984) Medical Applications of Controlled Release 2:115-138 "Chapter 6:Dental Applications".
- Langer et al. (1990) Science 249(4976):1527-1533 "New methods of drug delivery".
- Lefranc et al.(2009) Nucleic Acids Research 37:D1006-D1012 "IMGT®, the international ImMunoGeneTics information system®".
- Leuenberger et al. (1996) Recueil des Travaux Chimiques des Pays-Bas. 115(7):382 "A Multilingual Glossary of Biotechnological Terms".
- Li et al. (2009) Recent Patents on DNA and Gene Sequences 3(3):201-212 "Recent Patents on PCSK9: A New Target for Treating Hypercholesterolemia".
- Lippi and Guidi (2000) QJ Med 93:75-84 "Lipoprotein(a): from ancestral benefit to modern pathogen?".
- Lopez (2008) Drug News & Perspectives Abstract 21(6):323 "Inhibition of PCSK9 as a Novel Strategy for the Treatment of Hypercholesterolemia".
- Lose et al. (2013) Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy 33(4):447-460 "Evaluation of Proprotein Convertase Subtilisin/Kexin Type 9: Focus on Potential Clinical and Therapeutic Implications for Low-Density Lipoprotein Cholesterol Lowering".
- Lunven et al. (2014) J Am Coll Cardiol 63(12 Suppl 1):A1377 "A randomized study of the relative bioavailability, pharmacodynamics, and safety of alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, after single subcutaneous administration at three different injection sites in healthy subjects".
- Lunven et al. (2014) Cardiovasc Ther. 32(6):297-301 "A randomized study of the relative pharmacokinetics, pharmacodynamics and safety of alirocumab, a fully human monoclonal antibody to PCSK9, after single subcutaneous administration at three different injection sites in healthy subjects".
- Maeda et al. (2002) J. Controlled Release 82:71-82 "pH-dependent receptor/ligand dissociation as a determining factor for intracellular sorting of ligands for epidermal growth factor receptors in rat hepatocytes".
- Majumdar et al. (2011) Journal of Pharmaceutical Sciences 100(7):2563-2573 "Evaluation of the effect of syringe surfaces on protein formulations".
- Marcovina and Koschinsky (1998) The American Journal of Cardiology 82(12A):57U-66U "Lipoprotein(a) as a Risk Factor for Coronary Artery Disease".
- Maxwell and Breslow (2004) PNAS 101(18):7100-7105 "Adenoviral-mediated expression of Pcsk9 in mice results in a low-density lipoprotein receptor knockout phenotype".
- McKenney et al. (2013) Presented as a poster presentation at the 81st European Atherosclerosis Society (EAS) Congress, Jun. 2-5, 2013, Lyon, France "Dynamics between the monoclonal antibody SAR236553/REGN727, proprotein convertase subtilisin/kexin type 9 (PCSK9) and low-density lipoprotein cholesterol (LDL-C) levels (funding: Regeneron/Sanofi)".
- McKenney et al. (2012) Presented as a late-breaking oral presentation at the American College of Cardiology (ACC) Annual Scientific Session, Mar. 24-27, 2012, Chicago, Illinois, USA "A randomized, double-blind, placebo-controlled trial of the safety and efficacy of a monoclonal antibody to proprotein convertase subtilisin/kexin type 9 serine protease, REGN727/SAR236553, in patients with primary hypercholesterolemia (NCT: 01288443)".
- McKenney et al. (2012) Journal of the American College of Cardiology 59(25):2344-2353 "Safety and Efficacy of a Monoclonal Antibody to Proprotein Convertase Subtilisin/Kexin Type 9 Serine Protease, SAR236553/REGN727, in Patients With Primary Hypercholesterolemia Receiving Ongoing Stable Atorvastatin Therapy".
- McPherson (2013) Journal of the American College of Cardiology 61(4):437-439 "Remnant Cholesterol: Non-(HDL-C + LDL-C) as a Coronary Artery Disease Risk Factor".
- Meehan et al. (1996) J. Controlled Release 46:107-116 "A microinfusor device for the delivery of therapeutic levels of peptides and macromolecules".
- Miettinen et al. (1971) Circulation 44(5):842-850 "Cholesterol production in obesity".
- Moon (2007) Cardiology 108:282-289 "Lipoprotein(a) and LDL Particle Size are Related to the Severity of Coronary Artery Disease".
- Missouri DU Report (Oct./Nov. 2003) Drug Use Review Newsletter 8(6):1-9 "Statin Therapy".
- Moriarty et al. (2013) Eur Heart J. 34(Suppl 1):doi:10.1093/eurheartj/eht307.142 "Homogeneity of treatment effect of REGN727/SAR236553, a fully human monoclonal antibody against PCSK9, in lowering LDL-C: data from three phase 2 studies".
- Moriarty et al. (2014) Circulation 130:2108 "Odyssey Alternative: Efficacy and safety of the proprotein convertase subtilisin/kexin type 9 monoclonal antibody, alirocumab, versus ezetimibe, in patients with statin intolerance as defined by a placebo run-in and statin rechallenge arm".
- Moriarty et al. (2014) J Clin Lipidol. 8(6):554-561 "Efficacy and safety of alirocumab, a monoclonal antibody to PCSK9, in statin-intolerant patients: Design and rationale of Odyssey Alternative, a randomized Phase 3 trial".
- Moriarty et al. (2015) J Clin Lipidol. 9(6):758-769 "Efficacy and safety of alirocumab versus ezetimibe in statin-intolerant patients, with a statin-re-challenge arm: The Odyssey Alternative randomized trial".

(56)

References Cited**OTHER PUBLICATIONS**

- Moriarty (2015) 10th International Society for Apheresis Congress XP55317363, Cancun Mexico "PCSK9 Inhibitors and their Effect on Patients who are Statin Intolerant or Receiving Lipoprotein-apheresis".
- Nakasako et al. (1999) J. Mol. Biol. 291:117-134 "The pH-dependent structural variation of complementarity-determining region H3 in the crystal structures of the Fv fragment from an anti-dansyl monoclonal antibody".
- Naureckiene et al. (2003) Archives of Biochemistry and Biophysics 420:55-67 "Functional characterization of Narc 1, a novel proteinase related to proteinase K".
- Noguchi et al. (2010) Atherosclerosis 210(1):166-172 "The E32K variant of PCSK9 exacerbates the phenotype of familial hypercholesterolemia by increasing PCSK9 function and concentration in the circulation".
- Nordestgaard et al. (2010) European Heart Journal 31(23):2844-2853 "Lipoprotein(s) as cardiovascular risk factor: current status". Office Action Article 94(3) EP App No. 12701015.5 dated Apr. 24, 2015.
- Office Action Article 94(3) EP App No. 12701015.5 dated May 30, 2014.
- Office Action Article 94(3) EP App No. 12701742.4 dated May 28, 2014.
- Office Action Article 94(3) EP App No. 12701742.4 dated Jun. 1, 2015.
- Office Action from CN 2012-80015477.6 dated Dec. 2, 2014 with English summary.
- Office Action from CN 2012-80015571.1 dated Sep. 3, 2014 with English summary.
- Padlan et al. (1995) The FASEB Journal 9(1):133-139 "Identification of specificity-determining residues in antibodies".
- Parhofer (2011) Current Pharmaceutical Design 17(9):871-876 "Lipoprotein(a): Medical Treatment Options for an Elusive Molecule".
- Park et al. (2004) J. Biol. Chem. 279:50630-50638 "Lipids and Lipoproteins: Posttranscriptional Regulation of Low Density Lipoprotein Receptor Protein by Proprotein Convertase Subtilisin/Kexin Type 9a in Mouse Liver".
- Partial International Search Report from PCT/US2014/040163 dated Nov. 6, 2014.
- Pearson (1994) Methods in Molecular Biology (Computer Analysis of Sequence Data) 24:307-331 "Using the FASTA program to search protein and DNA sequence databases".
- Pfizer (Nov. 3, 2012) "Safety and Tolerability of Multiple Doses of PF-04950615 (RN316) In Subjects With Hypercholesterolemia" Available website: www.clinicaltrials.gov/ct2/show/NCT01243151; Last update: Jul. 9, 2012; Accessed on: Feb. 27, 2017.
- Pordy et al. (2013) J Clin Lipidol 7(3):279 "Alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9: therapeutic dosing in phase 3 studies".
- Powell et al. (1998) Journal of Pharmaceutical Science and Technology 52(5): 238-311 "Compendium of Excipients for Parenteral Formulations PDA".
- Qui et al. (2007) Nature Biotechnology 25(8):921-929 "Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting".
- Rader et al. (1995) The Journal of Clinical Investigation, Inc. 95:1403-1408 "The Low Density Lipoprotein Receptor Is Not Required for Normal Catabolism of Lp(a) in Humans".
- Ramanathan et al. (2013) Circulation128:A12052 "Role of alirocumab (proprotein convertase subtilisin/kexin type 9 antibody) on CD81 levels and hepatitis C virus entry into hepatocytes".
- Rashid et al. (2005) PNAS 102(15):5374-5379 "Decreased plasma cholesterol and hypersensitivity to statins in mice lacking Pcsk9".
- Ray (2015) Clin Lipidol. 10(1):9-12 "Alirocumab: an investigational treatment for hypercholesterolemia".
- Ray et al. (2013) Value Health 16(7):A513 "Attainment of low-density lipoprotein cholesterol goals in patients at very high cardiovascular risk in the United Kingdom: results from a general practice population study".
- Reddy et al. (2000) The Journal of Immunology 164(4):1925-1933 "Elimination of Fc receptor-dependent effector functions of a modified IgG4 monoclonal antibody to human CD4".
- Reineke (2004) Antibody Engineering:Methods and Protocols, Humana Press pp. 443-463 "Antibody epitope mapping using arrays of synthetic peptides".
- Rey et al. (2014) J Am Coll Cardiol 63(12S1):A1375 "Randomized, partial blind study of the pharmacodynamics, pharmacokinetics and safety of multiple subcutaneous doses of alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, administered every 4 weeks alone or in combination with ezetimibe or fenofibrate in healthy subjects".
- Reyes-Soffer et al. (2015) Arterioscler Thromb Vasc Biol 35:A129 "Effects of a proprotein convertase subtilisin/kexin type 9 inhibitor, alirocumab, on lipid and lipoprotein metabolism in normal subjects".
- Rhainds et al. (2012) Clinical Lipidology 7(6):621-640 "PCSK9 inhibition and LDL cholesterol lowering: The biology of an attractive therapeutic target and critical review of the latest clinical trials".
- Robinson et al. (2015) J Am Coll Cardiol 65(10S):A1350 "Adverse events in patients with low-density lipoprotein cholesterol levels <25 or <15 mg/dL on at least two consecutive visits in fourteen randomized, controlled, clinical trials of alirocumab".
- Robinson et al. "Long-term safety, tolerability and efficacy of alirocumab versus placebo in high cardiovascular risk patients: first results from the Odyssey Long Term study in 2,341 patients" presented at ESC Congress Aug. 31, 2014, abstract not published.
- Robinson et al. (2014) Circulation 130:2120 "Long-term safety, tolerability and efficacy of alirocumab versus placebo in high cardiovascular risk patients: first results from the Odyssey Long Term study in 2,341 patients".
- Robinson et al. (2015) N Eng J Med. 372:1489-1499 "Odyssey Long Term Investigators. Efficacy and Safety of Alirocumab in Reducing Lipids and Cardiovascular Events".
- Robinson et al. (2014) Clinical Cardiology 37(10):597-604 "Efficacy and Safety of Alirocumab as Add-on Therapy in High-Cardiovascular-Risk Patients with Hypercholesterolemia Not Adequately Controlled with Atorvastatin (20 or 40 mg) or Rosuvastatin (10 or 20 mg): Design and Rationale of the Odyssey Options Studies".
- Robinson (2002) PNAS 99(8):5283-5288 "Protein Deamidation".
- Romagnuolo et al. (2015) The Journal of Biological Chemistry 290(18):11649-11662 "Lipoprotein(a) Catabolism is Regulated by Proprotein Convertase Subtilisin/Kexin Type 9 through the Low Density Lipoprotein Receptor".
- Roth et al. (2012) J Am Coll Cardiol 59:E1620 "The effects of co-administering a monoclonal antibody to proprotein convertase subtilisin/kexin type 9 serine protease, REGN727/SAR236553, with 10 and 80 mg atorvastatin compared to 80 mg atorvastatin alone in patients with primary hypercholesterolemia (NCT: 01288469)".
- Roth et al. (2012) N Engl J Med. 367(20):1891-1900 "Atorvastatin with or without an antibody to PCSK9 in primary hypercholesterolemia".
- Roth et al. (2014) Future Cardiology 10(2):183-199 "Alirocumab for hyperlipidemia: physiology of PCSK9 inhibition, pharmacodynamics and Phase I and II clinical trial results of a PCSK9 monoclonal antibody".
- Roth et al. (2014) Int J Cardiol 176(1):55-61 "Monotherapy with the PCSK9 inhibitor alirocumab versus ezetimibe in patients with hypercholesterolemia: Results of a 24 week, double-blind, randomized Phase 3 trial".
- Roth et al. (2014) J Am Coll Cardiol 63(12 Suppl 1): A1370 "A 24-week study of alirocumab monotherapy versus ezetimibe: The first phase 3 data of a proprotein convertase subtilisin/kexin type 9 inhibitor".
- Roth et al. (2015) Future Cardiol 11(1):27-37 "Odyssey Mono: effect of alirocumab 75 mg subcutaneously every 2 weeks as monotherapy versus ezetimibe over 24 weeks".

(56)

References Cited**OTHER PUBLICATIONS**

- Roth et al. (2015) J. Clin. Lipidol. 37(9):1945-1954 "Patient and physician perspectives on administration of the PCSK9 monoclonal antibody alirocumab, an injectable medication to lower LDL-C levels".
- Roth et al. (2015) International Symposium on Atherosclerosis, Abstract No. 254 "Phase 3 Randomized Trial Evaluating Alirocumab Every Four Weeks Dosing as Add-on to Statin or as Monotherapy: Odyssey Choice I".
- Saeedi and Frohlich (2016) Clinical Diabetes and Endocrinology 27 "Lipoprotein (a), an independent cardiovascular risk marker".
- Sahibkar et al. (2013) Clinical Therapeutics 35(8):1082-1098 "New LDL-Cholesterol Lowering Therapies: Pharmacology, Clinical Trials, and Relevance to Acute Coronary Syndromes".
- Sarkar et al. (2002) Nature Biotechnology 20:908-913 "Rational cytokine design for increased lifetime and enhanced potency using pH-activated histidine switching".
- Scaviner et al. (1999) Exp. Clin. Immunogenet. 16:234-240 "Protein Displays of the Human Immunoglobulin Heavy, Kappa and Lambda Variable and Joining Regions".
- Schäffer et al. (2011) "Cholesterol lowering effect of SAR236553/REGN727, a fully human PCSK9 blocking monoclonal antibody in male Syrian hamster" Presented as a poster at the Drugs Affecting Lipid Metabolism (DALM)—XVII International Symposium, Mar. 14-16, 2011, Doha, Qatar.
- Schwartz et al. (2014) Am Heart J. 168(5):682-689.e1 "Effect of alirocumab, a monoclonal antibody to pcsk9, on long-term cardiovascular outcomes following acute coronary syndromes: Rationale and design of the odyssey outcomes trial".
- Sefton (1986) Critical Reviews in Biomedical Engineering 14(3):201-240 "Implantable Pumps".
- Seidah et al. (2003) PNAS 100(3):928-933 "The secretory proprotein convertase neural apoptosis-regulated convertase 1 (NARC-1): liver regeneration and neuronal differentiation".
- Shao (2014) Scientific Symposium "New Therapies for Lowering LDL-C: Targeting PCSK9" Abstract of oral presentation at the Sino-American Pharmaceutical Professionals Association Apr. 26, 2014, New Jersey, USA.
- Shields et al. (2002) Journal of Biological Chemistry 277(30):26733-26740 "Lack of fucose on human IgG1 N-linked oligosaccharide improves binding to human Fc γ RIII and antibody-dependent cellular toxicity".
- Shoji et al. (1998) J Am Soc Nephrol 9:1277-1284 "Intermediate-Density Lipoprotein as an Independent Risk Factor for Aortic Atherosclerosis in Hemodialysis Patients".
- Soutar (2011) Current Opinion in Lipidology 22:192-196 "Unexpected Roles for PCSK9 in Lipid Metabolism".
- Stahl (2010) "Early Clinical Development #1 REGN727: anti-PCSK9," Regeneron Pharmaceuticals. Accessible on the Internet at URL: <http://files.shareholder.com/downloads/REGN/0x0x387214/534aaeb6-5e66-4e8f-86a9-0f9cac20d72f/REGN%20Investor%20Day%20Early%20Clinical%20Development1.pdf>.
- Steen et al. (2014) Circulation 130:A19949 Attainment of Lipid Levels in Patients at High Cardiovascular Risk: Results from a U.S. Managed Care Population Study.
- Steen et al. (2015) J Am Coll Cardiol 65(10S):A1647 "Cardiovascular Event Rates in a High-Risk Managed Care Population in the United States".
- Stein and Swergold (2013) Current Atherosclerosis Reports 15(310):1-14 "Potential of proprotein Convertase Subtilisin/Kexin Type 9 Based Therapeutics".
- Stein et al. (2012) New England Journal of Medicine 366(12):1108-1118 "Effect of a Monoclonal Antibody to PCSK9 on LDL Cholesterol".
- Stein et al. (2012) The Lancet 380:29-36 "Effect of a monoclonal antibody to PCSK9, REGN727/SAR236553, to reduce low-density lipoprotein cholesterol in patients with heterozygous familial hypercholesterolemia on stable statin dose with or without ezetimibe therapy: a phase 2 randomized controlled trial".
- Stein et al. (2014) J Am Coll Cardiol 63(12 Suppl 1): A1371 "One year open-label treatment with alirocumab 150 mg every two weeks in heterozygous familial hypercholesterolemic patients".
- Stein et al. (2012) Presented as an oral presentation at the 80th European Atherosclerosis Society (EAS) Congress, May 25-28, 2012, Milan, Italy. Abstract 1398 "Safety and efficacy of a monoclonal antibody to PCSK9, REGN727/SAR236553, in statin-treated heterozygous familial hypercholesterolemia patients".
- Stein et al. (2012) Obstetrical and Gynecological Survey 67(7):413-414 "Effect of a monoclonal antibody to PCSK9 on LDL cholesterol".
- Steinberg et al. (2009) Proceedings of the National Academy of Sciences USA 106(24):9546-9547 "Inhibition of PCSK9: A powerful weapon for achieving ideal LDL cholesterol levels".
- Stroes et al. (2014) J. Am. Coll. Cardiol. 63(23):2541-2548 "Anti-PCSK9 Antibody Effectively Lowers Cholesterol in Patients With Statin Intolerance".
- Stroes et al. (2015) J Am Coll Cardiol 65(10S):A1370 "Efficacy and safety of different dosing regimens of alirocumab (starting doses of 75 mg every two weeks and 150 mg every four weeks) versus placebo in patients with hypercholesterolemia not treated using statins: the Odyssey Choice II study".
- Sullivan et al. (2012) JAMA 308(23):2497-2506 "Effect of a Monoclonal Antibody to PCSK9 on Low-Density Lipoprotein Cholesterol Levels in Statin-Intolerant Patients".
- Swergold et al. (2010) Circulation 122:Abstract A23251 "Safety, lipid, and lipoprotein effects of REGN727/SAR236553, a fully human proprotein convertase subtilisin kexin 9 (PCSK9) neutralizing monoclonal antibody administered intravenously to healthy volunteers".
- Swergold et al. (2011) Circulation 124:Abstract A16265 "Inhibition of proprotein convertase subtilisin/kexin type 9 with a monoclonal antibody REGN727/SAR236553, effectively reduces low-density-lipoprotein cholesterol, as mono or add-on therapy in heterozygous familial and non-familial hypercholesterolemia".
- Swergold et al. (2011) J Am Coll Cardiol 57(14s1):E2023 "REGN727/SAR236553, a fully human proprotein convertase subtilisin kexin 9 (PCSK9) monoclonal antibody: effects on safety and lipid and lipoprotein profiles when administered subcutaneously".
- Swergold et al. (2011) J Clin Lipidol 5(3):219 "REGN727/SAR236553, a fully-human monoclonal antibody to proprotein convertase subtilisin kexin 9 (PCSK9), decreases ApoB and non-HDL-C when administered intravenously to healthy volunteers".
- Swergold et al. (2013) Abstract of a poster presentation at the American Society of Human Genetics (ASHG), Oct. 22-26, 2013, Boston, USA "Identification and characterization of patients with autosomal dominant hypercholesterolemia caused by gain-of-function mutations in proprotein convertase subtilisin/kexin type 9 and comparison with patients with Familial Hypercholesterolemia (FH) and Familial Defective apolipoprotein B (FDB)".
- Teramoto et al. (2014) Circulation 130:A13651 "Efficacy and safety of alirocumab in Japanese patients with hypercholesterolemia on stable statin therapy: first data with the 75 mg every two weeks dose".
- Timms et al. (2004) Human Genetics 114(4):349-353 "A mutation in PCSK9 causing autosomal-dominant hypercholesterolemia in a Utah pedigree".
- Tiwari et al. (2011) Journal of Pharmacy and Pharmacology 63(8):983-998 "Statins therapy: a review on conventional and novel formulation approaches".
- Toth et al. (2013) Circulation 128:A17313 "Alirocumab, a proprotein convertase subtilisin/kexin type 9 monoclonal antibody, reduces cholesterol concentrations of all serum low-density lipoprotein cholesterol fractions".
- Toth et al. (2014) Atherosclerosis 235(2):e107-d108 [Abstract 593] "Proprotein convertase subtilisin/kexin 9 monoclonal antibody therapy significantly reduces apoprotein CII and CIII levels in serum".
- Toth, et al. (2013) Circulation 128(22):17492 "Alirocumab, a Proprotein Convertase Subtilisin/Kexin Type 9 Monoclonal Anti-

(56)

References Cited**OTHER PUBLICATIONS**

- body, Reduces Cholesterol Concentrations of Serum Remnant Lipoprotein Fractions, Very Low-Density Lipoproteins and Triglycerides".
- Tsimikas et al. (2015) The Lancet 386(10002):1472-1483 "Antisense therapy targeting apolipoprotein(a): a randomised, double-blind, placebo-controlled phase 1 study".
- Tutt et al. (1991) The Journal of Immunology 147(1):60-69 "Trispecific F(ab')³ derivatives that use cooperative signaling via the TCR/CD3 complex and CD2 to activate and redirect resting cytotoxic T cells".
- Vajdos et al. (2002) Journal of Molecular Biology 320(2):415-428 "Comprehensive functional maps of the antigen-binding site of an anti-ErbB2 antibody obtained with shotgun scanning mutagenesis".
- Van der Hoorn et al. (2014) Atherosclerosis 235(2):e19 [Abstract WS16] "Alirocumab, a monoclonal antibody to PCSK-9, dose-dependently decreases atherosclerosis, improves plaque stability and shows additive effects with atorvastatin in APOE*3Leiden/CETP mice".
- Varbo et al. (2013) Journal of the American College of Cardiology 61(4):427-436 "Remnant Cholesterol as a Casual Risk Factor for Ischemic Heart Disease".
- Varrett et al. (1999) Am. J. Hum. Genet. 64:1378-1387 "A third major locus for autosomal dominant hypercholesterolemia Maps to 1p. 34.1-p. 32".
- Wang et al. (2007) Journal of Pharmaceutical Sciences 96(1):1-26 "Antibody Structure, Instability, and Formulation".
- Wang et al. (2009) Clin. Pharmacology 49(9):1012-1024.
- Wang (1999) International J. Pharmaceutics 185(2):129-188 "Instability, stabilization, and formulation of liquid protein pharmaceuticals".
- Ward et al. (1989) Nature 341(6242):544-546 "Binding activities of a repertoire of single immunoglobulin variable domains secreted from *Escherichia coli*".
- Watanabe et al. (2009) J. Biological Chemistry 284(18):12373-12383 "Optimizing pH response of affinity between protein G and IgG Fc".
- Webb et al. (2002) J. Pharm. Sc. 91(2):543-558 "A new mechanism for decreasing aggregation of Recombinant Human Interferon- γ by a Surfactant: Slowed Dissolution of Lyophilized Formulations in a Solution Containing 0.03% Polysorbate 20".
- Westerterp et al. (2006) Vasc Biol 26(11):2552-2559 "Cholesteryl Ester Transfer Protein Decreases High-Density Lipoprotein and Severely Aggravates Atherosclerosis in APOE*3-Leiden Mice, Arterioscler Thromb".
- Winter and Harris (1993) Immunology Today 14(6):243-246 "Humanized Antibodies".
- Wong (2014) J Clin Lipidol. 8:323-324 Residual Dyslipidemia According to LDL-C, non-HDL-C and Apolipoprotein B by cardiovascular Risk Category in Statin Treated US Adults. Presented as a poster presentation at the National Lipid Association Scientific Sessions, May 1-4, 2014, Orlando, Florida, USA.
- Written Opinion of the International Searching Authority for International Application No. PCT/EP2012/051320, dated Jul. 30, 2013 (16 pages).
- Wu et al. (1987) Journal of Biological Chemistry 262(10):4429-4432 "Receptor-mediated in vitro gene transformation by a soluble DNA carrier system".
- Ason (2011) Journal of Lipid Research 52:679-687 "Improved Efficacy for Ezetimibe and Rosuvastatin by Attenuating the Induction of PCSK9".
- Chaudhary et al. (2017) World J. Cardiol. 9(2):76-91 "PCSK9 Inhibitors: A New Era of Lipid Lowering Therapy".
- Fasano (2009) Atherosclerosis 203:166-171 "Degradation of LDLR Protein Mediated by Gain of Function PCSK9 Mutants in Normal and ARH Cells".
- Opposition from EP Application No. 09793408.7 dated Oct. 11, 2017.
- Stone et al. (2014) JACC 63(25):2889-2934 "2013 ACC/AHA Guideline on the Treatment of Blood Cholesterol to Reduce Atherosclerotic Cardiovascular Risk in Adults".
- Zimmerman (2015) Am Health Drug Benefits 8(8):436-442 "How do PCSK9 Inhibitors Stack Up to Statins for Low-Density Lipoprotein Cholesterol Control".
- Todo, Yasuhiro, et al., "Detailed Analysis of Serum Lipids and Lipoproteins from Japanese Type III Hyperlipoproteinemia with Apolipoprotein E2/2 Phenotype," Clinica Chimica Acta 348 (2004) 35-40.
- Ason, Brandon, et al., "Improved efficacy for ezetimibe and rosuvastatin by attenuating the induction of PCSK9," Journal of Lipid Research, vol. 52, 2011, pp. 679-687.
- Chaudhary, Rahul, et al., "PCSK9 inhibitors: A new era of lipid lowering therapy," World Journal of Cardiology, Feb. 26, 2017; 9(2): 76-91.
- Zimmerman, Marj P., "How Do PCSK9 Inhibitors Stack Up to Statins for Low-Density Lipoprotein Cholesterol Control?", American health & Drug Benefits, Nov. 1, 2015, p. 436.
- Stone, Neil J., et al., "2013 ACC/AHA Guideline on the Treatment of Blood Cholesterol to Reduce Atherosclerotic Cardiovascular Risk in Adults," A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines, Journal of the American College of cardiology, vol. 63, No. 25, Nov. 12, 2013 (Nov. 12, 2013), pp. 2889-2934.
- Rahilly-Tierney, Catherine R., "Low-Density Lipoprotein Reduction and Magnitude of Cardiovascular Risk Reduction," Study, Preventive Cardiology, Spring 2009, Maveric, pp. 80-87.
- Brouwers, M. C. G. J., et al., "Plasma proprotein convertase subtilisin kexin type 9 levels are related to markers of cholesterol synthesis in familial combined hyperlipidemia," Nutrition, Metabolism & Cardiovascular Diseases (2013) 23, 1115-1121.
- Lambert, Gilles, et al., "Molecular basis of PCSK9 function," Atherosclerosis 203 (2009) 1-7.
- Ned, R.M., et al., Cascade Screening for Familial Hypercholesterolemia (FH), PLOS Currents Evidence on Genomic Tests, Jul. 1, 2011. Edition 1. doi: 10.1371/currents.RRN1238.
- Defesche et al. (Jun. 2-5, 2013) Presentation presented at the 81st European Atherosclerosis Society (EAS) Congress, Lyon, France "Natural history of autosomal dominant hypercholesterolemia caused by gain-of-function mutations in proprotein convertase subtilisin/kexin type 9 (PCSK9) (funded by Regeneron/Sanofi)".
- McKenney et al. (2013) Abstract 81st European Atherosclerosis Society (EAS) Congress, Jun. 2-5, 2013, Lyon, France "Dynamics between the monoclonal antibody SAR236553/REGN727, proprotein convertase subtilisin/kexin type 9 and low-density lipoprotein cholesterol (LDL-C) levels (funding: Regeneron/Sanofi)".
- Reyes-Soffer et al. (2017) Circulation 135:352-362 "Effects of PCSK9 Inhibition with Alirocumab on Lipoprotein Metabolism in Healthy Humans".
- Yamashita, Sizuya, "PCSK9 (proprotein convertase subtilisin/kexin type 9)", Prevention of Arteriosclerosis, Feb. 10, 2013, vol. 11, No. 4, p. 101-105 (Lambert, Gilles, et al., "Molecular basis of PCSK9 function," Atherosclerosis 203 (2009) 1-7).
- Notice of Reason(s) for Rejection for JP 2016-516825, dated Jan. 16, 2018.

* cited by examiner

<p>H1H316P VH (SEQ ID NO:90) H1M300N VH (SEQ ID NO:218)</p> <p>H1H316P VH (SEQ ID NO:90) H1M300N VH (SEQ ID NO:218)</p> <p>H1H316P VH (SEQ ID NO:90) H1M300N VH (SEQ ID NO:218)</p> <p>H1H316P VK (SEQ ID NO:92) H1M300N VK (SEQ ID NO:226)</p> <p>H1H316P VK (SEQ ID NO:92) H1M300N VK (SEQ ID NO:226)</p> <p>H1H316P VK (SEQ ID NO:92) H1M300N VK (SEQ ID NO:226)</p>	<p>EVQLVESGGGLVQPGGSLRLSCAASGFTFNNYAMNWVRQAPGKG EMQLVESGGGLVQPGGSLRLSCAASGFTFSSHWMKWVRQAPGKG</p> <p>LDWVSTISGSGGTTNYADSVKGRFIISRDSSKHTLYLQMNSLRA LEWWANINQDGSEKYYVDSSVKGRFTISRDNAKNSLFLQMNSLRA</p> <p>EDTAVYYCAKDSNWGNFDL... EDTAVYYCARDIVLMVYDMDYYGMDVWGQQGTTVTVS</p> <p>DIVMTQSPDSSLAVSLGERATINCKSSQSVLYRSNNRNFLGWYQQ DIVMTQSPPLSLPVTPGEPAISCRRSSQSLLHSNGNNYLDWYLQ</p> <p>KPGQPPNLLIWASTRESSGVPDFSGSGSGTDFTLTSSLQAED KPGQSPQLLILGSINRASGVPDFSGSGSGTDFTLKSRLVEAED</p> <p>VAVYYCQQYTTPYTFGQGTKLEIK VGVYYCMQTLQTPLTFGGTKVEIK</p>	<p>10 20 30 40 50 60 70 80 90 100 110 120</p> <p>10 20 30 40 50 60 70 80 90 100 110 120</p> <p>10 20 30 40 50 60 70 80 90 100 110 120</p> <p>10 20 30 40 50 60 70 80 90 100 110 120</p>
		<p>CDR1</p> <p>CDR2</p> <p>CDR3</p> <p>CDR1</p> <p>CDR2</p> <p>CDR3</p>

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

1

ANTI-PCSK9 ANTIBODIES

CROSS-REFERENCE TO RELATED
APPLICATIONS

This application is a continuation of U.S. application Ser. No. 14/737,488, filed on 12 Jun. 2015, which is a continuation of U.S. application Ser. No. 13/690,585, filed on 30 Nov. 2012, which is a continuation of U.S. application Ser. No. 12/949,846 filed on 19 Nov. 2010, now U.S. Pat. No. 8,501,184, Issued 6 Aug. 2013, which is a divisional of U.S. application Ser. No. 12/637,942, filed 15 Dec. 2009, now U.S. Pat. No. 8,062,640, Issued 22 Nov. 2011, which claims the benefit under 35 USC § 119(e) of U.S. Provisional 61/261,776 filed 17 Nov. 2009, 61/249,135 filed 6 Oct. 2009, 61/218,136 filed 18 Jun. 2009, 61/168,753 filed 13 Apr. 2009, 61/210,566 filed 18 Mar. 2009 and 61/122,482 filed 15 Dec. 2008, which applications are herein specifically incorporated by reference in their entirety.

FIELD OF THE INVENTION

The present invention is related to human antibodies and antigen-binding fragments of human antibodies that specifically bind human proprotein convertase subtilisin/kexin type 9 (PCSK9), and therapeutic methods of using those antibodies.

STATEMENT OF RELATED ART

Protein convertase subtilisin/kexin type 9 (PCSK9) is a proprotein convertase belonging to the proteinase K subfamily of the secretory subtilase family. The encoded protein is synthesized as a soluble zymogen that undergoes autocatalytic intramolecular processing in the endoplasmic reticulum. Evidence suggests that PCSK9 increases plasma LDL cholesterol by promoting degradation of the LDL receptor, which mediates LDL endocytosis in the liver, the major route of LDL clearance from circulation. The structure of PCSK9 protein shows that it has a signal sequence, followed by a prodomain, a catalytic domain that contains a conserved triad of residues (D186, H226 and S386), and a C-terminal domain. It is synthesized as a soluble 74-kDa precursor that undergoes autocatalytic cleavage in the ER, generating a 14-kDa prodomain and 60-kDa catalytic fragment. The autocatalytic activity has been shown to be required for secretion. After cleavage the prodomain remains tightly associated with the catalytic domain.

Antibodies to PCSK9 are described in, for example, WO 2008/057457, WO 2008/057458, WO 2008/057459, WO 2008/063382, WO 2008/125623, and US 2008/0008697.

BRIEF SUMMARY OF THE INVENTION

In a first aspect, the invention provides fully human monoclonal antibodies (mAbs) and antigen-binding fragments thereof that specifically bind and neutralize human PCSK9 (hPCSK9) activity.

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9 and is characterized by at least one of:

(i) capable of reducing serum total cholesterol at least about 25-35% and sustaining the reduction over at least a 24 day period relative to a predose level, preferably the reduction in serum total cholesterol is at least about 30-40%;

2

(ii) capable of reducing serum LDL cholesterol at least about 65-80% and sustaining the reduction over at least a 24 day period relative to a predose level;

(iii) capable of reducing serum triglyceride at least about 25-40% relative to predose level;

(iv) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level.

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9 and is characterized by at least one of:

(i) capable of reducing serum LDL cholesterol at least about 40-70% and sustaining the reduction over at least a 60 or 90 day period relative to a predose level;

(ii) capable of reducing serum triglyceride at least about 25-40% relative to predose level;

(iii) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level.

20 In one embodiment, the antibody or antigen-binding fragment is characterized as binding an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or antigen-binding fragment binds an epitope comprising one or more of amino acid residue 238, 153, 159 and 343 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or fragment thereof is characterized as binding an epitope which does not comprise an amino acid residue at position 192, 194, 197 and/or 237 of SEQ ID NO:755.

30 In one embodiment, the antibody or antigen-binding fragment is characterized as binding an epitope comprising amino acid residue 366 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or antigen-binding fragment binds an epitope comprising one or more of amino acid residue at position 147, 366 and 380 of SEQ ID NO:755. In a more specific embodiment, the antibody or antigen-binding fragment of an antibody is characterized as binding an epitope which does not comprise an amino acid residue at position 215 or 238 of SEQ ID NO:755.

40 In one embodiment, the antibody or antigen-binding fragment is characterized as exhibiting an enhanced binding affinity (K_D) for hPCSK9 at pH 5.5 relative to the K_D at pH 7.4, as measured by plasmon surface resonance. In a specific embodiment, the antibody or fragment thereof exhibits at least a 20-fold, at least a 40-fold or at least a 50-fold enhanced affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance.

In one embodiment, the antibody or antigen-binding fragment is characterized as not exhibiting an enhanced binding affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance. In a specific embodiment, the antibody or fragment thereof exhibits a decreased binding affinity at an acidic pH.

In another embodiment, the antibody or antigen-binding fragment binds human, human GOF mutation D374Y, cynomolgus monkey, rhesus monkey, mouse, rat and hamster PCSK9.

In one embodiment, the antibody or antigen-binding fragment binds human and monkey PCSK9, but does not bind mouse, rat or hamster PCSK9.

The mAbs can be full-length (e.g., an IgG1 or IgG4 antibody) or may comprise only an antigen-binding portion (e.g., a Fab, F(ab')₂ or scFv fragment), and may be modified to affect functionality, e.g., to eliminate residual effector functions (Reddy et al. (2000) J. Immunol. 164:1925-1933).

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody comprising a

heavy chain variable region (HCVR) selected from the group consisting of SEQ ID NO:2, 18, 22, 26, 42, 46, 50, 66, 70, 74, 90, 94, 98, 114, 118, 122, 138, 142, 146, 162, 166, 170, 186, 190, 194, 210, 214, 218, 234, 238, 242, 258, 262, 266, 282, 286, 290, 306, 310, 314, 330, 334, 338, 354, 358, 362, 378, 382, 386, 402, 406, 410, 426, 430, 434, 450, 454, 458, 474, 478, 482, 498, 502, 506, 522, 526, 530, 546, 550, 554, 570, 574, 578, 594, 598, 602, 618, 622, 626, 642, 646, 650, 666, 670, 674, 690, 694, 698, 714, 718, 722, 738 and 742, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the HCVR comprises an amino acid sequence selected from the group consisting of SEQ ID NO:50, 66, 70, 74, 90, 94, 122, 138, 142, 218, 234, 238, 242, 258, 262, 314, 330 and 334. In a more specific embodiment, the HCVR comprises SEQ ID NO:90 or 218.

In one embodiment, the antibody or fragment thereof further comprises a light chain variable region (LCVR) selected from the group consisting of SEQ ID NO:10, 20, 24, 34, 44, 48, 58, 68, 72, 82, 92, 96, 106, 116, 120, 130, 140, 144, 154, 164, 168, 178, 188, 192, 202, 212, 216, 226, 236, 240, 250, 260, 264, 274, 284, 288, 298, 308, 312, 322, 332, 336, 346, 356, 360, 370, 380, 384, 394, 404, 408, 418, 428, 432, 442, 452, 456, 466, 476, 480, 490, 500, 504, 514, 524, 528, 538, 548, 552, 562, 572, 576, 586, 596, 600, 610, 620, 624, 634, 644, 648, 658, 668, 672, 682, 692, 696, 706, 716, 720, 730, 740 and 744, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the LCVR comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 58, 68, 72, 82, 92, 96, 130, 140, 144, 226, 236, 240, 250, 260, 264, 322, 332 and 336. In a more specific embodiment, the LCVR comprises SEQ ID NO:92 or 226.

In specific embodiments, the antibody or fragment thereof comprises a HCVR and LCVR (HCVR/LCVR) sequence pair selected from the group consisting of SEQ ID NO: 2/10, 18/20, 22/24, 26/34, 42/44, 46/48, 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 98/106, 114/116, 118/120, 122/130, 138/140, 142/144, 146/154, 162/164, 166/168, 170/178, 186/188, 190/192, 194/202, 210/212, 214/216, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 266/274, 282/284, 286/288, 290/298, 306/308, 310/312, 314/322, 330/332, 334/336, 338/346, 354/356, 358/360, 362/370, 378/380, 382/384, 386/394, 386/394, 402/404, 406/408, 410/418, 426/428, 430/432, 434/442, 450/452, 454/456, 458/466, 474/476, 478/480, 482/490, 498/500, 502/504, 506/514, 522/524, 526/528, 530/538, 546/548, 550/552, 554/562, 570/572, 574/576, 578/586, 594/596, 598/600, 602/610, 618/620, 622/624, 626/634, 642/644, 646/648, 650/658, 666/668, 670/672, 674/682, 690/692, 694/696, 698/706, 714/716, 718/720, 722/730, 738/740 and 742/744. In one embodiment, the HCVR and LCVR sequence pair comprises one of SEQ ID NO: 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 122/130, 138/140, 142/144, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 314/322, 330/332 and 334/336. In a more specific embodiment, the HCVR/LCVR pair comprises SEQ ID NO:90/92 or 218/226.

In a second aspect, the invention features an antibody or antigen-binding fragment of an antibody comprising a heavy chain CDR3 (HCDR3) domain selected from the group consisting of SEQ ID NO:8, 32, 56, 80, 104, 128, 152, 176, 200, 224, 248, 272, 296, 320, 344, 368, 392, 416, 440, 464, 488, 512, 536, 560, 584, 608, 632, 656, 680, 704 and 728, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; and a light chain CDR3 (LCDR3) domain selected

from the group consisting of SEQ ID NO:16, 40, 64, 88, 112, 136, 160, 184, 208, 232, 256, 280, 304, 328, 352, 376, 400, 424, 448, 472, 496, 520, 544, 568, 592, 616, 640, 664, 688, 712 and 736, or substantially similar sequences thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the HCDR3/LCDR3 sequence pair is selected from the group consisting of SEQ ID NO:56/64, 80/88, 128/136, 224/232, 248/256 and 320/328. In a more specific embodiment, the HCDR3/LCDR3 sequence pair comprises SEQ ID NO:80/88 or 224/232.

In a further embodiment, the invention comprising an antibody or fragment thereof further comprising a heavy chain CDR1 (HCDR1) domain selected from the group consisting of SEQ ID NO:4, 28, 52, 76, 100, 124, 148, 172, 196, 220, 244, 268, 292, 316, 340, 364, 388, 412, 436, 460, 484, 508, 532, 556, 580, 604, 628, 652, 676, 700 and 724, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; a heavy chain CDR2 (HCDR2) domain selected from the group consisting of SEQ ID NO:6, 30, 54, 78, 102, 126, 150, 174, 198, 222, 246, 270, 294, 318, 342, 366, 390, 414, 438, 462, 486, 510, 534, 558, 582, 606, 630, 654, 678, 702 and 726, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; a light chain CDR1 (LCDR1) domain selected from the group consisting of SEQ ID NO:12, 36, 60, 84, 108, 132, 156, 180, 204, 228, 252, 276, 300, 324, 348, 372, 396, 420, 444, 468, 492, 516, 540, 564, 588, 612, 636, 660, 684, 708 and 732, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; and a light chain CDR2 (LCDR2) domain selected from the group consisting of SEQ ID NO:14, 38, 62, 86, 110, 134, 158, 182, 206, 230, 254, 278, 302, 326, 350, 374, 398, 422, 446, 470, 494, 518, 542, 566, 590, 614, 638, 662, 686, 710 and 734, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the heavy and light chain CDR sequences comprise a sequence selected from the group consisting of SEQ ID NO:52, 54, 56, 60, 62, 64; 76, 78, 80, 84, 86, 88; 124, 126, 128, 132, 134, 136; 220, 222, 224, 228, 230, 232; 244, 246, 248, 252, 254, 256; and 316, 318, 320, 324, 326, 328. In more specific embodiments, the CDR sequences comprise SEQ ID NO: 76, 78, 80, 84, 86, 88; or 220, 222, 224, 228, 230, 232.

In a related embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody which specifically binds hPCSK9, wherein the antibody or fragment comprises heavy and light chain CDR domains contained within heavy and light chain sequence pairs selected from the group consisting of SEQ ID NO: 2/10, 18/20, 22/24, 26/34, 42/44, 46/48, 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 98/106, 114/116, 118/120, 122/130, 138/140, 142/144, 146/154, 162/164, 166/168, 170/178, 186/188, 190/192, 194/202, 210/212, 214/216, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 266/274, 282/284, 286/288, 290/298, 306/308, 310/312, 314/322, 330/332, 334/336, 338/346, 354/356, 358/360, 362/370, 378/380, 382/384, 386/394, 402/404, 406/408, 410/418, 426/428, 430/432, 434/442, 450/452, 454/456, 458/466, 474/476, 478/480, 482/490, 498/500, 502/504, 506/514, 522/524, 526/528, 530/538, 546/548, 550/552, 554/562, 570/572, 574/576, 578/586, 594/596, 598/600, 602/610, 618/620, 622/624, 626/634, 642/644, 646/648, 650/658, 666/668, 670/672, 674/682, 690/692, 694/696, 698/706, 714/716, 718/720, 722/730, 738/740 and 742/744. In one embodiment,

ment, the CDR sequences are contained within HCVR and LCVR selected from the amino acid sequence pairs of SEQ ID NO: 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 122/130, 138/140, 142/144, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 314/322, 330/332 and 334/336. In more specific embodiments, the CDR sequences are comprised within HCVR/LCVR sequences selected from SEQ ID NO: 90/92 or 218/226.

In one embodiment, the invention provides fully human monoclonal antibody or antigen-binding fragment thereof that specifically bind hPCSK9 and neutralize PCSK9 activity, wherein the antibody or fragment thereof exhibits one or more of the following characteristics: (i) capable of reducing serum total cholesterol at least about 25-35% and sustaining the reduction over at least a 24 day period relative to a predose level, preferably the reduction in serum total cholesterol is at least about 30-40%; (ii) capable of reducing serum LDL cholesterol at least about 65-80% and sustaining the reduction over at least a 24 day period relative to a predose level; (iii) capable of reducing serum triglyceride at least about 25-40% relative to predose level; (iv) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level; (v) binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755); (vi) exhibits an enhanced binding affinity (K_D) for hPCSK9 at pH 5.5 relative to the K_D at pH 7.4, as measured by plasmon surface resonance, wherein the enhanced affinity is at least about a 20- to 50-fold increase in affinity; (vii) binds human, human GOF mutation D374Y, cynomolgus monkey, rhesus monkey, mouse, rat and hamster PCSK9; (viii) comprises heavy and light chain CDR3 sequences comprising SEQ ID NO:80 and 88; and (ix) comprises CDR sequences from SEQ ID NO:90 and 92.

In one embodiment, the invention provides fully human monoclonal antibody or antigen-binding fragment thereof that specifically bind human PCSK9 (hPCSK9) and neutralize PCSK9 activity, wherein the antibody or fragment thereof exhibits one or more of the following characteristics: (i) capable of reducing serum LDL cholesterol at least about 40-70% and sustaining the reduction over at least a 60 or 90 day period relative to a predose level; (ii) capable of reducing serum triglyceride at least about 25-40% relative to predose level; (iii) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level; (iv) binds an epitope comprising amino acid residue 366 of hPCSK9 (SEQ ID NO:755); (v) does not exhibit an enhanced binding affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance; (vi) binds human and monkey PCSK9, but does not bind mouse, rat or hamster PCSK9; (vii) comprises heavy and light chain CDR3 sequences comprising SEQ ID NO:224 and 232; and (viii) comprises CDR sequences from SEQ ID NO:218 and 226.

In a third aspect, the invention provides nucleic acid molecules encoding anti-PCSK9 antibodies or fragments thereof. Recombinant expression vectors carrying the nucleic acids of the invention, and host cells into which such vectors have been introduced, are also encompassed by the invention, as are methods of producing the antibodies by culturing the host cells under conditions permitting production of the antibodies, and recovering the antibodies produced.

In one embodiment, the invention provides an antibody or fragment thereof comprising a HCVR encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1, 17, 21, 25, 41, 45, 49, 65, 69, 73, 89, 93, 97, 113, 117,

121, 137, 141, 145, 161, 165, 169, 185, 189, 193, 209, 213, 217, 233, 237, 241, 257, 261, 265, 281, 285, 289, 305, 309, 313, 329, 333, 337, 353, 357, 361, 377, 381, 385, 401, 405, 409, 425, 429, 433, 449, 453, 457, 473, 477, 481, 497, 501, 505, 521, 525, 529, 545, 549, 553, 569, 573, 577, 593, 597, 601, 617, 621, 625, 641, 645, 649, 665, 669, 673, 689, 693, 697, 713, 717, 721, 737 and 741, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the HCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 49, 65, 69, 73, 89, 93, 121, 137, 141, 217, 233, 237, 241, 257, 261, 313, 329 and 333. In more specific embodiments, the HCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 89 and 217.

In one embodiment, the antibody or fragment thereof further comprises a LCVR encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 9, 19, 23, 33, 43, 47, 57, 67, 71, 81, 91, 95, 105, 115, 119, 129, 139, 143, 153, 163, 167, 177, 187, 191, 201, 211, 215, 225, 235, 239, 249, 259, 263, 273, 283, 287, 297, 307, 311, 321, 331, 335, 345, 355, 359, 369, 379, 383, 393, 403, 407, 417, 427, 431, 441, 451, 455, 465, 475, 479, 489, 499, 503, 513, 523, 527, 537, 547, 551, 561, 571, 575, 585, 595, 599, 609, 619, 623, 633, 643, 647, 657, 667, 671, 681, 691, 695, 705, 715, 719, 729, 739 and 743, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the LCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 57, 67, 71, 81, 91, 95, 129, 139, 143, 225, 235, 239, 249, 259, 263, 321, 331 and 335. In more specific embodiments, the LCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 91 and 225.

In one embodiment, the invention features an antibody or antigen-binding fragment of an antibody comprising a HCDR3 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO:7, 31, 55, 79, 103, 127, 151, 175, 199, 223, 247, 271, 295, 319, 343, 367, 391, 415, 439, 463, 487, 511, 535, 559, 583, 607, 631, 655, 679, 703 and 727, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; and a LCDR3 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 15, 39, 63, 87, 111, 135, 159, 183, 207, 231, 255, 279, 303, 327, 351, 375, 399, 423, 447, 471, 495, 519, 543, 567, 591, 615, 639, 663, 687, 711 and 735, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the HCDR3 and LCDR3 comprise a sequence pair encoded by the nucleic acid sequence of SEQ ID NO: 55/63, 79/87, 127/135, 223/231, 247/255 and 319/327, respectively. In more specific embodiments, the HCDR3 and LCDR3 comprise a sequence pair encoded by the nucleic acid sequence of SEQ ID NO: 79/87 and 223/231.

In a further embodiment, the antibody or fragment thereof further comprises, a HCDR1 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 3, 27, 51, 75, 99, 123, 147, 171, 195, 219, 243, 267, 291, 315, 339, 363, 387, 411, 435, 459, 483, 507, 531, 555, 579, 603, 627, 651, 675, 699 and 723, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; a HCDR2 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO:5, 29, 53, 77, 101, 125, 149, 173, 197, 221, 245, 269, 293, 317, 341, 365, 389, 413, 437, 461, 485, 509, 533, 557, 581, 605, 629, 653, 677, 701 and 725,

or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; a LCDR1 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 11, 35, 59, 83, 107, 131, 155, 179, 203, 227, 251, 275, 299, 323, 347, 371, 395, 419, 443, 467, 491, 515, 539, 563, 587, 611, 635, 659, 683, 707 and 731, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; and a LCDR2 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 13, 37, 61, 85, 109, 133, 157, 181, 205, 229, 253, 277, 301, 325, 349, 373, 397, 421, 445, 469, 493, 517, 541, 565, 589, 613, 637, 661, 685, 709 and 733, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the heavy and light chain CDR sequences are encoded by the nucleic acid sequences of SEQ ID NO: 51, 53, 55, 59, 61, 63; 75, 77, 79, 83, 85, 87; 123, 125, 127, 131, 133, 135; 219, 221, 223, 227, 229, 231; 243, 245, 247, 251, 253, 255; and 315, 317, 319, 323, 325, 327. In more specific embodiments, the heavy and light chain CDR sequences are encoded by the nucleic acid sequences of SEQ ID NO: 75, 77, 79, 83, 85, 87; and 219, 221, 223, 227, 229, 231.

In a fourth aspect, the invention features an isolated antibody or antigen-binding fragment thereof that specifically binds hPCSK9, comprising a HCDR3 and a LCDR3, wherein HCDR3 comprises an amino acid sequence of the formula $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X^9-X^{10}-X^{11}-X^{12}-X^{13}-X^{14}-X^{15}-X^{16}-X^{17}-X^{18}-X^{19}-X^{20}$ (SEQ ID NO:747), wherein X^1 is Ala, X^2 is Arg or Lys, X^3 is Asp, X^4 is Ser or Ile, X^5 is Asn or Val, X^6 is Leu or Trp, X^7 is Gly or Met, X^8 is Asn or Val, X^9 is Phe or Tyr, X^{10} is Asp, X^{11} is Leu or Met, X^{12} is Asp or absent, X^{13} is Tyr or absent, X^{14} is Tyr or absent, X^{15} is Tyr or absent, X^{16} is Tyr or absent, X^{17} is Gly or absent, X^{18} is Met or absent, X^{19} is Asp or absent, and X^{20} is Val or absent; and LCDR3 comprises an amino acid sequence of the formula $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X^9$ (SEQ ID NO:750), wherein X^1 is Gln or Met, X^2 is Gln, X^3 is Tyr or Thr, X^4 is Tyr or Leu, X^5 is Thr or Gln, X^6 is Thr, X^7 is Pro, X^8 is Tyr or Leu, and X^9 is Thr.

In a further embodiment, the antibody or fragment thereof further comprise a HCDR1 sequence of the formula $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8$ (SEQ ID NO:745), wherein X^1 is Gly, X^2 is Phe, X^3 is Thr, X^4 is Phe, X^5 is Ser or Asn, X^6 is Ser or Asn, X^7 is Tyr or His, and X^8 is Ala or Trp; a HCDR2 sequence of the formula $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8$ (SEQ ID NO:746), wherein X^1 is Ile, X^2 is Ser or Asn, X^3 is Gly or Gln, X^4 is Asp or Ser, X^5 is Gly, X^6 is Ser or Gly, X^7 is Thr or Glu, and X^8 is Thr or Lys; a LCDR1 sequence of the formula $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X_9-X^{10}-X^{11}-X^{12}$ (SEQ ID NO:748) wherein X^1 is Gln, X^2 is Ser, X^3 is Val or Leu, X^4 is Leu, X^5 is His or Tyr, X^6 is Arg or Ser, X^7 is Ser or Asn, X^8 is Asn or Gly, X^9 is Asn, X^{10} is Arg or Asn, X^{11} is Asn or Tyr, and X^{12} is Phe or absent; a LCDR2 sequence of the formula $X^1-X^2-X^3$ (SEQ ID NO:749) wherein X^1 is Trp or Leu, X^2 is Ala or Gly, and X^3 is Ser. FIG. 1 shows the sequence alignment of heavy and light chain variable regions for 316P and 300N mAbs.

In a fifth aspect, the invention features a human anti-PCSK9 antibody or antigen-binding fragment of an antibody comprising a heavy chain variable region (HCVR) encoded by nucleotide sequence segments derived from V_H , D_H and J_H germline sequences, and a light chain variable region (LCVR) encoded by nucleotide sequence segments derived from V_K and J_K germline sequences, wherein the germline sequences are (a) V_H gene segment 3-23, D_H gene segment

7-27, J_H gene segment 2, V_K gene segment 4-1 and J_K gene segment 2; or (b) V_H gene segment 3-7, D_H gene segment 2-8, J_H gene segment 6, V_K gene segment 2-28 and J_K gene segment 4.

In a sixth aspect, the invention features an antibody or antigen-binding fragment thereof that binds to a PCSK9 protein of SEQ ID NO:755, wherein the binding of the antibody or fragment thereof to a variant PCSK9 protein is less than 50% of the binding between the antibody or fragment thereof and the PCSK9 protein of SEQ ID NO:755. In specific embodiment, the antibody or fragment thereof binds to the variant PCSK9 protein with a binding affinity (K_D) which is less than about 50%, less than about 60%, less than about 70%, less than about 80%, less than about 90% or less than about 95% compared to the binding to PCSK9 (SEQ ID NO:755).

In one embodiment, the variant PCSK9 protein comprises at least one mutation at position 238 of SEQ ID NO:755. In a more specific embodiment, the mutation is D238R. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 90% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at residue 238. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 80% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 153, 159, 238 and 343. In a more specific embodiment, the mutation is one of S153R, E159R, D238R and D343R.

In one embodiment, the variant PCSK9 protein comprises at least one mutation at position 366 of SEQ ID NO:755. In a more specific embodiment, the mutation is E366K. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 95% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at residue 366. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 90% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 147, 366 and 380. In a more specific embodiment, the mutation is one of S147F, E366K and V380M. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 80% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 147, 366 and 380. In a more specific embodiment, the mutation is one of S147F, E366K and V380M.

The invention encompasses anti-PCSK9 antibodies having a modified glycosylation pattern. In some applications, modification to remove undesirable glycosylation sites may be useful, or e.g., removal of a fucose moiety to increase antibody dependent cellular cytotoxicity (ADCC) function (see Shield et al. (2002) JBC 277:26733). In other applications, modification of galactosylation can be made in order to modify complement dependent cytotoxicity (CDC).

In a seventh aspect, the invention features a pharmaceutical composition comprising a recombinant human antibody or fragment thereof which specifically binds hPCSK9 and a pharmaceutically acceptable carrier. In one embodiment, the invention features a composition which is a combination of an antibody or antigen-binding fragment of an antibody of the invention, and a second therapeutic agent. The second therapeutic agent may be any agent that is advantageously combined with the antibody or fragment thereof of the invention, for example, an agent capable of

inducing a cellular depletion of cholesterol synthesis by inhibiting 3-hydroxy-3-methylglutaryl (HMG)-coenzyme A (CoA) reductase, such as, for example, cerovastatin, atorvastatin, simvastatin, pitavastatin, rosuvastatin, fluvastatin, lovastatin, pravastatin, etc.; capable of inhibiting cholesterol uptake and or bile acid re-absorption; capable of increasing lipoprotein catabolism (such as niacin); and/or activators of the LXR transcription factor that plays a role in cholesterol elimination such as 22-hydroxycholesterol.

In an eighth aspect, the invention features methods for inhibiting hPCSK9 activity using the anti-PCSK9 antibody or antigen-binding portion of the antibody of the invention, wherein the therapeutic methods comprise administering a therapeutically effective amount of a pharmaceutical composition comprising an antibody or antigen-binding fragment of an antibody of the invention. The disorder treated is any disease or condition which is improved, ameliorated, inhibited or prevented by removal, inhibition or reduction of PCSK9 activity. Specific populations treatable by the therapeutic methods of the invention include subjects indicated for LDL apheresis, subjects with PCSK9-activating mutations (gain of function mutations, “GOF”), subjects with heterozygous Familial Hypercholesterolemia (heFH); subjects with primary hypercholesterolemia who are statin intolerant or statin uncontrolled; and subjects at risk for developing hypercholesterolemia who may be preventably treated. Other indications include dyslipidemia associated with secondary causes such as Type 2 diabetes mellitus, cholestatic liver diseases (primary biliary cirrhosis), nephrotic syndrome, hypothyroidism, obesity; and the prevention and treatment of atherosclerosis and cardiovascular diseases.

In specific embodiments of the method of the invention, the anti-hPCSK9 antibody or antibody fragment of the invention is useful to reduce elevated total cholesterol, non-HDL cholesterol, LDL cholesterol, and/or apolipoprotein B (apolipoprotein B100).

The antibody or antigen-binding fragment of the invention may be used alone or in combination with a second agent, for example, an HMG-CoA reductase inhibitor and/or other lipid lowering drugs.

Other embodiments will become apparent from a review of the ensuing detailed description.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1. Sequence comparison tables of heavy chain (A) and light chain (B) variable regions and CDRs of antibodies H1H316P and H1M300N.

FIG. 2. Antibody concentrations in serum over time. 316P 5 mg/kg (□); 300N 5 mg/kg (○); 316P 15 mg/kg (■); 300N 15 mg/kg (●).

FIG. 3. Serum total cholesterol level as a percentage of change over buffer control. Buffer control (*) 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 4. Serum LDL cholesterol level as a percentage of change over buffer control: Buffer Control (*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 5. Serum LDL cholesterol level normalized to buffer control. Buffer control (*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 6. Serum HDL cholesterol level as a percentage of change over buffer control. Buffer control (*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 7. Serum triglyceride level expressed as a percentage of change over buffer control. Buffer control (*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 8. Serum LDL cholesterol level expressed as a percentage of change over baseline following a single dose subcutaneous administration. 316P 5 mg/kg (■); 300N 5 mg/kg (●).

FIG. 9. Antibody concentrations in serum over time following a single dose subcutaneous administration. 316P 5 mg/kg (●); 300N 5 mg/kg (▲).

FIG. 10. Western blot for mouse LDL receptor of total liver homogenates. Samples were taken 24 hours after PBS (lanes 1-3), 5 mg/kg 316P (lanes 4-6), or 5 mg/kg of non-hPCSK9 specific mAb (lanes 7-8) administration and 4 hours after 1.2 mg/kg hPCSK9-mmh (all lanes).

FIG. 11. Effects of 316P on serum LDL cholesterol level in PCSK9^{hu/hu} mice. Buffer ■ control 316P 1 mg/kg (□); 316P 5 mg/kg (■) 316P 10 mg/kg (△).

FIG. 12. Anti-hPCSK9 mAb serum pharmacokinetic profile in C57BL/6 mice. Single dose of Control I mAb (●) at 10 mg/kg; 316P (▲) at 10 mg/kg and 300N (■) at 10 mg/kg.

FIG. 13. Anti-hPCSK9 mAb serum pharmacokinetic profile in hPCSK9 heterozygous mice. Single dose of Control I mAb (●) at 10 mg/kg; 316P (▲) at 10 mg/kg and 300N (■) at 10 mg/kg.

FIG. 14. Effect of 316P on serum LDL cholesterol levels in Syrian Hamster fed a normal diet. Buffer control (●); 316P 1 mg/kg (■); 316P 3 mg/kg (▲); 316P 5 mg/kg (△).

DETAILED DESCRIPTION

Before the present methods are described, it is to be understood that this invention is not limited to particular methods, and experimental conditions described, as such methods and conditions may vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting, since the scope of the present invention will be limited only by the appended claims.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although any methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, preferred methods and materials are now described. All publications mentioned herein are incorporated herein by reference in their entirety.

Definitions

The term “human proprotein convertase subtilisin/kexin type 9” or “hPCSK9”, as used herein, refers to hPCSK9 having the nucleic acid sequence shown in SEQ ID NO:754 and the amino acid sequence of SEQ ID NO:755, or a biologically active fragment thereof.

The term “antibody”, as used herein, is intended to refer to immunoglobulin molecules comprised of four polypeptide chains, two heavy (H) chains and two light (L) chains inter-connected by disulfide bonds. Each heavy chain is comprised of a heavy chain variable region (“HCVR” or “VH”) and a heavy chain constant region (comprised of domains CH1, CH2 and CH3). Each light chain is comprised of a light chain variable region (“LCVR” or “VL”) and a light chain constant region (CL). The VH and VL regions can be further subdivided into regions of hypervariability, termed complementarity determining regions (CDR), interspersed with regions that are more conserved, termed framework

11

regions (FR). Each VH and VL is composed of three CDRs and four FRs, arranged from amino-terminus to carboxy-terminus in the following order: FR1, CDR1, FR2, CDR2, FR3, CDR3, FR4.

Substitution of one or more CDR residues or omission of one or more CDRs is also possible. Antibodies have been described in the scientific literature in which one or two CDRs can be dispensed with for binding. Padlan et al. (1995 FASEB J. 9:133-139) analyzed the contact regions between antibodies and their antigens, based on published crystal structures, and concluded that only about one fifth to one third of CDR residues actually contact the antigen. Padlan also found many antibodies in which one or two CDRs had no amino acids in contact with an antigen (see also, Vajdos et al. 2002 J Mol Biol 320:415-428).

CDR residues not contacting antigen can be identified based on previous studies (for example residues H60-H65 in CDRH2 are often not required), from regions of Kabat CDRs lying outside Chothia CDRs, by molecular modeling and/or empirically. If a CDR or residue(s) thereof is omitted, it is usually substituted with an amino acid occupying the corresponding position in another human antibody sequence or a consensus of such sequences. Positions for substitution within CDRs and amino acids to substitute can also be selected empirically. Empirical substitutions can be conservative or non-conservative substitutions.

The term "human antibody", as used herein, is intended to include antibodies having variable and constant regions derived from human germline immunoglobulin sequences. The human mAbs of the invention may include amino acid residues not encoded by human germline immunoglobulin sequences (e.g., mutations introduced by random or site-specific mutagenesis in vitro or by somatic mutation in vivo), for example in the CDRs and in particular CDR3. However, the term "human antibody", as used herein, is not intended to include mAbs in which CDR sequences derived from the germline of another mammalian species (e.g., mouse), have been grafted onto human FR sequences.

The term "specifically binds," or the like, means that an antibody or antigen-binding fragment thereof forms a complex with an antigen that is relatively stable under physiologic conditions. Specific binding can be characterized by an equilibrium dissociation constant of at least about 1×10^{-6} M or less (e.g., a smaller K_D denotes a tighter binding). Methods for determining whether two molecules specifically bind are well known in the art and include, for example, equilibrium dialysis, surface plasmon resonance, and the like. An isolated antibody that specifically binds hPCSK9 may, however, exhibit cross-reactivity to other antigens such as PCSK9 molecules from other species. Moreover, multi-specific antibodies (e.g., bispecifics) that bind to hPCSK9 and one or more additional antigens are nonetheless considered antibodies that "specifically bind" hPCSK9, as used herein.

The term "high affinity" antibody refers to those mAbs having a binding affinity to hPCSK9 of at least 10^{-10} M; preferably 10^{-11} M; even more preferably 10^{-12} M, as measured by surface plasmon resonance, e.g., BIACORE™ or solution-affinity ELISA.

By the term "slow off rate", "K_{off}" or "k_d" is meant an antibody that dissociates from hPCSK9 with a rate constant of 1×10^{-3} s⁻¹ or less, preferably 1×10^{-4} s⁻¹ or less, as determined by surface plasmon resonance, e.g., BIACORE™.

The term "antigen-binding portion" of an antibody (or simply "antibody fragment"), as used herein, refers to one or more fragments of an antibody that retain the ability to

12

specifically bind to hPCSK9. An antibody fragment may include a Fab fragment, a F(ab')₂ fragment, a Fv fragment, a dAb fragment, a fragment containing a CDR, or an isolated CDR.

The specific embodiments, antibody or antibody fragments of the invention may be conjugated to a therapeutic moiety ("immunoconjugate"), such as a cytotoxin, a chemotherapeutic drug, an immunosuppressant or a radioisotope.

An "isolated antibody", as used herein, is intended to refer to an antibody that is substantially free of other mAbs having different antigenic specificities (e.g., an isolated antibody that specifically binds hPCSK9 is substantially free of mAbs that specifically bind antigens other than hPCSK9). An isolated antibody that specifically binds hPCSK9 may, however, have cross-reactivity to other antigens, such as PCSK9 molecules from other species.

A "neutralizing antibody", as used herein (or an "antibody that neutralizes PCSK9 activity"), is intended to refer to an antibody whose binding to hPCSK9 results in inhibition of at least one biological activity of PCSK9. This inhibition of the biological activity of PCSK9 can be assessed by measuring one or more indicators of PCSK9 biological activity by one or more of several standard in vitro or in vivo assays known in the art (see examples below).

The term "surface plasmon resonance", as used herein, refers to an optical phenomenon that allows for the analysis of real-time biospecific interactions by detection of alterations in protein concentrations within a biosensor matrix, for example using the BIACORE™ system (Pharmacia Biosensor AB, Uppsala, Sweden and Piscataway, N.J.).

The term " K_D ", as used herein, is intended to refer to the equilibrium dissociation constant of a particular antibody-antigen interaction.

The term "epitope" is a region of an antigen that is bound by an antibody. Epitopes may be defined as structural or functional. Functional epitopes are generally a subset of the structural epitopes and have those residues that directly contribute to the affinity of the interaction. Epitopes may also be conformational, that is, composed of non-linear amino acids. In certain embodiments, epitopes may include determinants that are chemically active surface groupings of molecules such as amino acids, sugar side chains, phosphoryl groups, or sulfonyl groups, and, in certain embodiments, may have specific three-dimensional structural characteristics, and/or specific charge characteristics.

The term "substantial identity" or "substantially identical," when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 90%, and more preferably at least about 95%, 96%, 97%, 98% or 99% of the nucleotide bases, as measured by any well-known algorithm of sequence identity, such as FASTA, BLAST or GAP, as discussed below.

As applied to polypeptides, the term "substantial similarity" or "substantially similar" means that two peptide sequences, when optimally aligned, such as by the programs GAP or BESTFIT using default gap weights, share at least 90% sequence identity, even more preferably at least 95%, 98% or 99% sequence identity. Preferably, residue positions which are not identical differ by conservative amino acid substitutions. A "conservative amino acid substitution" is one in which an amino acid residue is substituted by another amino acid residue having a side chain (R group) with similar chemical properties (e.g., charge or hydrophobicity).

13

In general, a conservative amino acid substitution will not substantially change the functional properties of a protein. In cases where two or more amino acid sequences differ from each other by conservative substitutions, the percent or degree of similarity may be adjusted upwards to correct for the conservative nature of the substitution. Means for making this adjustment are well known to those of skill in the art. See, e.g., Pearson (1994) *Methods Mol. Biol.* 24: 307-331, which is herein incorporated by reference. Examples of groups of amino acids that have side chains with similar chemical properties include 1) aliphatic side chains: glycine, alanine, valine, leucine and isoleucine; 2) aliphatic-hydroxyl side chains: serine and threonine; 3) amide-containing side chains: asparagine and glutamine; 4) aromatic side chains: phenylalanine, tyrosine, and tryptophan; 5) basic side chains: lysine, arginine, and histidine; 6) acidic side chains: aspartate and glutamate, and 7) sulfur-containing side chains: cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, glutamate-aspartate, and asparagine-glutamine. Alternatively, a conservative replacement is any change having a positive value in the PAM250 log-likelihood matrix disclosed in Gonnet et al. (1992) *Science* 256: 1443-45, herein incorporated by reference. A "moderately conservative" replacement is any change having a nonnegative value in the PAM250 log-likelihood matrix.

Sequence similarity for polypeptides is typically measured using sequence analysis software. Protein analysis software matches similar sequences using measures of similarity assigned to various substitutions, deletions and other modifications, including conservative amino acid substitutions. For instance, GCG software contains programs such as GAP and BESTFIT which can be used with default parameters to determine sequence homology or sequence identity between closely related polypeptides, such as homologous polypeptides from different species of organisms or between a wild type protein and a mutant thereof. See, e.g., GCG Version 6.1. Polypeptide sequences also can be compared using FASTA with default or recommended parameters; a program in GCG Version 6.1. FASTA (e.g., FASTA2 and FASTA3) provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson (2000) *supra*). Another preferred algorithm when comparing a sequence of the invention to a database containing a large number of sequences from different organisms is the computer program BLAST, especially BLASTP or TBLASTN, using default parameters. See, e.g., Altschul et al. (1990) *J. Mol. Biol.* 215: 403-410 and (1997) *Nucleic Acids Res.* 25:3389-402, each of which is herein incorporated by reference.

In specific embodiments, the antibody or antibody fragment for use in the method of the invention may be monospecific, bispecific, or multispecific. Multispecific antibodies may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for epitopes of more than one target polypeptide. An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) CH3 domain and a second Ig CH3 domain, wherein the first and second Ig CH3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bispecific antibody to Protein A as compared to a bi-specific antibody lacking the amino acid difference. In one embodiment, the first Ig CH3 domain binds Protein A and the second Ig CH3 domain contains a mutation that reduces or

14

abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second CH3 may further comprise an Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second CH3 include: D16E, L18M, N44S, K52N, V57M, and V821 (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 mAbs; N44S, K52N, and V821 (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 mAbs; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V821 (by IMGT; Q355R, N384S, K392N, V397M, R409K, E419Q, and V422I by EU) in the case of IgG4 mAbs. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

By the phrase "therapeutically effective amount" is meant an amount that produces the desired effect for which it is administered. The exact amount will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (see, for example, Lloyd (1999) *The Art, Science and Technology of Pharmaceutical Compounding*).

Preparation of Human Antibodies

Methods for generating human antibodies in transgenic mice are known (see for example, U.S. Pat. No. 6,596,541, Regeneron Pharmaceuticals, VELOCIMMUNE™). The VELOCIMMUNE™ technology involves generation of a transgenic mouse having a genome comprising human heavy and light chain variable regions operably linked to endogenous mouse constant region loci such that the mouse produces an antibody comprising a human variable region and a mouse constant region in response to antigenic stimulation. The DNA encoding the variable regions of the heavy and light chains of the antibody are isolated and operably linked to DNA encoding the human heavy and light chain constant regions. The DNA is then expressed in a cell capable of expressing the fully human antibody. In specific embodiment, the cell is a CHO cell.

Antibodies may be therapeutically useful in blocking a ligand-receptor interaction or inhibiting receptor component interaction, rather than by killing cells through fixation of complement and participation in complement-dependent cytotoxicity (CDC), or killing cells through antibody-dependent cell-mediated cytotoxicity (ADCC). The constant region of an antibody is thus important in the ability of an antibody to fix complement and mediate cell-dependent cytotoxicity. Thus, the isotype of an antibody may be selected on the basis of whether it is desirable for the antibody to mediate cytotoxicity.

Human antibodies can exist in two forms that are associated with hinge heterogeneity. In one form, an antibody molecule comprises a stable four-chain construct of approximately 150-160 kDa in which the dimers are held together by an interchain heavy chain disulfide bond. In a second form, the dimers are not linked via inter-chain disulfide bonds and a molecule of about 75-80 kDa is formed composed of a covalently coupled light and heavy chain (half-antibody). These forms have been extremely difficult to separate, even after affinity purification.

The frequency of appearance of the second form in various intact IgG isotypes is due to, but not limited to, structural differences associated with the hinge region isotype of the antibody. A single amino acid substitution in the hinge region of the human IgG4 hinge can significantly reduce the appearance of the second form (Angal et al. (1993) *Molecular Immunology* 30:105) to levels typically observed using a human IgG1 hinge. The instant invention encompasses antibodies having one or more mutations in the

15

hinge, CH₂ or CH₃ region which may be desirable, for example, in production, to improve the yield of the desired antibody form.

Generally, a VELOCIMMUNE™ mouse is challenged with the antigen of interest, and lymphatic cells (such as B-cells) are recovered from the mice that express antibodies. The lymphatic cells may be fused with a myeloma cell line to prepare immortal hybridoma cell lines, and such hybridoma cell lines are screened and selected to identify hybridoma cell lines that produce antibodies specific to the antigen of interest. DNA encoding the variable regions of the heavy chain and light chain may be isolated and linked to desirable isotypic constant regions of the heavy chain and light chain. Such an antibody protein may be produced in a cell, such as a CHO cell. Alternatively, DNA encoding the antigen-specific chimeric antibodies or the variable domains of the light and heavy chains may be isolated directly from antigen-specific lymphocytes.

Initially, high affinity chimeric antibodies are isolated having a human variable region and a mouse constant region. As described below, the antibodies are characterized and selected for desirable characteristics, including affinity, selectivity, epitope, etc. The mouse constant regions are replaced with a desired human constant region to generate the fully human antibody of the invention, for example wild-type or modified IgG1 or IgG4 (for example, SEQ ID NO:751, 752, 753). While the constant region selected may vary according to specific use, high affinity antigen-binding and target specificity characteristics reside in the variable region.

Epitope Mapping and Related Technologies

To screen for antibodies that bind to a particular epitope (e.g., those which block binding of IgE to its high affinity receptor), a routine cross-blocking assay such as that described *Antibodies*, Harlow and Lane (Cold Spring Harbor Press, Cold Spring Harb., N.Y.) can be performed. Other methods include alanine scanning mutants, peptide blots (Reineke (2004) *Methods Mol Biol* 248:443-63) (herein specifically incorporated by reference in its entirety), or peptide cleavage analysis. In addition, methods such as epitope excision, epitope extraction and chemical modification of antigens can be employed (Tomer (2000) *Protein Science* 9: 487-496) (herein specifically incorporated by reference in its entirety).

The term "epitope" refers to a site on an antigen to which B and/or T cells respond. B-cell epitopes can be formed both from contiguous amino acids or noncontiguous amino acids juxtaposed by tertiary folding of a protein. Epitopes formed from contiguous amino acids are typically retained on exposure to denaturing solvents, whereas epitopes formed by tertiary folding are typically lost on treatment with denaturing solvents. An epitope typically includes at least 3, and more usually, at least 5 or 8-10 amino acids in a unique spatial conformation.

Modification-Assisted Profiling (MAP), also known as Antigen Structure-based Antibody Profiling (ASAP) is a method that categorizes large numbers of monoclonal antibodies (mAbs) directed against the same antigen according to the similarities of the binding profile of each antibody to chemically or enzymatically modified antigen surfaces (US 2004/0101920, herein specifically incorporated by reference in its entirety). Each category may reflect a unique epitope either distinctly different from or partially overlapping with epitope represented by another category. This technology allows rapid filtering of genetically identical mAbs, such that characterization can be focused on genetically distinct mAbs. When applied to hybridoma screening, MAP may

16

facilitate identification of rare hybridoma clones that produce mAbs having the desired characteristics. MAP may be used to sort the anti-PCSK9 mAbs of the invention into groups of mAbs binding different epitopes.

In various embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the catalytic domain, which is about 153 to 425 of SEQ ID NO:755; more specifically, an epitope from about 153 to about 250 or from about 250 to about 425; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about 153 to about 208, from about 200 to about 260, from about 250 to about 300, from about 275 to about 325, from about 300 to about 360, from about 350 to about 400, and/or from about 375 to about 425.

In various embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the propeptide domain (residues 31 to 152 of SEQ ID NO:755); more specifically, an epitope from about residue 31 to about residue 90 or from about residue 90 to about residue 152; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about residue 31 to about residue 60, from about residue 60 to about residue 90, from about residue 85 to about residue 110, from about residue 100 to about residue 130, from about residue 125 to about residue 150, from about residue 135 to about residue 152, and/or from about residue 140 to about residue 152.

In some embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the C-terminal domain, (residues 426 to 692 of SEQ ID NO:755); more specifically, an epitope from about residue 426 to about residue 570 or from about residue 570 to about residue 692; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about residue 450 to about residue 500, from about residue 500 to about residue 550, from about residue 550 to about residue 600, and/or from about residue 600 to about residue 692.

In some embodiments, the antibody or antibody fragment binds an epitope which includes more than one of the enumerated epitopes within the catalytic, propeptide or C-terminal domain, and/or within two or three different domains (for example, epitopes within the catalytic and C-terminal domains, or within the propeptide and catalytic domains, or within the propeptide, catalytic and C-terminal domains).

In some embodiments, the antibody or antigen-binding fragment binds an epitope on hPCSK9 comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755). Experimental results (Table 27) show that when D238 was mutated, the K_D of mAb 316P exhibited >400-fold reduction in binding affinity ($\sim 1 \times 10^{-9}$ M to $\sim 410 \times 10^{-9}$ M) and T_{1/2} decreased >30-fold (from ~ 37 to ~ 1 min). In a specific embodiment, the mutation was D238R. In specific embodiments, the antibody or antigen-binding fragment of the invention binds an epitope of hPCSK9 comprising two or more of amino acid residues at positions 153, 159, 238 and 343.

As shown below, a mutation in amino acid residue 153, 159 or 343 resulted in about a 5- to 10-fold decrease in affinity or similar shortening in T_{1/2}. In specific embodiments, the mutation was S153R, E159R and/or D343R.

In some embodiments, the antibody or antigen-binding fragment binds an epitope on hPCSK9 comprising amino acid residue 366 of hPCSK9 (SEQ ID NO:755). Experimental results (Table 27) show that when E366 was mutated, the affinity of mAb 300N exhibited about 50-fold decrease

17

($\sim 0.7 \times 10^{-9}$ M to $\sim 36 \times 10^{-9}$ M) and a similar shortening in T_{1/2} (from ~ 120 to ~ 2 min). In a specific embodiment, the mutation is E366K.

The present invention includes anti-PCSK9 antibodies that bind to the same epitope as any of the specific exemplary antibodies described herein. Likewise, the present invention also includes anti-PCSK9 antibodies that compete for binding to PCSK9 or a PCSK9 fragment with any of the specific exemplary antibodies described herein.

One can easily determine whether an antibody binds to the same epitope as, or competes for binding with, a reference anti-PCSK9 antibody by using routine methods known in the art. For example, to determine if a test antibody binds to the same epitope as a reference anti-PCSK9 antibody of the invention, the reference antibody is allowed to bind to a PCSK9 protein or peptide under saturating conditions. Next, the ability of a test antibody to bind to the PCSK9 molecule is assessed. If the test antibody is able to bind to PCSK9 following saturation binding with the reference anti-PCSK9 antibody, it can be concluded that the test antibody binds to a different epitope than the reference anti-PCSK9 antibody. On the other hand, if the test antibody is not able to bind to the PCSK9 molecule following saturation binding with the reference anti-PCSK9 antibody, then the test antibody may bind to the same epitope as the epitope bound by the reference anti-PCSK9 antibody of the invention.

To determine if an antibody competes for binding with a reference anti-PCSK9 antibody, the above-described binding methodology is performed in two orientations: In a first orientation, the reference antibody is allowed to bind to a PCSK9 molecule under saturating conditions followed by assessment of binding of the test antibody to the PCSK9 molecule. In a second orientation, the test antibody is allowed to bind to a PCSK9 molecule under saturating conditions followed by assessment of binding of the reference antibody to the PCSK9 molecule. If, in both orientations, only the first (saturating) antibody is capable of binding to the PCSK9 molecule, then it is concluded that the test antibody and the reference antibody compete for binding to PCSK9. As will be appreciated by a person of ordinary skill in the art, an antibody that competes for binding with a reference antibody may not necessarily bind to the identical epitope as the reference antibody, but may sterically block binding of the reference antibody by binding an overlapping or adjacent epitope.

Two antibodies bind to the same or overlapping epitope if each competitively inhibits (blocks) binding of the other to the antigen. That is, a 1-, 5-, 10-, 20- or 100-fold excess of one antibody inhibits binding of the other by at least 50% but preferably 75%, 90% or even 99% as measured in a competitive binding assay (see, e.g., Junghans et al., *Cancer Res.* 1990 50:1495-1502). Alternatively, two antibodies have the same epitope if essentially all amino acid mutations in the antigen that reduce or eliminate binding of one antibody reduce or eliminate binding of the other. Two antibodies have overlapping epitopes if some amino acid mutations that reduce or eliminate binding of one antibody reduce or eliminate binding of the other.

Additional routine experimentation (e.g., peptide mutation and binding analyses) can then be carried out to confirm whether the observed lack of binding of the test antibody is in fact due to binding to the same epitope as the reference antibody or if steric blocking (or another phenomenon) is responsible for the lack of observed binding. Experiments of this sort can be performed using ELISA, RIA, surface plasmon resonance, flow cytometry or any other quantitative or qualitative antibody-binding assay available in the art.

18

In a specific embodiment, the invention comprises an anti-PCSK9 antibody or antigen binding fragment of an antibody that binds an PCSK9 protein of SEQ ID NO:755, wherein the binding between the antibody or fragment thereof to PCSK9 and a variant PCSK9 protein is less than 50% of the binding between the antibody or fragment and the PCSK9 protein of SEQ ID NO:755. In one specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 153, 159, 238 and 343. In a more specific embodiment, the at least one mutation is S153R, E159R, D238R, and/or D343R. In another specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 366. In one specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 147, 366 and 380. In a more specific embodiment, the mutation is S147F, 366K and V380M.

Immunoconjugates

The invention encompasses a human anti-PCSK9 monoclonal antibody conjugated to a therapeutic moiety ("immunoconjugate"), such as a cytotoxin, a chemotherapeutic drug, an immunosuppressant or a radioisotope. Cytotoxin agents include any agent that is detrimental to cells. Examples of suitable cytotoxin agents and chemotherapeutic agents for forming immunoconjugates are known in the art, see for example, WO 05/103081.

Bispecifics

The antibodies of the present invention may be monospecific, bispecific, or multispecific. Multispecific mAbs may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for more than one target polypeptide. See, e.g., Tutt et al. (1991) *J. Immunol.* 147:60-69. The human anti-PCSK9 mAbs can be linked to or co-expressed with another functional molecule, e.g., another peptide or protein. For example, an antibody or fragment thereof can be functionally linked (e.g., by chemical coupling, genetic fusion, noncovalent association or otherwise) to one or more other molecular entities, such as another antibody or antibody fragment, to produce a bispecific or a multispecific antibody with a second binding specificity.

An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) CH3 domain and a second Ig CH3 domain, wherein the first and second Ig CH3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bispecific antibody to Protein A as compared to a bi-specific antibody lacking the amino acid difference. In one embodiment, the first Ig CH3 domain binds Protein A and the second Ig CH3 domain contains a mutation that reduces or abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second CH3 may further comprise a Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second CH3 include: D16E, L18M, N44S, K52N, V57M, and V82I (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 antibodies; N44S, K52N, and V82I (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 antibodies; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V82I (by IMGT; Q355R, N384S, K392N, V397M, R409K, E419Q, and V422I by EU) in the case of

19

IgG4 antibodies. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

Bioequivalents

The anti-PCSK9 antibodies and antibody fragments of the present invention encompass proteins having amino acid sequences that vary from those of the described mAbs, but that retain the ability to bind human PCSK9. Such variant mAbs and antibody fragments comprise one or more additions, deletions, or substitutions of amino acids when compared to parent sequence, but exhibit biological activity that is essentially equivalent to that of the described mAbs. Likewise, the anti-PCSK9 antibody-encoding DNA sequences of the present invention encompass sequences that comprise one or more additions, deletions, or substitutions of nucleotides when compared to the disclosed sequence, but that encode an anti-PCSK9 antibody or antibody fragment that is essentially bioequivalent to an anti-PCSK9 antibody or antibody fragment of the invention. Examples of such variant amino acid and DNA sequences are discussed above.

Two antigen-binding proteins, or antibodies, are considered bioequivalent if, for example, they are pharmaceutical equivalents or pharmaceutical alternatives whose rate and extent of absorption do not show a significant difference when administered at the same molar dose under similar experimental conditions, either single doses or multiple dose. Some antibodies will be considered equivalents or pharmaceutical alternatives if they are equivalent in the extent of their absorption but not in their rate of absorption and yet may be considered bioequivalent because such differences in the rate of absorption are intentional and are reflected in the labeling, are not essential to the attainment of effective body drug concentrations on, e.g., chronic use, and are considered medically insignificant for the particular drug product studied. In one embodiment, two antigen-binding proteins are bioequivalent if there are no clinically meaningful differences in their safety, purity, and potency.

In one embodiment, two antigen-binding proteins are bioequivalent if a patient can be switched one or more times between the reference product and the biological product without an expected increase in the risk of adverse effects, including a clinically significant change in immunogenicity, or diminished effectiveness, as compared to continued therapy without such switching.

In one embodiment, two antigen-binding proteins are bioequivalent if they both act by a common mechanism or mechanisms of action for the condition or conditions of use, to the extent that such mechanisms are known.

Bioequivalence may be demonstrated by in vivo and in vitro methods. Bioequivalence measures include, e.g., (a) an in vivo test in humans or other mammals, in which the concentration of the antibody or its metabolites is measured in blood, plasma, serum, or other biological fluid as a function of time; (b) an in vitro test that has been correlated with and is reasonably predictive of human in vivo bioavailability data; (c) an in vivo test in humans or other mammals in which the appropriate acute pharmacological effect of the antibody (or its target) is measured as a function of time; and (d) in a well-controlled clinical trial that establishes safety, efficacy, or bioavailability or bioequivalence of an antibody.

Bioequivalent variants of anti-PCSK9 antibodies of the invention may be constructed by, for example, making various substitutions of residues or sequences or deleting terminal or internal residues or sequences not needed for biological activity. For example, cysteine residues not essential for biological activity can be deleted or replaced with

20

other amino acids to prevent formation of unnecessary or incorrect intramolecular disulfide bridges upon renaturation. Treatment Population

The invention provides therapeutic methods for treating a human patient in need of a composition of the invention. While modifications in lifestyle and conventional drug treatment are often successful in reducing cholesterol levels, not all patients are able to achieve the recommended target cholesterol levels with such approaches. Various conditions, such as familial hypercholesterolemia (FH), appear to be resistant to lowering of LDL-C levels in spite of aggressive use of conventional therapy. Homozygous and heterozygous familial hypercholesterolemia (hoFH, heFH) is a condition associated with premature atherosclerotic vascular disease. However, patients diagnosed with hoFH are largely unresponsive to conventional drug therapy and have limited treatment options. Specifically, treatment with statins, which reduce LDL-C by inhibiting cholesterol synthesis and upregulating the hepatic LDL receptor, may have little effect in patients whose LDL receptors are non-existent or defective. A mean LDL-C reduction of only less than about 20% has been recently reported in patients with genotype-confirmed hoFH treated with the maximal dose of statins. The addition of ezetimibe 10 mg/day to this regimen resulted in a total reduction of LDL-C levels of 27%, which is still far from optimal. Likewise, many patients are statin non-responsive, poorly controlled with statin therapy, or cannot tolerate statin therapy; in general, these patients are unable to achieve cholesterol control with alternative treatments. There is a large unmet medical need for new treatments that can address the short-comings of current treatment options.

Specific populations treatable by the therapeutic methods of the invention include patients indicated for LDL apheresis, subjects with PCSK9-activating (GOF) mutations, heterozygous Familial Hypercholesterolemia (heFH); subjects with primary hypercholesterolemia who are statin intolerant or statin uncontrolled; and subjects at risk for developing hypercholesterolemia who may be preventably treated.

Therapeutic Administration and Formulations

The invention provides therapeutic compositions comprising the anti-PCSK9 antibodies or antigen-binding fragments thereof of the present invention. The administration of therapeutic compositions in accordance with the invention will be administered with suitable carriers, excipients, and other agents that are incorporated into formulations to provide improved transfer, delivery, tolerance, and the like. A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, Pa. These formulations include, for example, powders, pastes, ointments, jellies, waxes, oils, lipids, lipid (cationic or anionic) containing vesicles (such as LIPOFECTIN™), DNA conjugates, anhydrous absorption pastes, oil-in-water and water-in-oil emulsions, emulsions carbowax (polyethylene glycols of various molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax. See also Powell et al. "Compendium of excipients for parenteral formulations" PDA (1998) J Pharm Sci Technol 52:238-311.

The dose may vary depending upon the age and the size of a subject to be administered, target disease, conditions, route of administration, and the like. When the antibody of the present invention is used for treating various conditions and diseases associated with PCSK9, including hypercholesterolemia, disorders associated with LDL and apolipoprotein B, and lipid metabolism disorders, and the like, in an adult patient, it is advantageous to intravenously administer

21

the antibody of the present invention normally at a single dose of about 0.01 to about 20 mg/kg body weight, more preferably about 0.02 to about 7, about 0.03 to about 5, or about 0.05 to about 3 mg/kg body weight. Depending on the severity of the condition, the frequency and the duration of the treatment can be adjusted.

Various delivery systems are known and can be used to administer the pharmaceutical composition of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the mutant viruses, receptor mediated endocytosis (see, e.g., Wu et al. (1987) *J. Biol. Chem.* 262:4429-4432). Methods of introduction include, but are not limited to, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intra-nasal, epidural, and oral routes. The composition may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local.

The pharmaceutical composition can be also delivered in a vesicle, in particular a liposome (see Langer (1990) *Science* 249:1527-1533; Treat et al. (1989) in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez Berestein and Fidler (eds.), Liss, N.Y., pp. 353-365; Lopez-Berestein, *ibid.*, pp. 317-327; see generally *ibid.*).

In certain situations, the pharmaceutical composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton (1987) *CRC Crit. Ref. Biomed. Eng.* 14:201). In another embodiment, polymeric materials can be used; see, *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Fla. (1974). In yet another embodiment, a controlled release system can be placed in proximity of the composition's target, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138, 1984).

The injectable preparations may include dosage forms for intravenous, subcutaneous, intracutaneous and intramuscular injections, drip infusions, etc. These injectable preparations may be prepared by methods publicly known. For example, the injectable preparations may be prepared, e.g., by dissolving, suspending or emulsifying the antibody or its salt described above in a sterile aqueous medium or an oily medium conventionally used for injections. As the aqueous medium for injections, there are, for example, physiological saline, an isotonic solution containing glucose and other auxiliary agents, etc., which may be used in combination with an appropriate solubilizing agent such as an alcohol (e.g., ethanol), a polyalcohol (e.g., propylene glycol, polyethylene glycol), a nonionic surfactant [e.g., polysorbate 80, HCO-50 (polyoxyethylene (50 mol) adduct of hydrogenated castor oil)], etc. As the oily medium, there are employed, e.g., sesame oil, soybean oil, etc., which may be used in combination with a solubilizing agent such as benzyl benzoate, benzyl alcohol, etc. The injection thus prepared is preferably filled in an appropriate ampoule. A pharmaceutical composition of the present invention can be delivered subcutaneously or intravenously with a standard needle and syringe. In addition, with respect to subcutaneous delivery, a pen delivery device readily has applications in delivering a pharmaceutical composition of the present invention. Such a pen delivery device can be reusable or disposable. A reusable pen delivery device generally utilizes a replaceable cartridge that contains a pharmaceutical composition. Once all of the pharmaceutical composition within the cartridge

22

has been administered and the cartridge is empty, the empty cartridge can readily be discarded and replaced with a new cartridge that contains the pharmaceutical composition. The pen delivery device can then be reused. In a disposable pen delivery device, there is no replaceable cartridge. Rather, the disposable pen delivery device comes prefilled with the pharmaceutical composition held in a reservoir within the device. Once the reservoir is emptied of the pharmaceutical composition, the entire device is discarded.

Numerous reusable pen and autoinjector delivery devices have applications in the subcutaneous delivery of a pharmaceutical composition of the present invention. Examples include, but certainly are not limited to AUTOPEN™ (Owen Mumford, Inc., Woodstock, UK), DISETRONIC™ pen (Disetronic Medical Systems, Burghdorf, Switzerland), HUMALOG MIX 75/25™ pen, HUMALOG™ pen, HUMALIN 70/30™ pen (Eli Lilly and Co., Indianapolis, Ind.), NOVOPEN™ I, II and III (Novo Nordisk, Copenhagen, Denmark), NOVOPEN JUNIOR™ (Novo Nordisk, Copenhagen, Denmark), BD™ pen (Becton Dickinson, Franklin Lakes, N.J.), OPTIPEN™, OPTIPEN PRO™, OPTIPEN STARLET™, and OPTICLIK™ (sanofi-aventis, Frankfurt, Germany), to name only a few. Examples of disposable pen delivery devices having applications in subcutaneous delivery of a pharmaceutical composition of the present invention include, but certainly are not limited to the SOLOSTAR™ pen (sanofi-aventis), the FLEXPEN™ (Novo Nordisk), and the KWIKPEN™ (Eli Lilly).

Advantageously, the pharmaceutical compositions for oral or parenteral use described above are prepared into dosage forms in a unit dose suited to fit a dose of the active ingredients. Such dosage forms in a unit dose include, for example, tablets, pills, capsules, injections (ampoules), suppositories, etc. The amount of the aforesaid antibody contained is generally about 5 to about 500 mg per dosage form in a unit dose; especially in the form of injection, it is preferred that the aforesaid antibody is contained in about 5 to about 100 mg and in about 10 to about 250 mg for the other dosage forms.

The invention provides therapeutic methods in which the antibody or antibody fragment of the invention is useful to treat hypercholesterolemia associated with a variety of conditions involving hPCSK9. The anti-PCSK9 antibodies or antibody fragments of the invention are particularly useful for the treatment of hypercholesterolemia and the like. Combination therapies may include the anti-PCSK9 antibody of the invention with, for example, one or more of any agent that (1) induces a cellular depletion of cholesterol synthesis by inhibiting 3-hydroxy-3-methylglutaryl (HMG)-coenzyme A (CoA) reductase, such as cerivastatin, atorvastatin, simvastatin, pitavastatin, rosuvastatin, fluvastatin, lovastatin, pravastatin; (2) inhibits cholesterol uptake and or bile acid re-absorption; (3) increase lipoprotein catabolism (such as niacin); and activators of the LXR transcription factor that plays a role in cholesterol elimination such as 22-hydroxycholesterol or fixed combinations such as ezetimibe plus simvastatin; a statin with a bile resin (e.g., cholestyramine, colestipol, colestevam), a fixed combination of niacin plus a statin (e.g., niacin with lovastatin); or with other lipid lowering agents such as omega-3-fatty acid ethyl esters (for example, omacor).

EXAMPLES

The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how to make and use the methods and

compositions of the invention, and are not intended to limit the scope of what the inventors regard as their invention. Efforts have been made to ensure accuracy with respect to numbers used but some experimental errors and deviations should be accounted for. Unless indicated otherwise, molecular weight is average molecular weight, temperature is in degrees Centigrade, and pressure is at or near atmospheric.

Example 1: Generation of Human Antibodies to Human PCSK9

VELOCIMMUNETTM mice were immunized with human PCSK9, and the antibody immune response monitored by antigen-specific immunoassay using serum obtained from these mice. Anti-hPCSK9 expressing B cells were harvested from the spleens of immunized mice shown to have elevated anti-hPCSK9 antibody titers were fused with mouse myeloma cells to form hybridomas. The hybridomas were screened and selected to identify cell lines expressing hPCSK9-specific antibodies using assays as described below. The assays identified several cell lines that produced chimeric anti-hPCSK9 antibodies designated as H1M300, H1M504, H1M505, H1M500, H1M497, H1M498, H1M494, H1M309, H1M312, H1M499, H1M493, H1M496, H1M503, H1M502, H1M508, H1M495 and H1M492.

Human PCSK9-specific antibodies were also isolated directly from antigen-immunized B cells without fusion to myeloma cells, as described in U.S. 2007/0280945A1, hereby incorporated by reference in its entirety. Heavy and light chain variable regions were cloned to generate fully human anti-hPCSK9 antibodies designated as H1H313, H1H314, H1H315, H1H316, H1H317, H1H318, H1H320, H1H321 and H1H334. Stable recombinant antibody-expressing CHO cell lines expressing these antibodies were established.

Example 2. Gene Utilization Analysis

To analyze the structure of the mAbs produced, the nucleic acids encoding antibody variable regions were cloned and sequenced. The predicted amino acid sequences of the variable regions were confirmed by N-terminal amino acid sequencing. From the nucleic acid sequence and predicted amino acid sequence of the mAbs, gene usage was identified for each antibody chain.

TABLE 1

Antibody	Heavy Chain Variable Region		Light Chain Variable Region		
	VH	D	JH	VK	JK
H1H313	3-13	1-26	4	3-15	3
H1H314	3-33	3-3	4	1-5	2
H1H315	3-33	3-3	4	4-1	1
H1H316	3-23	7-27	2	4-1	2
H1H317	3-13	1-26	4	1-6	1
H1H318	4-59	3-10	6	1-9	1
H1H320	1-18	2-2	6	2-30	1
H1H321	2-5	1-7	6	2-28	4
H1H334	2-5	6-6	6	2-28	4
H1M300	3-7	2-8	6	2-28	4
H1M504	3-30	2-8	6	2-28	4
H1M505	3-30	2-8	6	2-28	4
H1M500	2-5	5-5	6	2-28	4
H1M497	1-18	2-2	6	2-30	2
H1M498	3-21	2-2	4	1-5	2

TABLE 1-continued

5	Antibody	Heavy Chain Variable Region		Light Chain Variable Region	
		VH	D	JH	VK
	H1M494	3-11	5-12	6	3-20
	H1M309	3-21	6-13	4	1-5
	H1M312	3-21	6-13	4	1-5
	H1M499	3-21	6-13	4	1-5
10	H1M493	3-21	6-13	4	1-5
	H1M496	3-13	6-19	4	3-15
	H1M503	1-18	2-2	6	2-28
	H1M502	3-13	6-13	4	3-15
	H1M508	3-13	6-13	4	3-15
15	H1M495	3-9	4-17	6	1-9
	H1M492	3-23	3-3	2	3-20

Example 3. Antigen Binding Affinity Determination

20 Equilibrium dissociation constants (K_D) for hPCSK9 binding to mAbs generated by hybridoma cell lines described above were determined by surface kinetics in a real-time biosensor surface plasmon resonance assay (BIACORETM T100). Each antibody was captured at a flow rate of 4 μ l/min for 90 sec on a goat anti-mouse IgG polyclonal antibody surface created through direct chemical coupling to a BIACORETM chip to form a captured antibody surface. Human PCSK9-myc-myc-his (hPCSK9-mmh) at a concentration of 50 nM or 12.5 nM was injected over the captured antibody surfaces at a flowrate of 50 μ l/min for 300 sec, and antigen-antibody dissociation was monitored for 15 min at either 25° C. or 37° C. (K_D =pM; $T_{1/2}$ =min).

TABLE 2

35	Antibody	25° C.		37° C.	
		K_D	$T_{1/2}$	K_D	$T_{1/2}$
	H1M300	399	170	1510	32
	H1M309	29.9	7461	537	326
	H1M312	0.225	15568	432	392
	H1M493	46.5	4921	522	341
	H1M494	870	114	2350	30
	H1M495	440	222	7500	19
	H1M496	254	257	421	118
	H1M497	20.1	5801	480	290
	H1M498	6400	30	7500	14
	H1M499	106	2253	582	316
	H1M500	1400	91	6010	15
	H1M502	78.3	958	411	151
	H1M503	510	118	1880	30
	H1M504	3470	35	11200	6
	H1M505	2740	42	9200	6
	H1M508	138	572	442	139
	H1M510	1070	68	3960	10

55 Equilibrium dissociation constants (K_D) for hPCSK9 binding to mAbs generated via direct isolation of splenocytes were determined by surface kinetics in a real-time biosensor surface plasmon resonance assay (BIACORETM T100). Each selected antibody was captured at a flowrate of 2 μ l/min for 6 min on a goat anti-human IgG polyclonal antibody surface created through direct chemical coupling to a BIACORETM chip to form a captured antibody surface. Human PCSK9-mmh at a concentration of 50 nM or 12.5 nM was injected over the captured antibody surface at a flowrate of 70 μ l/min for 5 min, and antigen-antibody dissociation was monitored for 15 min at either 25° C. or 37° C. (K_D =pM; $T_{1/2}$ =min).

25

TABLE 3

Antibody	25° C.		37° C.	
	K _D	T _{1/2}	K _D	T _{1/2}
H1H313P	244	230	780	60
H1H314P	3990	65	3560	43
H1H315P	129	151	413	35
H1H316P	377	42	1080	11
H1H317P	30400	137	18600	70
H1H318P	972	59	1690	28
H1H320P	771	28	1930	8
H1H321P	865	106	3360	23
H1H334P	3750	46	15900	8

Dissociation rate (kd) of selected mAbs for tagged rhesus monkey (*Macaca mulata*) PCSK9 (mmPCSK9; SEQ ID NO:756) (mmPCSK9-mmh) at 25° C. was determined as described above.

TABLE 4

Antibody	kd (1/s)	T _{1/2} (min)
H1H313P	2.92 × 10 ⁻⁵	396
H1H318P	3.69 × 10 ⁻³	3
H1H334P	8.06 × 10 ⁻³	1
H1H315P	2.29 × 10 ⁻⁴	51
H1H316P	2.29 × 10 ⁻⁴	51
H1H320P	3.17 × 10 ⁻⁴	36
H1M300	1.52 × 10 ⁻⁴	76
H1M504	5.04 × 10 ⁻⁴	23
H1M497	6.60 × 10 ⁻⁵	175
H1M503	8.73 × 10 ⁻⁵	132
H1M496	4.45 × 10 ⁻⁵	260

Example 4. Effect of pH on Antigen Binding Affinity

The effects of pH on antigen binding affinity for CHO cell-produced fully human anti-hPCSK9 mAbs was assessed as described above. The mAbs tested are fully human versions of H1H316P ("316P") (HCVR/LCVR SEQ ID NO: 90/92; CDR sequences SEQ ID NO: 76/78/80 and 84/86/88) and H1M300 ("300N") (HCVR/LCVR SEQ ID NO: 218/226; CDR sequences SEQ ID NO:220/222/224 and 228/230/232). Human PCSK9-myc-myc-his (hPCSK9-mmh) was captured on an anti-myc mAb surface either at a high density (about 35 to 45 resonance units) (RU) or at a low density (about 5 to 14 RU). Each antibody, at 50 nM in HBST (pH 7.4 or pH 5.5) was injected over the captured hPCSK9 surface at a flow rate of 100 µl/ml for 1.5 min at 25° C. and antigen-antibody dissociation was monitored for 10 min. Control I: anti-hPCSK9 mAb SEQ ID NO:79/101 (WO 2008/063382) (K_D=pM; T_{1/2}=min).

TABLE 5

Antibody	High hPCSK9 Density Surface				Low hPCSK9 Density Surface			
	pH 7.4		pH 5.5		pH 7.4		pH 5.5	
	K _D	T _{1/2}	K _D	T _{1/2}	K _D	T _{1/2}	K _D	T _{1/2}
316P	191	74	144	83	339	45	188	58
300N	65	507	1180	26	310	119	1380	13
Control I	20000	29	ND	ND	ND	ND	ND	ND

The antigen binding properties of 316P and 300N at pH 7.4 or pH 5.5 were determined by a modified BIACORE™

26

assay as described above. Briefly, mAbs were immobilized onto BIACORE™ CM5 sensor chips via amine coupling. Varying concentrations of myc-myc-his tagged hPCSK9, mouse PCSK9 (mPCSK9, SEQ ID NO:757), hPCSK9 with a gain of function (GOF) point mutation of D374Y (hPCSK9 (D374Y), cynomolgus monkey (*Macaca fascicularis*) PCSK9 (mfPCSK9, SEQ ID NO:761) (mfPCSK9), rat (*Rattus norvegicus*) PCSK9 (rPCSK9, SEQ ID NO:763), and his-tagged Syrian golden hamster (*Mesocricetus auratus*) PCSK9 (maPCSK9, SEQ ID NO:762) (maPCSK9), ranging from 11 to 100 nM, were injected over the antibody surface at the flow rate of 100 µl/ml for 1.5 min and antigen-antibody dissociation was monitored in real time for 5 min at either 25° C. (Table 6) or 37° C. (Table 7). Control II: anti-hPCSK9 mAbs SEQ ID NO:67/12 (WO 2009/026558) (NB: no binding was observed under the experimental condition) (K_D=pM; T_{1/2}=min).

TABLE 6

Antigen	pH Effect at 25° C.			
	pH 7.4		pH 5.5	
	K _D	T _{1/2}	K _D	T _{1/2}
316P				
hPCSK9-mmh	1260	36	22	39
mPCSK9-mmh	4460	10	63	11
hPCSK9(D347Y)-mmh	2490	15	166	13
mfPCSK9-mmh	1420	42	8	23
maPCSK9-h	8350	8	87	8
rPCSK9-mmh	24100	2	349	5
300N				
hPCSK9-mmh	1100	76	3100	5
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	1310	46	9030	3
mfPCSK9-mmh	2170	31	38500	0.4
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control I				
hPCSK9-mmh	33100	14	1740	31
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	71000	11	7320	30
mfPCSK9-mmh	362000	0.2	67200	3
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control II				
hPCSK9-mmh	143	266	2	212
mPCSK9-mmh	3500	11	33	12
hPCSK9(D347Y)-mmh	191	155	49	56
mfPCSK9-mmh	102	262	12	63
maPCSK9-h	6500	3	ND	ND
rPCSK9-mmh	22400	2	106	5

TABLE 7

Antigen	pH Effect at 37° C.			
	pH 7.4		pH 5.5	
	K _D	T _{1/2}	K _D	T _{1/2}
316P				
hPCSK9-mmh	4000	9	142	11
mPCSK9-mmh	12200	3	13600	3
hPCSK9(D347Y)-mmh	6660	4	1560	5
mfPCSK9-mmh	3770	11	44	5
maPCSK9-h	21700	2	ND	ND
rPCSK9-mmh	55100	2	399	1

TABLE 7-continued

Antigen	pH Effect at 37° C.			
	pH 7.4		pH 5.5	
	K _D	T _{1/2}	K _D	T _{1/2}
300N				
hPCSK9-mmh	2470	20	11900	1
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	2610	14	28000	1
mfPCSK9-mmh	4810	8	65200	0.1
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control I				
hPCSK9-mmh	45900	0.1	11300	3
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	169000	0.4	27000	3
mfPCSK9-mmh	500000	0.6	5360	0.3
maPCSK9-h	NB	NB	NB	NB
rPCSK9	NB	NB	NB	NB
Control II				
hPCSK9-mmh	284	87	20	44
mPCSK9-mmh	8680	3	89	3
hPCSK9(D347Y)-mmh	251	57	483	26
mfPCSK9-mmh	180	127	214	65
maPCSK9-h	8830	0.5	ND	ND
rPCSK9p-mmh	30200	1	233	1

Example 5. Anti-hPCSK9 mAbs Binding to hPCSK9 with Point Mutation D374Y

The binding affinity of selected anti-hPCSK9 mAbs to hPCSK9 with a gain of function (GOF) point mutation of D374Y (hPCSK9(D374Y)-mmh) was determined as described above. Each antibody was captured at a flowrate of 40 µl/min for 8-30 sec on a goat anti-human IgG polyclonal antibody surface created through direct chemical coupling to a BIACORE™ chip to form a captured antibody surface. hPCSK9(D374Y)-mmh at varying concentrations of 1.78 nM to 100 nM was injected over the captured antibody surface at a flowrate of 50 µl/min for 5 min, and the dissociation of hPCSK9(D374Y)-mmh and antibody was monitored for 15 min at 25° C. Control III: anti-hPCSK9 mAbs SEQ ID NO:49/23 (WO 2009/026558) (K_D=pM; T_{1/2}=min).

TABLE 8

Antibody	K _D	T _{1/2}
316P	1780	14
300N	1060	49
Control I	23600	25
Control II	66	216
Control III	1020	126

Example 6. Binding Specificity of Anti-hPCSK9 mAbs

316P, 300N, and Control I anti-hPCSK9 mAbs were captured on an amine-coupled anti-hFc CM5 chip on BIACORE™2000. Tagged (myc-myc-his) human PCSK9, human PCSK1 (hPCSK1) (SEQ ID NO:759), human PCSK7 (hPCSK7) (SEQ ID NO:760), or mouse PCSK9 were injected (100 nM) over the captured mAb surface and allowed to bind at 25° C. for 5 min. Changes in RU were

recorded. Results: 300N and Control I bound only to hPCSK9, and 316P bound both hPCSK9 and mPCSK9.

The binding specificities of anti-hPCSK9 mAbs were determined by ELISA. Briefly, anti-hPCSK9 antibody was coated on a 96-well plate. Human PCSK9-mmh, mPCSK9-mmh, maPCSK9-h, hPCSK1-mmh, or hPCSK7-mmh, at 1.2 nM, were added to antibody-coated plates and incubated at RT for 1 hr. Plate-bound PCSK protein was then detected by HRP-conjugated anti-His antibody. Results show that 316P binds human, mouse, and hamster PCSK9, whereas 300N and Control I only bound hPCSK9. None of the anti-hPCSK9 mAbs exhibited significant binding to hPCSK1 or hPCSK7.

Example 7. Cross-Reactivity of Anti-hPCSK9 mAbs

Cross-reactivity of anti-hPCSK9 mAbs with mmPCSK9, mfPCSK9, mPCSK9, maPCSK9, or rPCSK9 was determined using BIACORE™3000. Briefly, anti-hPCSK9 mAbs were captured on an anti-hFc surface created through direct chemical coupling to a BIACORE™ chip. Purified tagged hPCSK9, hPCSK9(D374Y), mmPCSK9, mfPCSK9, mPCSK9, maPCSK9, or rPCSK9, each at 1.56 nM to 50 nM, was injected over the antibody surface at either 25° C. or 37° C. Binding between 316P, 300N, Control I, Control II, or Control III and the PCSK9 proteins was determined (K_D=pM; T_{1/2}=min) (ND=not determined).

TABLE 9

Antigen	316P mAb			
	37° C.		25° C.	
	K _D	T _{1/2}	K _D	T _{1/2}
hPCSK9-mmh	1800	9	580	36
hPCSK9(D374Y)-mmh	4200	4	1690	15
mmPCSK9-mmh	1800	21	550	92
mfPCSK9-mmh	1800	11	520	60
mPCSK9-mmh	4700	3	2300	11
maPCSK9-h	19000	1	6810	5
rPCSK9-mmh	37500	1	14500	2

TABLE 10

Antigen	300N mAb			
	37° C.		25° C.	
	K _D	T _{1/2}	K _D	T _{1/2}
hPCSK9-mmh	2400	22	740	110
hPCSK9(D374Y)-mmh	2200	14	900	65
mmPCSK9-mmh	1600	26	610	79
mfPCSK9-mmh	3800	11	1500	45
mPCSK9-mmh	NB	NB	NB	NB
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB

TABLE 11

Antigen	Control I mAb			
	37° C.		25° C.	
	K _D	T _{1/2}	K _D	T _{1/2}
hPCSK9-mmh	226000	2	27500	16
hPCSK9(D374Y)-mmh	ND	ND	23600	25
mmPCSK9-mmh	420000	3	291000	2

TABLE 11-continued

Control I mAb				
	37° C.		25° C.	
Antigen	K _D	T _{1/2}	K _D	T _{1/2}
mfPCSK9-mmh	14300	10	24900	14
mPCK9-mmh	NB	NB	NB	NB
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB

TABLE 12

Control II mAb				
	37° C.		25° C.	
Antigen	K _D	T _{1/2}	K _D	T _{1/2}
hPCSK9-mmh	91	162	61	372
hPCSK9(D374Y)-mmh	93	90	66	216
mfPCSK9-mmh	33	252	26	546
mPCK9-mmh	4700	3	2300	11
maPCSK9-h	60800	0.4	25000	2
rPCSK9-mmh	14100	1	6900	3

TABLE 13

Control III mAb				
	37° C.		25° C.	
Antigen	K _D	T _{1/2}	K _D	T _{1/2}
hPCSK9-mmh	380	378	490	450
hPCSK9(D374Y)-mmh	130	660	1000	126
mfPCSK9-mmh	110	750	340	396
mPCK9-mmh	33500	1	10900	4
maPCSK9-h	780	107	2100	67
rPCSK9-mmh	NB	NB	33200	2

Example 8. Inhibition of Binding Between hPCSK9 and hLDLR Domains

The ability of selected anti-hPCSK9 mAbs to block hPCSK9 binding to human LDLR full length extracellular domain (hLDLR-ecto SEQ ID NO:758), hLDLR EGF-A

Selected anti-hPCSK9 mAbs, at 62.5 nM (2.5 fold excess over antigen), were premixed with 25 nM of hPCSK9-mmh, followed by 40 min incubation at 25° C. to allow antibody-antigen binding to reach equilibrium to form equilibrated solutions. The equilibrated solutions were injected over the receptor or receptor fragment surfaces at 2 µl/min for 40 min at 25° C. Changes in RU due to the binding of the anti-hPCSK9 mAbs to hLDLR-ecto, EGF-A-hFc, or EGF-AB-hFc were determined. Results show that H1H316P and H1M300N blocked the binding of hPCSK9-mmh to hLDLR-ecto, hLDLR EGF-A domain, and hLDLR EGF-AB domains; H1H320P blocked the binding of hPCSK9-mmh to hLDLR-ecto and hLDLR EGF-A domain; and H1H321 P blocked the binding of hPCSK9-mmh to hLDLR EGF-A domain.

The ability of the mAbs to block hPCSK9 binding to hLDLR-ecto, hLDLR EGF-A domain, or hLDLR EGF-AB domains was also evaluated with an ELISA-based immunoassay. Briefly, hLDLR-ecto, hLDLR EGF-A-hFc or hLDLR EGF-AB-hFc, each at 2 µg/ml, was coated on a 96-well plate in PBS buffer overnight at 4° C., and nonspecific binding sites blocked with BSA. This plate was used to measure free hPCSK9-mmh in a PCSK9-mmh solution pre-equilibrated with varying concentrations of anti-hPCSK9 mAbs. A constant amount of hPCSK9-mmh (500 pM) was pre-mixed with varied amounts of antibody, ranging from 0 to ~50 nM in serial dilutions, followed by 1 hr incubation at room temperature (RT) to allow antibody-antigen binding to reach equilibrium. The equilibrated sample solutions were transferred to receptor or receptor fragment coated plates. After 1 hour of binding, the plates were washed and bound hPCSK9-mmh detected using HRP conjugated anti-myc antibody. IC₅₀ values (in pM) were determined as the amount of antibody required to achieve 50% reduction of hPCSK9-mmh bound to the plate-coated receptor or receptor fragment. The results show that specific mAbs functionally block PCSK9 from binding the three receptors at both neutral pH (7.2) and acidic pH (5.5).

TABLE 14

Ab	pH 7.2			pH 5.5		
	Plate Coating Surface			hLDLR-ecto	EGF-A	EGF-AB
316P	<125	<125	<125	<125	<125	<125
300N	144	146	<125	1492	538	447
Control I	—	>100,000	>100,000	—	>100,000	>100,000
Control II	288	510	274	411	528	508
Control III	303	635	391	742	787	1073

domain (amino acids 313-355 of SED ID NO:758), or hLDLR EGF-AB domains (amino acids of 314-393 of SEQ ID NO:758) (LDLR Genbank number NM_000527) was evaluated using BIACORE™ 3000. Briefly, hLDLR-ecto, EGF-A-hFc, or EGF-AB-hFc protein was amine-coupled on a CM5 chip to create a receptor or receptor fragment surface.

The ability of the mAbs to block hPCSK9 GOF mutant hPCSK9(D374Y)-mmh binding to hLDLR EGF-A domain or hLDLR EGF-AB domain (IC₅₀ values in pM) was also evaluated with the ELISA-based immunoassay described above using a constant amount of 0.05 nM hPCSK9 (D374Y)-mmh.

31

TABLE 15

	pH 7.2		pH 5.5	
	Plate Coating Surface		EGF-A	EGF-AB
	EGF-A	EGF-AB	EGF-A	EGF-AB
316P	203	139	1123	1139
300N	135	142	3463	3935
Control I	>100,000	>100,000	>100,000	>100,000
Control II	72	57	129	118
Control III	537	427	803	692

The ability of the mAbs to block either mmPCSK9 or mPCSK9 binding to hLDLR-ecto domain, hLDLR EGF-A domain, or hLDLR EGF-AB domain (IC_{50} values in pM) was evaluated at neutral pH (7.2) with the ELISA-based immunoassay described above using a constant amount of 1 nM of mmh-tagged mmPCSK9 or 1 nM of mPCSK9.

TABLE 16

	1 nM mmPCSK9-mmh		1 nM mPCSK9-mmh		
	hLDLR-ecto	EGF-A	EGF-AB	EGF-A	EGF-AB
316P	<250	<250	<250	<250	<250
300N	255	256	290	>33000	>33000

The ability of the mAbs to block hPCSK9, mmPCSK9, rPCSK9, maPCSK9, mfPCSK9, or mPCSK9 binding to hLDLR EGF-A domain (IC_{50} values in pM) was evaluated at neutral pH (7.2) (Table 17) acidic pH (5.5, Table 18) with the ELISA-based immunoassay described above using a constant amount of 0.5 nM of hPCSK9-mmh, 1 nM of mmPCSK9-mmh, 1 nM of rPCSK9-mmh, 1 nM of maPCSK9-h, 0.3 nM of mfPCSK9-mmh, or 1 nM of mPCSK9-mmh.

TABLE 17

	hPCSK9	mmPCSK9	rPCSK9	maPCSK9	mfPCSK9	mPCSK9
316P	<125	<250	2662	349	75	305
300N	182	460	>100000	>100000	473	>100000
Control I	—	>100000	>100000	>100000	>100000	>100000
Control II	146	83	2572	2038	361	855
Control III	249	293	>100000	245	572	>100000

TABLE 18

	hPCSK9	mmPCSK9	rPCSK9	maPCSK9	mPCSK9
316P	<125	<250	42880	1299	991
300N	223	3704	>100000	>100000	>100000
Control I	>10000	>100000	>100000	>100000	>100000
Control II	154	<250	11640	8339	2826
Control III	390	376	>100000	414	>100000

The ability of 316P and Control I to block hPCSK9 binding to hLDLR was also determined. Briefly, either recombinant hLDLR or hLDLR-EGFA-mFc was immobilized onto BIACORE™ CM5 chips via amine coupling. An antigen-antibody mixture of 100 nM hPCSK9-mmh and 316P, Control I mAb, or a non-hPCSK9 specific mAb (each at 250 nM) was incubated at RT for 1 hr, and then injected over the hLDLR or hLDLR-EGFA surface at the flow rate of 10 μ l/ml for 15 min at 25° C. Changes in RU due to the binding between the free hPCSK9-mmh in the mixture to either hLDLR or hLDLR-EGFA were recorded. The binding

32

of hPCSK9 to either hLDLR or hLDLR-EGFA was completely blocked by 316P and 300N but not by Control I mAb.

Example 9. Epitope Mapping

In order to determine epitope-binding specificity, three chimeric PCSK9-mmh proteins were generated in which specific human PCSK9 domains were substituted with mouse PCSK9 domains. Chimeric protein #1 consists of a mouse PCSK9 pro-domain (amino acid residues 1-155 of SEQ ID NO:757) followed by a human PCSK9 catalytic domain (residues 153-425 of SEQ ID NO:755) and a mouse PCSK9 C-terminal domain (residues 429-694 SEQ ID NO:757) (mPro-hCat-mC-term-mmh). Chimeric protein #2 consists of a human PCSK9 pro-domain (residues 1-152 of SEQ ID NO:755) followed by a mouse PCSK9 catalytic domain (residues 156-428 of SEQ ID NO:757) and a mouse PCSK9 C-terminal (hPro-mCat-mC-term-mmh). Chimeric protein #3 consists of mouse PCSK9 pro-domain and a mouse PCSK9 catalytic domain followed by a human PCSK9 C-terminal domain (residues 426-692 of SEQ ID NO:755) (mPro-mCat-hC-term-mmh). In addition, hPCSK9 with a point mutation of D374Y (hPCSK9 (D374Y)-mmh) was generated.

Binding specificity of mAbs to test proteins hPCSK9-mmh, mouse PCSK9-mmh, chimeric proteins #1, #2, and #3, and hPCSK9 (D374Y)-mmh were tested as follows: the mAbs were coated on a 96-well plate overnight at 4° C., then each test protein (1.2 nM) was added to the plate. After 1 hr binding at RT, the plate was washed and bound test protein detected using HRP-conjugated anti-myc polyclonal antibody (++=OD>1.0; +OD0.4–1.0; –OD<0.4).

TABLE 19

	Antibody	hPCSK9	mPCSK9	Chimeric Protein			
				#1	#2	#3	hPCSK9 (D374Y)
50	H1M300	++	-	++	+	-	++
	H1M309	++	-	-	-	++	++
	H1M312	++	-	-	-	++	++
	H1M492	++	-	-	-	-	+
	H1M493	++	-	-	-	++	++
	H1M494	++	-	-	+	++	++
	H1M495	++	-	-	-	++	++
	H1M496	++	-	-	-	++	++
	H1M497	++	-	-	++	+	++
	H1M498	++	-	-	-	+	++
55	H1M499	++	-	-	-	++	++
	H1M500	++	-	++	-	-	++
	H1M502	++	-	-	-	++	++
	H1M503	++	-	-	++	-	++
	H1M504	++	-	-	-	-	+
	H1M505	++	-	++	+	-	++
60	H1M508	++	-	-	-	++	++
	H1H318P	++	-	++	-	-	++
65							

TABLE 19-continued

Antibody	hPCSK9	mPCSK9	Chimeric Protein			hPCSK9 (D374Y)
			#1	#2	#3	
H1H334P	++	-	++	-	-	++
H1H316P	++	++	++	++	++	++
H1H320P	++	-	-	++	-	++
Control I	++	-	-	-	++	++

Binding specificity of 316P, 300N and control anti-hPCSK9 mAbs to hPCSK9-mmh, mPCSK9-mmh, mmPCSK9-mmh, mfPCSK9-mmh, rPCSK9-mmh, chimeric proteins #1, #2, and #3, and hPCSK9 (D374Y)-mmh were tested as described above except that the protein concentration is 1.7 nM (-=OD<0.7; +=OD0.7–1.5; ++=OD>1.5).

TABLE 20

	316P	300N	Control I	Control II	Control III
hPCSK9-mmh	++	++	++	++	++
mPCSK9-mmh	++	-	-	++	++
mmPCSK9-mmh	++	++	++	++	++
mfPCSK9-mmh	++	++	++	++	++
rPCSK9-mmh	++	-	-	++	+
Chimeric Protein #1	++	++	-	++	++
Chimeric Protein #2	++	++	-	++	++
Chimeric Protein #3	++	+	++	++	++
hPCSK9 (D374Y)	++	++	++	++	++

Similar results for selected mAbs were obtained by BIACORE™ binding assay. Briefly, 316P, 300N, or Control I mAb was captured on an amine-coupled anti-hFc CM5 chip and 100 nM of each protein injected over the mAb-captured surface. Changes in RU due to the binding of each protein to the mAb surface was determined.

TABLE 21

Antibody	hPCSK9	mPCSK9	Chimeric Protein		
			#1	#2	#3
316P	500	505	529	451	467
300N	320	13	243	76	10
Control I	65	7	4	3	69

To further assess the binding specificity of 316P, which cross-reacts with mPCSK9-mmh, a cross-competition ELISA assay was developed to determine binding domain specificity. Briefly, mAbs specific for chimeric protein #1, #2, or #3, were first coated on a 96-well plate overnight at 1 µg/ml. Human PCSK9-mmh (2 µg/ml) was then added to each well followed by 1 hr incubation at RT. 316P (1 µg/ml) was added and incubated for another hour at RT. Plate-bound 316P was detected using HRP-conjugated anti-hFc polyclonal antibody. Although 316P binding to hPCSK9-mmh was not affected by the presence of mAbs specific for either chimeric protein #2 or chimeric protein #3, 316P binding to hPCSK9-mmh was greatly reduced by the presence of antibody specific for chimeric protein #1.

Example 10. BIACORE™-Based Antigen Binding Profile Assessment

Antibody binding profiles were also established for 316P, 300N, Control I, II, and III mAbs using BIACORE™1000.

Briefly, hPCSK9-mmh was captured on an anti-myc surface. A first anti-hPCSK9 mAb (50 µg/ml) was injected over the PCSK9-bound surface for 10 min, at a flow rate of 10 µl/min at 25° C. A second anti-hPCSK9 mAb (50 µg/ml) was then injected over the first mAb-bound surface for 10 min, at a flow rate of 10 µl/min at 25° C. Ability of the first mAb to block binding of the second mAb was measured and is expressed as percent inhibition.

TABLE 22

First mAb	Second mAb				
	316P	300N	Control I	Control II	Control III
316P	100	101	27	99	101
300N	77	100	12	82	-2
Control I	6	12	100	6	9
Control II	91	102	-6	100	3
Control III	73	10	-12	1	100

Example 11. Increase of LDL Uptake by Anti-hPCSK9 Antibodies

The ability of anti-hPCSK9 mAbs to increase LDL uptake in vitro was determined using a human hepatocellular liver carcinoma cell line (HepG2). HepG2 cells were seeded onto 96-well plates at 9×10⁴ cells/well in DMEM complete media and incubated at 37° C., 5% CO₂, for 6 hr to form HepG2 monolayers. Human PCSK9-mmh, at 50 nM in lipoprotein deficient medium (LPDS), and a test mAb was added in various concentrations from 500 nM to 0.98 nM in LPDS medium. Data are expressed as IC₅₀ values for each experiment (IC₅₀=antibody concentration at which increases LDL uptake by 50%). In addition, the experiment also showed that both 316P and 300N were able to completely reverse the inhibitory effect of hPCSK9 on LDL uptake, while Control I mAb or H1 M508 anti-hPCSK9 mAb reversed the inhibitory effect by about 50%.

TABLE 23

Antibody	IC ₅₀ (nM)
316P	21.30
300N	22.12
Control I	>250
H1M508	>250

The ability of anti-hPCSK9 mAbs to reverse the inhibitory effect on LDL uptake by PCSK9 protein from different mammalian species was also tested in a HepG2 cell line as described above. Briefly, HepG2 cells were incubated overnight with serial dilutions of antibody in LPDS medium (beginning with 500 nM) and 50 nM of hPCSK9-mmh, mfPCSK9-mmh, mPCSK9-mmh, rPCSK9-mmh, or maPCSK9-h. HepG2 cells were also incubated overnight with serial dilutions of antibody in LPDS (beginning with 50 nM) and 1 nM hPCSK9(D374Y). As shown in Table 24, while 316P was able to completely reverse the inhibitory effect on LDL by all PCSK9 proteins tested, 300N was only able to reverse the inhibitory effect on LDL uptake by hPCSK9, hPCSK9 (D374Y), and mfPCSK9. Values are expressed as nM IC₅₀.

35

TABLE 24

	316P	300N	Control I	Control II	Control III
hPCSK9-mmh	14.1	12.6	>500	13.4	12.4
hPCSK9(D374Y)-mmh	2.1	1.1	>50	0.7	0.6
mPfPCSK9-mmh	14.7	13.4	>500	14.2	13.6
mPfPCSK9-mmh	21.2	>500	>500	19	>500
rPfPCSK9-mmh	27.7	>500	>500	21.9	>500
maPfPCSK9-h	14.4	>500	>500	29.5	12.7

Example 12. Neutralization of Biological Effect of hPfPCSK9 In Vivo

To assess the biological effect of neutralizing PCSK9, hPfPCSK9 was over-expressed in C57BL/6 mice by hydrodynamic delivery (HDD) of DNA constructs encoding full-length hPfPCSK9-mmh. 4 mice (C57BL/6) were injected with empty vector/saline (control), and 16 mice were injected with a 50 µg hPfPCSK9-mmh-DNA/saline mixture in the tail vein equal to 10% of their body weight. At day 7 after HDD, delivery of hPfPCSK9 resulted in a 1.6-fold elevation of total cholesterol, 3.4-fold elevation in LDL-cholesterol (LDL-C) and a 1.9-fold elevation in non-HDL cholesterol (relative to control). Serum hPfPCSK9 levels on day 7 were all greater than 1 µg/ml, as assessed by quantitative ELISA.

Administration of H1M300N on day 6 after HDD to 3 experimental groups (1, 5 or 10 mg/kg) (n=4 per group) via intraperitoneal (i.p.) injection resulted in a significant attenuation of serum cholesterol levels. At 18 hours after administration, total cholesterol was reduced by 9.8%, 26.3% and 26.8%, LDL-C was reduced by 5.1%, 52.3% and 56.7%, and non-HDL cholesterol was reduced by 7.4%, 33.8% and 28.6% in the 1, 5 or 10 mg/kg H1 M300N treated groups, respectively.

Example 13. Pharmacokinetic and Serum Chemistry Study in Monkeys

A pharmacokinetic (PK) study was conducted in naïve male cynomolgus monkeys (*Macaca fascicularis*) with a body weight range between 5-7 kg and aged between 3-5 years.

Group Assignments.

The monkeys were assigned into 5 treatment groups: Treatment Group 1 (n=3) received control buffer (10 mM sodium phosphate, pH 6, 1 ml/kg); Treatment Group 2 (n=3) received 1 ml/kg of 316P (5 mg/ml); Treatment Group 3 (n=3) received 1 ml/kg 300N (5 mg/ml); Treatment Group 4 (n=3) received 1 ml/kg 316P (15 mg/ml); and Treatment Group 5 (n=3) received 1 ml/kg 300N (15 mg/ml). All treatments were administered by IV bolus followed by a 1 ml saline flush. Total dose volume (ml) was calculated on the most recent body weight (each animal was weighed twice during acclimation and once weekly throughout the study). A single dose of test mAb or buffer control was administered on Day 1.

Animal Care.

Animals were housed in a temperature- and humidity-monitored environment. The targeted range of temperature and relative humidity was between 18-29° C. and 30-70%, respectively. An automatic lighting system provided a 12-hour diurnal cycle. The dark cycle could be interrupted for study- or facility-related activities. The animals were individually housed in cages that comply with the Animal

36

Welfare Act and recommendations set forth in The Guide for the Care and Use of Laboratory Animals (National Research Council 1996).

Diet and Feeding.

Animals were fed twice per day according to SNBL USA SOPs. Animals were fasted when required by specific procedures (e.g., prior to blood draws for serum chemistry, urine collection, or when procedures involving sedation are performed). The diet was routinely analyzed for contaminants and found to be within manufacturer's specifications. No contaminants were expected to be present at levels that would interfere with the outcome of the study.

Experimental Design.

An appropriate number of animals were selected from SNBL USA stock. Animals were examined for health by veterinary staff, and had undergone serum chemistry, hematology, and coagulation screening. Sixteen males, confirmed healthy, were assigned to the study. Fifteen males were assigned to specific study groups and the remaining animal was available as a spare. A stratified randomization scheme incorporating serum cholesterol level (based on the average of two draws in acclimation) was used to assign animals to study groups.

Acclimation Period.

Previously quarantined animals were acclimated to the study room for a minimum of 14 days prior to initiation of dosing. Acclimation phase data was collected from all animals, including the spare. All animals were assessed for behavioral abnormalities that could affect performance on study. The spare animal was returned to stock after day 1.

Blood Collection.

Blood was collected by venipuncture from a peripheral vein from restrained, conscious animals. Whenever possible, blood was collected via a single draw and then divided appropriately.

PK Study.

Blood samples (1.5 ml) were collected at pre-dose, 2 min, 15, min, 30 min, 1 hr, 2 hr, 4 hr, 8 hr, 12 hr, 24 hr, and subsequently once every 24 hr in serum separator tubes (SST). Specimen storage serum is transferred to 2 vials and stored at -60° C. or below.

Serum samples were analyzed using an optimized ELISA (enzyme-linked immunosorbent assay) procedure. Briefly, a microtiter plate was first coated with hPfPCSK9-mmh. Test mAb 316P or 300N was then captured on the hPfPCSK9-mmh plate. The captured 316P or 300N was detected using a biotinylated mouse anti-hlgG4 followed by binding to NeutrAvidin-HRP. Varying concentrations of 316P or 300N, ranging from 100 to 1.56 ng/ml, were used as standards. One percent monkey serum (assay matrix) in the absence of 316P or 300N was used as the zero (0 ng/ml) standard. The results, shown in FIG. 2, indicate a dose-dependent increase in serum 316P and 300N levels. PK parameters were analyzed using WinNonlin software (Noncompartmental analysis, Model 201-IV bolus administration).

TABLE 25

PK	316P		300N	
	5 mg/kg	15 mg/kg	5 mg/kg	15 mg/kg
T _{max} (h)	0.428	0.105	4.02	0.428
C _{max} (µg/ml)	184	527	226	1223
T _{1/2} (h)	83	184	215	366

Serum Chemistry.

Blood samples were collected at pre-dose, 12 hr, 48 hr, and subsequently once every 48 hr, for clinical chemistry analysis, in particular lipid profiles (i.e. cholesterol, LDL-C, HDL-C, triglycerides). With the exception of the 12 hr post-dose sample, all animals were subject to an overnight fast prior to sample collection. The sample volume was approximately 1 ml. Chemistry parameters were determined using an Olympus automated analyzer. Parameters measured (Xybion code): Albumin (ALB); Alkaline Phosphatase (ALP); Alanine Aminotransferase (ALT); Aspartate Transaminase (AST); Total Bilirubin (TBIL); Calcium (Ca); Total Cholesterol (TCho); Creatine Kinase (CK); Creatinine (CRN); Gamma Glutamyltransaminase (GGT); Glucose (GLU); Inorganic Phosphorus (IP); Total Protein (TP); Triglyceride (TRIG); Blood Urea Nitrogen (BUN); Globulin (GLOB); Albumin/Globulin Ratio (A/G); Chloride (Cl); Potassium (K); Sodium (Na); LDL and HDL cholesterol. Residual serum was stored at -20° C. or below and disposed of no sooner than one week after analysis.

Results from samples through Day 105 post-dose time point are shown in FIGS. 3-7. There was a reduction in total cholesterol and LDL-C in animals receiving 316P and 300N, regardless of dose, within 24 hours of the first dose. Serum total cholesterol reduced rapidly and robustly (~35%, FIG. 3). A robust decrease of ~80% was seen in LDL-C (FIGS. 4-5) by day 6. In animals that received a 15 mg/kg dose of 300N, the reduction in both total cholesterol (~10-15% reduction) and LDL-C (~40% reduction) continued to at least day 80 of the study. In addition, HDL-C was elevated in animals that received 316P at 15 mg/kg (FIG. 6). Animals that received a higher dose (15 mg/kg) of either 316P or 300N also showed a reduction in triglycerides during the course of study (FIG. 7). 316P exhibited maximal suppression of LDL-C levels of up to 80% relative to baseline. The length of this suppression was dose-dependent with at least 60% suppression (relative to baseline LDL-C levels) lasting approximately 18 days (5 mg/kg dose) and approximately 45 days (15 mg/kg dose). 300N exhibits a distinct pharmacodynamic profile from 316P. LDL-C suppression by 300N was sustained for a much longer period of time at comparable doses (50% LDL-C suppression for 28 days following a 5 mg/kg dose and 50% LDL-C suppression for approximately 90 days following a 15 mg/kg dose). There was little or no measurable change in liver function as determined by ALT and AST measurements. All animals receiving an anti-PCSK9 antibody in the study exhibited a rapid suppression of LDL-C and total cholesterol.

A similar LDL-C lowering effect of 316P and 300N was also observed in cynomolgous monkeys that received a single subcutaneous (SC) administration of either 5 mg/kg 316P or 5 mg/kg 300N (FIG. 8). Both 316P and 300N dramatically suppressed LDL-C levels and maintained an LDL-C lowering effect for approximately 15 and 30 days, respectively (FIG. 8). The pharmacodynamic effect (approximately 40% LDL-C suppression) approximately correlates with functional antibody levels in monkey serum (FIG. 9). As antibody levels decrease below 10 µg/ml, LDL-C suppression appeared to diminish as well. In addition, 300N demonstrated a substantially longer circulating half-life than 316P and hence a longer observed LDL-C suppression.

TABLE 26

PK Parameter	316P	300N
T _{max} (h)	60	84
C _{max} (µg/ml)	46	63
T _{1/2} (h)	64	286

Example 14. Attenuation of LDL Receptor Degradation by Anti-hPCSK9 Antibodies

To assess the biological effect of PCSK9 on hepatic LDL receptor levels and subsequent effects on serum LDL-C levels, hPCSK9 was administered to mice expressing hPCSK9 but not mPCSK9 (PCSK9^{hu/hu} mice) by intravenous injection. Specifically, PCSK9^{hu/hu} mice were injected with PBS (control), or 1.2 mg/kg hPCSK9-mmh via the tail vein. Six hours after delivery of hPCSK9, a 1.4-fold elevation (relative to baseline level) in total cholesterol and a 2.3-fold elevation in LDL-C in serum were observed. Analysis of hepatic LDL receptor levels in a separate cohort (n=3) of animals 4 hours after hPCSK9 administration revealed a significant reduction in detectable LDL receptor in liver homogenates.

To assess the biological effect of anti-hPCSK9 on hepatic LDL receptor levels and subsequent effects on serum LDL-C levels, 316P and a non-hPCSK9 specific mAb were administered to PCSK9^{hu/hu} mice at equivalent dose (5 mg/kg i.p.) 20 hours prior to the hPCSK9-mmh protein injection described above. Four hours after the hPCSK9 administration, mice were sacrificed and a total of eight tissues (liver, brain, lung, kidney, heart, ileum, adrenal, and pancreas) were collected and levels of LDL receptor were determined by Western blot. Changes in LDL receptor levels were only observed in liver. In comparison to PBS control dosing, administration of 316P significantly blocked the PCSK9-mediated increases in total cholesterol and LDL cholesterol (LDL-C=2.49 mg/dl at baseline and 3.1 mg/dl 6 hours after hPCSK9; a 25% increase compared to 135% with vehicle). Prior administration of the non-hPCSK9 specific mAb blocked LDL-C increases by approximately 27% from PBS alone (LDL-C=4.1 mg/dl compared to PBS 5.6 mg/dl). Analysis of LDL receptor levels in a separate cohort of mice (n=3 per treatment group) revealed a significant reduction in LDL receptor levels with PCSK9 administration, which was blocked by 316P but not by the non-hPCSK9 specific mAb (FIG. 10).

Effect of different doses of 316P was also evaluated in PCSK9^{hu/hu} mice with both elevated LDL-C and elevated hPCSK9 levels. PCSK9^{hu/hu} mice were first placed on a high carbohydrate diet for 8 weeks, resulting in a ~2-fold elevation in both LDL-C and hPCSK9 levels. Either 316P or a non-hPCSK9 specific mAb, each at 1 mg/kg, 5 mg/kg, or 10 mg/kg, were administered to the mice. Sera were collected 24 hours later and LDL-C levels were analyzed. 316P was effective in decreasing LDL-C levels in a dose-dependent manner (FIG. 11). In addition, 316P administered at a dose of 10 mg/kg, rapidly reduced LDL-C levels back to original (pre-diet) values within 24 hours.

Example 15. Mouse PK Studies

A PK study was conducted in 6-week-old C57BL/6 mice and 11-15 week old hPCSK9 heterozygous mice. A single injection of Control I, 316P, or 300N, each at 10 mg/kg, was administered SC. Serum bleeds were measured for hlgG

levels at 0 hr (pre-bleed), 6 hr, day 1, 3, 6, 10, 14, 21, 28, 35, 42 and 56, for a total of 12 time points, using an anti-hFc capture and anti-hFc detection sandwich ELISA (FIGS. 12 and 13). All mAbs achieved their T_{max} at approximately 3 days with corresponding C_{max} levels of approximately 47–115 μ g/ml for C57BL/6 mice and 55–196 μ g/ml for hPCSK9 heterozygous mice. At Day 56, Control I mAb levels were about 12 μ g/ml and 300N levels were about 11 μ g/ml whereas 316P levels were about less than 0.02 μ g/ml in C57BL/6 mice. At Day 56 in hPCSK9 heterozygous mice, Control I mAb levels were about 29 μ g/ml, while both 300N and 316P levels were below the quantifiable limit (BQL) of 0.02 μ g/ml.

Example 16. Anti-hPCSK9 Antibody Binding to Mutant/Variant hPCSK9

To further assess binding between hPCSK9 and anti-hPCSK9 mAbs, 21 variant hPCSK9 proteins in which each variant contained a single point mutation and two variant hPCSK9 proteins each contained a double mutation were generated. Each selected antibody was captured on a F(ab')2 anti-hIgG surface created through direct chemical coupling to a BIACORE™ chip to form a captured antibody surface. Each mmh-tagged variant hPCSK9 at varying concentrations from 100 nM to 25 nM was then injected over the captured antibody surface at a flowrate of 60 μ l/min for 240 sec, and the dissociation of variant hPCSK9 and antibody was monitored in real time for 20 min at 25° C. nb: no binding was observed under these experimental conditions ($K_D = M \times 10^{-9}$; $T_{1/2} = \text{min}$; WT=wildtype).

to between about 5–8 $\times 10^{-9}$ M when any one of S153, E159 or D343 were mutated; while $T_{1/2}$ was decreased from about 37 min to between about 4–6 min.

300N binding to hPCSK9 was reduced about 50-fold when the residue at position 366 was mutated, resulting in a decreased K_D of from about 0.7 $\times 10^{-9}$ M to about 36 $\times 10^{-9}$ M and a shorter $T_{1/2}$ from about 120 to 2 min. These results indicate that 300N binds an epitope on hPCSK9 comprising 5 E366 of hPCSK9 (SEQ ID NO:755). Additionally, the BIACORE™ assays show that 300N binding affinity and $T_{1/2}$ were reduced between 2– to >10-fold when a residue at 10 147 or 380 was mutated. Specifically, K_D was reduced from 15 about 0.69 $\times 10^{-9}$ M to between about 2–9 $\times 10^{-9}$ M when any of S147 or V380 were mutated; while $T_{1/2}$ was shortened from about 120 min to between about 24–66 min. Compared 20 to 316P, 300N binding to hPCSK9 was not reduced by a mutation at residue 238.

In contrast, Control I antibody did not exhibit an altered binding affinity or $T_{1/2}$ in response to any of the positional mutations tested; Control II antibody exhibited a 40-fold decreased affinity when residue 215 was mutated (R215E) (from ~0.1 $\times 10^{-9}$ to ~4.5 $\times 10^{-9}$), and $T_{1/2}$ was about 27-fold shorter (from ~333 to 12 min); while Control III antibody exhibited a decreased affinity when residue 237 was mutated (K_D decreased from ~0.6 $\times 10^{-9}$ to ~5.9 $\times 10^{-9}$, and $T_{1/2}$ decreased from ~481 to ~43 min).

Binding specificity of 316P, 300N, and control anti-hPCSK9 mAbs to hPCSK9 variants was tested using an

TABLE 27

	316P		300N		Control I		Control II		Control III	
	K_D	$T_{1/2}$	K_D	$T_{1/2}$	K_D	$T_{1/2}$	K_D	$T_{1/2}$	K_D	$T_{1/2}$
WT	1.00	37	0.69	120	30.6	16	0.10	333	0.60	481
P70A	1.42	32	1.68	80	19.0	16	0.24	168	0.90	325
S127R	2.40	36	1.87	110	25.0	18	0.26	288	0.55	550
D129G	1.27	36	1.40	88	22.9	18	0.19	257	0.75	445
S147F	1.29	32	9.07	24	21.1	15	0.22	178	0.23	1468
S153R	5.64	4	0.56	141	36.6	17	0.09	322	3.33	60
E159R	6.96	5	0.82	94	31.7	16	0.08	350	2.97	68
T162R	0.98	43	0.58	140	29.0	17	0.09	322	0.48	362
D192R	1.35	28	0.75	119	30.2	15	0.09	326	nb	nb
R194E	0.38	71	0.65	129	31.4	16	0.07	389	nb	nb
E197R	1.42	27	0.67	115	30.2	17	0.09	339	nb	nb
R215H	0.86	41	1.03	98	37.8	17	0.65	49	0.74	272
R215E	0.90	43	1.81	77	44.0	16	4.48	12	0.78	276
F216L	1.83	32	0.99	121	21.2	15	1.35	39	0.33	880
R237E	2.48	15	1.03	109	29.6	15	0.07	481	5.89	43
D238R	410	1	0.78	123	25.9	19	0.24	144	0.14	1273
A341R	1.54	21	0.34	190	28.7	18	0.08	340	0.88	200
D343R	7.88	6	1.18	89	27.0	16	0.08	402	4.13	66
R357H	6.26	30	6.53	66	26.4	13	0.63	165	1.91	896
E366K	2.92	13	36.0	2	28.8	18	0.46	69	0.38	808
D374Y	2.04	15	0.66	83	25.0	17	0.08	285	1.02	161
V380M	0.48	63	2.82	28	25.9	17	0.15	177	0.35	711
P70A, S147F	1.18	34	7.87	24	23.5	18	0.23	164	0.79	348
E366K, V380M	3.33	12	78.3	1	25.5	18	0.59	60	0.52	551

The results show that when residue D238 was mutated, the binding affinity of 316P for hPCSK9 was reduced >400-fold, from a K_D of 1 $\times 10^{-9}$ M to 410 $\times 10^{-9}$ M; and $T_{1/2}$ shortened about 30-fold, from 37 to 1 min, indicating that 316P binds an epitope on hPCSK9 comprising D238 of hPCSK9 (SEQ ID NO:755). Additionally, BIACORE™ assays show that 316P binding affinity and $T_{1/2}$ were reduced about 5- to 10-fold when a residue at 153, 159 or 343 was mutated. Specifically, K_D was reduced from about 1 $\times 10^{-9}$ M

ELISA-based immunoassay. Anti-PCSK9 mAbs were coated on a 96-well plate overnight at 4° C. Each mmh-tagged variant hPCSK9 in CHO-k1 transient transfection lysate supernatants was added to the antibody-coated plate at various concentrations ranging from 0 to 5 nM. After 1 hr binding at RT, the plate was washed and bound variant hPCSK9 was detected using HRP-conjugated anti-myc polyclonal antibody (=OD<0.7; +OD0.7–1.5; ++OD>1.5).

US 10,023,654 B2

41

TABLE 28

hPCSK9 or Variant	316P	300N	Control I	Control II	Control III
hPCSK9(WT)	++	++	++	++	++
hPCSK9(S127R)	++	++	++	++	++
hPCSK9(D129G)	++	++	++	++	++
hPCSK9(S153R)	++	++	++	++	++
hPCSK9(R215H)	++	++	++	++	++
hPCSK9(F216L)	++	++	++	++	++
hPCSK9(R237E)	++	++	++	++	++
hPCSK9(D238R)	-	++	++	++	++
hPCSK9(A341R)	++	++	++	++	++
hPCSK9(D343R)	++	++	++	++	++
hPCSK9(R357H)	++	++	++	++	++
hPCSK9(E159R)	++	++	++	++	++
hPCSK9(T162R)	++	++	++	++	++
hPCSK9(D192R)	++	++	++	++	-
hPCSK9(R194E)	++	++	++	++	-
hPCSK9(E197R)	++	++	++	++	-
hPCSK9(R215E)	++	++	++	++	++
hPCSK9(P70A)	++	++	++	++	++
hPCSK9(S147F)	++	++	++	++	++
hPCSK9(E366K)	++	+	++	++	++
hPCSK9(V380M)	++	++	++	++	++
hPCSK9(P70A, S147F)	++	++	++	++	++
hPCSK9(E366K, V380M)	++	+	++	++	++

42

Example 17. Effect of 316P on Normolipemic and Hyperlipemic Hamster

The ability of anti-PCSK9 mAb 316P to reduce serum LDL-C was tested in normolipemic or hyperlipemic Gold Syrian hamsters (*Mesocricetus auratus*). Male Syrian Hamsters, age 6-8 weeks, weighing between 80-100 grams, were allowed to acclimate for a period of 7 days before entry into the study. All animals were placed on either a standard chow diet or a hyperlipemic diet of chow supplemented with 0.1% cholesterol and 10% coconut oil. The 316P mAb was delivered to hamsters by a single subcutaneous injection at doses of 1, 3, or 10 mg/kg for normolipemic hamsters and at doses of 3, 10, or 30 mg/kg for hyperlipemic hamsters. Serum samples were taken from all groups at 24 hr and 7, 14, and 22 days post injection, at which time serum lipid levels were assessed and compared to baseline levels taken 7 days prior to the administration of the mAbs. Circulating total cholesterol and LDL-C in normolipemic hamsters was significantly reduced in a dose-dependent manner compared to vehicle injection. As shown in FIG. 14, administration of 316P effectively reduced LDL-C levels by up to 60% seven days post injection at the highest dose (10 mg/kg) tested. Similar cholesterol reducing effect of 316P was not observed in hyperlipemic hamsters.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 763

<210> SEQ ID NO 1
<211> LENGTH: 351
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 1

```
caggtccagc tggtgacgtc tgggggaggc ttggcacgc ctggggggc cctgagactc      60
tcctgtcgac cctctggatt tactctaagt agttacgaca tgcactgggt ccggcaatct    120
acaggaaaag gtctggagtg ggtctcagct attggttcta ccgttgacac atactatcca    180
ggctccgtga agggccgatt caccatcacc agagaaaaag ccaagaactc cgtgtatctt    240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgtaag agaggggtgg    300
gaggttacctt ttgactactg gggccaggga accctggta ctgttcctc a                  351
```

<210> SEQ ID NO 2
<211> LENGTH: 117
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 2

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly
1				5			10			15					
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
20				25						30					
Asp	Met	His	Trp	Val	Arg	Gln	Ser	Thr	Gly	Lys	Gly	Ley	Glu	Trp	Val
35				40						45					
Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Pro	Gly	Ser	Val	Lys
50				55						60					

-continued

Gly Arg Phe Thr Ile Thr Arg Glu Lys Ala Lys Asn Ser Val Tyr Leu
 65 70 75 80
 Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Val
 85 90 95
 Arg Glu Gly Trp Glu Val Pro Phe Asp Tyr Trp Gly Gln Gly Thr Leu
 100 105 110
 Val Thr Val Ser Ser
 115

<210> SEQ ID NO 3
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 3

ggatttactc taagtagtta cgac 24

<210> SEQ ID NO 4
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 4

Gly Phe Thr Leu Ser Ser Tyr Asp
 1 5

<210> SEQ ID NO 5
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 5

atgggttcta ccgggtgacac a 21

<210> SEQ ID NO 6
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 6

Ile Gly Ser Thr Gly Asp Thr
 1 5

<210> SEQ ID NO 7
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 7

gtaagagagg ggtggggagg accctttgac tac 33

<210> SEQ ID NO 8
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 8

Val	Arg	Glu	Gly	Trp	Glu	Val	Pro	Phe	Asp	Tyr
1				5				10		

<210> SEQ ID NO 9
 <211> LENGTH: 327
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 9

gacatccaga	tgacccagtc	tccagccacc	ctgtctgtgt	ctccaggaga	aagagccgcc	60
ctctcctgca	gggcaggta	gagtgttagc	agcaacttag	cctggtagcca	ccagaaacct	120
ggccaggctc	ccaggctct	catctatggt	gatccacca	ggccactgg	tatcccagcc	180
aggttcagtg	gcattgggtc	tgggacagag	ttcaactctca	ttatcagcag	cctgcagtc	240
gaagattttg	cattttat	ctgtcagcag	tataataact	ggcctccatt	cactttcg	300
cctgggacca	agggtggagat	caaacga				327

<210> SEQ ID NO 10
 <211> LENGTH: 109
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 10

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly
1				5				10				15			

Glu	Arg	Ala	Ala	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn
				20				25				30			

Leu	Ala	Trp	Tyr	His	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Ile
				35			40				45				

Tyr	Gly	Ala	Ser	Thr	Arg	Ala	Thr	Gly	Ile	Pro	Ala	Arg	Phe	Ser	Gly
				50			55				60				

Ile	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Ser
				65			70			75			80		

Glu	Asp	Phe	Ala	Phe	Tyr	Phe	Cys	Gln	Gln	Tyr	Asn	Asn	Trp	Pro	Pro
				85			90				95				

Phe	Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg			
				100											

<210> SEQ ID NO 11
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 11

cagagtgtta	gcagcaac		18
------------	----------	--	----

<210> SEQ ID NO 12
 <211> LENGTH: 6
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 12

Gln Ser Val Ser Ser Asn
1 5

<210> SEQ ID NO 13

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 13

ggtgcatcc

9

<210> SEQ ID NO 14

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 14

Gly Ala Ser
1

<210> SEQ ID NO 15

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 15

cagcagtata ataactggcc tccattcact

30

<210> SEQ ID NO 16

<211> LENGTH: 10

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 16

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr
1 5 10

<210> SEQ ID NO 17

<211> LENGTH: 351

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 17

gaggtgcagc tggggaggc ttggtagacgc ctgggggtc cctgagactc 60

tcctgtgcag ccttggatt tactctaagt agttacgaca tgcactgggt ccgccaatct 120

acaggaaaaag gcttggaggc ggtctcagct attgggtcta ccggtagacac atactatcca 180

ggctccgtga agggccgatt caccatcacc agagaaaaag ccaagaactc cgtgtatctt 240

caaataaca gcctgagacg cggggacacg gctgttatt actgttaag agaggggtgg 300

gaggtaccct ttgactactg gggccaggga accctggtca ccgtctccctc a 351

US 10,023,654 B2

49**50**

-continued

<210> SEQ ID NO 18
<211> LENGTH: 117
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 18

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly
1	5				10				15					

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
20	25									30					

Asp	Met	His	Trp	Val	Arg	Gln	Ser	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val
35					40					45					

Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Pro	Gly	Ser	Val	Lys
50					55					60					

Gly	Arg	Phe	Thr	Ile	Thr	Arg	Glu	Lys	Ala	Lys	Asn	Ser	Val	Tyr	Leu
65					70				75		80				

Gln	Met	Asn	Ser	Leu	Arg	Ala	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Val
85					90				95						

Arg	Glu	Gly	Trp	Glu	Val	Pro	Phe	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu
100					105					110					

Val	Thr	Val	Ser	Ser											
				115											

<210> SEQ ID NO 19
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 19

gaaaatagtga	tgacgcagtc	tccagccacc	ctgtctgtgt	ctccaggggaa	aagagccgcc	60
ctctcctgca	gggcgcagtca	gagtgttagc	agcaacttag	cctggtagcca	ccagaaacct	120
ggccaggctc	ccaggctctt	catctatggt	gcatccacca	gggccactgg	tatcccagcc	180
aggttcagtg	gcattgggtc	tgggacagag	ttcaactctca	ttatcagcag	cctgcagtc	240
gaagattttg	catttttattt	ctgtcagcag	tataataact	ggcctccatt	cactttcgcc	300
cctgggacca	aagtggatat	caaa				324

<210> SEQ ID NO 20
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 20

Glu	Ile	Val	Met	Thr	Gln	Ser	Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly
1	5				10				15						

Glu	Arg	Ala	Ala	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn
20					25					30					

Leu	Ala	Trp	Tyr	His	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Ile
35					40					45					

Tyr	Gly	Ala	Ser	Thr	Arg	Ala	Thr	Gly	Ile	Pro	Ala	Arg	Phe	Ser	Gly
50					55				60						

Ile	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Ser
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

US 10,023,654 B2

51**52**

-continued

65	70	75	80
----	----	----	----

Glu Asp Phe Ala Phe Tyr Phe Cys Gln Gln Tyr Asn Asn Trp Pro Pro	85	90	95
---	----	----	----

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys	100	105
---	-----	-----

<210> SEQ ID NO 21

<211> LENGTH: 351

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 21

gagggtgcagc tgggtggagtc tggggggaggc ttgggtacagc ctgggggggtc cctgagactc	60
tcctgtgcag cctctggatt tactctaagt agttacgaca tgcactgggt ccgccaagct	120
acaggaaaaag gtctggagtg ggtctcagct attgggtcttcc cccgtgacac atactatccca	180
ggctccgtga agggcccgatt caccatctcc agagaaaaatg ccaagaactc cttgttatctt	240
caaataaca gcctgagagc cggggacacg gctgtgttatt actgtgtaa agaggggtgg	300
gagggtaccctt ttgactactg gggccaggga accctggtca ccgtctccctc a	351

<210> SEQ ID NO 22

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 22

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly	1	5	10	15
---	---	---	----	----

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr	20	25	30
---	----	----	----

Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val	35	40	45
---	----	----	----

Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys	50	55	60
---	----	----	----

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu	65	70	75	80
---	----	----	----	----

Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Val	85	90	95
---	----	----	----

Arg Glu Gly Trp Glu Val Pro Phe Asp Tyr Trp Gly Gln Gly Thr Leu	100	105	110
---	-----	-----	-----

Val Thr Val Ser Ser	115
---------------------	-----

<210> SEQ ID NO 23

<211> LENGTH: 324

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 23

gaaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccaggggaaagagccacc	60
ctctcctgca gggccagtca gagtgttagc agcaacttag cctggtagcca gcagaaacct	120
ggccaggctc ccaggctct catctatggt gcatccacca gggccactgg tatcccagcc	180

-continued

aggttcagtg gcagtgggtc tgggacagag ttcaactctca ccatcagcag cctgcagtct	240
gaagattttgc agtttata ctgtcagcag tataataact ggccctccatt cactttcgcc	300
cctgggacca aagtggatat caaa	324

<210> SEQ ID NO 24
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 24

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly	
1 5 10 15	
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn	
20 25 30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile	
35 40 45	
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly	
50 55 60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser	
65 70 75 80	
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro	
85 90 95	
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys	
100 105	

<210> SEQ ID NO 25
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 25

caggtgcagtc tgggtcagtc tgggggaggc gtgggtccagc ctggggaggc cctgagactc	60
tcctgtgcag cgtctggatt caccttcagtc agctatggca tgcactgggt ccggcaggct	120
ccaggcaagg ggctggagtg ggtggcgttt ataggatttgc atggaaatggataatacattat	180
ggagactccg tgagggggccg aatcatcata tccagagaca attccgagaa cacgttgttat	240
ctggaaatgtca acagcctgag agccgaggac acggcaatgtt actattgtgc gagagagaag	300
ggtttagact gggggccaggc aaccacggtc accgtctccct ca	342

<210> SEQ ID NO 26
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 26

Gln Val Gln Leu Val Gln Ser Gly Gly Val Val Gln Pro Gly Arg	
1 5 10 15	
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr	
20 25 30	
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35 40 45	

US 10,023,654 B2

55**56**

-continued

Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile His Tyr Gly Asp Ser Val
 50 55 60

Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr
 65 70 75 80

Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Met Tyr Tyr Cys
 85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Thr Val Thr Val
 100 105 110

Ser Ser

<210> SEQ ID NO 27
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 27

ggattcacct tcagtagcta tggc 24

<210> SEQ ID NO 28
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 28

Gly Phe Thr Phe Ser Ser Tyr Gly
 1 5

<210> SEQ ID NO 29
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 29

ataggatttg atggaagtaa tata 24

<210> SEQ ID NO 30
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 30

Ile Gly Phe Asp Gly Ser Asn Ile
 1 5

<210> SEQ ID NO 31
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 31

gcgagagaga agggttttaga c 21

<210> SEQ ID NO 32
<211> LENGTH: 7

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 32

Ala Arg Glu Lys Gly Leu Asp
1 5

<210> SEQ ID NO 33
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 33

gccatccaga tgacccagtc tccttccacc ctgtctgcat ctgttaggaga cagagtacc	60
atcacttgcc gggccagtca gagtattagt agctggttgg cctggtatca gcagaaacca	120
gggaaagccc ctaagctct gatctataag gcgtcttagtt tagaaagtgg ggtccccatca	180
aggttcagcg gcagtggatc tgggacagaaa ttcaactctca ccatcagcag cctgcagcct	240
gatgattttg caacttatta ctgccAACAG tataatagtt attacacttt tggccagggg	300
accaagggtgg aaatcaaACG a	321

<210> SEQ ID NO 34
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 34

Ala Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly	
1 5 10 15	
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp	
20 25 30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile	
35 40 45	
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly	
50 55 60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro	
65 70 75 80	
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr	
85 90 95	
Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg	
100 105	

<210> SEQ ID NO 35
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 35

cagagtatta gtagctgg

18

<210> SEQ ID NO 36
<211> LENGTH: 6
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 36

Gln Ser Ile Ser Ser Trp
 1 5

<210> SEQ ID NO 37
 <211> LENGTH: 9
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 37

aaggcgtct

9

<210> SEQ ID NO 38
 <211> LENGTH: 3
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 38

Lys Ala Ser
 1

<210> SEQ ID NO 39
 <211> LENGTH: 24
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 39

caacagtata atagttatta cact

24

<210> SEQ ID NO 40
 <211> LENGTH: 8
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 40

Gln Gln Tyr Asn Ser Tyr Tyr Thr
 1 5

<210> SEQ ID NO 41
 <211> LENGTH: 342
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 41

cagggtgcagc	tgggtggagtc	tgggggaggc	gtggtccagc	ctgggaggtc	cctgagactc	60
tccctgtgcag	cgtctggatt	cacccatcgat	agctatggca	tgcactgggt	ccggccaggct	120
ccaggcaagg	ggctggagtg	ggtggcggtt	ataggatttg	atggaagtaa	tatacattat	180
ggagactccg	tgaggggccc	aatcatcata	tccagagaca	attccgagaa	cacgttgtat	240
ctggaaatga	acagccttag	agccgaggac	acggcaatgt	actattgtgc	gagagagaag	300

US 10,023,654 B2

61**62**

-continued

```
ggtttagact ggggccaggg aaccctggtc accgtctccct ca
```

342

<210> SEQ ID NO 42
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 42

```
Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
 1           5           10          15
```

```
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20          25          30
```

```
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35          40          45
```

```
Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile His Tyr Gly Asp Ser Val
 50          55          60
```

```
Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr
 65          70          75          80
```

```
Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Met Tyr Tyr Cys
 85          90          95
```

```
Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val
100         105         110
```

Ser Ser

<210> SEQ ID NO 43
<211> LENGTH: 318
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 43

```
gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgttaggaga cagagtccacc      60
```

```
atcaacttgcg gggccagtcgca gagtattatgt agctgggtgg cctggtatca gcagaaacca     120
```

```
gggaaagccc ctaagctctt gatctataag gcgtcttagtt tagaaaatgg ggtcccatca     180
```

```
aggttcagecg gcagtggtatc tgggacacaa ttcaactctca ccatcagcag cctgcagcct     240
```

```
gatgattttg caacttatta ctgccaacag tataatagtt attacacttt tggccagggg     300
```

```
accaagctgg agatcaaa                                         318
```

<210> SEQ ID NO 44
<211> LENGTH: 106
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 44

```
Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1           5           10          15
```

```
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
 20          25          30
```

```
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35          40          45
```

```
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50          55          60
```

-continued

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr
85 90 95

Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100 105

<210> SEQ ID NO 45

<211> LENGTH: 342

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 45

cagggtgcagc tgggtggagtc tgggggaggc gtgggtccagc ctggggaggc cctgagactc	60
tccctgtgcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct	120
ccaggcaagg ggctggagtg ggtggcaggat ataggattt atggaaagtaa tatataactat	180
gcagactccg tgaagggcccg attcaccatc tccagagaca attccaagaa cacgctgtat	240
ctgcaaatga acagccttag agtggaggac acggctgtgtt attactgtgc gagagagaag	300
ggtttagact gggggccaggg aaccctggtc accgtctctt ca	342

<210> SEQ ID NO 46

<211> LENGTH: 114

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 46

Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Val Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val
100 105 110

Ser Ser

<210> SEQ ID NO 47

<211> LENGTH: 319

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 47

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgttaggaga cagagtccacc	60
atcacttgcc gggccagtca gagtatttagt agctgggtgg cctggtatca gcagaaacca	120
ggaaagcccc ctaagctctt gatctataag gcgtctagtt tagaaaatgg ggtcccatca	180

-continued

aggttcagcg gcagtggatc tgggacagaa ttcaactctca ccatcagcag cctgcagcct	240
gatgattttg caacttatta ctgccaaacag tataatagtt attacacttt tggccagggg	300
accaagctgg agatcaaac	319

<210> SEQ ID NO 48
<211> LENGTH: 106
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 48

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly			
1	5	10	15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp			
20	25	30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile			
35	40	45	
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly			
50	55	60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro			
65	70	75	80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr			
85	90	95	
Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
100	105		

<210> SEQ ID NO 49
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 49

caggtgcagc tgcaggagtc tgggggaggc gtgggtccagc ctggggaggtc cctgagactc	60
tcctgtgcag cgtctggatt caccttcaagt agctatggca tgcactgggt ccggcaggct	120
ccaggcaagg ggctggagtg ggtggcgttt ataggattt atggaaagtaa tatataattat	180
ggagactccg tgaggggccc aatcatcata tccagagaca attccgagaa cacgttgtat	240
ctggaaatga acagcctgag agccgaggac acggcagtgt attattgtgc gagagagaag	300
ggttagact ggggccaggg aaccctggtc actgtctccct ca	342

<210> SEQ ID NO 50
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 50

Gln Val Gln Leu Gln Glu Ser Gly Gly Val Val Gln Pro Gly Arg			
1	5	10	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr			
20	25	30	
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val			
35	40	45	

-continued

Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Gly Asp Ser Val
50 55 60

Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr
65 70 75 80

Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val
100 105 110

Ser Ser

<210> SEQ ID NO 51
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 51

ggattcacct tcagtagcta tggc 24

<210> SEQ ID NO 52
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 52

Gly Phe Thr Phe Ser Ser Tyr Gly
1 5

<210> SEQ ID NO 53
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 53

ataggatttg atggaagtaa tata 24

<210> SEQ ID NO 54
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 54

Ile Gly Phe Asp Gly Ser Asn Ile
1 5

<210> SEQ ID NO 55
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 55

gcgagagaga agggttttaga c 21

<210> SEQ ID NO 56
<211> LENGTH: 7

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 56

Ala Arg Glu Lys Gly Leu Asp
1 5

<210> SEQ ID NO 57
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 57

gccatccaga	tgacccagtc	tccagactcc	ctggctgtgt	ctctggcgaa	gaggggcacc	60
atcaactgca	agtccagcca	gagtgtttt	cacacctcca	acaataagaa	ctacttagtt	120
tggttatcagc	agaaaccagg	acagcctcc	aagttgctcc	tttactgggc	ctctacccgg	180
gaatccgggg	tccctgaccg	attcagtggc	acggggtctg	ggacagattt	cactctcacc	240
atcagcagcc	tgcaggctga	agatgtggca	aattattact	gtcaccaata	ttacagtatt	300
ccgtggacgt	tcggccaagg	gaccaagggtg	gagatcaaac	ga		342

<210> SEQ ID NO 58
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 58

Ala Ile Gln Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly						
1	5	10	15			
Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr						
20	25	30				
Ser Asn Asn Lys Asn Tyr Leu Val Trp Tyr Gln Gln Lys Pro Gly Gln						
35	40	45				
Pro Pro Lys Leu Leu Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val						
50	55	60				
Pro Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr						
65	70	75	80			
Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Asn Tyr Tyr Cys His Gln						
85	90	95				
Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile						
100	105	110				
Lys Arg						

<210> SEQ ID NO 59
<211> LENGTH: 36
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 59

cagagtgttt ttcacacctc caacaataag aactac 36

<210> SEQ ID NO 60

-continued

<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 60

Gln	Ser	Val	Phe	His	Thr	Ser	Asn	Asn	Lys	Asn	Tyr
1											
									10		

<210> SEQ ID NO 61
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 61

tgggcctct

9

<210> SEQ ID NO 62
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 62

Trp	Ala	Ser
1		

<210> SEQ ID NO 63
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 63

caccaatatt acagtattcc gtggacg

27

<210> SEQ ID NO 64
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 64

His	Gln	Tyr	Tyr	Ser	Ile	Pro	Trp	Thr
1								
								5

<210> SEQ ID NO 65
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 65

caggtgcagc	tgggtggagtc	tgggggaggc	gtgggtccagc	ctggggaggc	cctgagactc	60
tcctgtgcag	cgtctggatt	cacttcagt	agctatggca	tgcactgggt	ccgccaggct	120
ccaggcaagg	ggctggagtg	ggtggcggtt	ataggattt	atggaagtaa	tatataattat	180
ggagactccg	tgagggggccg	aatcatcata	tccagagaca	attccgagaa	cacgttgtat	240

US 10,023,654 B2

73**74**

-continued

ctggaaatga acagccttag	agccgaggac acggcagtgt	attatttgc gagagagaag	300
ggttttagact ggggccaggg	aaccctggtc accgtctcct ca		342

<210> SEQ ID NO 66
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 66

Gln Val Gln Leu Val Glu Ser Gly Gly	Val Val Gln Pro Gly Arg		
1	5	10	15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe	Ser Ser Tyr	
20	25	30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly	Leu Glu Trp Val	
35	40	45

Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Gly Asp Ser Val		
50	55	60

Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr			
65	70	75	80

Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys		
85	90	95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val		
100	105	110

Ser Ser

<210> SEQ ID NO 67
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 67

gacatcgta tgacccagtc tccagactcc ctggctgtgt	ctctggcga gagggccacc	60
--	----------------------	----

atcaactgca agtccagecca gagtgtttt cacacccca	acaataagaa ctacttagtt	120
--	-----------------------	-----

tggtatcgc agaaaaccagg acagcctcc aagttgtcc	tttactggc ctctaccgg	180
---	---------------------	-----

gaatccgggg tccctgaccg attcagtggc agcgggtctg	ggacagattt cactctacc	240
---	----------------------	-----

atcagcagcc tgcaggctga agatgtggc aattattact	gtcaccaata ttacagtatt	300
--	-----------------------	-----

ccgtggacgt tcggccaagg gaccaaggtg gaaatcaaa		339
--	--	-----

<210> SEQ ID NO 68
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 68

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly			
1	5	10	15

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr		
20	25	30

Ser Asn Asn Lys Asn Tyr Leu Val Trp Tyr Gln Gln Lys Pro Gly Gln		
35	40	45

Pro Pro Lys Leu Leu Leu Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val

US 10,023,654 B2

75**76**

-continued

50 55 60

Pro Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 65 70 75 80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Asn Tyr Tyr Cys His Gln
 85 90 95

Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile
 100 105 110

Lys

<210> SEQ ID NO 69

<211> LENGTH: 342

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 69

```
caggtgcagc tgggtggagtc tgggggaggc gtgggtccagc ctggggaggc cctgagactc        60
tcctgtgcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct        120
ccaggcaagg ggctggagtg ggtggcagtt ataggatttg atggaagtaa tatatactat        180
gcagactccg tgaaggggcgc attcaccatc tccagagaca attccaagaa cacgctgtat        240
ctgcaaatga acagcctgag agctgaggac acggctgtgtt attactgtgc gagagagaag        300
ggttagact ggggcccaggg aaccctggtc accgtctcct ca                            342
```

<210> SEQ ID NO 70

<211> LENGTH: 114

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 70

Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Val Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val
 100 105 110

Ser Ser

<210> SEQ ID NO 71

<211> LENGTH: 339

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 71

```
gacatcgta tgacccagtc tccagactcc ctggctgtgtt ctctgggcga gagggccacc        60
```

-continued

atcaactgca agtccagcca gagtgaaaa cacacccca acaataagaa ctacttagct	120
tggtaaccagg agaaaaccagg acagcctcct aagctgctca tttactgggc ctctaccgg	180
gaatccgggg tccttgaccg attcagtggc agcgggtctg ggacagattt cacttcacc	240
atcagcagcc tgcaaggctga agatgtggca gtttattact gtcaccaata ttacagtatt	300
ccgtggacgt tcggccaagg gaccaaggtg gaaatcaa	339

<210> SEQ ID NO 72
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 72

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly			
1	5	10	15
Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr			
20	25	30	
Ser Asn Asn Lys Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln			
35	40	45	
Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val			
50	55	60	
Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr			
65	70	75	80
Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys His Gln			
85	90	95	
Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile			
100	105	110	

Lys

<210> SEQ ID NO 73
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 73

gaagtgcagc tggtgcaagtc tgggggaggc ttggtagacgc ctggggggtc cctgagactc	60
tcctgtgcag cctctggatt cacctttaac aactatgcca tgaactgggt ccggccaggct	120
ccagggaaagg gactggactg ggtctcaact attagtggta gcggtggtac tacaaactac	180
gcagactccg tgaaggggccg tttcatttatt tcccgagaca gttccaaaca cacgctgtat	240
ctgcaaataa acagcctgag agccgaggac acggccgtat attactgtgc gaaagattct	300
aactggggaa attcgatct ctggggccgtt ggcaccacgg tcactgtctc ctca	354

<210> SEQ ID NO 74
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 74

Glu Val Gln Leu Val Gln Ser Gly Gly Leu Val Gln Pro Gly Gly			
1	5	10	15

US 10,023,654 B2

79**80**

-continued

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr
 20 25 30

Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
 35 40 45

Ser Thr Ile Ser Gly Ser Gly Gly Thr Thr Asn Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Ile Ile Ser Arg Asp Ser Ser Lys His Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr
 100 105 110

Thr Val Thr Val Ser Ser
 115

<210> SEQ ID NO 75
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 75

ggattcacct ttaacaacta tgcc 24

<210> SEQ ID NO 76
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 76

Gly Phe Thr Phe Asn Asn Tyr Ala
 1 5

<210> SEQ ID NO 77
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 77

attatggta gcgggtggta tacata 24

<210> SEQ ID NO 78
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 78

Ile Ser Gly Ser Gly Gly Thr Thr
 1 5

<210> SEQ ID NO 79
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 79

gcgaaagatt ctaactgggg aaatttcgat ctc

33

<210> SEQ ID NO 80
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 80

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu
1 5 10

<210> SEQ ID NO 81
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 81

gacatccaga tgaccaggc tccagactcc ctggctgtgt ctctggcgaa gagggccacc	60
atcaactgca agtccagccaa gagtgtttta tacagggtcca acaataggaa cttcttaggt	120
tggtaccaggc agaaaaccagg gcagccctccct aatctactca ttactgggc atctaccgg	180
gaatccgggg tccctgaccc attcagtggc agcgggtctg ggacagattt cactctcacc	240
atcagcagcc tgcaggctga agatgtggc gtttattact gtcaacaata ttatactact	300
ccgtacactt ttggccaggg gaccaaggta gaaatcaaac ga	342

<210> SEQ ID NO 82
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 82

Asp Ile Gln Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
1 5 10 15Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg
20 25 30Ser Asn Asn Arg Asn Phe Leu Gly Trp Tyr Gln Gln Lys Pro Gly Gln
35 40 45Pro Pro Asn Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
50 55 60Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
65 70 75 80Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln
85 90 95Tyr Tyr Thr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Val Glu Ile
100 105 110

Lys Arg

<210> SEQ ID NO 83
<211> LENGTH: 36
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 83

cagagtgtt tatacaggc caacaatagg aacttc

36

<210> SEQ ID NO 84
<211> LENGTH: 12
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 84

Gln Ser Val Leu Tyr Arg Ser Asn Asn Arg Asn Phe
1 5 10

<210> SEQ ID NO 85
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 85

tgggcatct

9

<210> SEQ ID NO 86
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 86

Trp Ala Ser
1

<210> SEQ ID NO 87
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 87

caacaatatt atactactcc gtacact

27

<210> SEQ ID NO 88
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 88

Gln Gln Tyr Tyr Thr Pro Tyr Thr
1 5

<210> SEQ ID NO 89
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 89

gaggtgcagc tgggtggagtc tggggggaggc ttggcacagc ctggggggtc cctgagactc

60

-continued

tcctgtcag cctctggatt caccttaac aactatgcca tgaactgggt ccgccaggct	120
ccagggaaagg gactggactg ggtctcaact attagtggta gcgggtggtag tacaaactac	180
gcagactccg tgaagggccg tttcatttatt tcccgagaca gttccaaaca cacgctgtat	240
ctgcaaatac acagcctgag agccgaggac acggccgtat attactgtgc gaaagattct	300
aactggggaa atttcgatct ctggggccgt ggcaccctgg tcactgtctc ctca	354

<210> SEQ ID NO 90
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 90

Glu Val Gln Leu Val Glu Ser Gly Gly	1	5	10	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr	20	25	30	
Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly	35	40	45	
Ser Thr Ile Ser Gly Ser Gly Thr Thr Asn Tyr Ala Asp Ser Val	50	55	60	
Lys Gly Arg Phe Ile Ile Ser Arg Asp Ser Ser Lys His Thr Leu Tyr	65	70	75	80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys	85	90	95	
Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr	100	105	110	
Leu Val Thr Val Ser Ser	115			

<210> SEQ ID NO 91
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 91

gacatcgtga tgacccagtc tccagactcc ctggctgtgt ctctggcga gagggccacc	60
atcaactgca agtccagcca gagtgttta tacaggtcca acaataggaa cttcttaggt	120
tggtaccaggc agaaaccagg gcagcctccat aatctactca ttactggc atctaccgg	180
gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc	240
atcagcagcc tgcaggctga agatgtggca gtttattact gtcaacaata ttatactact	300
ccgtacactt ttggccaggg gaccaagctg gagatcaaa	339

<210> SEQ ID NO 92
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 92

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly	1	5	10	15
---	---	---	----	----

-continued

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg
 20 25 30

Ser Asn Asn Arg Asn Phe Leu Gly Trp Tyr Gln Gln Lys Pro Gly Gln
 35 40 45

Pro Pro Asn Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
 50 55 60

Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 65 70 75 80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln
 85 90 95

Tyr Tyr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile
 100 105 110

Lys

<210> SEQ ID NO 93
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 93

```

gaggtgcagc tggtgaggc tgggtacagc ctgggggtc cctgagactc      60
tcctgtgcag cctctggatt caccttaac aactatgcca tgagctgggt ccgcaggct    120
ccagggaaagg ggctggagtg ggtctcagct attagtggta gcgggtggtag tacatactac    180
gcagactccg tgaaggcccg gttcaccatc tccagagaca attccaagaa cacgctgtat    240
ctgcaaatga acagccttag agccgaggac acggccgtat attactgtgc gaaagattct    300
aactggggaa atttcgatct ctggggccgt ggcaccctgg tcactgtctc ctca      354

```

<210> SEQ ID NO 94
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 94

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr
 20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ser Ala Ile Ser Gly Ser Gly Thr Thr Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr
 100 105 110

Leu Val Thr Val Ser Ser
 115

<210> SEQ ID NO 95

-continued

<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 95

```

gacatcgtga tgaccaggc tccagactcc ctggctgtgt ctctggcgaa gaggccacc       60
atcaactgca agtccagcca gagtgttta tacaggcca acaataggaa cttcttagct      120
tggtaccaggc agaaaccagg acagccctcc aagctgctca ttactggc atctaccgg      180
gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctacc      240
atcagcagcc tgcaggctga agatgtggca gtttattact gtcaacaata ttatactact      300
ccgtacactt ttggccaggg gaccaagctg gagatcaa                               339

```

<210> SEQ ID NO 96
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 96

```

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1           5           10          15

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg
 20          25           30

Ser Asn Asn Arg Asn Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln
 35          40           45

Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
 50          55           60

Pro Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
 65          70          75           80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln
 85          90           95

Tyr Tyr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile
100         105          110

Lys

```

<210> SEQ ID NO 97
<211> LENGTH: 351
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 97

```

caggtgcagc tgggtcagtc tggggggaggc ttggcacagc ctggggggtc cctgagactc      60
tcctgtgcag tctctggatt caccctcagt agctacgata tgcactgggt ccgcacacct      120
acaggaaaag gtctggagt ggtctcagct attggttcta ctggtgacac atactatcca      180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt      240
caaataaca gcctgagacg cggggacacg gctgtgtatt actgtgcaag agagggatgg      300
gacgtaccct ttgacttctg gggccaggaa accctggtca ccgtctccctc a            351

```

<210> SEQ ID NO 98
<211> LENGTH: 117
<212> TYPE: PRT

US 10,023,654 B2

91**92**

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 98

```
Gln Val Gln Leu Val Gln Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1           5           10          15
```

```
Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Leu Ser Ser Tyr
 20          25          30
```

```
Asp Met His Trp Val Arg Gln Pro Thr Gly Lys Gly Leu Glu Trp Val
 35          40          45
```

```
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50          55          60
```

```
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
 65          70          75          80
```

```
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85          90          95
```

```
Arg Glu Gly Trp Asp Val Pro Phe Asp Phe Trp Gly Gln Gly Thr Leu
100         105         110
```

```
Val Thr Val Ser Ser
115
```

<210> SEQ ID NO 99
 <211> LENGTH: 24
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 99

```
ggattcaccc tcagtagcta cgat
```

24

<210> SEQ ID NO 100
 <211> LENGTH: 8
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 100

```
Gly Phe Thr Leu Ser Ser Tyr Asp
 1           5
```

<210> SEQ ID NO 101
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 101

```
attggttctta ctgggtacac a
```

21

<210> SEQ ID NO 102
 <211> LENGTH: 7
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 102

```
Ile Gly Ser Thr Gly Asp Thr
 1           5
```

-continued

```

<210> SEQ ID NO 103
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 103
gcaagagagg gatgggacgt accctttgac ttc                                33

<210> SEQ ID NO 104
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 104
Ala Arg Glu Gly Trp Asp Val Pro Phe Asp Phe
 1           5           10

<210> SEQ ID NO 105
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 105
gccatccagt tgaccaggc tccatccctcc ctgtctgcat ctgttaggaga cagagtcacc      60
atcaacttgcc gggcaagtca ggacattaga aatgatttag gctggtatca gcagaaacca     120
ggaaaagccc ctaagctctt gatctatgct gcatccaggat tacaaagtgg ggtccccatca    180
cggttcagcg gcagttggatc tggcacagat ttcaactctca ccatcagcag cctgcagcct    240
gaagattttt caacttatta ctgtctacaatt gattacaatt acccggtggac gttcgcccaa   300
gggaccaagg tggagatcaa acga                                         324

<210> SEQ ID NO 106
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 106
Ala Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1           5           10          15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Arg Asn Asp
 20          25          30

Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35          40          45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50          55          60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65          70          75          80

Glu Asp Phe Ala Thr Tyr Tyr Cys Leu Gln Asp Tyr Asn Tyr Pro Trp
 85          90          95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
 100         105

```

-continued

<210> SEQ ID NO 107
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 107

caggacatta gaaatgat

18

<210> SEQ ID NO 108
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 108

Gln Asp Ile Arg Asn Asp
1 5

<210> SEQ ID NO 109
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 109

gctgcattcc

9

<210> SEQ ID NO 110
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 110

Ala Ala Ser
1

<210> SEQ ID NO 111
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 111

ctacaagatt acaattaccc gtggacg

27

<210> SEQ ID NO 112
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 112

Leu Gln Asp Tyr Asn Tyr Pro Trp Thr
1 5

<210> SEQ ID NO 113
<211> LENGTH: 351
<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 113

```

gaggtgcagc tggggaggc ttggtagacgc ctgggggtc cctgagactc      60
tccctgtcgag tctctggatt caccctcagt agctacgata tgcactgggt ccgccaacct    120
acagaaaaag gtctggagtg ggtctcagct attgggtcta ctggtgacac atactatcca    180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt    240
caaatgaaca gcctgagacg cggggacacg gctgtgtatt actgtgcaag agagggatgg    300
gacgtaccct ttgacttctg gggccaggaa accctggtca ccgtctcctc a            351

```

<210> SEQ ID NO 114

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 114

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly
1														

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
20															

Asp	Met	His	Trp	Val	Arg	Gln	Pro	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val
35															

Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Pro	Gly	Ser	Val	Lys
50															

Gly	Arg	Phe	Thr	Ile	Ser	Arg	Glu	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	Leu
65															

Gln	Met	Asn	Ser	Leu	Arg	Ala	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
85															

Arg	Glu	Gly	Trp	Asp	Val	Pro	Phe	Asp	Phe	Trp	Gly	Gln	Gly	Thr	Leu
100															

Val	Thr	Val	Ser	Ser											
					115										

<210> SEQ ID NO 115

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 115

```

gccatccaga tgacccagtc tccatcctcc ctgtctgcat ctgtaggaga cagagtccacc      60
atcaacttgcc gggcaagtca ggacattaga aatgatttag gctggtatca gcagaaacca    120
gggaaagccc ctaagctct gatctatgct gcatccaggat tacaaatgg ggtcccatca    180
cggttcagcg gcagttggatc tggcacatg ttcactctca ccatcagcag cctgcagcct    240
gaagattttgc caacttattat ctgtctacaa gattacaatt acccgtggac gttcggccaa    300
gggaccaagg tggaaatcaa a            321

```

<210> SEQ ID NO 116

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

US 10,023,654 B2

99**100**

-continued

<220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 116

```

Ala Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1           5          10          15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Arg Asn Asp
 20          25          30

Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35          40          45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50          55          60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65          70          75          80

Glu Asp Phe Ala Thr Tyr Tyr Cys Leu Gln Asp Tyr Asn Tyr Pro Trp
 85          90          95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100         105

```

<210> SEQ ID NO 117
 <211> LENGTH: 351
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 117

```

gagggtgcagc tgggtggagtc tggggggaggc ttggcacgc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctcagt agctacgata tgcactgggt ccgc当地agct      120
acaggaaaaag gtctggagtg ggtctcagct attgggtcta ctgggtgacac atactatcca      180
ggctccgtga agggccgatt caccatctcc agagaaaaatg ccaagaactc cttgtatctt      240
caaataaca acgtcgagacg cggggacacg gctgtgtatt actgtgcaag agagggatgg      300
gacgtaccct ttgacttctg gggccagggg accctggtca ccgtctccctc a      351

```

<210> SEQ ID NO 118
 <211> LENGTH: 117
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 118

```

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1           5          10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
 20          25          30

Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35          40          45

Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50          55          60

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
 65          70          75          80

Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85          90          95

Arg Glu Gly Trp Asp Val Pro Phe Asp Phe Trp Gly Gln Gly Thr Leu
 100         105         110

```

US 10,023,654 B2

101**102**

-continued

Val Thr Val Ser Ser
115

<210> SEQ ID NO 119
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 119

gccatccaga	tgaccaggc	tccatcctcc	ctgtctgat	ctgttaggaga	cagagtccacc	60
atcaacttgc	ggcaaggta	ggacattaga	aatgatttag	gctggtatca	gcagaaacca	120
gggaaagccc	ctaagctct	gatctatgct	gcatccagtt	tacaaagtgg	ggtccccatca	180
aggttcagcg	gcagtggatc	tggcacagat	ttcactctca	ccatcagcag	cctgcagcct	240
gaagattttgc	caacttatta	ctgtctacaa	gattacaatt	accctgtggac	gttcggccaa	300
gggaccaagg	tggaaatcaa	a				321

<210> SEQ ID NO 120
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 120

Ala	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Ser	Leu	Ser	Ala	Ser	Val	Gly
1															15
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Asp	Ile	Arg	Asn	Asp
															30
Leu	Gly	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
															45
Tyr	Ala	Ala	Ser	Ser	Leu	Gln	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
															60
Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
															80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Leu	Gln	Asp	Tyr	Asn	Tyr	Pro	Trp
															95
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
100															105

<210> SEQ ID NO 121
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 121

cagggtgcagc	tgcaggagtc	ggggccagga	ctggtaaagc	cttcggagac	cctgtccctc	60
acctgcactg	tctctgggta	ctccatcaat	acttactact	ggagctgtt	ccggcagccc	120
ccagggaaagg	gactggagtg	gattgggtat	atctattata	gtggaaccac	caactacaac	180
ccctccctca	agagtcgagt	cacccatatca	atagacacgc	ccaggaacca	gttctccctg	240
aagctgatct	ctgtgaccgc	agcgacacg	gcccgtgtt	actgtgcag	agagaggatt	300
actatgattc	ggggagttac	cctctactat	tactcctacg	gtatggacgt	ctggggccaa	360
gggaccacgg	tcaccgtctc	ctca				384

<210> SEQ ID NO 122
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 122

```

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1           5          10          15

Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Asn Thr Tyr
 20          25          30

Tyr Trp Ser Trp Phe Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
 35          40          45

Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Asn Tyr Asn Pro Ser Leu Lys
 50          55          60

Ser Arg Val Thr Ile Ser Ile Asp Thr Pro Arg Asn Gln Phe Ser Leu
 65          70          75          80

Lys Leu Ile Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85          90          95

Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Ser
 100         105         110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115         120         125

```

<210> SEQ ID NO 123
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 123

```
ggggactcca tcaatactta ctac                                24
```

<210> SEQ ID NO 124
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 124

```
Gly Asp Ser Ile Asn Thr Tyr Tyr
 1           5
```

<210> SEQ ID NO 125
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 125

```
atctattata gtggaaccac c                                21
```

<210> SEQ ID NO 126
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 126

```
Ile Tyr Tyr Ser Gly Thr Thr
 1           5
```

<210> SEQ ID NO 127

<211> LENGTH: 66

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 127

```
gcgagagaga ggattactat gattcgggaa gttaccctct actattactc ctacggatgt      60
gacgttc                                         66
```

<210> SEQ ID NO 128

<211> LENGTH: 22

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 128

```
Ala Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr
 1           5           10          15
```

```
Ser Tyr Gly Met Asp Val
 20
```

<210> SEQ ID NO 129

<211> LENGTH: 324

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 129

```
gacatccaga tgaccttgc tccatccttc ctgtctgcat ctgttaggaga cagagtacc      60
atcaacttgc gggccaggta ggacatttgc agttatattag cctggtatca gcaaaaacca    120
gggatagccc ctaagcttgc gatctatgct gcatccactt tgcaaagtgg ggtcccatca    180
aggttcggcg gcagtggatc tgggacagaa ttcaactctca caatcagcag cctgcagcct    240
gaagattttgc caacttatttgc ctgtcaacag cttaatagtt accctcggac gttcggccaa   300
gggaccaagg tggaaatcaa acga                                         324
```

<210> SEQ ID NO 130

<211> LENGTH: 108

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 130

```
Asp Ile Gln Met Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1           5           10          15
```

```
Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Asp Ile Ser Ser Tyr
 20          25          30
```

```
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Ile Ala Pro Lys Leu Leu Ile
 35          40          45
```

```
Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Gly Gly
 50          55          60
```

-continued

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg
100 105

<210> SEQ ID NO 131
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 131

caggacatttgcagttat 18

<210> SEQ ID NO 132
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 132

Gln Asp Ile Ser Ser Tyr
1 5

<210> SEQ ID NO 133
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 133

gctgcatttc 9

<210> SEQ ID NO 134
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 134

Ala Ala Ser
1

<210> SEQ ID NO 135
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 135

caacagctta atagttaccc tcggacg 27

<210> SEQ ID NO 136
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 136

Gln	Gln	Leu	Asn	Ser	Tyr	Pro	Arg	Thr
1				5				

<210> SEQ ID NO 137

<211> LENGTH: 384

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 137

caggtgcagc	tgcaggagtc	ggggccagga	ctggtaagc	cttcggagac	cctgtccctc	60
acctgcactg	tctctgggaa	ctccatcaat	acttactact	ggagctggtt	ccggcagccc	120
ccagggaaagg	gactggagtg	gattgggtat	atctattata	gtggaaccac	caactacaac	180
ccctccctca	agagtcgagt	caccatatca	atagacacgc	ccaggaacca	gttctccctg	240
aagctgatct	ctgtgaccgc	agcggacacg	gccgtgtatt	actgtgcgag	agagaggatt	300
actatgattc	ggggagttac	cctctactat	tactcctacg	gtatggacgt	ctggggccaa	360
gggaccacgg	tcaccgtctc	ctca				384

<210> SEQ ID NO 138

<211> LENGTH: 128

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 138

Gln	Val	Gln	Leu	Gln	Glu	Ser	Gly	Pro	Gly	Leu	Val	Lys	Pro	Ser	Glu
1				5			10			15					

Thr	Leu	Ser	Leu	Thr	Cys	Thr	Val	Ser	Gly	Asp	Ser	Ile	Asn	Thr	Tyr
20				25				30							

Tyr	Trp	Ser	Trp	Phe	Arg	Gln	Pro	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile
35				40				45							

Gly	Tyr	Ile	Tyr	Tyr	Ser	Gly	Thr	Thr	Asn	Tyr	Asn	Pro	Ser	Leu	Lys
50				55				60							

Ser	Arg	Val	Thr	Ile	Ser	Ile	Asp	Thr	Pro	Arg	Asn	Gln	Phe	Ser	Leu
65				70			75		80						

Lys	Leu	Ile	Ser	Val	Thr	Ala	Ala	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
85				90			95								

Arg	Glu	Arg	Ile	Thr	Met	Ile	Arg	Gly	Val	Thr	Leu	Tyr	Tyr	Tyr	Ser
100				105			110								

Tyr	Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser
115				120					125						

<210> SEQ ID NO 139

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 139

gacatccaga	tgacccagtc	tccatccctc	ctgtctgcat	ctgttaggaga	cagagtccacc	60
atcacttgc	gggcacgtca	ggacattagc	agttattnag	cctggtatca	gcaaaaaacca	120
gggatagccc	ctaagctct	gatctatgct	gatccactt	tgcaaagtgg	ggtccccatca	180

-continued

aggttcggcg gcagtggatc tgggacagaa ttcaactctca caatcagcag cctgcagcct	240
gaagattttg caaccttata ctgtcaacag cttaatagtt accctcgac gttcggccaa	300
gggaccaagg tggaaatcaa a	321

<210> SEQ ID NO 140
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 140

Asp Ile Gln Met Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly			
1	5	10	15
Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Asp Ile Ser Ser Tyr			
20	25	30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Ile Ala Pro Lys Leu Leu Ile			
35	40	45	
Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Gly Gly			
50	55	60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro			
65	70	75	80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg			
85	90	95	
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys			
100	105		

<210> SEQ ID NO 141
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 141

caggtgcagc tgcaggagtc gggcccagga ctgggtgaagc cttcggagac cctgtccctc	60
acctgcactg tctctgggaa ctccatcaat acttactact ggagctggat ccggcagccc	120
ccagggaaagg gactggagtg gattgggtat atctattata gtggaaccac caactacaac	180
ccctccctca agagtcgagt caccatatca gtagacacgt ccaagaacca gttctccctg	240
aagctgagct ctgtgaccgc tgccggacacg gccgtgtatt actgtgcgag agagaggatt	300
actatgattc ggggagttac cctctactat tactcctacg gtatggacgt ctggggccaa	360
gggaccacgg tcaccgtctc ctca	384

<210> SEQ ID NO 142
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 142

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu			
1	5	10	15
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Asn Thr Tyr			
20	25	30	
Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile			

US 10,023,654 B2

113**114**

-continued

35 40 45

Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Asn Tyr Asn Pro Ser Leu Lys
 50 55 60

Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu
 65 70 75 80

Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr Ser
 100 105 110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 143

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 143

```

gacatccaga tgacccagtc tccatcctcc ctgtctgcat ctgttaggaga cagagtacc 60
atcaacttgcg gggcaagtca ggacatttgc agttattnag gctggtatca gcagaaacca 120
ggaaaaggccc ctaaggcgct gatctatgcg gcatccagg ttgaaatgg ggtccccatca 180
aggttcageg gcagtggtatc tgggacagaa ttcaactctca caatcagcag cctgcagcct 240
gaagattttgc caacttatta ctgtcaacag cttaatagtt accctcgatc gttcggccaa 300
gggaccaagg tggaaatcaa a 321

```

<210> SEQ ID NO 144

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 144

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr
 20 25 30

Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Arg Leu Ile
 35 40 45

Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100 105

<210> SEQ ID NO 145

<211> LENGTH: 378

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 145

-continued

```
caggtgcagc tggtcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggc 60
tcctgcaagg cttctggta cacctttacc aactatggta tcagctgggt gcgacaggcc 120
cctggacaag gacttgagtt aatgggatgg attagtggtt acaatggtaa cacaactat 180
gcacaagaac tccaggccag agtcaccatg accacagaca catccacgag cacagctac 240
atggagctga ggaacctgag atctgacgac acggccgtat attactgtgc gagagataga 300
gtcggttag cagctgctaa ttactacttt tattctatgg acgtctgggg ccaagggacc 360
acggtcaccc ttcctca 378
```

```
<210> SEQ ID NO 146
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

<400> SEQUENCE: 146

```
Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
20 25 30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Leu Met
35 40 45
Gly Trp Ile Ser Gly Tyr Asn Gly Asn Thr Asn Tyr Ala Gln Glu Leu
50 55 60
Gln Ala Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80
Met Glu Leu Arg Asn Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95
Ala Arg Asp Arg Val Val Ala Ala Asn Tyr Tyr Phe Tyr Ser
100 105 110
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120 125
```

```
<210> SEQ ID NO 147
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

<400> SEQUENCE: 147

ggttacacct ttaccaacta tggt 24

```
<210> SEQ ID NO 148
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

<400> SEQUENCE: 148

```
Gly Tyr Thr Phe Thr Asn Tyr Gly
1 5
```

```
<210> SEQ ID NO 149
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
```

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 149

attagtggtt acaatggtaa caca

24

<210> SEQ ID NO 150
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 150

Ile Ser Gly Tyr Asn Gly Asn Thr
1 5

<210> SEQ ID NO 151
<211> LENGTH: 57
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 151

gcgagagata gagtcgttgtt agcagctgct aattactact tttattctat ggacgta 57

<210> SEQ ID NO 152
<211> LENGTH: 19
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 152

Ala Arg Asp Arg Val Val Val Ala Ala Ala Asn Tyr Tyr Phe Tyr Ser
1 5 10 15

Met Asp Val

<210> SEQ ID NO 153
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 153

gccatccaga tgacccagtc tccactctcc ctgtccgtca cccttggaca gcccgcctcc 60
atctcctgca ggtctagtca aagcctcgta tacagtgtat gagacaccta cttgaattgg 120
tttcagcaga ggcaggcca atctccaagg cgccataattt ataaggtttc taaccgggac 180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgctttcac actgaaaatc 240
agcggggtgg aggccgagga ttttttttt tactactgca tgcaagctac acactggcct 300
cggacgttcg gccaaggac caagggtggaa atcaaacga 339

<210> SEQ ID NO 154
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 154

US 10,023,654 B2

119**120**

-continued

Ala	Ile	Gln	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Ser	Val	Thr	Leu	Gly
1					5			10					15		

Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
	20					25				30					

Asp	Gly	Asp	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
	35					40			45						

Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
	50					55			60						

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ala	Phe	Thr	Leu	Lys	Ile
	65				70				75			80			

Ser	Gly	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
	85					90			95						

Thr	His	Trp	Pro	Arg	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
		100				105				110					

Arg

<210> SEQ ID NO 155
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 155

caaaggcctcg tatacagtga tggagacacc tac 33

<210> SEQ ID NO 156
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 156

Gln Ser Leu Val Tyr Ser Asp Gly Asp Thr Tyr
1 5 10

<210> SEQ ID NO 157
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 157

aaggtttct 9

<210> SEQ ID NO 158
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 158

Lys Val Ser

1

<210> SEQ ID NO 159
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 159

atgcaagcta cacactggcc tcggacg

27

<210> SEQ ID NO 160

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 160

Met Gln Ala Thr His Trp Pro Arg Thr

1

5

<210> SEQ ID NO 161

<211> LENGTH: 378

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 161

cagttcagc tggtgcaagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggc	60
tcctgcaagg cttctggta caccttacc aactatggta tcagctgggt gcgacaggcc	120
cctggacaag gacttgagtt aatgggatgg attagtggtt acaatggtaa cacaactat	180
gcacaagaac tccaggccag agtcaccatg accacagaca catccacgag cacagctac	240
atggagctga ggaacctgag atctgacgac acggccgtat attactgtgc gagagataga	300
gtcggtgttag cagctgctaa ttactacttt tattctatgg acgtctgggg ccaagggacc	360
acggtcacccg tctcctca	378

<210> SEQ ID NO 162

<211> LENGTH: 126

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 162

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala			
1	5	10	15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr			
20	25	30	

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Leu Met			
35	40	45	

Gly Trp Ile Ser Gly Tyr Asn Gly Asn Thr Asn Tyr Ala Gln Glu Leu			
50	55	60	

Gln Ala Arg Val Thr Met Thr Asp Thr Ser Thr Ser Thr Ala Tyr			
65	70	75	80

Met Glu Leu Arg Asn Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	

Ala Arg Asp Arg Val Val Ala Ala Asn Tyr Tyr Phe Tyr Ser			
100	105	110	

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120	125	

<210> SEQ ID NO 163

-continued

<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 163

```

gatgttgtga tgactcagtc tccactctcc ctgtccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aaggcctcgta tacagtgtat gagacaccta cttgaattgg     120
tttcagcaga ggccaggcca atctccaagg cgccataattt ataaggtttc taaccgggac     180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgcattcac actgaaaatc     240
agcgggggtgg aggccgagga tgttgggtt tactactgca tgcaagctac acactggcct     300
cggacgttgcg gccaaggac caaggtggaa atcaaa                                336

```

<210> SEQ ID NO 164
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 164

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Ser Val Thr Leu Gly
 1           5           10          15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
 20          25           30

Asp Gly Asp Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
 35          40           45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
 50          55           60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Lys Ile
 65          70           75           80

Ser Gly Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85          90           95

Thr His Trp Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100         105          110

```

<210> SEQ ID NO 165
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 165

```

caggttcagc tggagctgag gtgaagaagc ctggggcctc agtgaaggc      60
tcctgcaagg cttctggta cacctttacc aactatggta tcagctgggt gcgcacaggcc    120
cctggacaag ggcttgatgt gatggatgg attagtggtt acaatggtaa cacaactat    180
gcacagaagc tccaggccag agtcaccatg accacagaca catccacgag cacagccatc   240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagagataga   300
gtcggttag cagctgctaa ttactactt tattctatgg acgtctgggg ccaaggacc    360
acggtcaccc tctcctca                                378

```

<210> SEQ ID NO 166
<211> LENGTH: 126
<212> TYPE: PRT

US 10,023,654 B2

125

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 166

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
1	5			10					15						

Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Tyr
	20			25						30					

Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
	35			40						45					

Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Asn	Thr	Asn	Tyr	Ala	Gln	Lys	Leu
	50			55					60						

Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
	65			70			75			80					

Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85			90			95								

Ala	Arg	Asp	Arg	Val	Val	Ala	Ala	Ala	Asn	Tyr	Tyr	Phe	Tyr	Ser
	100			105					110					

Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
	115			120					125					

<210> SEQ ID NO 167

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 167

gatgttgtga	tgactcagtc	tccactctcc	ctggccgtca	cccttggaca	gccggctcc	60
------------	------------	------------	------------	------------	-----------	----

atctcctgca	ggctctagtca	aaggcctcgta	tacagtgtat	gagacaccta	cttgaattgg	120
------------	-------------	-------------	------------	------------	------------	-----

tttcagcaga	ggccaggcca	atctccaagg	cgcctaattt	ataaggtttc	taaccgggac	180
------------	------------	------------	------------	------------	------------	-----

tctgggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttac	actgaaaatc	240
-----------	------------	------------	------------	-----------	------------	-----

agcaggggtgg	aggctgagga	tgttgggtt	tattactgca	tgcaagctac	acactggcct	300
-------------	------------	-----------	------------	------------	------------	-----

cggacgttgc	gccaaggggac	caaggtggaa	atcaaa			336
------------	-------------	------------	--------	--	--	-----

<210> SEQ ID NO 168

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 168

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1	5			10					15						

Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
	20			25			30								

Asp	Gly	Asp	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
35	40			45											

Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
50	55			60											

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
65	70			75					80						

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
85	90			95											

126

-continued

Thr His Trp Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 169

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 169

cagggtccact	tgaaggagtc	tggcctacg	ctggtgaaac	ccacacagac	cctcacgctg	60
acctgcacct	tctctggatt	ctcaactcatc	actagtggag	tgggtgtggg	ctggattcg	120
cagccccccg	gaaaggccct	ggagtggctt	gcactcattt	attggaatgg	tgataagcgc	180
tacagcccat	ctctgaagag	caggctcacc	atcaccaagg	acacctccaa	aaaccaggtg	240
gtccttacaa	tgaccaacat	ggaccctgtg	gacacagcca	catattactg	tgcacacagg	300
ataactgaaa	ctagttacta	cttctactac	ggtatggacg	tctggggcca	agggaccacg	360
gtcaccgtct	cctca					375

<210> SEQ ID NO 170

<211> LENGTH: 125

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 170

Gln	Val	His	Leu	Lys	Glu	Ser	Gly	Pro	Thr	Leu	Val	Lys	Pro	Thr	Gln
1															

Thr	Leu	Thr	Leu	Thr	Cys	Thr	Phe	Ser	Gly	Phe	Ser	Leu	Ile	Thr	Ser
20															

Gly	Val	Gly	Val	Gly	Trp	Ile	Arg	Gln	Pro	Pro	Gly	Lys	Ala	Leu	Glu
35															

Trp	Leu	Ala	Leu	Ile	Tyr	Trp	Asn	Gly	Asp	Lys	Arg	Tyr	Ser	Pro	Ser
50															

Leu	Lys	Ser	Arg	Leu	Thr	Ile	Thr	Lys	Asp	Thr	Ser	Lys	Asn	Gln	Val
65															

Val	Leu	Thr	Met	Thr	Asn	Met	Asp	Pro	Val	Asp	Thr	Ala	Thr	Tyr	Tyr
85															

Cys	Ala	His	Arg	Ile	Thr	Glu	Thr	Ser	Tyr	Tyr	Phe	Tyr	Tyr	Gly	Met
100															

Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser			
115															

<210> SEQ ID NO 171

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 171

ggattctcac	tcatca	ttagtggat	tggagtggtt			30
------------	--------	-----------	------------	--	--	----

<210> SEQ ID NO 172

<211> LENGTH: 10

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

US 10,023,654 B2

129**130**

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 172

Gly Phe Ser Leu Ile Thr Ser Gly Val Gly
1 5 10

<210> SEQ ID NO 173
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 173

atttatttggaa atgggtataaa g 21

<210> SEQ ID NO 174
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 174

Ile Tyr Trp Asn Gly Asp Lys
1 5

<210> SEQ ID NO 175
<211> LENGTH: 51
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 175

gcacacagga taactgaaac tagttactac ttctactacg gtatggacgt c 51

<210> SEQ ID NO 176
<211> LENGTH: 17
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 176

Ala His Arg Ile Thr Glu Thr Ser Tyr Tyr Phe Tyr Tyr Gly Met Asp
1 5 10 15

Val

<210> SEQ ID NO 177
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 177

gacatccaga tgacccagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
atctcctgca ggtcttagtca gagcctcctg catagtcatg gatacgacta tttggattgg 120
tacctgcaga agccagggtca gtctccacag ctccctgatct atttgggttc taatcggggcc 180
tccgggggcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtggtt aggctgagga tttttttttt tattactgca tgcaagctct acaaaactccg 300

ctcactttcg gcggaggac caaggtggaa atcaaacga

339

<210> SEQ ID NO 178
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 178

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10				15			

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
20 25 30

His Gly Tyr Asp Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
100 105 110

Arg

<210> SEQ ID NO 179
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 179

cagagcctcc tgcatagtca tggatacgac tat

33

<210> SEQ ID NO 180
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 180

Gln	Ser	Leu	Leu	His	Ser	His	Gly	Tyr	Asp	Tyr
1				5				10		

<210> SEQ ID NO 181
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 181

ttgggttct

9

<210> SEQ ID NO 182
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 182

Leu Gly Ser
1

<210> SEQ ID NO 183

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 183

atgcaagctc tacaaactcc gctcact

27

<210> SEQ ID NO 184

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 184

Met Gln Ala Leu Gln Thr Pro Leu Thr
1 5

<210> SEQ ID NO 185

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 185

cagatcacct tgaaggagtc tggcctacg ctggtgaaaac ccacacagac cctcacgctg	60
acctgcacct tctctggatt ctcactcatc actagtggag tgggtgtggg ctggattcgt	120
cagccccccg gaaaggccct ggagtggctt gcactcattt attggaatgg tgataagcgc	180
tacagcccat ctctgaagag caggctaccat atcaccaagg acaccccaa aaaccagggt	240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacagg	300
ataactgaaa ctatgttacta cttctactac ggtatggacg tctggggcca agggaccacg	360
gtcaccgtct cctca	375

<210> SEQ ID NO 186

<211> LENGTH: 125

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 186

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln
1 5 10 15Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ile Thr Ser
20 25 30Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu
35 40 45Trp Leu Ala Leu Ile Tyr Trp Asn Gly Asp Lys Arg Tyr Ser Pro Ser
50 55 60

Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val

US 10,023,654 B2

135**136**

-continued

65	70	75	80
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr			
85	90	95	
Cys Ala His Arg Ile Thr Glu Thr Ser Tyr Tyr Phe Tyr Tyr Gly Met			
100	105	110	
Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120	125	

<210> SEQ ID NO 187

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 187

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggccctcc	60
atctccttgca ggtcttagtca gagcctctcg catagtcatg gatacgcacta ttggattgg	120
tacctgcaga agccaggcca gtctccacag ctccctgatct atttgggttc taatcgggcc	180
tccggggtcc ctgacagggtt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtggtgg aggctgagga tgggggtt tattactgca tgcaagctct acaaaactccg	300
ctcactttcg gcggaggac caagggtggag atcaaa	336

<210> SEQ ID NO 188

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 188

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly			
1	5	10	15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser			
20	25	30	
His Gly Tyr Asp Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser			
35	40	45	
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro			
50	55	60	
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala			
85	90	95	
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 189

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 189

cagatcacct tgaaggagtc tggtcctacg ctgggtgaaac ccacacagac cctcaacgctg	60
acctgcacct tctctggatt ctcactcatc actagtggag tgggtgtggg ctggatccgt	120
cagccccccag gaaaggccct ggagtggctt gcactcattt attggaatgg tgataagcgc	180

-continued

tacagccat	ctctgaagag	caggctacc	atcaccaagg	acacctccaa	aaaccagg	tg	240
gtccttacaa	tgaccaacat	ggaccctgtg	gacacagcc	cataattactg	tgcacacagg		300
ataactgaaa	ctagttacta	cttctactac	ggtatggacg	tctggggcca	agggaccacg		360
gtcaccgtct	cctca						375

<210> SEQ ID NO 190
<211> LENGTH: 125
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 190

Gln	Ile	Thr	Leu	Lys	Glu	Ser	Gly	Pro	Thr	Leu	Val	Lys	Pro	Thr	Gln
1															15
Thr	Leu	Thr	Leu	Thr	Cys	Thr	Phe	Ser	Gly	Phe	Ser	Leu	Ile	Thr	Ser
															30
Gly	Val	Gly	Val	Gly	Trp	Ile	Arg	Gln	Pro	Pro	Gly	Lys	Ala	Leu	Glu
															45
Trp	Leu	Ala	Leu	Ile	Tyr	Trp	Asn	Gly	Asp	Lys	Arg	Tyr	Ser	Pro	Ser
															60
Leu	Lys	Ser	Arg	Leu	Thr	Ile	Thr	Lys	Asp	Thr	Ser	Lys	Asn	Gln	Val
															80
Val	Leu	Thr	Met	Thr	Asn	Met	Asp	Pro	Val	Asp	Thr	Ala	Thr	Tyr	Tyr
															95
Cys	Ala	His	Arg	Ile	Thr	Glu	Thr	Ser	Tyr	Tyr	Phe	Tyr	Tyr	Gly	Met
															110
Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser			
															125

<210> SEQ ID NO 191
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 191

gatattgtga	tgactcagtc	tccactctcc	ctgccccgtca	cccctggaga	gccggcctcc		60
atctcctgca	ggtctagtca	gagcctcctg	catagtcatg	gatacgacta	tttggattgg		120
tacctgcaga	agccagggca	gtctccacag	ctcctgatct	atttgggttc	taatcgggccc		180
tccggggtcc	ctgacaggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaaatc		240
agcagagtg	aggctgagga	tgttgggtt	tattactgca	tgcaagctct	acaaactccg		300
ctcactttcg	gcggagggac	caaggtggag	atcaaa				336

<210> SEQ ID NO 192
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 192

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1															15
Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser

US 10,023,654 B2

139**140**

-continued

20

25

30

His Gly Tyr Asp Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 193

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 193

cagatcacct tgaaggagtc tggcctact ctgggtaaac cttcacagac cttcacgctg 60
 acctgcacct tctctgggtt ctcactcagc actagtggag tgggtgtggg ctggatccgt 120
 cagccccca gaaaggcccgt ggagtggctt gcactcattt attggaaattc tgataagcgc 180
 tacagccccat ctctgaagag caggctcacc atcaccaagg acaccccaa aaaccaggt 240
 gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga 300
 catgacagct cgtcctacta cttctactac ggtatggacg tctggggcca agggatcag 360
 gtcaccgtct cctca 375

<210> SEQ ID NO 194

<211> LENGTH: 125

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 194

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Ser Gln
 1 5 10 15

Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser
 20 25 30

Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu
 35 40 45

Trp Leu Ala Leu Ile Tyr Trp Asn Ser Asp Lys Arg Tyr Ser Pro Ser
 50 55 60

Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val
 65 70 75 80

Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr
 85 90 95

Cys Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met
 100 105 110

Asp Val Trp Gly Gln Gly Ile Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 195

<211> LENGTH: 30

<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 195

gggttctcac tcagcactag tggagtgggt

30

<210> SEQ ID NO 196
 <211> LENGTH: 10
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 196

Gly Phe Ser Leu Ser Thr Ser Gly Val Gly
 1 5 10

<210> SEQ ID NO 197
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 197

atttatttggaa attctgataa g

21

<210> SEQ ID NO 198
 <211> LENGTH: 7
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 198

Ile Tyr Trp Asn Ser Asp Lys
 1 5

<210> SEQ ID NO 199
 <211> LENGTH: 51
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 199

gcacacagac atgacagactc gtcctactac ttctactacg gtatggacgt c

51

<210> SEQ ID NO 200
 <211> LENGTH: 17
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 200

Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met Asp
 1 5 10 15

Val

<210> SEQ ID NO 201
 <211> LENGTH: 339
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 201

gacatccaga	tgacccagtc	tccgctctcc	ctgcccgtca	cccctggaga	gcgggctcc	60
atctcctgca	ggtctagtca	gagcctcctc	catagtcatg	gataacaacta	tttggattgg	120
tacctgcaga	agccaggcga	gtctccacaa	ctcctgatct	atttgggttc	taatcgggcc	180
tccggggtcc	ctgacaggtt	cagtgggggt	ggatcaggca	cagatttac	actgaaaatc	240
agcagagtg	aggctgagga	tgttgggatt	tattactgca	tgcaagctct	acagactcct	300
ctcactttcg	gcggaggac	caaggtggag	atcaaacga			339

<210> SEQ ID NO 202

<211> LENGTH: 113

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 202

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10				15			

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
								20				25			30

His	Gly	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
								35				40			45

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
								50				55			60

Asp	Arg	Phe	Ser	Gly	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile	
								65				70			80

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Ile	Tyr	Tyr	Cys	Met	Gln	Ala
								85				90			95

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys	
								100				105			110

Arg

<210> SEQ ID NO 203

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 203

cagagcctcc	tccatagtc	tggatacaac	tat			33
------------	-----------	------------	-----	--	--	----

<210> SEQ ID NO 204

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 204

Gln	Ser	Leu	Leu	His	Ser	His	Gly	Tyr	Asn	Tyr
1								5		10

<210> SEQ ID NO 205

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 205

ttgggttct

9

<210> SEQ ID NO 206
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 206

Leu Gly Ser

1

<210> SEQ ID NO 207
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 207

atgcaagctc tacagactcc tctcact

27

<210> SEQ ID NO 208
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 208

Met Gln Ala Leu Gln Thr Pro Leu Thr
1 5

<210> SEQ ID NO 209
<211> LENGTH: 375
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 209

cagatcacct tgaaggagtc tggcctact ctggtgaaaac cctcacagac cctcacgctg	60
acctgcacct tctctgggtt ctcactcagc actagtggag tgggtgtggg ctggatccgt	120
cagccccccag gaaaggccct ggagtggctt gcactcattt attggaattc tgataagcgc	180
tacagcccat ctctgaagag caggctcacc atcaccaagg acaccccaa aaaccaggt	240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga	300
catgacagct cgtcctacta cttctactac ggtatggacg tctggggcca agggaccacg	360
gtcaccgtct cctca	375

<210> SEQ ID NO 210
<211> LENGTH: 125
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 210

-continued

Gln	Ile	Thr	Leu	Lys	Glu	Ser	Gly	Pro	Thr	Leu	Val	Lys	Pro	Ser	Gln
1				5				10				15			

Thr	Leu	Thr	Leu	Thr	Cys	Thr	Phe	Ser	Gly	Phe	Ser	Leu	Ser	Thr	Ser
				20			25				30				

Gly	Val	Gly	Val	Gly	Trp	Ile	Arg	Gln	Pro	Pro	Gly	Lys	Ala	Leu	Glu
				35			40				45				

Trp	Leu	Ala	Leu	Ile	Tyr	Trp	Asn	Ser	Asp	Lys	Arg	Tyr	Ser	Pro	Ser
				50			55			60					

Leu	Lys	Ser	Arg	Leu	Thr	Ile	Thr	Lys	Asp	Thr	Ser	Lys	Asn	Gln	Val
				65			70			75			80		

Val	Leu	Thr	Met	Thr	Asn	Met	Asp	Pro	Val	Asp	Thr	Ala	Thr	Tyr	Tyr
				85			90				95				

Cys	Ala	His	Arg	His	Asp	Ser	Ser	Ser	Tyr	Tyr	Phe	Tyr	Tyr	Gly	Met
				100			105				110				

Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser			
				115			120				125				

<210> SEQ ID NO 211

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 211

gatattgtga	tgactcagtc	tccgctctcc	ctggccgtca	ccccctggaga	gccggcctcc	60
atctccctgca	ggtctagtca	gagcctcctc	catagtcatg	gataacaacta	tttggattgg	120
tacctgcaga	agccaggcca	gtctccacaa	ctcctgatct	atttgggttc	taatcgggccc	180
tccggggtcc	ctgacaggtt	cagtggcggt	ggatcaggca	cagattttac	actgaaaatc	240
agcagagtg	aggctgagga	tgttggatt	tattactgca	tgcaagctct	acagactcct	300
ctcaacttcg	gccccggggac	caaggtggag	atcaaa			336

<210> SEQ ID NO 212

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 212

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10			15				

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
				20			25				30				

His	Gly	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
				35			40				45				

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
				50			55			60					

Asp	Arg	Phe	Ser	Gly	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile	
65				70			75				80				

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Ile	Tyr	Tyr	Cys	Met	Gln	Ala
				85			90				95				

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys	
				100			105				110				

<210> SEQ ID NO 213

US 10,023,654 B2

149

-continued

150

<211> LENGTH: 375
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 213

```
cagatcacct tgaaggagtc tggtcctacg ctgggtgaaac ccacacagac cctcagcg 60
acctgcacct tctctgggtt ctcactcagc actagtggag tgggtgtggg ctggatccgt 120
cagccccca gaaaggccct ggagtggctt gcactcattt attggaattc tgataagcgc 180
tacagccccat ctctgaagag caggctcacc atcacaagg acaccccaa aaaccagg 240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga 300
catgacagct cgtcctacta cttctactac ggtatggacg tctggggca agggaccacg 360
gtcaccgtct cctca 375
```

<210> SEQ ID NO 214
<211> LENGTH: 125
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 214

Gln	Ile	Thr	Leu	Lys	Glu	Ser	Gly	Pro	Thr	Leu	Val	Lys	Pro	Thr	Gln
1				5				10				15			

Thr	Leu	Thr	Leu	Thr	Cys	Thr	Phe	Ser	Gly	Phe	Ser	Leu	Ser	Thr	Ser
				20			25					30			

Gly	Val	Gly	Val	Gly	Trp	Ile	Arg	Gln	Pro	Pro	Gly	Lys	Ala	Leu	Glu
	35				40				45						

Trp	Leu	Ala	Leu	Ile	Tyr	Trp	Asn	Ser	Asp	Lys	Arg	Tyr	Ser	Pro	Ser
	50					55				60					

Leu	Lys	Ser	Arg	Leu	Thr	Ile	Thr	Lys	Asp	Thr	Ser	Lys	Asn	Gln	Val
	65				70			75				80			

Val	Leu	Thr	Met	Thr	Asn	Met	Asp	Pro	Val	Asp	Thr	Ala	Thr	Tyr	Tyr
	85				90				95						

Cys	Ala	His	Arg	His	Asp	Ser	Ser	Ser	Tyr	Tyr	Phe	Tyr	Tyr	Gly	Met
	100				105						110				

Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser			
	115					120									

<210> SEQ ID NO 215
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 215

```
gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
atctcctgca ggtcttagtca gagcctcctc catagtcatg gataacaacta tttggattgg 120
tacctgcaga agccaggcgtt gtctccacag ctcctgatct atttgggttc taatcgggccc 180
tccggggtcc ctgacaggtt cagtgccagt ggatcaggca cagattttac actgaaaatc 240
agcagagtgg aggctgagga ttttttttttattactgca tgcaagctct acagactcct 300
ctcactttcg gcggaggagc caaggtggag atcaaa 336
```

US 10,023,654 B2

151**152**

-continued

<210> SEQ ID NO 216

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 216

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1								10						15	

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
								25					30		

His	Gly	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
								40				45			

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
								55				60			

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
65								70				75		80	

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
								85				90		95	

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys
								100			105		110	

<210> SEQ ID NO 217

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 217

gagatgcac	tggtgaggc	tgggtccagc	ctgggggtc	cctgagactc	60
tcctgtcag	cctctggatt	caccttttagt	agtcaactgga	tgaagtgggt	120
ccagggagg	ggctggagg	ggtgccaaac	ataaaccaag	atggaagtga	180
gtggactctg	tgaaggccg	attcaccatc	tccagagaca	acgccaagaa	240
ctgcaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	300
gtactaatgg	tctatgatat	ggactactac	tactacggta	tggacgtctg	360
accacggta	ccgtctcctc	a			381

<210> SEQ ID NO 218

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 218

Glu	Met	Gln	Leu	Val	Glu	Ser	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1								10					15	

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	His
								20				25		30	

Trp	Met	Lys	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
								35				40		45	

Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Tyr	Tyr	Val	Asp	Ser	Val
								50				55		60	

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Phe
								65				70		75	

US 10,023,654 B2

153**154**

-continued

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
		85			90						95				

Ala	Arg	Asp	Ile	Val	Leu	Met	Val	Tyr	Asp	Met	Asp	Tyr	Tyr	Tyr	Tyr
			100		105					110					

Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser
			115		120					125				

<210> SEQ ID NO 219
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 219

ggattcacct ttagtagtca ctgg

24

<210> SEQ ID NO 220
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 220

Gly	Phe	Thr	Phe	Ser	Ser	His	Trp
1				5			

<210> SEQ ID NO 221
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 221

ataaaccaag atggaagtga gaaa

24

<210> SEQ ID NO 222
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 222

Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys
1					5		

<210> SEQ ID NO 223
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 223

gcgagagata ttgtactaat ggtctatgtat atggactact actactacgg tatggacgtc

60

<210> SEQ ID NO 224
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

US 10,023,654 B2

155**156**

-continued

<400> SEQUENCE: 224

Ala	Arg	Asp	Ile	Val	Leu	Met	Val	Tyr	Asp	Met	Asp	Tyr	Tyr	Tyr	Tyr
1															15

Gly	Met	Asp	Val
			20

<210> SEQ ID NO 225

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 225

gatattgtga	tgactcagtc	tccactctcc	ctgccccgtca	ccccctggaga	gccgggcctcc	60
atctccctgca	ggtcttagtca	gagcctcctg	catacgtaatg	gaaacaacta	tttggattgg	120
tacctgcaga	agccaggggca	gtctccacag	ctcctgatct	atttgggttc	taatcgggcc	180
tccgggggtcc	ctgacaggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaatc	240
agcagagtggtt	aggctgagga	tggtgggggtt	tattactgca	tgcaaactct	acaaactccg	300
ctcactttcg	gcggaggggac	caaggtggag	atcaaaa			336

<210> SEQ ID NO 226

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 226

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1															15

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
															20
															25
															30

Asn	Gly	Asn	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
															35
															40
															45

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
															50
															55
															60

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
															65
															70
															75
															80

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Thr
															85
															90
															95

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys
															100
															105
															110

<210> SEQ ID NO 227

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 227

cagagcctcc	tgcatacgaa	tggaaacaac	tat	33
------------	------------	------------	-----	----

<210> SEQ ID NO 228

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 228

Gln	Ser	Leu	Leu	His	Ser	Asn	Gly	Asn	Asn	Tyr
1				5				10		

<210> SEQ ID NO 229

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 229

ttgggttct

9

<210> SEQ ID NO 230

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 230

Leu Gly Ser

1

<210> SEQ ID NO 231

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 231

atgcaaactc tacaaactcc gctca

27

<210> SEQ ID NO 232

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 232

Met	Gln	Thr	Leu	Gln	Thr	Pro	Leu	Thr
1				5				

<210> SEQ ID NO 233

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 233

gaggtgcagc tgggtggagtc tggggggaggc ttgggtccagc ctggggggtc cctgagactc 60

tcctgtgcag cctctggatt caccttttagt agtcacttgga tgaagtgggt ccggccaggct 120

ccagggaaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaatactat 180

gtggactctg tgaaggggccg attcaccatc tccagagaca acggccaagaa ctcactgttt 240

ctgcaaatga acagcctgag agccgaggac acggctgtgtt attactgtgc gagagatatt 300

gtactaatgg tctatgatat ggactactac tactacggta tggacgtctg gggccaagg 360

US 10,023,654 B2

159**160**

-continued

accacggtca ccgtctcctc a

381

<210> SEQ ID NO 234
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 234

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly
1					5			10					15		

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	His
					20			25					30		

Trp	Met	Lys	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
					35			40				45			

Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Tyr	Tyr	Val	Asp	Ser	Val
					50			55				60			

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Phe
					65			70			75				80

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85			90			95				

Ala	Arg	Asp	Ile	Val	Leu	Met	Val	Tyr	Asp	Met	Asp	Tyr	Tyr	Tyr	Tyr
					100			105			110				

Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
					115			120			125				

<210> SEQ ID NO 235
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 235

gatattgtga	tgactcagtc	tccactctcc	ctgccccgtca	ccccctggaga	gccggcctcc	60
atctccctgca	ggctctagtca	gagcctctcg	catactaatg	gaaacaacta	tttggattgg	120
tacctgcaga	agccaggcga	gtctccacag	ctcctgatct	atttgggttc	taatcgggccc	180
tccgggggtcc	ctgacaggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaatc	240
agcagagtgg	aggctgagga	tgttgggtt	tattactgca	tgcaaactct	acaaactccg	300
ctcactttcg	gcggaggggac	caaggtggag	atcaaaa			336

<210> SEQ ID NO 236
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 236

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1					5			10				15			

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
					20			25				30			

Asn	Gly	Asn	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
					35			40			45				

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
					50			55			60				

-continued

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Thr
 85 90 95
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 237
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 237

```

gagggtgcagc tgggtggagtc tggggggaggc ttgggtccagc ctgggggggtc cctgagactc     60
tcctgtgcag cctctggatt caccttagt agtcactgga tgagctgggt ccgccaggct     120
ccagggaaagg ggctggagtg ggtggccaac ataaaccaag atggaaagtga gaaatactat     180
gtggactctg tgaaggggccg attcaccatc tccagagaca acgccaagaa ctcactgttat     240
ctgcaaatga acagcctgag agccgaggac acggctgtgtt attactgtgc gagagatatt     300
gtactaatgg tctatgatat ggactactac tactacggta tggacgtctg gggcaaggg     360
accacggta ccgtctccctc a                                                            381

```

<210> SEQ ID NO 238
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 238

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser His
 20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Ile Val Leu Met Val Tyr Asp Met Asp Tyr Tyr Tyr Tyr
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Ser Ser
 115 120 125

<210> SEQ ID NO 239
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 239

```

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggctcc     60

```

-continued

atctcctgca ggtctagtca gagcctcctg catagtaaatg gaaacaacta tttggattgg	120
tacctgcaga agccaggcca gtctccacag ctccctgatct atttgggttc taatcgggcc	180
tccggggtcc ctgacaggtt cagttggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtgg aggctgagga tgttgggtt tattactgca tgcaaactct acaaaactccg	300
ctcactttcg gcggagggac caaggtggag atcaaa	336

<210> SEQ ID NO 240
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 240

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly			
1	5	10	15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser			
20	25	30	
Asn Gly Asn Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser			
35	40	45	
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro			
50	55	60	
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Thr			
85	90	95	
Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 241
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 241

caggtgcagc tggtgaggc tgggggaggc gtgggtccagc ctggggagtc cctgagactc	60
tcctgtcag tctctggatt cacttcagt agctatggca tgcactgggt ccgcaggct	120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat	180
gtagactccg tgaaggcccg attcaccatc tccagagaca attccaagaa aacgctgtat	240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt	300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg gggccaagg	360
accacggtca ccgtctccca a	381

<210> SEQ ID NO 242
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 242

Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg			
1	5	10	15

US 10,023,654 B2

165**166**

-continued

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys
 85 90 95

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 243
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 243

ggattcacct tcagtagcta tggc 24

<210> SEQ ID NO 244
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 244

Gly Phe Thr Phe Ser Ser Tyr Gly
 1 5

<210> SEQ ID NO 245
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 245

atatcatatg atggaagtaa taaa 24

<210> SEQ ID NO 246
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 246

Ile Ser Tyr Asp Gly Ser Asn Lys
 1 5

<210> SEQ ID NO 247
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

US 10,023,654 B2

167**168**

-continued

<400> SEQUENCE: 247

gcgaaaaata ttgtactagt gatgtatcat atagactatc actactatgg gatggacgtc 60

<210> SEQ ID NO 248

<211> LENGTH: 20

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 248

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
1 5 10 15

Gly Met Asp Val

20

<210> SEQ ID NO 249

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 249

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
atctccctgca ggtcttagtca gagcctcctg catatgtatg gatacaacta tttggattgg 120
tacctgcaga agccaggggca gtctccacaa ctcctgatct atttgggttt taatcgccc 180
tccggggtcc ctgacaggtt cagttggcgtt ggatcaggca cagattttac actgaaaatc 240
agcagagtggtt aggctgagga tttttttttt tattactgca tgcaagctct acaaactcct 300
ctcactttcg gcggaggggac caaggtggag atcaga 336

<210> SEQ ID NO 250

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 250

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
20 25 30Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
50 55 60Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
85 90 95Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Arg
100 105 110

<210> SEQ ID NO 251

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 251

cagagcctcc tgcatagtaa tggatacaac tat

33

<210> SEQ ID NO 252

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 252

Gln Ser Leu Leu His Ser Asn Gly Tyr Asn Tyr
1 5 10

<210> SEQ ID NO 253

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 253

ttgggtttt

9

<210> SEQ ID NO 254

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 254

Leu Gly Phe
1

<210> SEQ ID NO 255

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 255

atgcaagctc tacaaactcc tctcact

27

<210> SEQ ID NO 256

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 256

Met Gln Ala Leu Gln Thr Pro Leu Thr
1 5

<210> SEQ ID NO 257

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 257

-continued

caggtgcagc tgggtggagtc tgggggaggc gtggccagc ctggggagtc cctgagactc	60
tccctgtcag tctctggatt cacccatcgt agctatggca tgcactgggt ccgccaggct	120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat	180
gttagactccg tgaaggcgcg attcaccatc tccagagaca attccaagaa aacgctgtat	240
ctgc当地atga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt	300
gtactagtga tgttatgatat agactatcac tactatggga tggacgtctg gggccaaggg	360
accacggtca ccgtctccctc a	381

<210> SEQ ID NO 258
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 258

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg	
1 5 10 15	

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr	
20 25 30	

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35 40 45	

Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val	
50 55 60	

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr	
65 70 75 80	

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys	
85 90 95	

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr	
100 105 110	

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
115 120 125	

<210> SEQ ID NO 259
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 259

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggccctcc	60
atctcctgcgtca ggtcttagtca gagcctctcg catagatacg gataacaacta tttggattgg	120
tacctgcaga agccagggca gtctccacaa ctccctgatct atttgggttt taatcgggccc	180
tccgggggtcc ctgacagggtt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtggtt aggctgagga tttttttttt tattactgca tgcaagctct acaaactcct	300
ctcactttcg gcggaggac caaggtggag atcaaa	336

<210> SEQ ID NO 260
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 260

-continued

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1 5 10 15
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
 20 25 30
 Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
 35 40 45
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
 50 55 60
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85 90 95
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 261
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 261
caggtgcagc tgggtggagtc tgggggaggc gtgggtccagc ctggggaggc cctgagactc 60
tcctgtgcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120
ccaggcaagg ggctggagtg ggtggcagtt atatcatatg atggaagtaa taaatactat 180
gcagactccg tgaaggggccg attcaccatc tccagagaca attccaagaa cacgctgtat 240
ctgcaaatga acagcctgag agctgaggac acggctgtgtt attactgtgc gaaaaatatt 300
gtactagtga tgtatgatat agactatcac tactatggta tggacgtctg ggggcaaggg 360
accacggta ccgtctccctc a 381

<210> SEQ ID NO 262
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 262
Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
 100 105 110
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

-continued

```
<210> SEQ ID NO 263
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 263

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
atctccgtca ggtcttagtca gagecctcctg catagtaatg gataacaacta tttggattgg 120
tacctgcaga agccaggcgtca gtctccacag ctccgtatct atttgggttt taatcgcc 180
tccgggggtcc ctgacagggtt cagtggcagt ggatcaggca cagattttac actggaaaatc 240
agcagagtggtt aggctgaggta tgttgggttt tattactgca tgcaagctct acaaaactcct 300
ctcaactttcg gcggaggggac caaggtggag atcaaa 336
```

```

<210> SEQ ID NO 264
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 264

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105 110

```

```
<210> SEQ ID NO 265
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 265

caggtgcagc tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tccttgtgcag tctctggatt caccttcagt agctatggca tgcactgggt ccgcaggct 120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaaaatactat 180
gttagactccg tgaaggcccg attcaccatc tccagagaca attccaagaa aacgctgtat 240
ctgcaaataatgaa acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt 300
gtacttagtga tgtatgatat agactatcac tactatggta tggacgtctg gggccaagg 360
accacgggtca ccgtctccctc a 381
```

-continued

<210> SEQ ID NO 266
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 266

Gln	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Val	Val	Gln	Pro	Gly	Arg
1															
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Tyr
20															
Gly	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
35															
Ala	Ala	Ile	Ser	Tyr	Asp	Gly	Ser	Asn	Lys	Tyr	Tyr	Val	Asp	Ser	Val
50															
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ser	Lys	Lys	Thr	Leu	Tyr
65															
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Asn	Cys
85															
Ala	Lys	Asn	Ile	Val	Leu	Val	Met	Tyr	Asp	Ile	Asp	Tyr	His	Tyr	Tyr
100															
Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
115															

<210> SEQ ID NO 267
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 267

ggattcacct tcagtagcta tggc

24

<210> SEQ ID NO 268
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 268

Gly Phe Thr Phe Ser Ser Tyr Gly
1 5

<210> SEQ ID NO 269
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 269

atatcatatg atggaagtaa taaa

24

<210> SEQ ID NO 270
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 270

-continued

Ile Ser Tyr Asp Gly Ser Asn Lys
1 5

<210> SEQ ID NO 271
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 271

gcgaaaaata ttgtactagt gatgtatgt atagactatc actactatgg gatggacgtc 60

<210> SEQ ID NO 272
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 272

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
1 5 10 15

Gly Met Asp Val
20

<210> SEQ ID NO 273
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 273

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
atctcctgca ggtcttagtca gagcctcttg catagtaatg gataacaacta tttggattgg 120
tacctgcaga agccaggcca gtctccacaa ctcctgatct atttggggtt taatcgggcc 180
tccgggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtggtt aggctgagga tgttgggtt tattactgca tgcaaggtct acaaaactcct 300
ctcactttcg gcggaggac caagggtggag atcaga 336

<210> SEQ ID NO 274
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 274

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65 70 75 80

-continued

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Arg
 100 105 110

<210> SEQ ID NO 275
 <211> LENGTH: 33
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 275

cagagcctcc tgcatagtaa tggataacaac tat 33

<210> SEQ ID NO 276
 <211> LENGTH: 11
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 276

Gln Ser Leu Leu His Ser Asn Gly Tyr Asn Tyr
 1 5 10

<210> SEQ ID NO 277
 <211> LENGTH: 9
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 277

tggggttt 9

<210> SEQ ID NO 278
 <211> LENGTH: 3
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 278

Leu Gly Phe
 1

<210> SEQ ID NO 279
 <211> LENGTH: 27
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 279

atgcaagctc tacaaactcc tctcact 27

<210> SEQ ID NO 280
 <211> LENGTH: 9
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 280

Met Gln Ala Leu Gln Thr Pro Leu Thr

-continued

1 5

```

<210> SEQ ID NO 281
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 281

caggtgcagc tgggggaggc gtggccagc ctggggagtc cctgagactc      60
tcctgtcag tctctggatt cacccatcg agctatggca tgcactgggt ccgccaggct    120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat    180
gttagactccg tgaaggccg attcaccatc tccagagaca attccaagaa aacgctgtat    240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt    300
gtactagtga tgtatgatat agactatcac tactatggta tggacgtctg gggccaaggg    360
accacggtca ccgtctccca a                                         381

```

```

<210> SEQ ID NO 282
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 282

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1           5           10          15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr
 20          25           30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35          40           45

Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val
 50          55           60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr
 65          70           75           80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys
 85          90           95

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
100         105          110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Ser Ser
115         120          125

```

```

<210> SEQ ID NO 283
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 283

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggccctcc    60
atctcctgca ggtcttagtca gagcctcctg catagtaatg gataacaacta tttggattgg    120
tacctgcaga ageccaggcgtca gtctccacaa ctccctgatct atttgggttt taatcggggcc    180
tccgggggtcc ctgacaggtt cagtgccagtc ggatcaggca cagattttac actgaaaatc    240
agcagagtggtt aggctgaggtt tggtgggtt tattactgca tgcaagctct acaaactcct    300

```

US 10,023,654 B2

185**186**

-continued

ctcactttcg gcgaggagca	caagggtggag atcaaa	336
-----------------------	--------------------	-----

<210> SEQ ID NO 284
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 284

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1								10				15			

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ser
	20					25						30			

Asn	Gly	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
	35					40					45				

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Phe	Asn	Arg	Ala	Ser	Gly	Val	Pro
	50						55				60				

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
	65					70			75			80			

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
	85						90					95			

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys	
	100					105				110					

<210> SEQ ID NO 285
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 285

caggtgcagc	tgggtggagtc	tgggggaggc	gtgggtccagc	ctggggaggc	cctgagactc	60
tcctgtgcag	cctctggatt	cacccatagt	agctatggca	tgcactgggt	ccgcccaggct	120
ccaggcaagg	ggctggagtg	ggtggcagtt	atatcatatg	atggaaagtaa	taaataactat	180
gcagactccg	tgaaggccg	attcaccatc	tccagagaca	attccaagaa	cacgctgttat	240
ctgcaaatga	acagcctgag	agctgaggac	acggctgtgt	attactgtgc	aaaaaatatt	300
gtactagtga	tgtatgatat	agactatcac	tactatggta	tggacgtctg	ggggcaaggg	360
accacggtca	ccgtctccctc	a				381

<210> SEQ ID NO 286
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 286

Gln	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Val	Val	Gln	Pro	Gly	Arg
1								10				15		

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Tyr
	20							25				30			

Gly	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
	35							40			45				

Ala	Val	Ile	Ser	Tyr	Asp	Gly	Ser	Asn	Lys	Tyr	Tyr	Ala	Asp	Ser	Val
	50							55			60				

-continued

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
 100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 287

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 287

gatatttgta tgactcagtc tccactctcc ctgccccgtca cccctggaga gcccggctcc	60
atctcctgcga ggtcttagtca gagcctcctcg catacataatg gataacaacta tttggattgg	120
tacacctgcaga agccagggtca gtctccacag ctcctgatct atttgggttt taatcggggcc	180
tccgggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtgaa aggctgagga tttttttttt tattactgcgtca tgcaagctct acaaaactcct	300
ctcactttcg gcggaggggac caaggtggag atcaaa	336

<210> SEQ ID NO 288

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 288

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly	
1 5 10 15	

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser	
20 25 30	

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser	
35 40 45	

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro	
50 55 60	

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile	
65 70 75 80	

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala	
85 90 95	

Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys	
100 105 110	

<210> SEQ ID NO 289

<211> LENGTH: 372

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 289

cagatcacct tgaaggagtc tggtcctacg ctggtaaaac ccacacagac cctcacgtc	60
--	----

acctgcacct tctctgggtt ctcactcagc gctagtggag tgggtgtggg ctggttccgt	120
---	-----

-continued

cagccccccag gaaaggccct ggagtggcgt gcactcattt attggaatga tgataagcgt	180
tacagcccat ctctaaagaa cagcctaccat atcaccaagg acaccccaa aaaccagggtg	240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga	300
atacatctat ggtcctactt ctactacggt atggacgtct ggggccaagg gaccacggtc	360
accgtctcct ca	372

<210> SEQ ID NO 290
<211> LENGTH: 124
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 290

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln			
1	5	10	15
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser			
20	25	30	
Gly Val Gly Val Gly Trp Phe Arg Gln Pro Pro Gly Lys Ala Leu Glu			
35	40	45	
Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser			
50	55	60	
Leu Lys Asn Ser Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val			
65	70	75	80
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr			
85	90	95	
Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp			
100	105	110	
Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120		

<210> SEQ ID NO 291
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 291

gggttctcac tcagcgctag tggagtgggt	30
<210> SEQ ID NO 292 <211> LENGTH: 10 <212> TYPE: PRT <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic	

<400> SEQUENCE: 292

Gly Phe Ser Leu Ser Ala Ser Gly Val Gly			
1	5	10	

<210> SEQ ID NO 293
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 293

-continued

atttatttggaa atgatgataa g

21

<210> SEQ ID NO 294
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 294

Ile Tyr Trp Asn Asp Asp Lys
1 5

<210> SEQ ID NO 295
<211> LENGTH: 48
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 295

gcacacagaa tacatctatg gtcctacttc tactacggta tggacgtc

48

<210> SEQ ID NO 296
<211> LENGTH: 16
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 296

Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> SEQ ID NO 297
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 297

gatattgtga tgactcagtc tccactctcc ctgccegtca cccctggaga gccggcctcc 60
atctcctgca ggtcttagtca gactctctcg catagtaatg gataacaacta ttccgattgg 120
tacctgcaga agccaggcga gtctccacag ctccctgatct atttgggttc taatggggcc 180
tccggggtcc ctgacagatt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtg 297 aggctgagga ttttggaaatt tattactgca tgcaagctct acaaaactcct 300
ctcactttcg gcggaggac caaggtggag atcaga 336

<210> SEQ ID NO 298
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 298

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
1 5 10 15Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser
20 25 30

-continued

Asn	Gly	Tyr	Asn	Tyr	Phe	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
35					40					45					

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
50					55				60						

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
65				70			75		80						

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Ile	Tyr	Tyr	Cys	Met	Gln	Ala
85					90				95						

Leu	Gln	Thr	Pro	Leu	Thr	Phe	Gly	Gly	Thr	Lys	Val	Glu	Ile	Arg	
100						105			110						

<210> SEQ ID NO 299

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 299

cagactctcc tgcatagtaa tggataacaac tat

33

<210> SEQ ID NO 300

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 300

Gln Thr Leu Leu His Ser Asn Gly Tyr Asn Tyr
1 5 10

<210> SEQ ID NO 301

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 301

ttgggttct

9

<210> SEQ ID NO 302

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 302

Leu Gly Ser
1

<210> SEQ ID NO 303

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 303

atgcaagctc tacaaaactcc tctcact

27

<210> SEQ ID NO 304

-continued

<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 304

Met Gln Ala Leu Gln Thr Pro Leu Thr
1 5

<210> SEQ ID NO 305
<211> LENGTH: 372
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 305

cagatcacct tgaaggagtc tggcctacg ctggtaaaac ccacacagac cctcacgctg	60
acctgcaccc tctctgggtt ctcactcaggc gctagtggag tgggtgtggg ctggttccgt	120
cagccccccag gaaaggccct ggagtggott gcactcattt attggaatga tgataagcgt	180
tacagccccat ctctaaagaa cagcctcacc atcacaagg acaccccaa aaaccagggtg	240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga	300
atacatctat ggtctactt ctactacggt atggacgctt ggggccaagg gaccacggtc	360
accgtctcct ca	372

<210> SEQ ID NO 306
<211> LENGTH: 124
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 306

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln	
1 5 10 15	
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser	
20 25 30	
Gly Val Gly Val Gly Trp Phe Arg Gln Pro Pro Gly Lys Ala Leu Glu	
35 40 45	
Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser	
50 55 60	
Leu Lys Asn Ser Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val	
65 70 75 80	
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr	
85 90 95	
Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp	
100 105 110	
Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
115 120	

<210> SEQ ID NO 307
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 307

-continued

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc	60
atctcctgca ggtcttagtca gactctcctcg catagtaaatg gataacaacta tttcgattgg	120
tacctgcaga agccaggggca gtctccacag ctcctgatct atttgggttc taatcgggcc	180
tccgggggtcc ctgacagatt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcgagatgg aggctgagga tgttgaaatt tattactgca tgcaagctct acaaactcct	300
ctcactttcg gcggaggggac caaggtggag atcaaa	336

<210> SEQ ID NO 308

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 308

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly			
1	5	10	15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser			
20	25	30	
Asn Gly Tyr Asn Tyr Phe Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser			
35	40	45	
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro			
50	55	60	
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Ile Tyr Tyr Cys Met Gln Ala			
85	90	95	
Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 309

<211> LENGTH: 372

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 309

cagatcacct tgaaggagtc tggtcctacg ctggtaaac ccacacagac cctcacgtc	60
acctgcacct tctctgggtt ctcactcagc gctagtggag tgggtgtggg ctggatccgt	120
cagccccccag gaaaggccct ggagtggttt gcactcattt attggaatga tgataagcgc	180
tacagcccat ctctgaagag caggctcacc atcaccaagg acaccccaa aaaccaggta	240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga	300
atacatctat ggtctactt ctactacggt atggacgtct gggggcaagg gaccacggtc	360
accgtctccat ca	372

<210> SEQ ID NO 310

<211> LENGTH: 124

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 310

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln			
1	5	10	15

US 10,023,654 B2

199**200**

-continued

Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser
 20 25 30

Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu
 35 40 45

Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser
 50 55 60

Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val
 65 70 75 80

Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr
 85 90 95

Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp
 100 105 110

Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> SEQ ID NO 311

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 311

gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc 60
 atctccctgca ggtcttagtca gactctcctcg catagtaatg gataacaacta tttggattgg 120
 tacctgcaga agccaggcca gtctccacag ctcctgatct atttgggttc taatcgggcc 180
 tccggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
 agcagagtgg aggctgagga tttttttttt tattactgca tgcaagctct acaaactcct 300
 ctcactttcg gcggaggac caaggtggag atcaaa 336

<210> SEQ ID NO 312

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 312

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser
 20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 313

<211> LENGTH: 381

<212> TYPE: DNA

US 10,023,654 B2

201**202**

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 313

```
caggttcagc tggtgcaagtc tggacctgag gtgaagaacc ctggggctc agtgaaggc 60
tcctgcagg cttctggta caccttacc acctatggta tcagttgggt acgcacaggcc 120
cctggacaag ggcttgatgg gatgggatgg atcagcggtt acaatggta aacaaacgat 180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagctac 240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300
ttagtagtac cacctgcctt taattattcc tactacgtta tggacgtctg gggccaaggg 360
accacggta cccgtctcc 381
```

<210> SEQ ID NO 314
 <211> LENGTH: 127
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 314

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Pro	Glu	Val	Lys	Asn	Pro	Gly	Ala
1				5				10			15				

Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Thr	Tyr
					20			25			30				

Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
					35			40			45				

Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Lys	Thr	Asn	Asp	Ala	Gln	Lys	Phe
					50			55			60				

Gln	Asp	Arg	Val	Ala	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
					65			70		75		80			

Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Ile	Tyr	Tyr	Cys
					85			90			95				

Ser	Arg	Asp	Arg	Leu	Val	Val	Pro	Pro	Ala	Leu	Asn	Tyr	Ser	Tyr	Tyr
					100			105			110				

Val	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
					115			120			125				

<210> SEQ ID NO 315
 <211> LENGTH: 24
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 315

ggttacacct ttaccaccta tggt 24

<210> SEQ ID NO 316
 <211> LENGTH: 8
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 316

Gly	Tyr	Thr	Phe	Thr	Thr	Tyr	Gly
1				5			

-continued

<210> SEQ ID NO 317
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 317

atcagcggtt acaatggtaa aaca

24

<210> SEQ ID NO 318
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 318

Ile Ser Gly Tyr Asn Gly Lys Thr
1 5

<210> SEQ ID NO 319
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 319

tcgagagatc gtttagtagt accacctgcc cttattttt cttactacgt tatggacgtc 60

<210> SEQ ID NO 320
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 320

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr
1 5 10 15

Val Met Asp Val
20

<210> SEQ ID NO 321
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 321

gatgttgtga tgactcagtc tccactctcc ctgcgggtca cccttgac gcccgtcc 60

atctcctgca ggtctagtca aagcctcgta tacagtatg gaaacaccta cttgaattgg 120

tctcaggcaga ggccagggtca atctccaagg cgccataattt ataagggttc taaccgggac 180

tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc 240

agcagggtgg aggctgagga tgggggtt tattactgca tgcaaggtaa acactggccg 300

tacacttttgc cccaggggac caagctggag atcaaa 336

<210> SEQ ID NO 322
<211> LENGTH: 112
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 322

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1					5			10						15	

Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
					20			25						30	

Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Ser	Gln	Gln	Arg	Pro	Gly	Gln	Ser
					35			40						45	

Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
	50					55			60						

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile		
	65				70			75					80		

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Gly
			85					90					95		

Thr	His	Trp	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys
			100				105						110		

<210> SEQ ID NO 323
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 323

caaaggctcg tatacagtga tggaaacacc tac 33

<210> SEQ ID NO 324
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 324

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr
1 5 10

<210> SEQ ID NO 325
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 325

aaggtttct 9

<210> SEQ ID NO 326
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 326

Lys Val Ser
1

<210> SEQ ID NO 327

-continued

<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 327

atgcaggta cacactggcc gtacact

27

<210> SEQ ID NO 328
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 328

Met Gln Gly Thr His Trp Pro Tyr Thr
1 5

<210> SEQ ID NO 329
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 329

caggttcagc tggtgcatgc tggacctgag gtgaagaacc ctggggcctc agtgaaggc	60
tccctgcaagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc	120
cctggacaag ggcttgatgc gatggatgg atcagcggtt acaatggtaa aacaaacgat	180
gcacagaagt tccaggacag agtcgcccatt accacagaca catccacgag cacagctac	240
atggagctga ggagccttagt atctgacgac acggccattt attactgttc gagagatcgt	300
ttagtagtac cacctgcct taattattcc tactacgtta tggacgtctg gggccaagg	360
accacggta ccgtctccca a	381

<210> SEQ ID NO 330
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 330

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
1 5 10 15Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
20 25 30Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
50 55 60Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
85 90 95Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr
100 105 110

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser

US 10,023,654 B2

209**210**

-continued

115

120

125

```

<210> SEQ ID NO 331
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 331

gatgttgtga tgactcagtc tccactctcc ctgccccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aaggcctcgta tacagtgtat gaaacacacta cttgaatttgg      120
tctcagcaga ggccagggtca atctccaagg cgccctaattt ataagggttca taaccgggac      180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcc actgaaaatc      240
agcagggtgg aggctgagga tttttttttt tattactgca tgcaaggta acactggccg      300
tacacttttg gccaggggac caagctggag atcaaa                                336

```

```

<210> SEQ ID NO 332
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 332

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1           5           10          15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
 20          25           30

Asp Gly Asn Thr Tyr Leu Asn Trp Ser Gln Gln Arg Pro Gly Gln Ser
 35          40           45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
 50          55           60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65          70           75           80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
 85          90           95

Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100         105          110

```

```

<210> SEQ ID NO 333
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 333

caggttcagtc tgggtgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctggta caccttacc acctatggta tcagctgggt gcgcacaggcc      120
cctggacaag ggcttgcgtg gatggatgg atcagcggtt acaatggtaa aacaaactat      180
gcacagaagc tccaggccag agtcaccatg accacagaca catccacgag cacagctac      240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt      300
tttagtagtac cacctgcctc taattattcc tactacgtta tggacgtctg gggcaaggg      360
accacggta ccgtctcctc a                                         381

```

-continued

<210> SEQ ID NO 334
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 334

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
1				5				10					15		

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Tyr Ala Gln Lys Leu
50 55 60

Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr
100 105 110

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120 125

<210> SEQ ID NO 335
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 335

gatgttgtga	tgactcagtc	tccactctcc	ctgccccgtca	cccttggaca	gccggcctcc	60
atctcctgca	ggtctagtca	aaggcctcgta	tacagtgtatg	gaaacaccta	cttgaattgg	120
tttcagcaga	ggccaggcca	atctccaagg	cgcctaattt	ataaggtttc	taaccgggac	180
tctggggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttcac	actgaaaatc	240
agcaggggtgg	aggctgagga	tgttggggtt	tattactgca	tgcaaggtag	acactggccg	300
tacacttttg	gccaggggac	caagctggag	atcaaa			336

<210> SEQ ID NO 336
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 336

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1				5				10				15			

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
20 25 30

Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
35 40 45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
50 55 60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile

US 10,023,654 B2

213**214**

-continued

65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly			
85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 337
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 337

```
gaggtgcagc tggggaggc ctggtcaagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccttcagt agctatagca tggactgggt ccgcaggct    120
ccagggaaagg ggctggagtg ggtctcatcc attagtagta gtatgttata cataactac    180
gcagactctg tgaaggcccg attcaccatc tccagagaca ccgccaagaa ctcactgtat    240
ctgcaaatga acagcctgag agacgaggac acggctgttt attactgtgc gagagaggc    300
agttagcagac ttttacta ctggggccag ggaaccctgg tcaccgtctc ctca      354
```

<210> SEQ ID NO 338
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 338

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly			
1	5	10	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr			
20	25	30	
Ser Met Asp Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val			
35	40	45	
Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val			
50	55	60	
Lys Gly Arg Phe Thr Ile Ser Arg Asp Thr Ala Lys Asn Ser Leu Tyr			
65	70	75	80
Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	
Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr			
100	105	110	
Leu Val Thr Val Ser Ser			
115			

<210> SEQ ID NO 339
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 339

```
ggattcacct tcagtagcta tagc
```

<210> SEQ ID NO 340
<211> LENGTH: 8

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 340

Gly Phe Thr Phe Ser Ser Tyr Ser
1 5

<210> SEQ ID NO 341
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 341

attagtagta gtagtagtta cata 24

<210> SEQ ID NO 342
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 342

Ile Ser Ser Ser Ser Ser Tyr Ile
1 5

<210> SEQ ID NO 343
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 343

gcgagagagg gcagtagcag acttttgac tac 33

<210> SEQ ID NO 344
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 344

Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr
1 5 10

<210> SEQ ID NO 345
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 345

gacatccaga tgacctcagtc tccttccacc ctgtctgcat ctgttaggaga cagagtccacc	60
atcaacttgcgc gggccagtca gagtatttagt agctggttgg cctggtatca gcagagacca	120
ggaaagcccc ctaagctct gatctataag gctgtctagtt tagaaggtagg agtcccacca	180
aggttcagcg gcagtggtac tgggacagaa ttcactctca ccatcagcag cctgcagcct	240
gaggattttg caacttatta ctgccaacag tataatagtt attggcacac ttttggccag	300

gggaccaagc tggagatcaa a

321

<210> SEQ ID NO 346
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 346

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1				5					10				15		

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
				20				25				30			

Leu	Ala	Trp	Tyr	Gln	Gln	Arg	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
				35		40						45			

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Gly	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50				55				60						

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
	65				70			75		80					

Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Asn	Ser	Tyr	Trp	Tyr
				85				90				95			

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys					
					100				105						

<210> SEQ ID NO 347
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 347

cagagtattt gtagctgg

18

<210> SEQ ID NO 348
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 348

Gln	Ser	Ile	Ser	Ser	Trp
1		5			

<210> SEQ ID NO 349
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 349

aaggcggtct

9

<210> SEQ ID NO 350
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

US 10,023,654 B2

219**220**

-continued

<400> SEQUENCE: 350

Lys Ala Ser

1

<210> SEQ ID NO 351
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 351

caacagttata atagttattt gttttttttt

27

<210> SEQ ID NO 352
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 352

Gln Gln Tyr Asn Ser Tyr Trp Tyr Thr
1 5

<210> SEQ ID NO 353
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 353

gagggtgcagc	tgggtggagtc	tggggggggc	ctgggtcaagc	ctgggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	caccttcagt	agctatacgca	tggactgggt	ccgcccaggct	120
ccagggaaagg	ggctggagtg	ggtctcatcc	attagtagta	gtatgtat	cataatactac	180
gcagactctg	tgaaggggccg	attcaccatc	tccagagaca	ccgccaagaa	ctcactgttat	240
ctgcaaatga	acagcctgag	agacgaggac	acggctgttt	attactgtgc	gagagagggc	300
agttagcagac	tttttgacta	ctggggccag	ggaaccctgg	tcaccgtctc	ctca	354

<210> SEQ ID NO 354
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 354

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30Ser Met Asp Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60Lys Gly Arg Phe Thr Ile Ser Arg Asp Thr Ala Lys Asn Ser Leu Tyr
65 70 75 80Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

US 10,023,654 B2

221

222

-continued

Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr
 100 105 110

Leu Val Thr Val Ser Ser
 115

<210> SEQ ID NO 355
 <211> LENGTH: 321
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 355

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgtaggaga cagagtccacc	60
atcaactgcc gggccagtcgaa gagtatttagt agctggttgg cctggtatca gcagagacca	120
gggaaagccc ctaagctcct gatctataag gctgtcttagtt tagaagggtgg agtcccattca	180
aggttcagcg gcagtggatc tgggacagaaa ttcaactctca ccatcagcag cctgcagcct	240
gaggattttg caacttatta ctgccaacag tataatagtt attggcacac ttttggccag	300
gggaccaagc tggagatcaa a	321

<210> SEQ ID NO 356
 <211> LENGTH: 107
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 356

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
 20 25 30

Leu Ala Trp Tyr Gln Gln Arg Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45

Tyr Lys Ala Ser Ser Leu Glu Gly Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Trp Tyr
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
 100 105

<210> SEQ ID NO 357
 <211> LENGTH: 354
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 357

gaggtgcagc tgggtggagtc tggggggaggc ctggtaagc ctggggggtc cctgagactc	60
tcctgtgcag cctctggatt caccttcagt agctatagca tgaactgggt ccggccaggct	120
ccagggaaagg ggctggagtg ggtctcatcc attagtagta gttagtagtta cataatactac	180
gcagactcag tgaaggggccg attcaccatc tccagagaca acgccaagaa ctcactgtat	240
ctgcaaatga acagcctgag agccgaggac acggctgtgtt attactgtgc gagagaggc	300

-continued

agtagcagac ttttgacta ctggggccaa ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 358
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 358

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
20 25 30

Ser Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ser Ile Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser
115

<210> SEQ ID NO 359
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 359

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgtaggaga cagagtacc 60

atcacattgcc gggccagtcg agtattatgt agctggttgg cctggtatca gcagaaacca 120

gggaaagccc ctaagctct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180

aggttcagcg gcagtggatc tggacagaa ttcaactctca ccatcagcag cctgcagcct 240

gatgattttg caaccttatta ctgccaacag tataatagtt attggatcac ttttggccag 300

gggaccaagc tggagatcaa a 321

<210> SEQ ID NO 360
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 360

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly

US 10,023,654 B2

225**226**

-continued

50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Trp Tyr
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
 100 105

<210> SEQ ID NO 361
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 361

caggtgcacc	tgggtggagtc	tgggggaggc	ttgggtcaagc	ctggagggtc	cctgagactc	60
tcctgtgcag	cctctggatt	cacccatcgt	gaccactaca	tgagctggat	ccgcccaggct	120
ccagggaaagg	ggctggagtg	gatttcatac	attagtaatg	atgggtgtac	caaatactat	180
gtggactctg	tggagggcgc	attcatcatt	tccagggaca	acgccaagaa	ctcattgtat	240
ctacatatga	acagcctcag	agccgacgac	acggccgtgt	attactgtgc	gagagatcag	300
ggatataattg	gctacgactc	gtattattac	tattcctacg	gtatggacgt	ctggggccaa	360
gggaccacgg	tcaccgtcg	ctca				384

<210> SEQ ID NO 362
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 362

Gln	Val	His	Leu	Val	Glu	Ser	Gly	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly
1				5			10				15				
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Asp	His
	20				25						30				
Tyr	Met	Ser	Trp	Ile	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Ley	Glu	Trp	Ile
	35				40						45				
Ser	Tyr	Ile	Ser	Asn	Asp	Gly	Gly	Thr	Lys	Tyr	Tyr	Val	Asp	Ser	Val
	50			55					75		80				
Glu	Gly	Arg	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Ley	Tyr
	65				70				75		80				
Ley	His	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85					90					95				
Ala	Arg	Asp	Gln	Gly	Tyr	Ile	Gly	Tyr	Asp	Ser	Tyr	Tyr	Tyr	Ser	
	100				105						110				
Tyr	Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ala	Ser
	115				120						125				

<210> SEQ ID NO 363
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 363

-continued

ggattcacct tcagtgacca ctac

24

<210> SEQ ID NO 364
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 364

Gly Phe Thr Phe Ser Asp His Tyr
1 5

<210> SEQ ID NO 365
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 365

attagtaatg atgggtggta caaa

24

<210> SEQ ID NO 366
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 366

Ile Ser Asn Asp Gly Gly Thr Lys
1 5

<210> SEQ ID NO 367
<211> LENGTH: 63
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 367

gcgagagatc agggatata tggctacgac tcgtattatt actattccta cggtatggac 60
gtc 63

<210> SEQ ID NO 368
<211> LENGTH: 21
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 368

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Ser
1 5 10 15

Tyr Gly Met Asp Val
20

<210> SEQ ID NO 369
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 369

-continued

```

aaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccagggga aagagccacc      60
ctctcctgtt gggccaggtca gagtgtaaac aacaaattct tagcctgtt ccagcagaaaa      120
tctggccagg ctcccaggtt cctcatctat ggtgcattca gcagggccac tggcatcccc      180
gacaggttca gtggcagtgg gtctgggacc gacttcactc tcaccatcg cggaactggag      240
cctgaagatt ttgaagtgtt ttattgtcaa gtatatggta actcactcac tctcggcgga      300
gggaccaagg tggagatcaa g                                         321

```

<210> SEQ ID NO 370
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 370

Lys	Ile	Val	Leu	Thr	Gln	Ser	Pro	Gly	Thr	Leu	Pro	Leu	Phe	Pro	Gly
1									10						15

Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Asn	Asn	Lys
									25						30

Phe	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Ser	Gly	Gln	Ala	Pro	Arg	Leu	Leu
								35				40		45	

Ile	Tyr	Gly	Ala	Ser	Ser	Arg	Ala	Thr	Gly	Ile	Pro	Asp	Arg	Phe	Ser
50									55					60	

Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Gly	Leu	Glu
65									70			75		80	

Pro	Glu	Asp	Phe	Glu	Val	Tyr	Tyr	Cys	Gln	Val	Tyr	Gly	Asn	Ser	Leu
								85			90		95		

Thr	Leu	Gly	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys					
								100			105				

<210> SEQ ID NO 371
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 371

cagagtgtta	acaacaaatt	c	21
------------	------------	---	----

<210> SEQ ID NO 372
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 372

Gln	Ser	Val	Asn	Asn	Lys	Phe									
1						5									

<210> SEQ ID NO 373
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 373

-continued

ggtgcatcc

9

<210> SEQ ID NO 374
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 374

Gly Ala Ser
1

<210> SEQ ID NO 375
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 375

caagtatatg gtaactcact cact

24

<210> SEQ ID NO 376
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 376

Gln Val Tyr Gly Asn Ser Leu Thr
1 5

<210> SEQ ID NO 377
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 377

caggtgcagc tgggtggagtc tggggggaggc ttgggtcaagc ctggagggtc cctgagactc	60
tcctgtgcag cctctggatt caccttcaact gaccactaca tgagctggat ccgccaggct	120
ccagggaaagg ggctggagtg gatttcataac attagtaatg atgggtgtac caaatactat	180
gtggactctg tggaggggccg attcatcatt tccaggggaca acggcaagaa ctcattgtat	240
ctacatatga acagcctcag agccgacgac acggccgtgt attactgtgc gagagatcag	300
ggatatattt gctacgactc gtattttac tatttcatacg gtatggacgt ctggggccaa	360
gggaccacgg tcaccgtctc ctca	384

<210> SEQ ID NO 378
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 378

Gln Val Gln Leu Val Glu Ser Gly Gly Leu Val Lys Pro Gly Gly	
1 5 10 15	
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His	
20 25 30	

-continued

Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile
 35 40 45

Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Val Asp Ser Val
 50 55 60

Glu Gly Arg Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80

Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Ser
 100 105 110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 379

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 379

```
gaaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccaggggga aagagccacc 60
ctctccctgtta gggccagtc gagtgttaac aacaaattct tagcctggta ccagcagaaaa 120
tctggccagg ctcaggcgtt cctcatctat ggtgcattca gcagggccac tggcatccca 180
gacagggttca gtggcagtgg gtctgggacc gacttcactc tcaccatcg cggactggag 240
cctgaagatt ttgaagtgtta ttattgtcaa gatatggta actcactcac tctcggcggaa 300
gggaccaagg tggagatcaa a 321
```

<210> SEQ ID NO 380

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 380

```
Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Pro Leu Phe Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys
20 25 30

Phe Leu Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu
35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu
65 70 75 80

Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu
85 90 95

Thr Leu Gly Gly Thr Lys Val Glu Ile Lys
100 105
```

<210> SEQ ID NO 381

<211> LENGTH: 384

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 381

```
caggtgcagc tggtgaggc tgggtcaagc ctggagggtc cctgagactc      60
tcctgtcag cctctggatt cacccatcg gaccactaca tgagctggat ccgccaggct    120
ccagggaaagg ggctggagtg ggtttcatac attagtaatg atgggtggtaa caaatactac    180
gcagactctg tgaaggggcg attcaccatc tccagggaca acgccaagaa ctcactgtat    240
ctgcaaatga acagccttag agccgaggac acggccgtgt attactgtgc gagagatcag    300
ggatatattt gctacgactc gtatttattac tattcctacg gtatggacgt ctggggcaa    360
gggaccacgg tcaccgtctc ctca                                         384
```

<210> SEQ ID NO 382

<211> LENGTH: 128

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 382

Gln	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Lys	Val	Pro	Gly	Gly				
1													15				
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Asp	His		
													20	25	30		
Tyr	Met	Ser	Trp	Ile	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val		
														35	40	45	
Ser	Tyr	Ile	Ser	Asn	Asp	Gly	Gly	Thr	Lys	Tyr	Tyr	Ala	Asp	Ser	Val		
														50	55	60	
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr		
														65	70	75	80
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
														85	90	95	
Ala	Arg	Asp	Gln	Gly	Tyr	Ile	Gly	Tyr	Asp	Ser	Tyr	Tyr	Tyr	Ser			
														100	105	110	
Tyr	Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser		
														115	120	125	

<210> SEQ ID NO 383

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 383

```
gaaatttgtt tgacgcagtc tccaggcacc ctgtcttgtt ctccagggaa aagagccacc      60
ctctcctgca gggccagtca gagtgttaac aacaaattct tagcctggta ccagcagaaa    120
cctggccagg cttcccaggct cctcatctat ggtgcattca gcagggccac tggcatcccc    180
gacaggttca gtggcagtgg gtctgggaca gacttcactc tcaccatcag cagactggag    240
cctgaagatt ttgcagtgtt ttactgtcaa gtatatggta actcactcac ttccggcggaa    300
gggaccacagg tggagatcaa a                                         321
```

<210> SEQ ID NO 384

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

US 10,023,654 B2

237

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 384

Glu	Ile	Val	Leu	Thr	Gln	Ser	Pro	Gly	Thr	Leu	Ser	Leu	Ser	Pro	Gly
1					5				10					15	

Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Asn	Asn	Lys
	20				25								30		

Phe	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu
					35		40				45				

Ile	Tyr	Gly	Ala	Ser	Ser	Arg	Ala	Thr	Gly	Ile	Pro	Asp	Arg	Phe	Ser
	50				55			60							

Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Arg	Leu	Glu
65				70				75				80			

Pro	Glu	Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Val	Tyr	Gly	Asn	Ser	Leu
	85				90			95							

Thr	Phe	Gly	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys					
	100					105									

<210> SEQ ID NO 385

<211> LENGTH: 360

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 385

gaggtgcaga	agggtggagtc	tggggggaggc	ctggtaaagc	cggggggggc	cctgagactc	60
tcctgtacag	cctctggatt	cacccatcg	acttataaca	tgaattgggt	ccgccaggct	120
ccagggaaagg	gactggagtg	ggtctcatcc	attaggagta	gttagtaatta	cataactac	180
gcagactcag	tgaagggccg	attcaccatc	tccagagaca	acgccaagaa	ttcaactgtat	240
ctgcaaatga	acagcctgag	agccgatgac	acggctgtgt	attactgtgc	gagagatggc	300
agcagtttgt	acgactactc	tgactactgg	ggccagggaa	ccctggcac	cgtctccctca	360

<210> SEQ ID NO 386

<211> LENGTH: 120

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 386

Glu	Val	Gln	Lys	Val	Glu	Ser	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly
1					5			10			15			

Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
	20				25				30						

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
	35				40				45						

Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val
	50				55			60						

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
65				70			75				80				

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85				90			95							

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr	Trp	Gly	Gln
	100				105			110							

Gly Thr Leu Val Thr Val Ser Ser

238

-continued

115

120

<210> SEQ ID NO 387
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 387

ggattcacct tcagtaactta taac

24

<210> SEQ ID NO 388
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 388

Gly Phe Thr Phe Ser Thr Tyr Asn
1 5

<210> SEQ ID NO 389
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 389

attagagta gtagtaatta cata

24

<210> SEQ ID NO 390
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 390

Ile Arg Ser Ser Ser Asn Tyr Ile
1 5

<210> SEQ ID NO 391
<211> LENGTH: 39
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 391

gcgagagatg gcagcagttg gtacgactac tctgactac

39

<210> SEQ ID NO 392
<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 392

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr
1 5 10

<210> SEQ ID NO 393

-continued

<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 393

```
gacatccaga tgaccaggc tccttccacc ctgtctgcat ctgttaggaga cagagtacc       60
atcaacttgc gggccaggta gagtatttagt agctggttgg cctggtatca acagatacca     120
ggaaagccc ctaaactctt gatctataag gcgtcttagtt tagaaaatgg ggtcccatca     180
aggttcagcg gcagtggtatc tgggacagaa ttcaactctca tcatcagcag cctgcagcct    240
gatgattttg caacttatta ctgccaacag tatatttagtt attctcgac gttcggccaa     300
gggaccaagg tggaaatcaa a                                         321
```

<210> SEQ ID NO 394
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 394

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1				5				10					15		

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
	20				25							30			

Leu	Ala	Trp	Tyr	Gln	Gln	Ile	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
	35				40							45			

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Asn	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50					55				60					

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Pro
	65				70			75					80		

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
		85				90						95			

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
		100				105									

<210> SEQ ID NO 395
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 395

cagagtatta gtagctgg 18

<210> SEQ ID NO 396
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 396

Gln	Ser	Ile	Ser	Ser	Trp
1			5		

<210> SEQ ID NO 397
<211> LENGTH: 9

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 397

aaggcgtct

9

<210> SEQ ID NO 398
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 398

Lys Ala Ser
1

<210> SEQ ID NO 399
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 399

caacagtata ttagttatttc tcggacg

27

<210> SEQ ID NO 400
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 400

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr
1 5

<210> SEQ ID NO 401
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 401

gaggtgcagc tgggtggagtc tggggggaggc ctggtaagc cgggggggtc cctgagactc 60
tcctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct 120
ccagggaaagg gactggagtg ggtctcatcc attaggagta gttagtaatta catataactac 180
gcagactcag tgaaggcccg attcaccatc tccagagaca acgccaagaa ttcaactgtat 240
ctgcaaatga acagcctgag agccgatgac acggctgtgtt attactgtgc gagagatggc 300
agcagtttgtt acgactactc tgactactgg ggccagggaa ccctggtcac cgtctctca 360

<210> SEQ ID NO 402
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 402

US 10,023,654 B2

245**246**

-continued

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly
1					5			10				15			

Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
					20			25				30			

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
					35			40			45				

Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val	
					50			55			60				

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
					65			70			75			80	

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85			90			95				

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr	Trp	Gly	Gln
					100			105			110				

Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
					115			120							

<210> SEQ ID NO 403

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 403

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtccacc	60
atcaacttgcc	gggccagtca	gagtattagt	agctggttgg	cctggtatca	acagatacca	120
ggaaagcccc	ctaaaactcct	gatctataag	gcgtctagtt	tagaaaatgg	ggtcccattca	180
aggttcagcg	gcagtggatc	tgggacagaa	ttcactctca	tcatcagcag	cctgcagcct	240
gatgattttg	caacttatta	ctgccaacag	tatatttagtt	attctcgac	gttcggccaa	300
gggaccaagg	tggaaatcaa	a				321

<210> SEQ ID NO 404

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 404

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1					5			10			15				

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
					20			25			30				

Leu	Ala	Trp	Tyr	Gln	Gln	Ile	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
					35			40			45				

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Asn	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
					50			55			60				

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Pro
					65			70			75			80	

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
					85			90			95				

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
					100			105							

<210> SEQ ID NO 405

-continued

<211> LENGTH: 360
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 405

 gaggtgcagc tggtggagtc tgggggaggc ctggtaaagc ctgggggtc cctgagactc 60
 tcctgtgcag cctctggatt caccttcagt acttataaca tgaactgggt ccgccaggct 120
 ccagggaaagg ggctggagtg ggtctcatcc attaggagta gtagtaatta cataatactac 180
 gcagactcag tgaaggccg attcaccatc tccagagaca acgccaagaa ctcactgtat 240
 ctgcaaatga acagcctgag agccgaggac acggctgtgtt attactgtgc gagagatggc 300
 agcagtttgtt acgactactc tgactactgg ggccaaggaa ccctggtcac cgtctcccta 360

<210> SEQ ID NO 406
 <211> LENGTH: 120
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 406

 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr
 20 25 30
 Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ser Ser Ile Arg Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> SEQ ID NO 407
 <211> LENGTH: 321
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 407

 gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgtaggaga cagagtccacc 60
 atcaacttgcg gggccagtcgca gagtattagt agctgggtgg cctggtatca gcagaaaacca 120
 gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180
 aggttcagcg gcagtggatc tgggacagaa ttcaactctca ccatcagcag cctgcagcct 240
 gatgattttg caacttatta ctgccaacag tatatttagtt attctcgac gttcggccaa 300
 gggaccaagg tggaaatcaa a 321

<210> SEQ ID NO 408
 <211> LENGTH: 107

US 10,023,654 B2

249**250**

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 408

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1															
															15

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
															30
20															

Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
															45
35															

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
															60
50															

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
															80
65															

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
															95
85															

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
															105
100															

<210> SEQ ID NO 409

<211> LENGTH: 360

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 409

gaggtgcagc	tggggaggc	ctggtaagc	cgggggggtc	cctgagactc	60	
tccctgtacag	cctctggatt	cacccatcgat	acttataaca	tgaattgggt	ccgcccaggct	120
ccagggaaagg	gactggagtg	ggtctcatcc	attaggagta	gtagtaatta	cataactac	180
gcagactcgag	tgaaggccgc	attcaccatc	tccagagaca	acgccaagaa	ttcactgtat	240
ctgcaaatga	acagcctgag	agccgatgac	acggctgtgt	attactgtgc	gagagatggc	300
agcagtttgt	acgactactc	tgactactgg	ggccagggaa	ccctggtcac	cgtctcctca	360

<210> SEQ ID NO 410

<211> LENGTH: 120

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 410

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly	
1															15

Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
															30
20															

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
															45
35															

Ser	Ser	Ile	Arg	Ser	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val
															60
50															

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
															80
65															

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
															95
85															

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln

US 10,023,654 B2

251**252**

-continued

100

105

110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> SEQ ID NO 411
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 411

ggattcacct tcagtaactta taac

24

<210> SEQ ID NO 412
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 412

Gly Phe Thr Phe Ser Thr Tyr Asn
1 5

<210> SEQ ID NO 413
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 413

attaggagta gttagtaatta cata

24

<210> SEQ ID NO 414
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 414

Ile Arg Ser Ser Ser Asn Tyr Ile
1 5

<210> SEQ ID NO 415
<211> LENGTH: 39
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 415

gcgagagatg gcagcagttg gtacgactac tctgactac

39

<210> SEQ ID NO 416
<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 416

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr
1 5 10

-continued

<210> SEQ ID NO 417
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 417

```

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgttaggaga cagagtacc 60
atcacttgcc gggccagtc gagtattagt agctggttgg cctggtatca acagatacca 120
ggaaagccc ctaaaactctt gatctataag gcgtctagtt tagaaaatgg ggtccccatca 180
aggttcagcg gcagtggtatc tgggacagaa ttcaactctca tcatcagcag cctgcagcct 240
gatgatttttgc caacttatta ctgccaacag tatatttagtt attctcgac gttcggccaa 300
gggaccaagg tggaaatcaa a 321

```

<210> SEQ ID NO 418
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 418

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
1 5 10 15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30
Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45
Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
50 55 60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
65 70 75 80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
85 90 95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

```

<210> SEQ ID NO 419
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 419

```

cagagtatta gtagctgg 18

```

<210> SEQ ID NO 420
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 420

```

Gln Ser Ile Ser Ser Trp
1 5

```

-continued

<210> SEQ ID NO 421
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 421

aaggcgtct

9

<210> SEQ ID NO 422
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 422

Lys Ala Ser

1

<210> SEQ ID NO 423
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 423

caacagtata ttagttattc tcggacg

27

<210> SEQ ID NO 424
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 424

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr
1 5

<210> SEQ ID NO 425
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 425

gaggtgcagc tggtgagtc tgggggaggc ctggtaaagc cgggggggtc cctgagactc	60
tccctgtacag cctctggatt cacttcagt acttataaca tgaattgggt ccgccaggct	120
ccagggaaagg gactggagtg ggtctcatcc attaggagta gttagtaatta catataactac	180
gcagacttag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcaactgtat	240
ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc	300
agcagtttgtt acgactactc tgactactgg ggccaggaa ccctggtcac cgtctcctca	360

<210> SEQ ID NO 426
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 426

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1           5           10          15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr
20          25          30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40          45

Ser Ser Ile Arg Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
50          55          60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65          70          75          80

Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys
85          90          95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
100         105         110

Gly Thr Leu Val Thr Val Ser Ser
115         120

```

<210> SEQ ID NO 427

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 427

```

gacatccaga tgacccagtc tccttccacc ctgtctgcatt ctgttaggaga cagagtacc 60
atcaacttgcc gggccagtcgaa gagtattttttt agctggttgg cctggtatca acagatacca 120
gggaaagccc ctaaactcct gatctataag gcgtcttagtt tagaaaaatgg ggtcccatca 180
aggttcagcg gcagttggatc tgggacagaa ttcaactctca tcatcagcag cctgcagcct 240
gatgatttttgc caacttatta ctgccaacag tatattttttt attctcgac gttcggccaa 300
gggaccaagg tggaaatcaa a 321

```

<210> SEQ ID NO 428

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 428

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1           5           10          15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20          25          30

Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile
35          40          45

Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
50          55          60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
65          70          75          80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
85          90          95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100         105

```

-continued

<210> SEQ ID NO 429
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 429

```

gaggtgcagc tggtgaggc tgggtcaagc ctgggggtc cctgagactc      60
tcctgtcag cctctggatt caccttca gttataaca tgaactgggt ccgcaggct    120
ccagggaaagg ggctggaggc ggtctcatcc attaggagta gtatataattt cataactac    180
gcagacttag tgaaggggcg attcaccatc tccagagaca acgccaagaa ctcactgtat    240
ctgcaaatga acagccttag agccgaggac acggctgtgtt attactgtgc gagagatggc    300
agcagtttgtt acgactactc tgactactgg ggccaaaggaa ccctggtac cgtctctca    360

```

<210> SEQ ID NO 430
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 430

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly
1															
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val	
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr	Trp	Gly	Gln
Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
115															
120															

<210> SEQ ID NO 431
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 431

```

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgtaggaga cagagtacc      60
atcaacttgcgccc gggccagtcgca gaggattttt agctgggtgg cctggatca gcagaaacca    120
gggaaagccc ctaagctctt gatctataag gcgtcttagtt tagaaatgg ggtcccatca    180
aggttcagcg gcagttggatc tgggacagaa ttcaactctca ccatcagcag cctgcagcct    240
gatgattttt caacttatttta ctgccaaacag tatattttt attctcgac gttcgccaa    300
gggaccaagg tggaaatcaa a                                         321

```

-continued

<210> SEQ ID NO 432
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 432

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1					5				10					15	

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
						20			25				30		

Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
				35		40						45			

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
					50			55		60					

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
					65			70		75			80		

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
					85			90			95				

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
					100				105						

<210> SEQ ID NO 433
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 433

gaggtgcagc	tggtgaggc	tgggggaggc	ctggtaagc	cgggggggtc	cctgagactc	60
tccctgtacag	cctctggatt	caccttcagt	acttataaca	tgaattgggt	ccgcccaggct	120
ccaggaaagg	gactggagtg	ggtctcatcc	attaggagta	gttagtaatta	cataactac	180
gcagactcag	tgaagggecg	attcaccatc	tccagagaca	acgccaaagag	ttcaactgtat	240
ctgcaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	gagagatggc	300
agcagtttgt	acgactactc	tgactactgg	ggccaggaa	ccctggtcac	cgtctctca	360

<210> SEQ ID NO 434
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 434

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly
1				5				10			15			

Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
					20			25			30				

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
					35			40			45				

Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val	
					50			55		60					

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Ser	Ser	Leu	Tyr
					65			70		75			80		

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

-continued

85

90

95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
 100 105 110

Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> SEQ ID NO 435
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 435

ggattcacct tcagtagtta taac

24

<210> SEQ ID NO 436
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 436

Gly Phe Thr Phe Ser Thr Tyr Asn
 1 5

<210> SEQ ID NO 437
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 437

attagaggta gtagtaatta cata

24

<210> SEQ ID NO 438
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 438

Ile Arg Ser Ser Asn Tyr Ile
 1 5

<210> SEQ ID NO 439
<211> LENGTH: 39
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 439

gcgagagatg gcagcagttg gtacgactac tctgactac

39

<210> SEQ ID NO 440
<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 440

-continued

```

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr
 1           5           10

```

```

<210> SEQ ID NO 441
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 441

```

gacatccaga tgacccagtc tccttccacc ctgtctgcat ctgttaggaga cagagtacc 60
atcacttgcc gggccagtca gagtattagt agctggttgg cctggtatca acaggttacca 120
ggaaagccc ctaaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca 180
aggttcagcg gcagtggatc tggcacagaa ttcaactctca tcatcagcag cctgcagcct 240
gatgattttg caacttatta ctgccaacag tatattagtt attctcgac gttcggccaa 300
gggaccaagg tggaaatcaa a                                         321

```

```

<210> SEQ ID NO 442
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 442

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1           5           10          15

```

```

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
 20          25          30

```

```

Leu Ala Trp Tyr Gln Gln Val Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35          40          45

```

```

Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
 50          55          60

```

```

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
 65          70          75          80

```

```

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
 85          90          95

```

```

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100         105

```

```

<210> SEQ ID NO 443
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 443

```

cagagtatta gtagctgg                                         18

```

```

<210> SEQ ID NO 444
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 444

-continued

```
Gln Ser Ile Ser Ser Trp
 1           5
```

```
<210> SEQ ID NO 445
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 445
```

```
aaggcgtct
```

```
9
```

```
<210> SEQ ID NO 446
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 446
```

```
Lys Ala Ser
```

```
1
```

```
<210> SEQ ID NO 447
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 447
```

```
caacagtgata ttagttattc tcggacg
```

```
27
```

```
<210> SEQ ID NO 448
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 448
```

```
Gln Gln Tyr Ile Ser Tyr Ser Arg Thr
 1           5
```

```
<210> SEQ ID NO 449
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 449
```

```
gaggtgcagc tggtgtggactc tggggggggc ctgggtcaagc cggggggggc cctgagactc      60
tcctgtacag cctctggatt caccttcaagt acttataaca tgaattgggt ccgccaggct      120
ccagggaaagg gactggagtg ggtctcatcc attaggagta gtagtaatta cataatactac      180
gcagactcag tgaaggggcog attcaccatc tccagagaca acgccaagag ttcaactgtat      240
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc      300
agcagtttgtt acgactactc tgactactgg ggccaggaa ccctggtcac cgtctccctca      360
```

```
<210> SEQ ID NO 450
<211> LENGTH: 120
<212> TYPE: PRT
```

US 10,023,654 B2

269

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 450

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly
1	5				10					15					

Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
	20				25					30					

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Ley	Glu	Trp	Val
	35				40					45					

Ser	Ser	Ile	Arg	Ser	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val
50					55				60						

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Ser	Ser	Leu	Tyr
65					70				75					80	

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85				90				95						

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr	Trp	Gly	Gln
	100				105				110						

Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
	115				120										

<210> SEQ ID NO 451

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 451

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtccacc	60
------------	------------	------------	------------	-------------	-------------	----

atcaactgcc	gggcaggcata	gagtattagt	agctggttgg	cctggtatca	acaggttacca	120
------------	-------------	------------	------------	------------	-------------	-----

ggaaagcccc	ctaaactctt	gatctataag	gcgtctagtt	tagaaaatgg	ggtcccattca	180
------------	------------	------------	------------	------------	-------------	-----

aggttcagcg	gcagtggatc	tgggacagaa	ttcactctca	tcatcagcag	cctgcagcct	240
------------	------------	------------	------------	------------	------------	-----

gatgatttttgc	caacttatta	ctgccaacag	tatattagtt	attctcgac	gttcggccaa	300
--------------	------------	------------	------------	-----------	------------	-----

gggaccaagg	tggaaatcaa	a				321
------------	------------	---	--	--	--	-----

<210> SEQ ID NO 452

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 452

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1	5				10					15					

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
	20				25					30					

Leu	Ala	Trp	Tyr	Gln	Gln	Val	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
35					40				45						

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Asn	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
50					55				60						

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Pro
65					70				75				80		

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
85					90				95						

270

-continued

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100 105

<210> SEQ ID NO 453
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 453

gaggtgcagc	tggtgaggc	tgggtcaagc	ctggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	cacccatcgat	acttataaca	tgaactgggt	120
ccagggaaagg	ggctggagtg	ggtctcatcc	attaggagta	gttagtaatta	180
gcagactcag	tgaagggccg	attcaccatc	tccagagaca	acgccaagaa	240
ctgcaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	300
agcagtttgt	acgactactc	tgactactgg	ggccagggaa	ccctggtcac	360

<210> SEQ ID NO 454
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 454

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr
20 25 30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ser Ile Arg Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> SEQ ID NO 455
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 455

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtacc	60
atcaacttgc	ggcccagtca	gagtattagt	agctggttgg	cctggtatca	gcagaaacca	120
ggaaaagccc	ctaagctct	gatctataag	gcgtctagtt	tagaaagtgg	ggtcccac	180
aggttcagcg	gcagtggatc	tgggacagaa	ttcactctca	ccatcagcag	cctgcagcct	240
gatgattttg	caacttatta	ctgccaacag	tatattagtt	attctcgac	gttcggccaa	300

-continued

gggaccaagg tggaaatcaa a 321

<210> SEQ ID NO 456
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 456

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1															
															15

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
															30
Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
															45
Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
															60
Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Pro
															80
Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
															95
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
															105

<210> SEQ ID NO 457
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 457

gaggtgcagc	tggtgaggc	tgggtcaagc	cgggggggtc	cctgagactc		60	
tcctgtacag	cctctggatt	caccttcaagt	acttataaca	tgaattgggt	ccgcccaggct		120
ccagggagg	gactggagtg	ggtctcatcc	attaggatgt	gtatgtat	cataactac		180
gcagacttag	tgaaggccg	attcaccatc	tccagagaca	acgccaagaa	ttcactgtat		240
ctgcaaatga	acagcctgag	agccgatgac	acggctgtgt	attactgtgc	gagagatggc		300
agcagtttgt	acgactactc	tgactactgg	ggccaggaa	ccctggcac	cgtctccat		360

<210> SEQ ID NO 458
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 458

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly	
1															
															15
Ser	Leu	Arg	Leu	Ser	Cys	Thr	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
															30
Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Leu	Glu	Trp	Val	
															45
Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val	
															60
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr

US 10,023,654 B2

275**276**

-continued

65	70	75	80
Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln			
100	105	110	
Gly Thr Leu Val Thr Val Ser Ser			
115	120		

<210> SEQ ID NO 459
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 459

ggattcacct tcagtaactta taac 24

<210> SEQ ID NO 460
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 460

Gly Phe Thr Phe Ser Thr Tyr Asn
1 5

<210> SEQ ID NO 461
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 461

attaggagta gtagtaatta cata 24

<210> SEQ ID NO 462
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 462

Ile Arg Ser Ser Ser Asn Tyr Ile
1 5

<210> SEQ ID NO 463
<211> LENGTH: 39
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 463

gcgagagatg gcagcagttg gtacgactac tctgactac 39

<210> SEQ ID NO 464
<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 464

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr
1			5			10						

<210> SEQ ID NO 465

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 465

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtccacc	60
atcacttgcc	gggccagtc	gaggattagt	agctggttgg	cctggtatca	acagatacca	120
gggaaagccc	ctaaactcct	gatctataag	gcgtctagtt	tagaaaatgg	ggtcccattca	180
aggttcagcg	gcagtggatc	tgggacagaa	ttcaactctca	tcatcagcag	cctgcagcct	240
gatgattttg	caacttatta	ctgccaacag	tatatttagtt	attctcggac	gttcggccaa	300
gggaccaagg	tggaaatcaa	a				321

<210> SEQ ID NO 466

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 466

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1				5			10			15					

Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
				20			25			30					

Leu	Ala	Trp	Tyr	Gln	Gln	Ile	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
				35			40			45					

Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Asn	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
				50			55			60					

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Pro
				65			70			75			80		

Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
				85			90			95					

Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
					100			105							

<210> SEQ ID NO 467

<211> LENGTH: 18

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 467

cagagtatta gtagctgg 18

<210> SEQ ID NO 468

<211> LENGTH: 6

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 468

Gln Ser Ile Ser Ser Trp
1 5

<210> SEQ ID NO 469

<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 469

aaggcgtct

9

<210> SEQ ID NO 470

<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 470

Lys Ala Ser
1

<210> SEQ ID NO 471

<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 471

caacagtata ttagttattc tcggacg

27

<210> SEQ ID NO 472

<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 472

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr
1 5

<210> SEQ ID NO 473

<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 473

gaggtgcagc	tggtggagtc	tgggggaggc	ctggtaaagc	cgggggggtc	cctgagactc	60
tcctgtacag	cctctggatt	caccttcagt	acttataaca	tgaattgggt	ccgccaggct	120
ccagggaaagg	gactggagtg	ggtctcatcc	attaggagta	gtagtaatta	cataatactac	180
gcagactcag	tgaaggggcg	attcaccatc	tccagagaca	acgccaagaa	ttcactgtat	240
ctgcaaatga	acagcctgag	agccgatgac	acggctgtgt	attactgtgc	gagagatggc	300
agcagtttgtt	acgactactc	tgactactgg	ggccaggaa	ccctggcac	cgtctccctca	360

-continued

<210> SEQ ID NO 474
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 474

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly
1					5			10				15			

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr
20 25 30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
100 105 110

Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> SEQ ID NO 475
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 475

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtccacc	60
atcacttgc	gggcacgtca	gagtattagt	agctggttgg	cctggtatca	acagatacca	120
ggaaagcccc	ctaaactct	gatctataag	gcgtctagtt	tagaaaatgg	ggtcccatca	180
aggttcageg	gcagtggatc	tggcacagaa	ttcactctca	tcatcagcag	cctgcagcct	240
gatgattttg	caaccttata	ctgccaacag	tatatttagtt	attctcgac	gttcggccaa	300
gggaccaagg	tggaaatcaa	a				321

<210> SEQ ID NO 476
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 476

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1						5				10			15		

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
20 25 30

Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
65 70 75 80

-continued

Asp	Asp	Phe	Ala
Thr	Tyr	Tyr	Cys
85		90	
Gln	Gln	Tyr	Ile
		Ser	Ser
		Tyr	Arg
		95	

Thr	Phe	Gly	Gln
Gly	Thr	Lys	Val
100		105	

<210> SEQ ID NO 477
<211> LENGTH: 360
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 477

gaggtgcagc	tggtgaggc	tgggggaggc	ctggtaagc	ctgggggtc	cctgagactc	60
tccctgtcag	cctctggatt	cacccatcg	acttataaca	tgaactgggt	ccgcaggct	120
ccagggaaagg	ggctggagt	ggtctcatcc	attaggagta	gtagtaatta	cataactac	180
gcagactcag	tgaagggccg	attcaccatc	tccagagaca	acgccaagaa	ctcaactgtat	240
ctgcaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	gagagatggc	300
agcagtttgt	acgactactc	tgactactgg	ggccaaaggaa	ccctggtcac	cgtctctca	360

<210> SEQ ID NO 478
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 478

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly
1				5			10			15				

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Thr	Tyr
								20		25		30			

Asn	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Ley	Glu	Trp	Val
						35		40		45					

Ser	Ser	Ile	Arg	Ser	Ser	Asn	Tyr	Ile	Tyr	Tyr	Ala	Asp	Ser	Val
						50		55		60				

Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
					65		70		75		80				

Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85		90		95						

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr	Trp	Gly	Gln
						100		105		110					

Gly	Thr	Leu	Val	Thr	Val	Ser	Ser
					115		120

<210> SEQ ID NO 479
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 479

gacatccaga	tgacccagtc	tccttccacc	ctgtctgcat	ctgttaggaga	cagagtacc	60
atcacttgcc	gggccagtca	gagtattagt	agctggttgg	cctggtatca	gcagaaacca	120
gggaaagccc	ctaagctct	gatctataag	gcgtctagtt	tagaaagtgg	ggtcccatca	180

US 10,023,654 B2

285**286**

-continued

aggttcagcg gcagtggatc tgggacagaa ttcaactctca ccatcagcag cctgcagcct	240
gatgattttg caaccttatta ctgccaacag tatatttagtt attctcgac gttcggccaa	300
gggaccaagg tggaaatcaa a	321

<210> SEQ ID NO 480
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 480

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly			
1	5	10	15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp			
20	25	30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile			
35	40	45	
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly			
50	55	60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro			
65	70	75	80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg			
85	90	95	
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys			
100	105		

<210> SEQ ID NO 481
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 481

gaggtgcaac tagtggagtc tggggggaggc ttggtagacgc ctggggggtc cctgagactc	60
tccctgttag tctctggatt caccttcggt gactacgaca tgcactgggt ccgtcaagct	120
acaggaagag gtctggagtg ggtctcaggat attgctccctg ctggtgacac atcctataca	180
ggctccgtga agggccgatt caccatctcc agagagaatg ccaagaactc cttgcacatctt	240
caaataaca gcctgacaac cggggacacg gctatatatt attgtgttag agaggatata	300
gcagtgcctg gtttgattta ctggggccag ggaaccctgg tcaccgtctc ctca	354

<210> SEQ ID NO 482
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 482

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly			
1	5	10	15
Ser Leu Arg Leu Ser Cys Val Val Ser Gly Phe Thr Phe Gly Asp Tyr			
20	25	30	
Asp Met His Trp Val Arg Gln Ala Thr Gly Arg Gly Leu Glu Trp Val			
35	40	45	
Ser Gly Ile Ala Pro Ala Gly Asp Thr Ser Tyr Thr Gly Ser Val Lys			

US 10,023,654 B2

287**288**

-continued

50 55 60

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu His Leu
 65 70 75 80

Gln Met Asn Ser Leu Thr Thr Gly Asp Thr Ala Ile Tyr Tyr Cys Ala
 85 90 95

Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr
 100 105 110

Leu Val Thr Val Ser Ser
 115

<210> SEQ ID NO 483
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 483

ggattcacct tcgggtgacta cgac 24

<210> SEQ ID NO 484
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 484

Gly Phe Thr Phe Gly Asp Tyr Asp
 1 5

<210> SEQ ID NO 485
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 485

attgctcctg ctggtgacac a 21

<210> SEQ ID NO 486
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 486

Ile Ala Pro Ala Gly Asp Thr
 1 5

<210> SEQ ID NO 487
<211> LENGTH: 36
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 487

gctagagagg atatacgagt gcctggttt gattac 36

<210> SEQ ID NO 488
<211> LENGTH: 12

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 488

Ala Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr
1 5 10

<210> SEQ ID NO 489
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 489

gaaatagtga	tgacgcagtc	tccagccacc	ctgtctgtgt	ctccagggga	acgaggcacc	60
ctctcctgca	gggccagtca	gagtgttagc	agcaacttag	cctggtagcca	gcagaaacct	120
ggccaggctc	ccagactct	catctatggt	gcatccacga	gggccactgg	cttcccagcc	180
aggttcagtg	gcagttggtc	tgggacagag	ttcaactctca	ccatcagcag	cctgcagtc	240
gaagattttg	cagtttatta	ctgtcagcag	tataataagt	ggcctccgtt	cacttcggc	300
cctgggacca	aagtggattt	caaa				324

<210> SEQ ID NO 490
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 490

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Gly Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Phe Pro Ala Arg Phe Ser Gly
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro
85 90 95

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Phe Lys
100 105

<210> SEQ ID NO 491
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 491

cagagtgtta gcagcaac

18

<210> SEQ ID NO 492
<211> LENGTH: 6
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 492

Gln Ser Val Ser Ser Asn

1

5

<210> SEQ ID NO 493

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 493

ggtgtcatcc

9

<210> SEQ ID NO 494

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 494

Gly Ala Ser

1

<210> SEQ ID NO 495

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 495

cagcagtata ataagtggcc tccgttca

30

<210> SEQ ID NO 496

<211> LENGTH: 10

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 496

Gln Gln Tyr Asn Lys Trp Pro Pro Phe Thr

1

5

10

<210> SEQ ID NO 497

<211> LENGTH: 354

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 497

gagggtgcaac tagtggagtc tgggggaggc ttggtagcaga ctggggggtc cctgagactc

60

tcctgtgtat tctctggatt cacccctcggt gactacgaca tgcactgggt ccgtcaagct

120

acaggaagag gtctggagtg ggtctcaggat attgctccctg ctgggtgacac atccatacata

180

ggctccgtga agggccgatt caccatctcc agagagaatg ccaagaactc cttgcatctt

240

caaatacataca gcctgacaac cggggacacg gctatatatt attgtgttag agaggatata

300

-continued

gcagtgcctg gtttgattt ctggggccag ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 498
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 498

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Val Val Ser Gly Phe Thr Phe Gly Asp Tyr
20 25 30

Asp Met His Trp Val Arg Gln Ala Thr Gly Arg Gly Leu Glu Trp Val
35 40 45

Ser Gly Ile Ala Pro Ala Gly Asp Thr Ser Tyr Thr Gly Ser Val Lys
50 55 60

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu His Leu
65 70 75 80

Gln Met Asn Ser Leu Thr Thr Gly Asp Thr Ala Ile Tyr Tyr Cys Ala
85 90 95

Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr
100 105 110

Leu Val Thr Val Ser Ser
115

<210> SEQ ID NO 499
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 499

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccaggggga acgaggcacc 60

ctctcctgca gggccagtca gagtgtttagc agcaacttag cctggtagcca gcagaaacct 120

ggccaggctc ccagactct catctatggt gcatccacga gggccactgg cttcccagcc 180

aggttcagtg cgactgggtc tgggacagag ttcaactctca ccatcagcag cctgcagct 240

gaagattttg cagtttatta ctgtcagcag tataataagt ggcctccgtt cactttcgcc 300

cctgggacca aagtggatat caaa 324

<210> SEQ ID NO 500
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 500

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15

Glu Arg Gly Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Phe Pro Ala Arg Phe Ser Gly
50 55 60

US 10,023,654 B2

295**296**

-continued

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro
 85 90 95

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
 100 105

<210> SEQ ID NO 501
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 501

gagggtgcagc tgggtggagtc tgggtacagc ctggggggtc cctgagactc 60
 tcctgtgcag cctctggatt caccttcggt gactacgaca tgcactgggt ccgccaagct 120
 acaggaaaaag gtctggagtg ggtctcagct attgctccctg ctggtgacac atactatcca 180
 ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt 240
 caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgttag agaggatata 300
 gcagtgcctg gtttgatta ctggggccaa ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 502
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 502

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Gly Asp Tyr
 20 25 30

Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ser Ala Ile Ala Pro Ala Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50 55 60

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
 65 70 75 80

Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr
 100 105 110

Leu Val Thr Val Ser Ser
 115

<210> SEQ ID NO 503
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 503

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggaa aagagccacc 60
 ctctcctgca gggccagtca gagtgttagc agcaacttag cctggtagca gcagaaacct 120

-continued

ggccaggctc ccaggctct catctatggt gcatccacca	180
gggccactgg tatcccagcc	
aggttcagtgc cagtggttc tgggacagag ttcaactctca	240
ccatcagcag cctgcagtct	
gaagatttttgc cagtttatta ctgtcagcag tataataagt	300
ggcctccgtt cactttcgcc	
cctgggacca aagtggatataa	324

<210> SEQ ID NO 504
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 504

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly	
1 5 10 15	
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn	
20 25 30	
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile	
35 40 45	
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly	
50 55 60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser	
65 70 75 80	
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro	
85 90 95	
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys	
100 105	

<210> SEQ ID NO 505
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 505

caaattctgc tggtgcaatc tggacctgag gtgaaggagc ctggggcctc agtgaaggc	60
tgc	
tcctgcaagg cttctggta cacctttacc aactacgcta tcagctgggt gcgacaggc	120
cctggacaag ggcttgatgt gatggatgg gtcagcgctt acaatggtca cacaactat	180
gcacatgaag tccaggcag agtcaccatg accacagaca catccacgac cacagctac	240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagaggggt	300
gtagtcgtgc cagttgtcc ccacttctac aacggatgg acgtctgggg ccaaggacc	360
acggtcaccc tctccctca	378

<210> SEQ ID NO 506
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 506

Gln Ile Leu Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala	
1 5 10 15	
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr	
20 25 30	

US 10,023,654 B2

299**300**

-continued

Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val
 50 55 60

Gln Gly Arg Val Thr Met Thr Asp Thr Ser Thr Thr Ala Tyr
 65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys
 85 90 95

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly
 100 105 110

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 507
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 507

ggttacacct ttaccaacta cgct 24

<210> SEQ ID NO 508
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 508

Gly Tyr Thr Phe Thr Asn Tyr Ala
 1 5

<210> SEQ ID NO 509
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 509

gtcagcgctt acaatggta caca 24

<210> SEQ ID NO 510
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 510

Val Ser Ala Tyr Asn Gly His Thr
 1 5

<210> SEQ ID NO 511
<211> LENGTH: 57
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 511

-continued

gcgagaggggg gtgttagtcgt gccagttgct ccccaacttct acaacggtat ggacgta 57

<210> SEQ ID NO 512
<211> LENGTH: 19
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 512

Ala	Arg	Gly	Gly	Val	Val	Val	Pro	Val	Ala	Pro	His	Phe	Tyr	Asn	Gly
1				5				10					15		

Met Asp Val

<210> SEQ ID NO 513
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 513

gatatttgta	tgactcagtt	tccactctcc	ctgccccgtca	cccctggaga	gccggcctcc	60
atcttcctgca	ggtcttagtca	gaggcctctg	catattaatg	aataacaacta	tttggattgg	120
tacccaaaga	agccaggggca	gtctccacag	ctcctgatct	atttggggttt	taatcggggcc	180
tccggggtcc	ctgacagggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaatc	240
agcagagtgg	aggctgagga	tgttggggtc	tattactgca	tgcaagctct	tcaaactccg	300
tggacgttag	gccaaggggac	caaggtggaa	atcaaa			336

<210> SEQ ID NO 514
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 514

Asp	Ile	Val	Met	Thr	Gln	Phe	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10					15		

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ile
				20				25					30		

Asn	Glu	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Lys	Lys	Pro	Gly	Gln	Ser
					35			40			45				

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Phe	Asn	Arg	Ala	Ser	Gly	Val	Pro
				50				55			60				

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
				65				70			75			80	

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
				85				90			95				

Leu	Gln	Thr	Pro	Trp	Thr	Leu	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
					100				105			110			

<210> SEQ ID NO 515
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 515

-continued

cagagcctcc tgcattataa tgaataacaac tat 33

<210> SEQ ID NO 516
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 516

Gln Ser Leu Leu His Ile Asn Glu Tyr Asn Tyr
1 5 10

<210> SEQ ID NO 517
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 517

ttgggtttt 9

<210> SEQ ID NO 518
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 518

Leu Gly Phe
1

<210> SEQ ID NO 519
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 519

atgcaagctc ttcaaactcc gtggacg 27

<210> SEQ ID NO 520
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 520

Met Gln Ala Leu Gln Thr Pro Trp Thr
1 5

<210> SEQ ID NO 521
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 521

caggttcagc tggtgcgagc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc 60

tcctgcaagg cttctggta caccttacc aactacgcta tcagctgggt gcgacaggtc 120

-continued

cctggacaag ggcttgagtg gatggatgg gtcagcgctt acaatggtca cacaactat	180
gcacatgaag tccaggcag agtcaccatg accacagaca catccacgac cacagctac	240
atggagctga ggagccttag atctgacgac acggccatgt attactgtgc gagaggggt	300
gtagtcgtgc cagttgtcc ccacttctac aacggtatgg acgtctgggg ccaaggacc	360
acggtcaccg tctcctca	378

<210> SEQ ID NO 522
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 522

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala			
1	5	10	15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr			
20	25	30	
Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met			
35	40	45	
Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val			
50	55	60	
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Thr Thr Ala Tyr			
65	70	75	80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys			
85	90	95	
Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly			
100	105	110	
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120	125	

<210> SEQ ID NO 523
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 523

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggctcc	60
atctcctgca ggtctagtca gagcctcctg catattaatg aataacaacta tttggattgg	120
tacctaaaga agccaggca gtctccacag ctcctgatct atttgggttt taatggggcc	180
tccggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtggtt aggctgagga tttttttttt tattactgca tgcaagctct tc当地actccg	300
tggacgttag gccaaggac caaggtggaa atcaaa	336

<210> SEQ ID NO 524
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 524

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly			
1	5	10	15

-continued

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile
 20 25 30

Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Lys Lys Pro Gly Gln Ser
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
 85 90 95

Leu Gln Thr Pro Trp Thr Leu Gly Gln Gly Thr Lys Val Glu Ile Lys
 100 105 110

<210> SEQ ID NO 525
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 525

```
caggttcagc tggtgcaagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctggta caccttacc aactacgccta tcagctgggt gcgacaggcc      120
cctggacaag ggcttgatgt gatggatgg gtcagcgctt acaatggtca cacaactat      180
gcacagaagc tccaggcag agtcaccatg accacagaca catccacgag cacagctac      240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagaggggt      300
gtatcgatgc cagttgcgtcc ccacttctac aacggtatgg acgtctgggg gcaaggacc      360
acggtcacccg tctccctca                                         378
```

<210> SEQ ID NO 526
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 526

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
 20 25 30

Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala Gln Lys Leu
 50 55 60

Gln Gly Arg Val Thr Met Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly
 100 105 110

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 527

-continued

<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 527

```
gatattgtga tgactcagtc tccactctcc ctgccccgtca cccctggaga gccggcctcc      60
atctcctgtca ggtcttagtca gagcctctcg catattaatg aataacaacta tttggattgg     120
tacctgcaga agccaggggca gtctccacag ctcctgatct atttgggttc taatcgggcc     180
tccgggggtcc ctgacagggtt cagtggcagt ggatcaggca cagattttac actgaaaatc     240
agcagagtggtt aggctgagga tgttgggtt tattactgca tgcaagctct tc当地actccg     300
tggacgttccg gccaaggggac caaggtggaa atcaaa                                336
```

<210> SEQ ID NO 528
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 528

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10				15			

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ile
				20				25				30			

Asn	Glu	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
					35			40			45				

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
				50				55			60				

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
				65				70		75			80		

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
				85				90				95			

Leu	Gln	Thr	Pro	Trp	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
				100				105			110				

<210> SEQ ID NO 529
<211> LENGTH: 351
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 529

```
gaggtgcagc tgggtggagtc tgggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt cacccctaagt agctacgaca tgcactgggt ccgccaagca    120
acaggaaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactataca    180
ggctccgtga tggggccgatt caccatctcc agagacgctg ccaaaaaactc cttctatctt    240
gaaatgaaca gcctgagagt cggggacacg ggtgtatatt actgtgoag agagggaaata    300
agaacacccct atgattatttggggccaggaa gcccgggtca ccgtctccctc a            351
```

<210> SEQ ID NO 530
<211> LENGTH: 117
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 530

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1															
							5			10				15	

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
							20			25				30	

Asp	Met	His	Trp	Val	Arg	Gln	Ala	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val
							35			40				45	

Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Thr	Gly	Ser	Val	Met
							50			55				60	

Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Ala	Ala	Lys	Asn	Ser	Phe	Tyr	Leu
							65			70				80	

Glu	Met	Asn	Ser	Leu	Arg	Val	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
							85			90				95	

Arg	Glu	Gly	Ile	Arg	Thr	Pro	Tyr	Asp	Tyr	Trp	Gly	Gln	Gly	Ala	Arg
							100			105				110	

Val	Thr	Val	Ser	Ser											
							115								

<210> SEQ ID NO 531

<211> LENGTH: 24

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 531

ggattcaccc taagtagcta cgac

24

<210> SEQ ID NO 532

<211> LENGTH: 8

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 532

Gly	Phe	Thr	Leu	Ser	Ser	Tyr	Asp								
1							5								

<210> SEQ ID NO 533

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 533

atggcagta ctgggtacac a

21

<210> SEQ ID NO 534

<211> LENGTH: 7

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 534

Ile	Gly	Ser	Thr	Gly	Asp	Thr									
1							5								

-continued

<210> SEQ ID NO 535
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 535

gcaagagagg gaataagaac accctatgtat

33

<210> SEQ ID NO 536
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 536

Ala Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr
1 5 10

<210> SEQ ID NO 537
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 537

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccaggaga aagagccacc	60
ctctcctgca gggccagtca gagtgtagc agcaatgtag cctggtagcca gcagaaacct	120
ggccaggctc ccaggctct catctatggt gcatccacca gggccactgg tatcccagcc	180
aggttcagtg gcagtgggtc tgggacagaa ttcaactctca ccattcagcag cctgcagtt	240
gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttcgcc	300
cctggggacca aagtggatata caaa	324

<210> SEQ ID NO 538
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 538

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
85 90 95Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
100 105

<210> SEQ ID NO 539

-continued

<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 539

cagagtgtta gcagcaat

18

<210> SEQ ID NO 540
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 540

Gln Ser Val Ser Ser Asn
1 5

<210> SEQ ID NO 541
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 541

ggtgcatcc

9

<210> SEQ ID NO 542
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 542

Gly Ala Ser
1

<210> SEQ ID NO 543
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 543

cagcagtata ataattggcc tccattcact

30

<210> SEQ ID NO 544
<211> LENGTH: 10
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 544

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr
1 5 10

<210> SEQ ID NO 545
<211> LENGTH: 351
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 545

gagggtgcagc	tgggtggagtc	tgggggaggc	ttggcacagc	ctggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	caccctaagt	agctacgaca	tgcactgggt	ccgccaagca	120
acaggaaaag	gtctggagtg	ggtctcagct	atggcagta	ctggtgacac	atactataca	180
ggctccgtga	tgggccgatt	caccatctcc	agagacgctg	ccaaaaactc	cttctatctt	240
gaaatgaaca	gcctgagagt	cggggacacg	gctgtatatt	actgtgcaag	agagggata	300
agaacacccct	atgattattg	gggccaggga	accctggtca	ccgtctccctc	a	351

<210> SEQ ID NO 546

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 546

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly
1				5			10				15				
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
	20					25					30				
Asp	Met	His	Trp	Val	Arg	Gln	Ala	Thr	Gly	Lys	Gly	Ley	Glu	Trp	Val
	35				40					45					
Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Thr	Gly	Ser	Val	Met
	50					55				60					
Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Ala	Ala	Lys	Asn	Ser	Phe	Tyr	Leu
	65					70			75		80				
Glu	Met	Asn	Ser	Leu	Arg	Val	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
	85					90				95					
Arg	Glu	Gly	Ile	Arg	Thr	Pro	Tyr	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu
	100					105					110				
Val	Thr	Val	Ser	Ser											
					115										

<210> SEQ ID NO 547

<211> LENGTH: 324

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 547

gaaatagtga	tgacgcagtc	tccagccacc	ctgtctgtgt	ctccaggggc	aagagccacc	60
ctctcctgca	gggccagtc	gagtgttagc	agcaatgtag	cctggtagca	gcagaaacct	120
ggccaggctc	ccaggctct	catctatggt	gcatccacca	gggccactgg	tatcccagcc	180
aggttcagtg	gcagtggc	tgggacagaa	ttcactctca	ccatcagcag	cctgcagtc	240
gaagatttg	cagtttatta	ctgtcagcag	tataataatt	ggcctccatt	cactttccgc	300
cctgggacca	aagtggat	caa				324

<210> SEQ ID NO 548

<211> LENGTH: 108

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 548

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1           5           10          15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
 20          25           30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35          40           45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50          55           60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65          70           75           80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
 85          90           95

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
 100         105

```

<210> SEQ ID NO 549

<211> LENGTH: 351

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 549

```

gaggtgcagc tggtgaggc tgggtacagc ctgggggtc cctgagactc      60
tcctgtcagc cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagct 120
acaggaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactatcca 180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgttatctt 240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agagggata 300
agaacaccct atgattattt gggccaaggaa accctggtca ccgtctccct a      351

```

<210> SEQ ID NO 550

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 550

```

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1           5           10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
 20          25           30

Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35          40           45

Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50          55           60

Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
 65          70           75           80

Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85          90           95

Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Thr Leu
100          105          110

Val Thr Val Ser Ser
 115

```

-continued

<210> SEQ ID NO 551
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 551

```

gaaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccaggggaa aagagccacc      60
cttcctgca gggccagtca gagtgtttagc agcaatttag cctggtacca gcagaaacct      120
ggccaggctc ccaggctct catctatggt gcatccacca gggccactgg tatcccagcc      180
aggttcagtg gcagttgggtc tgggacagag ttcactctca ccatcagcag cctgcagtct      240
gaagattttgc agttttata ctgtcagcag tataataatt ggctccatt cactttcgcc      300
cctgggacca aagtggatat caaa                                         324

```

<210> SEQ ID NO 552
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 552

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1           5           10          15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
 20          25           30

Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35          40           45

Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50          55           60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65          70           75           80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
 85          90           95

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
 100         105

```

<210> SEQ ID NO 553
<211> LENGTH: 351
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 553

```

gagggtgcagc tgggtggagtc tggggggaggc ttggtagacgc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagca      120
acaggaaaaag gtctggagtg ggtctcagct attggcagta ctggtagacac atactataca      180
ggctccgtga tgggccgatt caccatctcc agagacgctg ccaaaaactc cttcttatctt      240
gaaatgaaca gcctgagagt cggggacacg gctgtatatt actgtgcaag agagggaaata      300
agaacaccct atgattatttgc gggccaggaa gccccgggtca ccgtctccctc a             351

```

<210> SEQ ID NO 554
<211> LENGTH: 117

-continued

<212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 554

 Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
 20 25 30

 Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35 40 45

 Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Thr Gly Ser Val Met
 50 55 60

 Gly Arg Phe Thr Ile Ser Arg Asp Ala Ala Lys Asn Ser Phe Tyr Leu
 65 70 75 80

 Glu Met Asn Ser Leu Arg Val Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

 Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Ala Arg
 100 105 110

 Val Thr Val Ser Ser
 115

<210> SEQ ID NO 555
 <211> LENGTH: 24
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 555

 ggattcaccc taagtagcta cgac 24

<210> SEQ ID NO 556
 <211> LENGTH: 8
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 556

 Gly Phe Thr Leu Ser Ser Tyr Asp
 1 5

<210> SEQ ID NO 557
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 557

 attggcagta ctggtgacac a 21

<210> SEQ ID NO 558
 <211> LENGTH: 7
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

 <400> SEQUENCE: 558

Ile Gly Ser Thr Gly Asp Thr

-continued

1 5

<210> SEQ ID NO 559
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 559

gcaagagagg gaataagaac accctatgtat tat 33

<210> SEQ ID NO 560
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 560

Ala Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr
1 5 10

<210> SEQ ID NO 561
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 561

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc 60
ctctcctgca gggccagtca gagtgtttagc agcaatgttag cctggtagcca gcagaaaacct 120
ggccaggctc ccaggctct catctatggt gcatccacca gggccactgg tatcccagcc 180
aggttcagtg gcagtggttc tgggacagaa ttcaactctca ccatcagcag cctgcagtc 240
gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttcgcc 300
cctgggacca aagtggatat caaa 324

<210> SEQ ID NO 562
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 562

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
1 5 10 15Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
20 25 30Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65 70 75 80Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
85 90 95Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
100 105

-continued

<210> SEQ ID NO 563
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 563

cagagtgtta gcagcaat

18

<210> SEQ ID NO 564
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 564

Gln Ser Val Ser Ser Asn
1 5

<210> SEQ ID NO 565
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 565

ggtgcatcc

9

<210> SEQ ID NO 566
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 566

Gly Ala Ser
1

<210> SEQ ID NO 567
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 567

cagcagtata ataattggcc tccattcact

30

<210> SEQ ID NO 568
<211> LENGTH: 10
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 568

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr
1 5 10

<210> SEQ ID NO 569
<211> LENGTH: 351

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 569

```

gagggtgcagc tgggtggagtc tggggggagc ttgggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt cacccatagt agctacgaca tgcactgggt ccgc当地ca      120
acaggaaaaag gtctggagtg ggtctcgactt attggcagta ctgggtacac atactataca      180
ggctccgtga tggggccgatt caccatctcc agagacgctg ccaaaaactc ctttatctt      240
gaaatgaaca gcctgagagt cggggacacg gctgtatatt actgtgcaag agagggaaata      300
agaacaccct atgattattt gggccagggaa accctggtca ccgtctccctc a      351

```

<210> SEQ ID NO 570
<211> LENGTH: 117
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 570

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1           5           10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
 20          25          30

Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35          40          45

Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Thr Gly Ser Val Met
 50          55          60

Gly Arg Phe Thr Ile Ser Arg Asp Ala Ala Lys Asn Ser Phe Tyr Leu
 65          70          75          80

Glu Met Asn Ser Leu Arg Val Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85          90          95

Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Thr Leu
100         105         110

Val Thr Val Ser Ser
 115

```

<210> SEQ ID NO 571
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 571

```

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccaggaga aagagccacc      60
ctctcctgca gggccagtca gagtgtagc agcaatgtag cctggtagca gcagaaacct      120
ggccaggctc ccaggctct catctatggt gcatccacca gggccactgg tatcccagcc      180
aggttcagtg gcagtgggtc tgggacagaa ttcaacttca ccatcagcag cctgcgtct      240
gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttccgc      300
cctggacca aagtggatata caaa                                         324

```

<210> SEQ ID NO 572
<211> LENGTH: 108
<212> TYPE: PRT

US 10,023,654 B2

331**332**

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 572

Glu	Ile	Val	Met	Thr	Gln	Ser	Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly
1					5				10					15	
Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn
	20					25				30					
Val	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Ile
		35				40					45				
Tyr	Gly	Ala	Ser	Thr	Arg	Ala	Thr	Gly	Ile	Pro	Ala	Arg	Phe	Ser	Gly
	50				55			60							
Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Ser
	65				70				75				80		
Glu	Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Asn	Asn	Trp	Pro	Pro
		85					90				95				
Phe	Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Asp	Ile	Lys				
		100				105									

<210> SEQ ID NO 573

<211> LENGTH: 351

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 573

gaggtgcagc	tgggtggagtc	tggggggaggc	ttggtagacgc	ctggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	caccctaagt	agctacgaca	tgcactgggt	ccgccaagct	120
acaggaaaag	gtctggagtg	ggtctcagct	atggcagta	ctggtgacac	atactatcca	180
ggctccgtga	agggccgatt	caccatctcc	agagaaaatg	ccaagaactc	cttgtatctt	240
caaatgaaca	gcctgagagc	cggggacacg	gctgtgtatt	actgtgcaag	agagggaaata	300
agaacacccct	atgattattg	gggccaagga	accctggtca	ccgtctccctc	a	351

<210> SEQ ID NO 574

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 574

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly	
1					5			10				15			
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
	20					25			30						
Asp	Met	His	Trp	Val	Arg	Gln	Ala	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val
					35			40			45				
Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Pro	Gly	Ser	Val	Lys
	50				55			60							
Gly	Arg	Phe	Thr	Ile	Ser	Arg	Glu	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	Leu
	65				70			75			80				
Gln	Met	Asn	Ser	Leu	Arg	Ala	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
					85			90			95				
Arg	Glu	Gly	Ile	Arg	Thr	Pro	Tyr	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu
					100			105			110				

-continued

Val Thr Val Ser Ser
115

<210> SEQ ID NO 575
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 575

gaaatagtga	tgacgcagtc	tccagccacc	ctgtctgtgt	ctccaggaga	aagagccacc	60
ctctcctgca	gggccagtca	gagtgttagc	agcaatttag	cctggtagcca	gcagaaacct	120
ggccaggctc	ccaggctct	catctatggt	gcatccacca	gggccactgg	tatcccagcc	180
aggttcagtg	gcagtgggtc	tgggacagag	ttcaactctca	ccatcagcag	cctgcagtc	240
gaagattttg	cagtttatta	ctgtcagcag	tataataatt	ggcctccatt	cactttcgcc	300
cctgggacca	aagtggatata	caaa				324

<210> SEQ ID NO 576
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 576

Glu	Ile	Val	Met	Thr	Gln	Ser	Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly
1				5				10				15			

Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn
	20				25					30					

Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Ile
		35				40				45					

Tyr	Gly	Ala	Ser	Thr	Arg	Ala	Thr	Gly	Ile	Pro	Ala	Arg	Phe	Ser	Gly
	50				55			60							

Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Ser
	65				70			75				80			

Glu	Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Asn	Asn	Trp	Pro	Pro
	85				90					95					

Phe	Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Asp	Ile	Lys				
		100				105									

<210> SEQ ID NO 577
<211> LENGTH: 363
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 577

gaagtgcagc	tgggggaggc	tgggtacagc	ctggcaggtc	cctgagactc	60
tcctgtgcag	cctctggatt	cacctttgtat	gattatgcac	tgcactgggt	120
ccaggaaagg	gcctggagtg	ggtctcaggat	attaattgga	acagtggtag	180
gcggactctg	tgaaggggccg	attcaccatc	tccagagaca	acggcaagca	240
ctgcaaata	acagtctgag	acctgaggac	acggccttgt	attactgtgt	300
actacggat	actactacgg	tatggacgac	tggggccaag	ggaccacgg	360

US 10,023,654 B2

335**336**

-continued

tca

363

```

<210> SEQ ID NO 578
<211> LENGTH: 121
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 578

Glu Val Gln Leu Val Glu Ser Gly Gly Leu Val Gln Pro Gly Arg
 1           5          10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
 20          25          30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35          40          45

Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val
 50          55          60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys His Ser Leu Tyr
 65          70          75          80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Leu Tyr Tyr Cys
 85          90          95

Val Lys Glu Val Thr Thr Gly Tyr Tyr Gly Met Asp Val Trp Gly
 100         105         110

Gln Gly Thr Thr Val Thr Val Ser Ser
 115         120

```

```

<210> SEQ ID NO 579
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 579

ggattcacct ttgatgatta tgcc

24

```

<210> SEQ ID NO 580
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 580

Gly Phe Thr Phe Asp Asp Tyr Ala
 1 5

```

<210> SEQ ID NO 581
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

<400> SEQUENCE: 581

attnaatttggaa acagttggtag cata

24

```

<210> SEQ ID NO 582
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

```

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 582

Ile Asn Trp Asn Ser Gly Ser Ile
1 5

<210> SEQ ID NO 583

<211> LENGTH: 42

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 583

gtaaaaagagg tgactacggg atactactac ggtatggacg tc 42

<210> SEQ ID NO 584

<211> LENGTH: 14

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 584

Val Lys Glu Val Thr Thr Gly Tyr Tyr Tyr Gly Met Asp Val
1 5 10

<210> SEQ ID NO 585

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 585

gacatccagt tgacctcagtc tccatccttc ctgtctgcat ctgttaggaga cagagtacc 60
atcaacttgc gggccagtc gggcatttagc agttatattag cctggtatca gaaaaaacca 120
gggaaagccc ctaacctcct gatctatgat gcatccactt tgcaaagtgg ggtcccatca 180
aggttcagcg gcagtggatc tgggacagaaa ttcaactctca cactcagcag cctgcagcct 240
gaagattttg caaatttata ctgtcaacag cttaatattt acccattcac ttccggccct 300
gggaccaaag tggatataaa a 321

<210> SEQ ID NO 586

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 586

Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
1 5 10 15Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Gly Ile Ser Ser Tyr
20 25 30Leu Ala Trp Tyr Gln Lys Lys Pro Gly Lys Ala Pro Asn Leu Leu Ile
35 40 45Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
50 55 60Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Leu Ser Ser Leu Gln Pro
65 70 75 80

US 10,023,654 B2

339**340**

-continued

Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Leu	Asn	Ile	Tyr	Pro	Phe
85								90						95	

Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Asp	Ile	Lys					
	100									105					

<210> SEQ ID NO 587
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 587

cagggcatttatgcagttat 18

<210> SEQ ID NO 588
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 588

Gln	Gly	Ile	Ser	Ser	Tyr										
1					5										

<210> SEQ ID NO 589
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 589

gatgcattcc 9

<210> SEQ ID NO 590
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 590

Asp	Ala	Ser													
1															

<210> SEQ ID NO 591
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 591

caacagctta atatttaccc attcaat 27

<210> SEQ ID NO 592
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 592

Gln Gln Leu Asn Ile Tyr Pro Phe Thr

-continued

1 5

```

<210> SEQ ID NO 593
<211> LENGTH: 363
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 593

gaagtgcagc tgggtggagtc tgggggaggc ttggcacgc ctggcaggc cctgagactc      60
tcctgtgcag cctctggatt cacctttat gattatgcc a tgcactgggt ccggcaagct      120
ccagggaaagg gcctggagtg ggtctcaggat attaatttgg a acagtggtag cataggctat      180
gcggactctg tgaaggcccg attcaccatc tccagagaca acgccaagca ctccctgtat      240
ctgcaa atga acagtctgag acctgaggac acggccttgtt attactgtgt aaaagaggtg      300
actacggat actactacgg tatggacgctc tggggccaag ggaccacggt caccgtctcc      360
tca                                              363

```

```

<210> SEQ ID NO 594
<211> LENGTH: 121
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 594

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
 1           5           10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
 20          25           30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35          40           45

Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val
 50          55           60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys His Ser Leu Tyr
 65          70           75           80

Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Leu Tyr Tyr Cys
 85          90           95

Val Lys Glu Val Thr Thr Gly Tyr Tyr Gly Met Asp Val Trp Gly
100         105          110

Gln Gly Thr Thr Val Thr Val Ser Ser
115          120

```

```

<210> SEQ ID NO 595
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 595

gacatccagt tgacccagtc tccatccttc ctgtctgcat ctgttaggaga cagagtacc      60
atcacttgc gggccagtc gggcattagc agttat tag cctggtatca gaaaaaacca      120
ggaaaagccc ctaacctctt gatctatgtat gatccaccc ttgaaatgg ggtcccatca      180
aggttcagcg gcagtggtatc tgggacagaa ttcactctca cactcagcag cctgcagcct      240
gaagat ttttgc caacttatta ctgtcaacag cttaatatcc acccattcac tttcggccct      300

```

-continued

gggaccaaag tggatataa a 321

<210> SEQ ID NO 596
 <211> LENGTH: 107
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 596

Asp	Ile	Gln	Leu	Thr	Gln	Ser	Pro	Ser	Phe	Leu	Ser	Ala	Ser	Val	Gly
1															
							5							10	
															15
Asp	Arg	Val	Thr	Ile	Thr	Cys	Trp	Ala	Ser	Gln	Gly	Ile	Ser	Ser	Tyr
				20				25							30
Leu	Ala	Trp	Tyr	Gln	Lys	Lys	Pro	Gly	Lys	Ala	Pro	Asn	Leu	Leu	Ile
				35			40					45			
Tyr	Asp	Ala	Ser	Thr	Leu	Gln	Ser	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
				50			55					60			
Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Thr	Leu	Ser	Ser	Leu	Gln	Pro
				65			70			75					80
Glu	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Leu	Asn	Ile	Tyr	Pro	Phe
				85				90							95
Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Asp	Ile	Lys					
								100		105					

```
<210> SEQ ID NO 597
<211> LENGTH: 363
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 597

gaagtgcagc tgggtggagtc tggggggaggc ttggtagacgc ctggcaggtc cctgagactc 60
tcctgtgcag cctctggatt caccttgat gattatgccat tgcaactgggt ccggcaagct 120
ccagggaaagg gcctggagtg ggtctcaggat attaatttggaa acagttggtag cataggctat 180
gcggactctgt tgaaggggcccg attcaccatc tccagagaca acggcaagaa cttccctgttat 240
ctgcataatgtt acagtctgag agctgaggac acggcccttgtt attactgttgtt aaaagagggtt 300
actacgggat actactacgg tatggacgctc tggggggcaag ggaccacggt caccgtctcc 360
tgg
```

```

<210> SEQ ID NO 598
<211> LENGTH: 121
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 598

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
1           5                   10                  15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
20          25                  30

Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35          40                  45

Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val
50          55                  60

```

-continued

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Leu Tyr Tyr Cys
 85 90 95
 Val Lys Glu Val Thr Thr Gly Tyr Tyr Gly Met Asp Val Trp Gly
 100 105 110
 Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> SEQ ID NO 599
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 599
gacatccagt tgacccagtc tccatccttc ctgtctgcat ctgttaggaga cagagtcacc 60
atcaacttgcc gggccagtcg gggcatttgc agttatttag cctggtatca gcaaaaacca 120
ggaaagcccc ctaagctctt gatctatgtat gcatccactt tgcaaagtgg ggtcccatca 180
aggttcagcg gcagtggata tgggacagaa ttcaacttca caatcagcag octgcagcct 240
gaagattttgc caacttatta ctgtcaacag cttaatattt acccattcac tttcggccct 300
gggacccaaag tggatatcaa a 321

<210> SEQ ID NO 600
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 600
Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1 5 10 15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Tyr
 20 25 30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35 40 45
Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50 55 60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65 70 75 80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ile Tyr Pro Phe
 85 90 95
Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
 100 105

<210> SEQ ID NO 601
<211> LENGTH: 366
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 601
gaggtgcagt tgttggagtc tgggggaggc ttggtagcgc ctgggggtc cctgagactc 60
tcctgtgcag cctctggatt cacgttagt agctatgcc a tgaactgggt ccggcaggct 120

-continued

ccagggaaagg ggctggattg ggtctcaggt atcagtggta atggtggttag cacctactac	180
gcagactccg tgaaggggccg gttcaccatc tccagagaca tttccaagaa cacgctgtat	240
gtgcaaatgc acagcctgag agtcgaggac acggccgtt actactgtgc gaaagccgt	300
tattacgatt tttggggggg gaatttcgat ctctggggcc gtggcaccca ggtcaactgtc	360
tcctca	366

<210> SEQ ID NO 602
<211> LENGTH: 122
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 602

Glu Val Gln Leu Leu Glu Ser Gly Gly Leu Val Gln Pro Gly Gly			
1	5	10	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr			
20	25	30	
Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val			
35	40	45	
Ser Gly Ile Ser Gly Asn Gly Ser Thr Tyr Tyr Ala Asp Ser Val			
50	55	60	
Lys Gly Arg Phe Thr Ile Ser Arg Asp Ile Ser Lys Asn Thr Leu Tyr			
65	70	75	80
Val Gln Met His Ser Leu Arg Val Glu Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	
Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu Trp			
100	105	110	
Gly Arg Gly Thr Gln Val Thr Val Ser Ser			
115	120		

<210> SEQ ID NO 603
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 603

ggattcacgt tttagtagcta tgcc	24
-----------------------------	----

<210> SEQ ID NO 604
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 604

Gly Phe Thr Phe Ser Ser Tyr Ala	
1	5

<210> SEQ ID NO 605
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 605

-continued

atcagtggta atgggtggtag cacc 24

<210> SEQ ID NO 606
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 606

Ile Ser Gly Asn Gly Gly Ser Thr
1 5

<210> SEQ ID NO 607
<211> LENGTH: 45
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 607

gcgaaagccc gttattacga ttttggggg ggaaatttcg atctc 45

<210> SEQ ID NO 608
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 608

Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu
1 5 10 15

<210> SEQ ID NO 609
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 609

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccaggggg aagagcacc 60
ctctcctgca gggccagtca gagtgttagc atcaggtact tagcctggta tcagcagaaa 120
cctggccagg cttccaggct cttcatctat ggtgcatacca gcagggccac tggcatccca 180
gacaggttca gtgtcagtgt gtctggaca gacttcactc tcaccatcac tagactggag 240
cctgaagatt ttgcagtcta ttactgtcag caatatggta gttcaccgct cactttccgc 300
ggagggacca aggtggagat caaa 324

<210> SEQ ID NO 610
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 610

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg
20 25 30

-continued

Tyr	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu
35					40						45				

Ile	Tyr	Gly	Ala	Ser	Ser	Arg	Ala	Thr	Gly	Ile	Pro	Asp	Arg	Phe	Ser
50				55				60							

Val	Ser	Val	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Thr	Arg	Leu	Glu
65				70				75					80		

Pro	Glu	Asp	Phe	Ala	Val	Tyr	Tyr	Cys	Gln	Gln	Tyr	Gly	Ser	Ser	Pro
	85				90				95						

Leu	Thr	Phe	Gly	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys				
	100					105									

<210> SEQ ID NO 611
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 611

cagagtgtta gcatcaggta c 21

<210> SEQ ID NO 612
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 612

Gln Ser Val Ser Ile Arg Tyr
1 5

<210> SEQ ID NO 613
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 613

ggtgcatcc 9

<210> SEQ ID NO 614
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 614

Gly Ala Ser
1

<210> SEQ ID NO 615
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 615

cagcaatatg gtatccacc gctcact 27

<210> SEQ ID NO 616

-continued

<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 616

Gln Gln Tyr Gly Ser Ser Pro Leu Thr
1 5

<210> SEQ ID NO 617
<211> LENGTH: 366
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 617

gaggtgcagt	tgttggagtc	tgggggaggc	ttggtagacgc	cgggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	cacgttttagt	agctatgcca	tgaactgggt	ccggccaggct	120
ccagggaaagg	ggctggattt	ggtctcaggt	atcagtggta	atggtggttag	cacctactac	180
gcagactccg	tgaagggccg	gttcaccatc	tccagagaca	tttccaagaa	cacgctgtat	240
gtgcaaatgc	acagcctgag	agtcgaggac	acggccgttt	actactgtgc	gaaagcccgt	300
tattacgatt	tttggggggg	gaatttcgat	ctctggggcc	gtggcacccct	ggtcactgtc	360
tcctca						366

<210> SEQ ID NO 618
<211> LENGTH: 122
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 618

Glu	Val	Gln	Leu	Leu	Glu	Ser	Gly	Gly	Ley	Val	Gln	Pro	Gly	Gly	
1															15
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Ser	Tyr
	20							25							30
Ala	Met	Asn	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Ley	Asp	Trp	Val
	35							40							45
Ser	Gly	Ile	Ser	Gly	Asn	Gly	Gly	Ser	Thr	Tyr	Tyr	Ala	Asp	Ser	Val
	50							55							60
Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Ile	Ser	Lys	Asn	Thr	Ley	Tyr
	65							70							80
Val	Gln	Met	His	Ser	Leu	Arg	Val	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85							90							95
Ala	Lys	Ala	Arg	Tyr	Tyr	Asp	Phe	Trp	Gly	Gly	Asn	Phe	Asp	Ley	Trp
	100							105							110
Gly	Arg	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser						
	115							120							

<210> SEQ ID NO 619
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 619

-continued

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc	60
ctctcctgca gggccagtca gagtgttagc atcaggtact tagcctggta tcagcagaaa	120
cctggccagg ctcaggct cctcatctat ggtgcattca gcagggcac tggcatccca	180
gacaggttca gtgtcagtgt gtctggaca gacttcactc tcaccatcac tagactggag	240
cctgaagatt ttgcagtcata ttactgttag caatatggta gttcaccgct cactttcgcc	300
ggagggacca aggtggagat caaa	324

<210> SEQ ID NO 620

<211> LENGTH: 108

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 620

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly	
1 5 10 15	
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg	
20 25 30	
Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu	
35 40 45	
Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser	
50 55 60	
Val Ser Val Ser Gly Thr Asp Phe Thr Leu Thr Ile Thr Arg Leu Glu	
65 70 75 80	
Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro	
85 90 95	
Leu Thr Phe Gly Gly Thr Lys Val Glu Ile Lys	
100 105	

<210> SEQ ID NO 621

<211> LENGTH: 366

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 621

gaggtgcagc tggggggaggc ttggtagc ctggggggtc cctgagactc	60
tccctgtcagc cctctggatt cacgttttagt agctatgcca tgagctgggt ccggcaggct	120
ccagggaaagg ggctggagtg ggtctcagct atcagtggtt atgggttag cacctactac	180
gcagactccg tgaaggcccg gttcaccatc tccagagaca attccaagaa cacgctgtat	240
ctgcaaatga acagcctgag agccgaggac acggccgtat attactgtgc gaaagccgt	300
tattacgatt ttgggggggg gaatttcgat ctctggggcc gtggcacccct ggtcactgtc	360
tcctca	366

<210> SEQ ID NO 622

<211> LENGTH: 122

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 622

Glu Val Gln Leu Leu Glu Ser Gly Gly Leu Val Gln Pro Gly Gly	
1 5 10 15	

US 10,023,654 B2

357**358**

-continued

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ser Ala Ile Ser Gly Asn Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu Trp
 100 105 110

Gly Arg Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> SEQ ID NO 623
<211> LENGTH: 324
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 623

```
gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc      60
ctctccctgca gggccagtca gagtgtttagc atcaggtact tagcctggta ccagcagaaa     120
cctggccagg cttcccaggct cctcatctat ggtgcattcca gcagggccac tggcatccca     180
gacaggttca gtggcagtgg gtctgggaca gacttcactc tcaccatcag cagactggag     240
cctgaagatt ttgcagtgtta ttactgttag caatatggta gttcaccgct cactttcgcc     300
ggagggacca aggtggagat caaa                                         324
```

<210> SEQ ID NO 624
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 624

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg
 20 25 30

Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
 35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
 50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu
 65 70 75 80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro
 85 90 95

Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 100 105

<210> SEQ ID NO 625
<211> LENGTH: 381
<212> TYPE: DNA

US 10,023,654 B2

359**360**

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 625

```
caggttcagc tggtgcaagtc tggacctgag gtgaagaacc ctggggctc agtgaaggc 60
tcctgcagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc 120
cctggacaag ggcttgatgg gatgggatgg atcagcggtt acaatggta aacaaacgat 180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagctac 240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300
ttagtagtac cacctgcctt ttattattcc tactacgtta tggacgtctg gggccaaggg 360
accacggta ccgtctctc a 381
```

<210> SEQ ID NO 626
 <211> LENGTH: 127
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 626

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Pro	Glu	Val	Lys	Asn	Pro	Gly	Ala
1				5				10			15				

Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Thr	Tyr
					20			25			30				

Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
					35			40			45				

Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Lys	Thr	Asn	Asp	Ala	Gln	Lys	Phe
					50			55			60				

Gln	Asp	Arg	Val	Ala	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
					65			70		75		80			

Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Ile	Tyr	Tyr	Cys
					85			90			95				

Ser	Arg	Asp	Arg	Leu	Val	Val	Pro	Pro	Ala	Leu	Tyr	Tyr	Ser	Tyr	Tyr
					100			105			110				

Val	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
					115			120			125				

<210> SEQ ID NO 627
 <211> LENGTH: 24
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 627

ggttacacctt ttaccaccta tggt 24

<210> SEQ ID NO 628
 <211> LENGTH: 8
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 628

Gly	Tyr	Thr	Phe	Thr	Thr	Tyr	Gly
1				5			

-continued

<210> SEQ ID NO 629
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 629

atcagcggtt acaatggtaa aaca

24

<210> SEQ ID NO 630
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 630

Ile Ser Gly Tyr Asn Gly Lys Thr
1 5

<210> SEQ ID NO 631
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 631

tcgagagatc gtttagtagt accacctgcc ctttatttattt cctactacgt tatggacgtc 60

<210> SEQ ID NO 632
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 632

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr
1 5 10 15Val Met Asp Val
20

<210> SEQ ID NO 633
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 633

gatgttgtga tgactcagtc tccactctcc ctgcgggtca cccttgac gcccgtcc 60

atctcctgca ggtctagtca aagcctcgta tacagtatg gaaacaccta cttgaattgg 120

tttcagcaga ggccagggtca atctccaagg cgccataattt ataagggttc taaccgggac 180

tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc 240

agcagggtgg aggctgagga tgggggtt tattactgca tgcaaggtagt acactggccg 300

tacacttttgc cccaggggac caagctggag atcaaa 336

<210> SEQ ID NO 634
<211> LENGTH: 112
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 634

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1           5          10          15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
 20          25          30

Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
 35          40          45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
 50          55          60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65          70          75          80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
 85          90          95

Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100         105         110
  
```

<210> SEQ ID NO 635
 <211> LENGTH: 33
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 635

caaaggctcg tatacagtga tggaaacacc tac 33

<210> SEQ ID NO 636
 <211> LENGTH: 11
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 636

```

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr
 1           5          10
  
```

<210> SEQ ID NO 637
 <211> LENGTH: 9
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 637

aaggtttct 9

<210> SEQ ID NO 638
 <211> LENGTH: 3
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 638

```

Lys Val Ser
 1
  
```

<210> SEQ ID NO 639

-continued

<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 639

atgcaggta cacactggcc gtacact

27

<210> SEQ ID NO 640
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 640

Met Gln Gly Thr His Trp Pro Tyr Thr
1 5

<210> SEQ ID NO 641
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 641

caggttcagc tggcggcgtc tggacacctgag gtgaagaacc ctggggcctc agtgaaggc	60
tccgtcaagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc	120
cctggacaag ggcttgatgt gatggatgg atcagcggtt acaatggtaa aacaaacgat	180
gcacagaagt tccaggacag agtcgcccatt accacagaca catccacgag cacagctac	240
atggagctga ggagccttagt atctgacgac acggccattt attactgttc gagagatcgt	300
ttagtagtac cacctgcctt ttattattcc tactacgtta tggacgtctg gggccaagg	360
accacggta ccgtctccca a	381

<210> SEQ ID NO 642
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 642

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
1 5 10 15Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
20 25 30Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
50 55 60Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
65 70 75 80Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
85 90 95Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr
100 105 110

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser

-continued

115

120

125

```

<210> SEQ ID NO 643
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 643

gatgttgtga tgactcagtc tccactctcc ctgccccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aaggcctcgta tacagtgtat gaaacacacta cttgaatttgg      120
tttcagcaga ggccagggtca atctccaagg cgccctaattt ataagggttca taaccgggac      180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcc actgaaaatc      240
agcagggtgg aggctgagga tttttttttt tattactgca tgcaaggtagt acactggccg      300
tacacttttg gccaggggac caagctggag atcaaa                                336

```

```

<210> SEQ ID NO 644
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 644

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1           5           10          15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
 20          25           30

Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
 35           40           45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
 50           55           60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65           70           75           80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
 85           90           95

Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100          105          110

```

```

<210> SEQ ID NO 645
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 645

caggttcagtc tgggtgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctggta caccttacc acctatggta tcagctgggt gcgcacaggcc      120
cctggacaag ggcttgatgt gatggatgg atcagcggtt acaatggtaa aacaaactat      180
gcacagaagc tccaggccag agtcaccatg accacagaca catccacgag cacagctac      240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt      300
tttagtagtac cacctgccct ttattattcc tactacgtta tggacgtctg gggcaaggg      360
accacggtca ccgtctcctc a                                         381

```

<210> SEQ ID NO 646
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 646

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala	
1																15

Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Thr	Tyr	
																20 25 30

Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
																35 40 45

Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Lys	Thr	Asn	Tyr	Ala	Gln	Lys	Leu	
																50 55 60

Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr	
																65 70 75 80

Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
																85 90 95

Ser	Arg	Asp	Arg	Leu	Val	Val	Pro	Pro	Ala	Leu	Tyr	Tyr	Ser	Tyr	Tyr	
																100 105 110

Val	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser		
																115 120 125

<210> SEQ ID NO 647
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 647

gatgttgtga	tgactcagtc	tccactctcc	ctgccccgtca	cccttggaca	gccggcctcc		60
atctcctgca	ggtctagtca	aaggcctcgta	tacagtgtatg	gaaacaccta	cttgaattgg		120
tttcagcaga	ggccaggcca	atctccaagg	cgcctaattt	ataaggtttc	taaccgggac		180
tctggggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttac	actgaaaatc		240
agcaggggtgg	aggctgagga	tgttggggtt	tattactgca	tgcaaggtag	acactggccg		300
tacacttttg	gccaggggac	caagctggag	atcaaa				336

<210> SEQ ID NO 648
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 648

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly	
1																15

Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser	
																20 25 30

Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser	
																35 40 45

Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro	
																50 55 60

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

-continued

65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly			
85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 649

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 649

```
cagggttcagc tgggtgcagtc tggacacctgag gtgaagaacc ctggggcctc agtgaaggc 60
tcctgcaagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc 120
cctggacaag ggcttgagtg gatgggatgg atcagcggtt acaatggtaa aacaaacgat 180
gcacagaagt tccaggacag agtcgcccatt accacagacata catccacgag cacagcctac 240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300
tttagtagtac cacctggccct taattattac tactacgtta tggacgtctg gggccaagg 360
accacggtca ccgtctccctc a 381
```

<210> SEQ ID NO 650

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 650

```
Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
1 5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
20 25 30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
50 55 60
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ala Tyr
65 70 75 80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
85 90 95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr
100 105 110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120 125
```

<210> SEQ ID NO 651

<211> LENGTH: 24

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 651

ggttacacct ttaccaccta tggt

-continued

<210> SEQ ID NO 652
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 652

Gly Tyr Thr Phe Thr Thr Tyr Gly
1 5

<210> SEQ ID NO 653
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 653

atcagcggtt acaatggtaa aaca

24

<210> SEQ ID NO 654
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 654

Ile Ser Gly Tyr Asn Gly Lys Thr
1 5

<210> SEQ ID NO 655
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 655

tcgagagatc gtttagtagt accacctgcc cttattttt actactacgt tatggacgtc 60

<210> SEQ ID NO 656
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 656

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr
1 5 10 15

Val Met Asp Val
20

<210> SEQ ID NO 657
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 657

gatgttgtga tgactcagtc tccactctcc ctgccccgtca cccttgacca gccggcctcc 60

atctcctgca ggtcttagtca aagcctcgta tacagtgtat gaaacaccta cttgaattgg 120

-continued

tttcagcaga ggccaggta atctccaagg cgcctaattt ataaggtttc taaccgggac	180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc	240
agcagggtgg aggctgagga tgggggtt tattactgca tgcaaggtag acactggccg	300
tacacttttgc cagggggac caagctggag atcaaa	336

<210> SEQ ID NO 658
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 658

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly			
1	5	10	15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser			
20	25	30	
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser			
35	40	45	
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro			
50	55	60	
Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly			
85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
100	105	110	

<210> SEQ ID NO 659
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 659

caaaggctcg tatacagtga tggaaacacc tac	33
--------------------------------------	----

<210> SEQ ID NO 660
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 660

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr		
1	5	10

<210> SEQ ID NO 661
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 661

aaggtttct

<210> SEQ ID NO 662
<211> LENGTH: 3

-continued

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 662

Lys Val Ser
1

<210> SEQ ID NO 663
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 663

atgcaaggta cacactggcc gtacact 27

<210> SEQ ID NO 664
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 664

Met Gln Gly Thr His Trp Pro Tyr Thr
1 5

<210> SEQ ID NO 665
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 665

caggttcagc tggtgccagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggc	60
tcctgcagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc	120
cctggacaag ggcttgagtg gatggatgg atcagcggtt acaatggtaa aacaacat	180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagctac	240
atggagctga ggagcctgag atctgacgac acggccattt attactttc gagagatcg	300
ttagtagtac cacctgcct taattattac tactacgta tggacgtctg gggccaagg	360
accacggta ccgtctccca a	381

<210> SEQ ID NO 666
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 666

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe

-continued

50 55 60

Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65 70 75 80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
 85 90 95

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr
 100 105 110

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120 125

<210> SEQ ID NO 667

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 667

gatgttgtga	tgactcagtc	tccactctcc	ctgccccgtca	cccttggaca	gccggcctcc	60
atctcctgc	aaggctcgta	aaggctcgta	tacagtgtat	gaaacacacta	cttgaattgg	120
tttcagcaga	ggccagggtca	atctccaagg	cgcctaattt	ataaggtttc	taaccgggac	180
tctggggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttcac	actgaaaatc	240
agcagggtgg	aggctgagga	tgttggggtt	tattactgca	tgcaaggtag	acactggccg	300
tacactttt	gccaggggac	caagctggag	atcaaa			336

<210> SEQ ID NO 668

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 668

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val	Thr Leu Gly		
1	5	10	15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val	Tyr Ser	
20	25	30

Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro	Gly Gln Ser	
35	40	45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser	Gly Val Pro	
50	55	60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65	70	75	80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met	Gln Gly	
85	90	95

Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu	Ile Lys	
100	105	110

<210> SEQ ID NO 669

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 669

cagggttcagc	tgggtgcagtc	tggagctgag	gtgaagaagc	ctggggcctc	agtgaaggtc	60
-------------	-------------	------------	------------	------------	------------	----

-continued

tcctgcaagg cttctggta caccttacc acctatggta tcagctgggt gcgacaggcc	120
cctggacaag ggcttgagtg gatgggatgg atcagcggtt acaaactat	180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagoctac	240
atggagctga ggagcctgag atctgacgac acggccgtgt attactttc gagagatcgt	300
ttagtagtac cacctgcct taattattac tactacgtta tggacgtctg gggcaaggg	360
accacggtca ccgtctcctc a	381

<210> SEQ ID NO 670

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 670

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala			
1	5	10	15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr			
20	25	30	

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met			
35	40	45	

Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Tyr Ala Gln Lys Leu			
50	55	60	

Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr			
65	70	75	80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr			
100	105	110	

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120	125	

<210> SEQ ID NO 671

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 671

gatgttgtga tgactcagtc tccactctcc ctgccccgtca cccttggaca gccggctcc	60
---	----

atctcctgca ggtctagtca aagcctcgta tacagtgtat gaaacaccta cttgaattgg	120
---	-----

tttcagcaga ggcaggcaca atctccaagg cgccataattt ataaggttca tAACCGGGAC	180
--	-----

tctgggtcc cagacagatt cagcggcagt gggtcaggca ctgatttac actgaaaatc	240
---	-----

agcagggtgg aggctgagga ttttttttttattactgca tgcaaggta acactggccg	300
--	-----

tacacttttg gccaggggac caagctggag atcaaa	336
---	-----

<210> SEQ ID NO 672

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 672

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly

-continued

1	5	10	15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser		Leu Val Tyr Ser	
20	25	30	
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro	Gly Gln Ser		
35	40	45	
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser	Gly Val Pro		
50	55	60	
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr	Leu Lys Ile		
65	70	75	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys	Met Gln Gly		
85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu	Glu Ile Lys		
100	105	110	

<210> SEQ ID NO 673

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 673

```
caggttcagc tgggtcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctggta cacctttacc acctatggta tcagttgggt acgcacaggcc    120
cctggacaag ggcttgagtg gatggatgg atcagcggtt acaatggtaa aacaaacgat    180
gcacagaagt tccaggacag agtcgcccatt accacagaca catccacgag cacagcctac  240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt  300
tttagtagtac cacctgcctt ttattattac tactacgtta tggacgtctg gggccaaggg  360
accacggtca ccgtctccctc a                                         381
```

<210> SEQ ID NO 674

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 674

1	5	10	15
Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn	Pro Gly Ala		
20	25	30	
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe	Thr Thr Thr Tyr		
35	40	45	
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu	Glu Trp Met		
50	55	60	
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala	Gln Lys Phe		
65	70	75	80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile	Tyr Tyr Cys		
85	90	95	
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr	Tyr Tyr Tyr		
100	105	110	
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Ser	Ser		
115	120	125	

-continued

<210> SEQ ID NO 675
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 675

ggttacacct ttaccaccta tggt

24

<210> SEQ ID NO 676
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 676

Gly Tyr Thr Phe Thr Thr Tyr Gly
1 5

<210> SEQ ID NO 677
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 677

atcagcggtt acaatggtaa aaca

24

<210> SEQ ID NO 678
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 678

Ile Ser Gly Tyr Asn Gly Lys Thr
1 5

<210> SEQ ID NO 679
<211> LENGTH: 60
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 679

tcgagagatc gtttagtagt accacacctgcc ctttattattt actactacgt tatggacgtc 60

<210> SEQ ID NO 680
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 680

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr Tyr
1 5 10 15Val Met Asp Val
20

<210> SEQ ID NO 681

-continued

<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 681

```
gatgttgtga tgactcagtc tccactctcc ctgcgggtca cccttggaca gccggctcc      60
atctcctgca ggtctagtca aaggcctcgta tacagtgtat gaaacaccta cttgaattgg     120
tttcagcaga ggccagggtca atctccaagg cgccataattt ataaggtttc taaccgggac    180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc    240
agcagggtgg aggctgagga tttttttttt tattactgca tgcaaggta acactggccg    300
tacacttttgc cccaggggac caagctggag atcaaa                           336
```

<210> SEQ ID NO 682
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 682

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1				5				10				15			

Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
				20				25				30			

Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
					35			40			45				

Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
				50				55			60				

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
				65				70			75			80	

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Gly
				85				90				95			

Thr	His	Trp	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys
				100				105				110			

<210> SEQ ID NO 683
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 683

```
caaaggcctcg tatacagtga tggaaacacc tac                           33
```

<210> SEQ ID NO 684
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 684

Gln	Ser	Leu	Val	Tyr	Ser	Asp	Gly	Asn	Thr	Tyr
1				5				10		

<210> SEQ ID NO 685
<211> LENGTH: 9

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 685

aaggtttct

9

<210> SEQ ID NO 686
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 686

Lys Val Ser
1

<210> SEQ ID NO 687
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 687

atgcaaggta cacactggcc gtacact

27

<210> SEQ ID NO 688
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 688

Met Gln Gly Thr His Trp Pro Tyr Thr
1 5

<210> SEQ ID NO 689
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 689

caggttcagc tgggtcgagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggc 60
tcctgcaagg cttctggta caccttacc acctatggta tcagttgggt acgacaggcc 120
cctggacaag gggtttagtg gatggatgg atcagcggtt acaatggtaa aacaacgat 180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagctac 240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300
tttagtagtac cacctgcctt ttattattac tactacgtta tggacgtctg gggccaagg 360
accacggta ccgtctcctc a 381

<210> SEQ ID NO 690
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

US 10,023,654 B2

391

-continued

<400> SEQUENCE: 690

```

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
 1           5          10          15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
 20          25          30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35          40          45

Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
 50          55          60

Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
 65          70          75          80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
 85          90          95

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr Tyr
100         105         110

Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115         120         125

```

<210> SEQ ID NO 691

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 691

```

gatgttgtga tgactcagtc tccactctcc ctgccccgtca cccttggaca gccggcctcc      60
attcctcgca ggtctagtca aaggcctcgta tacagtgtatc gaaacaccta cttgaattgg     120
tttcagcaga ggcagggtca atctccaagg cgccctaattt ataagggttc taaccgggac     180
tctggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc     240
agcagggtgg aggctgagga ttttttttttattactgca tgcaaggtagtac acactggccg     300
tacacttttg gccaggggac caagctggag atcaaa                                336

```

<210> SEQ ID NO 692

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 692

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1           5          10          15

Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
 20          25          30

Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
 35          40          45

Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
 50          55          60

Asp Arg Phe Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
 65          70          75          80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
 85          90          95

Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100         105         110

```

392

-continued

<210> SEQ ID NO 693
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 693

cagggttcagc	tgggtgcagtc	tggagctgag	gtgaagaagc	ctggggcctc	agtgaaggtc	60
tcctgcaagg	cttctggta	caccttacc	acctatggta	tcagctgggt	gcgacaggcc	120
cctggacaag	ggcttgatgt	gatgggatgg	atcagcggtt	acaatggtaa	aacaaactat	180
gcacagaagc	tccagggcag	agtcaccatg	accacagaca	catccacgag	cacagctac	240
atggagctga	ggagcctgag	atctgacgac	acggccgtgt	attactgttc	gagagatcgt	300
ttagtagtac	cacctgcct	ttattattac	tactacgtta	tggacgtctg	ggggcaaggg	360
accacggta	ccgtctcctc	a				381

<210> SEQ ID NO 694
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 694

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
1				5				10			15				
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Thr	Tyr
	20				25				30						
Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
	35				40				45						
Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Lys	Thr	Asn	Tyr	Ala	Gln	Lys	Leu
	50				55			60							
Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Thr	Ala	Tyr	
	65				70			75		80					
Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
	85					90			95						
Ser	Arg	Asp	Arg	Leu	Val	Val	Pro	Pro	Ala	Leu	Tyr	Tyr	Tyr	Tyr	
	100				105			110							
Val	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
	115				120			125							

<210> SEQ ID NO 695
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 695

gatgttgta	tgactcagtc	tccactctcc	ctgccccgtca	cccttggaca	gccggcctcc	60
atctcctgca	ggtctagtca	aaggctcgta	tacagtgtat	gaaacaccta	cttgaattgg	120
tttcagcaga	ggccaggcca	atctccaagg	cgcctaattt	ataaggttcc	taaccgggac	180
tctggggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttcac	actgaaaatc	240
agcagggtgg	aggctgagga	tgttgggtt	tattactgca	tgcaaggta	acactggccg	300
tacacttttgc	ccaggggac	caagctggag	atcaaa			336

-continued

<210> SEQ ID NO 696
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 696

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1					5			10				15			
Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
				20				25				30			
Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
				35			40				45				
Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
			50			55			60						
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
	65			70				75					80		
Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Gly
			85				90					95			
Thr	His	Trp	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys
			100			105					110				

<210> SEQ ID NO 697
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 697

caggtgcacc	tggggaggc	tgggtcaagc	ctggagggtc	cctgagactc	60	
tcctgtgcag	cctctggatt	cacccatcgat	gaccactaca	tgagctggat	ccggcaggct	120
ccagggaaagg	ggctggagtg	gatttcatac	attagtaatg	atgggtggat	caaatactat	180
gtggactctg	tggaggggccg	attcatcatt	tccagggaca	acgccaagaa	ctcattgtat	240
ctacatatga	acagcctcag	agccgacgac	acggccgtgt	attactgtgc	gagagatcag	300
ggatatatty	gctacgactc	gtatttattac	tattcctacg	gtatggacgt	ctggggccaa	360
gggaccacgg	tcaccgtcgc	ctca				384

<210> SEQ ID NO 698
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 698

Gln	Val	His	Leu	Val	Glu	Ser	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly	
1					5			10			15				
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Asp	His
			20					25			30				
Tyr	Met	Ser	Trp	Ile	Arg	Gln	Ala	Pro	Gly	Lys	Leu	Glu	Trp	Ile	
	35				40				45						
Ser	Tyr	Ile	Ser	Asn	Asp	Gly	Gly	Thr	Lys	Tyr	Tyr	Val	Asp	Ser	Val
	50				55				60						
Glu	Gly	Arg	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr

-continued

65	70	75	80
Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys			
85	90	95	
Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Ser			
100	105	110	
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ala Ser			
115	120	125	

<210> SEQ ID NO 699
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 699

ggattcacct tcagtgacca ctac 24

<210> SEQ ID NO 700
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 700

Gly Phe Thr Phe Ser Asp His Tyr
1 5

<210> SEQ ID NO 701
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 701

attagtaatg atgggtgtac caaa 24

<210> SEQ ID NO 702
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 702

Ile Ser Asn Asp Gly Gly Thr Lys
1 5

<210> SEQ ID NO 703
<211> LENGTH: 63
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 703

gcgagagatc agggatata tggctacgac tcgtattatt actattccta cggtatggac 60

gtc 63

<210> SEQ ID NO 704
<211> LENGTH: 21
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 704

Ala	Arg	Asp	Gln	Gly	Tyr	Ile	Gly	Tyr	Asp	Ser	Tyr	Tyr	Tyr	Ser
1				5		10						15		
Tyr Gly Met Asp Val														
20														

<210> SEQ ID NO 705

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 705

aaaattgtgt	tgacgcagtc	tccaggcacc	ctgcctttgt	ttccagggga	aagagccacc	60
ctctccctgta	gggccagtca	gagtgttaac	aacaaattct	tagcctgta	ccagcagaaaa	120
tctggccagg	cgtcccaggct	cctcatctat	ggtgcatacca	gcagggccac	tggcatccca	180
gacaggttca	gtggcagtgg	gtctgggacc	gacttcactc	tcaccatcg	cggaactggag	240
cctgaagatt	ttgaagtgtta	ttattgtcaa	gtatatggta	actcactcac	tttcggcgga	300
gggaccaagg	tggagatcaa	g				321

<210> SEQ ID NO 706

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 706

Lys	Ile	Val	Leu	Thr	Gln	Ser	Pro	Gly	Thr	Leu	Pro	Leu	Phe	Pro	Gly
1					5		10			15					

Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Asn	Asn	Lys
				20				25			30				

Phe	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Ser	Gly	Gln	Ala	Pro	Arg	Leu	Leu
				35			40			45					

Ile	Tyr	Gly	Ala	Ser	Ser	Arg	Ala	Thr	Gly	Ile	Pro	Asp	Arg	Phe	Ser
			50			55			60						

Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Thr	Ile	Ser	Gly	Leu	Glu
				65		70			75		80				

Pro	Glu	Asp	Phe	Glu	Val	Tyr	Tyr	Cys	Gln	Val	Tyr	Gly	Asn	Ser	Leu
			85			90			95						

Thr	Phe	Gly	Gly	Gly	Thr	Lys	Val	Glu	Ile	Lys					
					100		105								

<210> SEQ ID NO 707

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 707

cagagtgtta acaacaatt c

<210> SEQ ID NO 708

-continued

<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 708

Gln Ser Val Asn Asn Lys Phe
1 5

<210> SEQ ID NO 709
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 709

ggtgtcatcc

9

<210> SEQ ID NO 710
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 710

Gly Ala Ser
1

<210> SEQ ID NO 711
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 711

caagttatgt gtaactcact cact

24

<210> SEQ ID NO 712
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 712

Gln Val Tyr Gly Asn Ser Leu Thr
1 5

<210> SEQ ID NO 713
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 713

cagggtgcagc tgggtggagtc tgggggaggc ttggtaaagc ctggagggtc cctgagactc 60
tcctgtgcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct 120
ccagggaaagg ggctggagtg gatttataac attagtaatg atgggtgtac caaatactat 180
gtggactctg tggagggccg attcatcatt tccagggaca acgccaagaa ctcattgtat 240

US 10,023,654 B2

403**404**

-continued

ctacatatga acagccttag	agccgacgac	acggccgtgt	attactgtgc	gagagatcag	300
ggatatattg gctacgactc	gtattattac	tattcctacg	gtatggacgt	ctggggccaa	360
gggaccacgg tcaccgttc	ctca				384

<210> SEQ ID NO 714
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 714

Gln	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Ley	Val	Lys	Pro	Gly	Gly	
1														15	
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Asp	His
20														30	
Tyr	Met	Ser	Trp	Ile	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Ley	Glu	Trp	Ile
35														45	
Ser	Tyr	Ile	Ser	Asn	Asp	Gly	Gly	Thr	Lys	Tyr	Tyr	Val	Asp	Ser	Val
50														60	
Glu	Gly	Arg	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr
65														80	
Leu	His	Met	Asn	Ser	Leu	Arg	Ala	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
85														95	
Ala	Arg	Asp	Gln	Gly	Tyr	Ile	Gly	Tyr	Asp	Ser	Tyr	Tyr	Tyr	Ser	
100														110	
Tyr	Gly	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser
115														125	

<210> SEQ ID NO 715
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 715

gaaatttgtt	tgacgcagtc	tccaggcacc	ctgcctttgt	ttccagggga	aagagccacc	60
ctctccctgta	gggccagtca	gagtgttaac	aacaaattct	tagcctgta	ccagcagaaaa	120
tctggccagg	cctccaggct	cctcatctat	ggtgcatcca	gcagggccac	tggcatccca	180
gacaggttca	gtggcagtgg	gtctggacc	gacttcactc	tcaccatcg	cggaactggag	240
cctgaagatt	ttgaagtgtta	ttattgtcaa	gtatatggta	actcactcac	tttcggcgga	300
gggaccaagg	tggagatcaa	a				321

<210> SEQ ID NO 716
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 716

Glu	Ile	Val	Leu	Thr	Gln	Ser	Pro	Gly	Thr	Leu	Pro	Leu	Phe	Pro	Gly
1														15	
Glu	Arg	Ala	Thr	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Asn	Asn	Lys
20														30	
Phe	Leu	Ala	Trp	Tyr	Gln	Gln	Lys	Ser	Gly	Gln	Ala	Pro	Arg	Leu	Leu

US 10,023,654 B2

405**406**

-continued

35	40	45
----	----	----

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser	50	55	60
---	----	----	----

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu	65	70	75	80
---	----	----	----	----

Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu	85	90	95
---	----	----	----

Thr Phe Gly Gly Thr Lys Val Glu Ile Lys	100	105
---	-----	-----

<210> SEQ ID NO 717

<211> LENGTH: 384

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 717

caggtgcagc tgggtggagtc tgggggaggc ttggtaaagc ctggagggtc cctgagactc	60
tcctgtgcag cctctggatt caccttcagt gaccactaca tgagctggat ccgcaggct	120
ccagggaaagg ggctggagtg ggtttcatac attagtaatg atgggtgtac caaatactac	180
gcagactctg tgaagggccg attcaccatc tccagggaca acgccaagaa ctcactgtat	240
ctgcaaatga acagcctgag agccgaggac acggccgtgtt attactgtgc gagagatcag	300
gatatatttgc gctacgactc gtattattac tattcctacg gtatggacgt ctggggcaa	360
gggaccacgg tcaccgtctc ctca	384

<210> SEQ ID NO 718

<211> LENGTH: 128

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 718

Gln Val Gln Leu Val Glu Ser Gly Gly Leu Val Lys Pro Gly Gly	1	5	10	15
---	---	---	----	----

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His	20	25	30
---	----	----	----

Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	35	40	45
---	----	----	----

Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Ala Asp Ser Val	50	55	60
---	----	----	----

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr	65	70	75	80
---	----	----	----	----

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys	85	90	95
---	----	----	----

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Ser	100	105	110
---	-----	-----	-----

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	115	120	125
---	-----	-----	-----

<210> SEQ ID NO 719

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 719

```

gaaattgtgt tgacgcagtc tccaggcacc ctgtcttgt ctccaggaga aagagocacc      60
ctctcctgca gggccagtca gagtgtaaac aacaaattct tagcctggta ccagcagaaa     120
cctggccagg ctcaggatc ctcatctat ggtgcattca gcagggccac tggcatccc     180
gacagggtca gtggcagtgg gtctggaca gacttcactc tcaccatcg cagactggag     240
cctgaagatt ttgcagtgtta ttactgtcaa gtatatggta actcactcac ttccggcgg     300
gggaccaagg tggagatcaa a                                         321

```

<210> SEQ ID NO 720
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 720

```

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
 1           5           10          15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys
 20          25           30

Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
 35          40           45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
 50          55           60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu
 65          70           75          80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu
 85          90           95

Thr Phe Gly Gly Thr Lys Val Glu Ile Lys
 100         105

```

<210> SEQ ID NO 721
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 721

```

caaattctgc tggtgcaatc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctggta caccttacc aactacgcta tcagctgggt gcgacaggc      120
cctggacaag ggcttgatgt gatggatgg gtcagcgctt acaatggta cacaaactat     180
gcacatgaag tccaggcag agtcaccatg accacagaca catccacgac cacagctac     240
atggagctga ggacgctgag atctgacgac acggccatgt attactgtgc gagaggggt     300
gtatgcgtgc cagttgctcc ccacttctac aacggtatgg acgtctgggg ccaagggacc     360
acggtcaccc tctcctca                                         378

```

<210> SEQ ID NO 722
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 722

-continued

```

Gln Ile Leu Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala
 1           5          10         15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
 20          25          30

Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met
 35          40          45

Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val
 50          55          60

Gln Gly Arg Val Thr Met Thr Asp Thr Ser Thr Thr Thr Ala Tyr
 65          70          75         80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys
 85          90          95

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly
100          105         110

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115          120         125

```

```

<210> SEQ ID NO 723
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 723

```

```
ggttacacct ttaccaacta cgct                                24
```

```

<210> SEQ ID NO 724
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 724

```

```
Gly Tyr Thr Phe Thr Asn Tyr Ala
 1           5
```

```

<210> SEQ ID NO 725
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 725

```

```
gtcagcgctt acaatggta caca                                24
```

```

<210> SEQ ID NO 726
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 726

```

```
Val Ser Ala Tyr Asn Gly His Thr
 1           5
```

```

<210> SEQ ID NO 727
<211> LENGTH: 57
<212> TYPE: DNA

```

-continued

<213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 727

gcgagagggg gtgttagtcgt gccagttgct ccccaacttct acaacggtat ggacgtc 57

<210> SEQ ID NO 728
 <211> LENGTH: 19
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 728

Ala	Arg	Gly	Gly	Val	Val	Val	Pro	Val	Ala	Pro	His	Phe	Tyr	Asn	Gly
1				5			10				15				

Met Asp Val

<210> SEQ ID NO 729
 <211> LENGTH: 336
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 729

gatatttgtga	tgactcagtt	tccactctcc	ctgccccgtca	cccctggaga	gccgggctcc	60
atctcctgtca	ggtctctgtca	gagcctctcg	catattaatg	aataacaacta	tttggattgg	120
tacctaaaga	agccaggggca	gtctccacag	ctcctgtatct	atttgggttt	taatcgggcc	180
tccgggggtcc	ctgacagggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaaatc	240
agcagagtg	aggctgagga	tgttggggtc	tattactgca	tgcaagctct	tcaaactccg	300
tggacgttccg	gccaaggggac	caaggtggaa	atcaaa			336

<210> SEQ ID NO 730
 <211> LENGTH: 112
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 730

Asp	Ile	Val	Met	Thr	Gln	Phe	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5			10				15				

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ile
				20			25			30					

Asn	Glu	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Lys	Lys	Pro	Gly	Gln	Ser
					35		40			45					

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Phe	Asn	Arg	Ala	Ser	Gly	Val	Pro
					50		55			60					

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
					65		70			75			80		

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
					85		90			95					

Leu	Gln	Thr	Pro	Trp	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
					100		105			110					

<210> SEQ ID NO 731
 <211> LENGTH: 33

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 731

cagagcctcc tgcataattaa tgaataacaac tat

33

<210> SEQ ID NO 732
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 732

Gln	Ser	Leu	Leu	His	Ile	Asn	Glu	Tyr	Asn	Tyr
1									10	

<210> SEQ ID NO 733
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 733

ttgggtttt

9

<210> SEQ ID NO 734
<211> LENGTH: 3
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 734

Leu	Gly	Phe
1		

<210> SEQ ID NO 735
<211> LENGTH: 27
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 735

atgcaagctc ttcaaactcc gtggacg

27

<210> SEQ ID NO 736
<211> LENGTH: 9
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<400> SEQUENCE: 736

Met	Gln	Ala	Leu	Gln	Thr	Pro	Trp	Thr
1								5

<210> SEQ ID NO 737
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

-continued

<400> SEQUENCE: 737

```
caggttcagc tgggtcagtc tggacacctgag gtgaaggagc ctggggctc agtgaaggtc      60
tcctgcagg cttctggta caccttacc aactacgcta tcagctgggt gcgacaggc      120
cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatggtca cacaactat      180
gcacatgaag tccaggcag agtcaccatg accacagaca catccacgac cacagctac      240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagagggggt      300
gtagtcgtgc cagttgtcc ccacttctac aacggtatgg acgtctgggg ccaagggacc      360
acggtcaccg tctcctca                                         378
```

<210> SEQ ID NO 738

<211> LENGTH: 126

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 738

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Pro	Glu	Val	Lys	Glu	Pro	Gly	Ala
1					5			10			15				
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Tyr
					20			25			30				
Ala	Ile	Ser	Trp	Val	Arg	Gln	Val	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
					35			40			45				
Gly	Trp	Val	Ser	Ala	Tyr	Asn	Gly	His	Thr	Asn	Tyr	Ala	His	Glu	Val
					50			55			60				
Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Thr	Thr	Ala	Tyr
					65			70			75				80
Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Met	Tyr	Tyr	Cys
					85			90			95				
Ala	Arg	Gly	Gly	Val	Val	Val	Pro	Val	Ala	Pro	His	Phe	Tyr	Asn	Gly
					100			105			110				
Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser		
					115			120			125				

<210> SEQ ID NO 739

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 739

```
gatattgtga tgactcagtc tccactctcc ctgcgggtca cccctggaga gccggctcc      60
atctcctgca ggtctagtca gagcctcctg catattaatg aataacaacta tttggattgg      120
tacctaaaga agccaggcgtc gtctccacag ctccctgatct atttgggttt taatcgggccc     180
tccgggtcc ctgacagggtt cagttggcgtt ggatcaggca cagattttac actgaaaatc     240
agcagagtgg aggctgagga ttttttttttattactgca tgcaagctct tcaaactccg     300
tggacgttcg gccaaggggac caaggtggaa atcaaa                                         336
```

<210> SEQ ID NO 740

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

US 10,023,654 B2

417**418**

-continued

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 740

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1					5			10			15				

Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ile
20					25					30					

Asn	Glu	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Lys	Lys	Pro	Gly	Gln	Ser
35					40				45						

Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Phe	Asn	Arg	Ala	Ser	Gly	Val	Pro
50					55			60							

Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
65					70			75		80					

Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
85					90			95							

Leu	Gln	Thr	Pro	Trp	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
100					105				110						

<210> SEQ ID NO 741

<211> LENGTH: 378

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 741

cagggtcagc	tggtgcatgc	tggagctgag	gtgaagaagc	ctggggcctc	agtgaaggtc	60
tcctgcaagg	cttctggta	caccttacc	aactacgcta	ttagctgggt	gcgacaggcc	120
cctggacaag	ggcttgatgt	gatggatgg	gtcagcgctt	acaatggtca	cacaactat	180
gcacagaagc	tccagggcag	agtcaccatg	accacagaca	catccacgag	cacagctac	240
atggagctga	ggagcctgag	atctgacgac	acggccgtgt	attactgtgc	gagaggggt	300
gtatgcgtgc	cagttgcctcc	ccacttctac	aacggatgg	acgtctgggg	gcaagggacc	360
acggtcaccc	tctcctca					378

<210> SEQ ID NO 742

<211> LENGTH: 126

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 742

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
1					5			10			15				

Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Asn	Tyr
20					25			30							

Ala	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
35					40				45						

Gly	Trp	Val	Ser	Ala	Tyr	Asn	Gly	His	Thr	Asn	Tyr	Ala	Gln	Lys	Leu
50					55			60							

Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
65					70			75		80					

Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
85					90			95							

Ala	Arg	Gly	Gly	Val	Val	Val	Pro	Val	Ala	Pro	His	Phe	Tyr	Asn	Gly
100					105			110							

-continued

Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser
115				120							125		

<210> SEQ ID NO 743
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 743

gatattgtga	tgactcagtc	tccactctcc	ctgcccgtca	ccccctggaga	gccggcctcc	60
atctcctgca	ggtcttagtca	gagcctcctg	catattaatg	aataacaacta	tttggattgg	120
tacactgcaga	agccaggggca	gtctccacag	ctcctgatct	atttgggttc	taatcgggcc	180
tccgggggtcc	ctgacagggtt	cagtggcagt	ggatcaggca	cagattttac	actgaaaatc	240
agcagagtgaa	aggctgagga	tgttgggtt	tattactgca	tgcaagctct	tcaaactccg	300
tggacgttcg	gccaaggggac	caaggtggaa	atcaaa			336

<210> SEQ ID NO 744
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 744

Asp	Ile	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Pro	Gly
1				5				10				15			
Glu	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Leu	His	Ile
	20				25					30					
Asn	Glu	Tyr	Asn	Tyr	Leu	Asp	Trp	Tyr	Leu	Gln	Lys	Pro	Gly	Gln	Ser
	35					40				45					
Pro	Gln	Leu	Leu	Ile	Tyr	Leu	Gly	Ser	Asn	Arg	Ala	Ser	Gly	Val	Pro
	50				55				60						
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
	65				70				75		80				
Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
	85				90				95						
Leu	Gln	Thr	Pro	Trp	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
	100				105				110						

<210> SEQ ID NO 745
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
<220> FEATURE:
<221> NAME/KEY: VARIANT
<222> LOCATION: (1)...(8)
<223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 745

Xaa							
1				5			

<210> SEQ ID NO 746
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:
 <223> OTHER INFORMATION: Synthetic
 <220> FEATURE:
 <221> NAME/KEY: VARIANT
 <222> LOCATION: (1)...(8)
 <223> OTHER INFORMATION: Xaa - Any amino acid

<400> SEQUENCE: 746

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5

<210> SEQ ID NO 747
 <211> LENGTH: 20
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic
 <220> FEATURE:
 <221> NAME/KEY: VARIANT
 <222> LOCATION: (1)...(20)
 <223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 747

Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa
 20

<210> SEQ ID NO 748
 <211> LENGTH: 12
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic
 <220> FEATURE:
 <221> NAME/KEY: VARIANT
 <222> LOCATION: (1)...(12)
 <223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 748

Xaa
 1 5 10

<210> SEQ ID NO 749
 <211> LENGTH: 3
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic
 <220> FEATURE:
 <221> NAME/KEY: VARIANT
 <222> LOCATION: (1)...(3)
 <223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 749

Xaa Xaa Xaa
 1

<210> SEQ ID NO 750
 <211> LENGTH: 9
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic
 <220> FEATURE:
 <221> NAME/KEY: VARIANT
 <222> LOCATION: (1)...(9)
 <223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 750

-continued

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5

```

<210> SEQ ID NO 751
<211> LENGTH: 330
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 751

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys
1               5              10              15

Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20              25              30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35              40              45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50              55              60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
65              70              75              80

Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys
85              90              95

Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys
100            105            110

Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro
115            120            125

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
130            135            140

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
145            150            155            160

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
165            170            175

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
180            185            190

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
195            200            205

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
210            215            220

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu
225            230            235            240

Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
245            250            255

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
260            265            270

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
275            280            285

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
290            295            300

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
305            310            315            320

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
325            330

```

US 10,023,654 B2

425

-continued

<211> LENGTH: 327
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 752

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
1 5 10 15

Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
20 25 30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
35 40 45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50 55 60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
65 70 75 80

Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
85 90 95

Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro
100 105 110

Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
115 120 125

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
130 135 140

Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
145 150 155 160

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
165 170 175

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
180 185 190

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
195 200 205

Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
210 215 220

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
225 230 235 240

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
245 250 255

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
260 265 270

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
275 280 285

Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
290 295 300

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
305 310 315 320

Leu Ser Leu Ser Leu Gly Lys
325

426

<210> SEQ ID NO 753
<211> LENGTH: 327
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

US 10,023,654 B2

427

-continued

<400> SEQUENCE: 753

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
 1 5 10 15
 Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
 20 25 30
 Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
 35 40 45
 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
 50 55 60
 Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
 65 70 75 80
 Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
 85 90 95
 Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro
 100 105 110
 Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
 115 120 125
 Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
 130 135 140
 Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
 145 150 155 160
 Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Gln Phe
 165 170 175
 Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
 180 185 190
 Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
 195 200 205
 Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
 210 215 220
 Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
 225 230 235 240
 Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
 245 250 255
 Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
 260 265 270
 Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
 275 280 285
 Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
 290 295 300
 Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
 305 310 315 320
 Leu Ser Leu Ser Leu Gly Lys
 325

<210> SEQ ID NO 754

<211> LENGTH: 2076

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 754

atgggcaccc tcagctccag gcggtcttgg tggccgctgc cactgctgtc gctgctgtc 60
 ctgctcctgg gtccccgggg cgcccggtcg caggaggacg aggacggcga ctacgaggag 120
 ctgggtcttag ctttgcttc cgaggaggac ggctggccg aagcacccga gcacggaaacc 180

428

US 10,023,654 B2

429

430

-continued

acagccacct tccaccgctg cgccaaggat ccgtggaggt tgcctggcac ctacgtggtg	240
gtgctgaagg aggagaccca cctctcgca gtcagagegca ctggccggcg cctgcaggcc	300
caggctgccc gccggggata cctcaccaag atcctgeatg tcttccatgg ccttcttct	360
ggcttcctgg tgaagatgag tggcgacctg ctggagctgg ccttgaagtt gccccatgtc	420
gactacatcg aggaggactc ctctgtctt gcccagagca tcccgtggaa cctggagcg	480
attacccctc caeggtaecg ggcggtgaaa taccageccc cgcacggagg cagcctggtg	540
gaggtgtatc tcctagacac cagcatacag agtgaccacc gggaaatcga gggcagggtc	600
atggtcaccc acttcgagaa tgtgcccggag gaggacggga cccgcttcca cagacaggcc	660
agcaagtgtg acagtcatgg caccacccctg gcaggggtgg tcagcggccg ggatgcggc	720
gtggccaaagg gtgccagcat ggcgcagcctg cgcgtgetca actgccaagg gaaggcaca	780
gttagcggca ccctcatagg cctggagttt attcgaaaa gccagctggt ccagectgtg	840
ggcccaactgg tgggtgtgtc gcccctggcg ggtgggtaca gccgcgtctt caacgcggcc	900
tgcgcagcgc tggcgaggggc tggggtegtg ctggtcaccc ctgcggccaa cttcgggac	960
gatgcctgccc tctactcccc agcctcagct cccgagggtca tcacagttgg ggccaccaat	1020
gcccaggacc agccgggtgac cctggggact ttggggacca actttggccg ctgtgtggac	1080
ctctttgccc caggggagga catcattggt gcctccagcg actgcagcac ctgttttgt	1140
tcacagagtg ggacatcaca ggctgctgccc cacgtggctg gcattgcagc catgatgtc	1200
tctgcccggc cggagctcac cctggccgg ttagggcaga gactgatcca cttctctgccc	1260
aaagatgtca tcaatgagcc ctgggttccct gaggaccagc gggtaactgac ccccaacctg	1320
gtggccggccc tgccccccag caccatggg gcagggttggc agctgttttgc caggactgt	1380
tggtcagcac actcggggccc tacacggatg gccacagcc tcgccccgtg cgccccagat	1440
gaggagctgc ttagctgtc cagtttctcc aggagtggaa agcggcgcccc cgagcgcatt	1500
gaggcccaag gggcaagct ggtctgccc gcccacaacg cttttggggg tgaggggtgc	1560
tacgcccattt ccagggtgtc cctgtctaccc caggccaaact gcagcgttcca cacagtc	1620
ccagctgagg ccagcatggg gacccgtgtc cactgcacc accagggcca cgtcctcaca	1680
ggctgcagct cccactggg ggtggaggac cttggcaccc acaagccccc tgtgtgagg	1740
ccacgagggtc agcccaacca gtgcgtggcc cacaggagg ccagcatcca cgttctctgc	1800
tgccatgccc caggtctggat atgcaaagtcc aaggagcatg gaatcccccc ccctcaggag	1860
caggtgaccg tggcctgca gggaggctgg accctgactg gctgcagtgc cttccctggg	1920
acctccccacg tcctggggcc ctacgcgttca gacaacacgt gtgtagtcag gagccgggac	1980
gtcagacta caggcagcac cagcgaagag gccgtgacag ccgttgcctt ctgtgcggg	2040
agccggcacc tggcgcgaggc ctcccaaggag ctccca	2076

<210> SEQ ID NO 755

<211> LENGTH: 692

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 755

Met	Gly	Thr	Val	Ser	Ser	Arg	Arg	Ser	Trp	Trp	Pro	Leu	Pro	Leu	Leu
1									10			15			

Leu	Leu	Leu	Leu	Leu	Leu	Gly	Pro	Ala	Gly	Ala	Arg	Ala	Gln	Glu
													30	
20									25					

Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu

US 10,023,654 B2

431

-continued

35	40	45
Glu Asp Gly Leu Ala Glu Ala Pro Glu His Gly Thr Thr Ala Thr Phe		
50	55	60
His Arg Cys Ala Lys Asp Pro Trp Arg Leu Pro Gly Thr Tyr Val Val		
65	70	75
Val Leu Lys Glu Glu Thr His Leu Ser Gln Ser Glu Arg Thr Ala Arg		
85	90	95
Arg Leu Gln Ala Gln Ala Ala Arg Arg Gly Tyr Leu Thr Lys Ile Leu		
100	105	110
His Val Phe His Gly Leu Leu Pro Gly Phe Leu Val Lys Met Ser Gly		
115	120	125
Asp Leu Leu Glu Leu Ala Leu Lys Leu Pro His Val Asp Tyr Ile Glu		
130	135	140
Glu Asp Ser Ser Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg		
145	150	155
Ile Thr Pro Pro Arg Tyr Arg Ala Asp Glu Tyr Gln Pro Pro Asp Gly		
165	170	175
Gly Ser Leu Val Glu Val Tyr Leu Leu Asp Thr Ser Ile Gln Ser Asp		
180	185	190
His Arg Glu Ile Glu Gly Arg Val Met Val Thr Asp Phe Glu Asn Val		
195	200	205
Pro Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp		
210	215	220
Ser His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly		
225	230	235
Val Ala Lys Gly Ala Ser Met Arg Ser Leu Arg Val Leu Asn Cys Gln		
245	250	255
Gly Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg		
260	265	270
Lys Ser Gln Leu Val Gln Pro Val Gly Pro Leu Val Val Leu Leu Pro		
275	280	285
Leu Ala Gly Gly Tyr Ser Arg Val Leu Asn Ala Ala Cys Gln Arg Leu		
290	295	300
Ala Arg Ala Gly Val Val Leu Val Thr Ala Ala Gly Asn Phe Arg Asp		
305	310	315
Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val		
325	330	335
Gly Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly		
340	345	350
Thr Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Glu Asp Ile		
355	360	365
Ile Gly Ala Ser Ser Asp Cys Ser Thr Cys Phe Val Ser Gln Ser Gly		
370	375	380
Thr Ser Gln Ala Ala Ala His Val Ala Gly Ile Ala Ala Met Met Leu		
385	390	395
Ser Ala Glu Pro Glu Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile		
405	410	415
His Phe Ser Ala Lys Asp Val Ile Asn Glu Ala Trp Phe Pro Glu Asp		
420	425	430
Gln Arg Val Leu Thr Pro Asn Leu Val Ala Ala Leu Pro Pro Ser Thr		
435	440	445
His Gly Ala Gly Trp Gln Leu Phe Cys Arg Thr Val Trp Ser Ala His		
450	455	460

432

-continued

Ser Gly Pro Thr Arg Met Ala Thr Ala Ile Ala Arg Cys Ala Pro Asp
 465 470 475 480
 Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Lys Arg Arg
 485 490 495
 Gly Glu Arg Met Glu Ala Gln Gly Gly Lys Leu Val Cys Arg Ala His
 500 505 510
 Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu
 515 520 525
 Leu Pro Gln Ala Asn Cys Ser Val His Thr Ala Pro Pro Ala Glu Ala
 530 535 540
 Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr
 545 550 555 560
 Gly Cys Ser Ser His Trp Glu Val Glu Asp Leu Gly Thr His Lys Pro
 565 570 575
 Pro Val Leu Arg Pro Arg Gly Gln Pro Asn Gln Cys Val Gly His Arg
 580 585 590
 Glu Ala Ser Ile His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys
 595 600 605
 Lys Val Lys Glu His Gly Ile Pro Ala Pro Gln Glu Gln Val Thr Val
 610 615 620
 Ala Cys Glu Glu Gly Trp Thr Leu Thr Gly Cys Ser Ala Leu Pro Gly
 625 630 635 640
 Thr Ser His Val Leu Gly Ala Tyr Ala Val Asp Asn Thr Cys Val Val
 645 650 655
 Arg Ser Arg Asp Val Ser Thr Thr Gly Ser Thr Ser Glu Glu Ala Val
 660 665 670
 Thr Ala Val Ala Ile Cys Cys Arg Ser Arg His Leu Ala Gln Ala Ser
 675 680 685
 Gln Glu Leu Gln
 690

<210> SEQ ID NO 756
<211> LENGTH: 692
<212> TYPE: PRT
<213> ORGANISM: Macaca mulata

<400> SEQUENCE: 756

Met Gly Thr Val Ser Ser Arg Arg Ser Trp Trp Pro Leu Pro
 1 5 10 15
 Leu Leu Leu Leu Leu Leu Gly Pro Ala Gly Ala Arg Ala Gln Glu
 20 25 30
 Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu
 35 40 45
 Glu Asp Gly Leu Ala Asp Ala Pro Glu His Gly Ala Thr Ala Thr Phe
 50 55 60
 His Arg Cys Ala Lys Asp Pro Trp Arg Leu Pro Gly Thr Tyr Val Val
 65 70 75 80
 Val Leu Lys Glu Glu Thr His Arg Ser Gln Ser Glu Arg Thr Ala Arg
 85 90 95
 Arg Leu Gln Ala Gln Ala Ala Arg Arg Gly Tyr Leu Thr Lys Ile Leu
 100 105 110
 His Val Phe His His Leu Leu Pro Gly Phe Leu Val Lys Met Ser Gly
 115 120 125
 Asp Leu Leu Glu Leu Ala Leu Lys Leu Pro His Val Asp Tyr Ile Glu

US 10,023,654 B2

435

-continued

436

130	135	140
Glu Asp Ser Ser Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg		
145	150	155
Ile Thr Pro Ala Arg Tyr Arg Ala Asp Glu Tyr Gln Pro Pro Lys Gly		
165	170	175
Gly Ser Leu Val Glu Val Tyr Leu Leu Asp Thr Ser Ile Gln Ser Asp		
180	185	190
His Arg Glu Ile Glu Gly Arg Val Met Val Thr Asp Phe Glu Ser Val		
195	200	205
Pro Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp		
210	215	220
Ser His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly		
225	230	235
Val Ala Lys Gly Ala Gly Leu Arg Ser Leu Arg Val Leu Asn Cys Gln		
245	250	255
Gly Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg		
260	265	270
Lys Ser Gln Leu Val Gln Pro Val Gly Pro Leu Val Val Leu Leu Pro		
275	280	285
Leu Ala Gly Gly Tyr Ser Arg Val Phe Asn Ala Ala Cys Gln Arg Leu		
290	295	300
Ala Arg Ala Gly Val Val Leu Val Thr Ala Ala Gly Asn Phe Arg Asp		
305	310	315
Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val		
325	330	335
Gly Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly		
340	345	350
Thr Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Glu Asp Ile		
355	360	365
Ile Gly Ala Ser Ser Asp Cys Ser Thr Cys Phe Val Ser Arg Ser Gly		
370	375	380
Thr Ser Gln Ala Ala Ala His Val Ala Gly Ile Ala Ala Met Met Leu		
385	390	395
Ser Ala Glu Pro Glu Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile		
405	410	415
His Phe Ser Ala Asp Val Ile Asn Glu Ala Trp Phe Pro Glu Asp		
420	425	430
Gln Arg Val Leu Thr Pro Asn Leu Val Ala Ala Leu Pro Pro Ser Thr		
435	440	445
His Arg Ala Gly Trp Gln Leu Phe Cys Arg Thr Val Trp Ser Ala His		
450	455	460
Ser Gly Pro Thr Arg Met Ala Thr Ala Val Ala Arg Cys Ala Gln Asp		
465	470	475
480		
Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Lys Arg Arg		
485	490	495
Gly Glu Arg Ile Glu Ala Gln Gly Gly Lys Arg Val Cys Arg Ala His		
500	505	510
Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu		
515	520	525
Leu Pro Gln Val Asn Cys Ser Val His Thr Ala Pro Pro Ala Gly Ala		
530	535	540
Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr		
545	550	555
560		

-continued

Gly Cys Ser Ser His Trp Glu Val Glu Asp Leu Gly Thr His Lys Pro
565 570 575

Pro Val Leu Arg Pro Arg Gly Gln Pro Asn Gln Cys Val Gly His Arg
580 585 590

Glu Ala Ser Ile His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys
595 600 605

Lys Val Lys Glu His Gly Ile Pro Ala Pro Gln Glu Gln Val Ile Val
610 615 620

Ala Cys Glu Asp Gly Trp Thr Leu Thr Gly Cys Ser Pro Leu Pro Gly
625 630 635 640

Thr Ser His Val Leu Gly Ala Tyr Ala Val Asp Asn Thr Cys Val Val
645 650 655

Arg Ser Arg Asp Val Ser Thr Thr Gly Ser Thr Ser Lys Glu Ala Val
660 665 670

Ala Ala Val Ala Ile Cys Cys Arg Ser Arg His Leu Val Gln Ala Ser
675 680 685

Gln Glu Leu Gln
690

<210> SEQ ID NO 757
<211> LENGTH: 694
<212> TYPE: PRT
<213> ORGANISM: Mus muscular

<400> SEQUENCE: 757

Met Gly Thr His Cys Ser Ala Trp Leu Arg Trp Pro Leu Leu Pro Leu
1 5 10 15

Leu Pro Pro Leu Leu Leu Leu Leu Leu Cys Pro Thr Gly Ala
20 25 30

Gly Ala Gln Asp Glu Asp Gly Asp Tyr Glu Glu Leu Met Leu Ala Leu
35 40 45

Pro Ser Gln Glu Asp Gly Leu Ala Asp Glu Ala Ala His Val Ala Thr
50 55 60

Ala Thr Phe Arg Arg Cys Ser Lys Glu Ala Trp Arg Leu Pro Gly Thr
65 70 75 80

Tyr Ile Val Val Leu Met Glu Glu Thr Gln Arg Leu Gln Ile Glu Gln
85 90 95

Thr Ala His Arg Leu Gln Thr Arg Ala Ala Arg Arg Gly Tyr Val Ile
100 105 110

Lys Val Leu His Ile Phe Tyr Asp Leu Phe Pro Gly Phe Leu Val Lys
115 120 125

Met Ser Ser Asp Leu Leu Gly Leu Ala Leu Lys Leu Pro His Val Glu
130 135 140

Tyr Ile Glu Glu Asp Ser Phe Val Phe Ala Gln Ser Ile Pro Trp Asn
145 150 155 160

Leu Glu Arg Ile Ile Pro Ala Trp His Gln Thr Glu Glu Asp Arg Ser
165 170 175

Pro Asp Gly Ser Ser Gln Val Glu Val Tyr Leu Leu Asp Thr Ser Ile
180 185 190

Gln Gly Ala His Arg Glu Ile Glu Gly Arg Val Thr Ile Thr Asp Phe
195 200 205

Asn Ser Val Pro Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser
210 215 220

Lys Cys Asp Ser His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg

US 10,023,654 B2

439

-continued

440

225	230	235	240
Asp Ala Gly Val Ala Lys Gly Thr Ser Leu His Ser Leu Arg Val Leu			
245	250	255	
Asn Cys Gln Gly Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu			
260	265	270	
Phe Ile Arg Lys Ser Gln Leu Ile Gln Pro Ser Gly Pro Leu Val Val			
275	280	285	
Leu Leu Pro Leu Ala Gly Gly Tyr Ser Arg Ile Leu Asn Ala Ala Cys			
290	295	300	
Arg His Leu Ala Arg Thr Gly Val Val Leu Val Ala Ala Ala Gly Asn			
305	310	315	320
Phe Arg Asp Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val			
325	330	335	
Ile Thr Val Gly Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly			
340	345	350	
Thr Leu Gly Thr Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly			
355	360	365	
Lys Asp Ile Ile Gly Ala Ser Ser Asp Cys Ser Thr Cys Phe Met Ser			
370	375	380	
Gln Ser Gly Thr Ser Gln Ala Ala Ala His Val Ala Gly Ile Val Ala			
385	390	395	400
Arg Met Leu Ser Arg Glu Pro Thr Leu Thr Leu Ala Glu Leu Arg Gln			
405	410	415	
Arg Leu Ile His Phe Ser Thr Lys Asp Val Ile Asn Met Ala Trp Phe			
420	425	430	
Pro Glu Asp Gln Gln Val Leu Thr Pro Asn Leu Val Ala Thr Leu Pro			
435	440	445	
Pro Ser Thr His Glu Thr Gly Gln Leu Leu Cys Arg Thr Val Trp			
450	455	460	
Ser Ala His Ser Gly Pro Thr Arg Thr Ala Thr Ala Arg Cys			
465	470	475	480
Ala Pro Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly			
485	490	495	
Arg Arg Arg Gly Asp Trp Ile Glu Ala Ile Gly Gly Gln Gln Val Cys			
500	505	510	
Lys Ala Leu Asn Ala Phe Gly Glu Gly Val Tyr Ala Val Ala Arg			
515	520	525	
Cys Cys Leu Val Pro Arg Ala Asn Cys Ser Ile His Asn Thr Pro Ala			
530	535	540	
Ala Arg Ala Gly Leu Glu Thr His Val His Cys His Gln Lys Asp His			
545	550	555	560
Val Leu Thr Gly Cys Ser Phe His Trp Glu Val Glu Asp Leu Ser Val			
565	570	575	
Arg Arg Gln Pro Ala Leu Arg Ser Arg Arg Gln Pro Gly Gln Cys Val			
580	585	590	
Gly His Gln Ala Ala Ser Val Tyr Ala Ser Cys Cys His Ala Pro Gly			
595	600	605	
Leu Glu Cys Lys Ile Lys Glu His Gly Ile Ser Gly Pro Ser Glu Gln			
610	615	620	
Val Thr Val Ala Cys Glu Ala Gly Trp Thr Leu Thr Gly Cys Asn Val			
625	630	635	640
Leu Pro Gly Ala Ser Leu Thr Leu Gly Ala Tyr Ser Val Asp Asn Leu			
645	650	655	

-continued

Cys Val Ala Arg Val His Asp Thr Ala Arg Ala Asp Arg Thr Ser Gly
 660 665 670
 Glu Ala Thr Val Ala Ala Ala Ile Cys Cys Arg Ser Arg Pro Ser Ala
 675 680 685
 Lys Ala Ser Trp Val Gln
 690

<210> SEQ ID NO 758
 <211> LENGTH: 653
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 758

Glu Phe Arg Cys His Asp Gly Lys Cys Ile Ser Arg Gln Phe Val Cys
 1 5 10 15

Asp Ser Asp Arg Asp Cys Leu Asp Gly Ser Asp Glu Ala Ser Cys Pro
 20 25 30

Val Leu Thr Cys Gly Pro Ala Ser Phe Gln Cys Asn Ser Ser Thr Cys
 35 40 45

Ile Pro Gln Leu Trp Ala Cys Asp Asn Asp Pro Asp Cys Glu Asp Gly
 50 55 60

Ser Asp Glu Trp Pro Gln Arg Cys Arg Gly Leu Tyr Val Phe Gln Gly
 65 70 75 80

Asp Ser Ser Pro Cys Ser Ala Phe Glu Phe His Cys Leu Ser Gly Glu
 85 90 95

Cys Ile His Ser Ser Trp Arg Cys Asp Gly Gly Pro Asp Cys Lys Asp
 100 105 110

Lys Ser Asp Glu Glu Asn Cys Ala Val Ala Thr Cys Arg Pro Asp Glu
 115 120 125

Phe Gln Cys Ser Asp Gly Asn Cys Ile His Gly Ser Arg Gln Cys Asp
 130 135 140

Arg Glu Tyr Asp Cys Lys Asp Met Ser Asp Glu Val Gly Cys Val Asn
 145 150 155 160

Val Thr Leu Cys Glu Gly Pro Asn Lys Phe Lys Cys His Ser Gly Glu
 165 170 175

Cys Ile Thr Leu Asp Lys Val Cys Asn Met Ala Arg Asp Cys Arg Asp
 180 185 190

Trp Ser Asp Glu Pro Ile Lys Glu Cys Gly Thr Asn Glu Cys Leu Asp
 195 200 205

Asn Asn Gly Gly Cys Ser His Val Cys Asn Asp Leu Lys Ile Gly Tyr
 210 215 220

Glu Cys Leu Cys Pro Asp Gly Phe Gln Leu Val Ala Gln Arg Arg Cys
 225 230 235 240

Glu Asp Ile Asp Glu Cys Gln Asp Pro Asp Thr Cys Ser Gln Leu Cys
 245 250 255

Val Asn Leu Glu Gly Gly Tyr Lys Cys Gln Cys Glu Glu Gly Phe Gln
 260 265 270

Leu Asp Pro His Thr Lys Ala Cys Lys Ala Val Gly Ser Ile Ala Tyr
 275 280 285

Leu Phe Phe Thr Asn Arg His Glu Val Arg Lys Met Thr Leu Asp Arg
 290 295 300

Ser Glu Tyr Thr Ser Leu Ile Pro Asn Leu Arg Asn Val Val Ala Leu
 305 310 315 320

Asp Thr Glu Val Ala Ser Asn Arg Ile Tyr Trp Ser Asp Leu Ser Gln

US 10,023,654 B2

443

444

-continued

325	330	335	
Arg Met Ile Cys Ser Thr Gln Leu Asp Arg Ala His Gly Val Ser Ser			
340	345	350	
Tyr Asp Thr Val Ile Ser Arg Asp Ile Gln Ala Pro Asp Gly Leu Ala			
355	360	365	
Val Asp Trp Ile His Ser Asn Ile Tyr Trp Thr Asp Ser Val Leu Gly			
370	375	380	
Thr Val Ser Val Ala Asp Thr Lys Gly Val Lys Arg Lys Thr Leu Phe			
385	390	395	400
Arg Glu Asn Gly Ser Lys Pro Arg Ala Ile Val Val Asp Pro Val His			
405	410	415	
Gly Phe Met Tyr Trp Thr Asp Trp Gly Thr Pro Ala Lys Ile Lys Lys			
420	425	430	
Gly Gly Leu Asn Gly Val Asp Ile Tyr Ser Leu Val Thr Glu Asn Ile			
435	440	445	
Gln Trp Pro Asn Gly Ile Thr Leu Asp Leu Leu Ser Gly Arg Leu Tyr			
450	455	460	
Trp Val Asp Ser Lys Leu His Ser Ile Ser Ser Ile Asp Val Asn Gly			
465	470	475	480
Gly Asn Arg Lys Thr Ile Leu Glu Asp Glu Lys Arg Leu Ala His Pro			
485	490	495	
Phe Ser Leu Ala Val Phe Glu Asp Lys Val Phe Trp Thr Asp Ile Ile			
500	505	510	
Asn Glu Ala Ile Phe Ser Ala Asn Arg Leu Thr Gly Ser Asp Val Asn			
515	520	525	
Leu Leu Ala Glu Asn Leu Leu Ser Pro Glu Asp Met Val Leu Phe His			
530	535	540	
Asn Leu Thr Gln Pro Arg Gly Val Asn Trp Cys Glu Arg Thr Thr Leu			
545	550	555	560
Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln Ile Asn			
565	570	575	
Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met Leu Leu			
580	585	590	
Ala Arg Asp Met Arg Ser Cys Leu Thr Glu Ala Glu Ala Ala Val Ala			
595	600	605	
Thr Gln Glu Thr Ser Thr Val Arg Leu Lys Val Ser Ser Thr Ala Val			
610	615	620	
Arg Thr Gln His Thr Thr Arg Pro Val Pro Asp Thr Ser Arg Leu			
625	630	635	640
Pro Gly Ala Thr Pro Gly Leu Thr Thr Val Glu Ile Val			
645	650		

<210> SEQ ID NO 759

<211> LENGTH: 753

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 759

Met Glu Arg Arg Ala Trp Ser Leu Gln Cys Thr Ala Phe Val Leu Phe			
1	5	10	15

Cys Ala Trp Cys Ala Leu Asn Ser Ala Lys Ala Lys Arg Gln Phe Val		
20	25	30

Asn Glu Trp Ala Ala Glu Ile Pro Gly Gly Pro Glu Ala Ala Ser Ala		
35	40	45

-continued

Ile Ala Glu Glu Leu Gly Tyr Asp Leu Leu Gly Gln Ile Gly Ser Leu
50 55 60

Glu Asn His Tyr Leu Phe Lys His Lys Asn His Pro Arg Arg Ser Arg
65 70 75 80

Arg Ser Ala Phe His Ile Thr Lys Arg Leu Ser Asp Asp Asp Arg Val
85 90 95

Ile Trp Ala Glu Gln Gln Tyr Glu Lys Glu Arg Ser Lys Arg Ser Ala
100 105 110

Leu Arg Asp Ser Ala Leu Asn Leu Phe Asn Asp Pro Met Trp Asn Gln
115 120 125

Gln Trp Tyr Leu Gln Asp Thr Arg Met Thr Ala Ala Leu Pro Lys Leu
130 135 140

Asp Leu His Val Ile Pro Val Trp Gln Lys Gly Ile Thr Gly Lys Gly
145 150 155 160

Val Val Ile Thr Val Leu Asp Asp Gly Leu Glu Trp Asn His Thr Asp
165 170 175

Ile Tyr Ala Asn Tyr Asp Pro Glu Ala Ser Tyr Asp Phe Asn Asp Asn
180 185 190

Asp His Asp Pro Phe Pro Arg Tyr Asp Pro Thr Asn Glu Asn Lys His
195 200 205

Gly Thr Arg Cys Ala Gly Glu Ile Ala Met Gln Ala Asn Asn His Lys
210 215 220

Cys Gly Val Gly Val Ala Tyr Asn Ser Lys Val Gly Gly Ile Arg Met
225 230 235 240

Leu Asp Gly Ile Val Thr Asp Ala Ile Glu Ala Ser Ser Ile Gly Phe
245 250 255

Asn Pro Gly His Val Asp Ile Tyr Ser Ala Ser Trp Gly Pro Asn Asp
260 265 270

Asp Gly Lys Thr Val Glu Gly Pro Gly Arg Leu Ala Gln Lys Ala Phe
275 280 285

Glu Tyr Gly Val Lys Gln Gly Arg Gln Gly Lys Gly Ser Ile Phe Val
290 295 300

Trp Ala Ser Gly Asn Gly Gly Arg Gln Gly Asp Asn Cys Asp Cys Asp
305 310 315 320

Gly Tyr Thr Asp Ser Ile Tyr Thr Ile Ser Ile Ser Ser Ala Ser Gln
325 330 335

Gln Gly Leu Ser Pro Trp Tyr Ala Glu Lys Cys Ser Ser Thr Leu Ala
340 345 350

Thr Ser Tyr Ser Ser Gly Asp Tyr Thr Asp Gln Arg Ile Thr Ser Ala
355 360 365

Asp Leu His Asn Asp Cys Thr Glu Thr His Thr Gly Thr Ser Ala Ser
370 375 380

Ala Pro Leu Ala Ala Gly Ile Phe Ala Leu Ala Leu Glu Ala Asn Pro
385 390 395 400

Asn Leu Thr Trp Arg Asp Met Gln His Leu Val Val Trp Thr Ser Glu
405 410 415

Tyr Asp Pro Leu Ala Asn Asn Pro Gly Trp Lys Lys Asn Gly Ala Gly
420 425 430

Leu Met Val Asn Ser Arg Phe Gly Phe Gly Leu Leu Asn Ala Lys Ala
435 440 445

Leu Val Asp Leu Ala Asp Pro Arg Thr Trp Arg Ser Val Pro Glu Lys
450 455 460

Lys Glu Cys Val Val Lys Asp Asn Asp Phe Glu Pro Arg Ala Leu Lys

US 10,023,654 B2

447

-continued

465	470	475	480
Ala Asn Gly Glu Val Ile Ile Glu Ile Pro Thr Arg Ala Cys Glu Gly			
485	490	495	
Gln Glu Asn Ala Ile Lys Ser Leu Glu His Val Gln Phe Glu Ala Thr			
500	505	510	
Ile Glu Tyr Ser Arg Arg Gly Asp Leu His Val Thr Leu Thr Ser Ala			
515	520	525	
Ala Gly Thr Ser Thr Val Leu Leu Ala Glu Arg Glu Arg Asp Thr Ser			
530	535	540	
Pro Asn Gly Phe Lys Asn Trp Asp Phe Met Ser Val His Thr Trp Gly			
545	550	555	560
Glu Asn Pro Ile Gly Thr Trp Thr Leu Arg Ile Thr Asp Met Ser Gly			
565	570	575	
Arg Ile Gln Asn Glu Gly Arg Ile Val Asn Trp Lys Leu Ile Leu His			
580	585	590	
Gly Thr Ser Ser Gln Pro Glu His Met Lys Gln Pro Arg Val Tyr Thr			
595	600	605	
Ser Tyr Asn Thr Val Gln Asn Asp Arg Arg Gly Val Glu Lys Met Val			
610	615	620	
Asp Pro Gly Glu Glu Gln Pro Thr Gln Glu Asn Pro Lys Glu Asn Thr			
625	630	635	640
Leu Val Ser Lys Ser Pro Ser Ser Ser Val Gly Gly Arg Arg Asp			
645	650	655	
Glu Leu Glu Glu Gly Ala Pro Ser Gln Ala Met Leu Arg Leu Leu Gln			
660	665	670	
Ser Ala Phe Ser Lys Asn Ser Pro Pro Lys Gln Ser Pro Lys Lys Ser			
675	680	685	
Pro Ser Ala Lys Leu Asn Ile Pro Tyr Glu Asn Phe Tyr Glu Ala Leu			
690	695	700	
Glu Lys Leu Asn Lys Pro Ser Gln Leu Lys Asp Ser Glu Asp Ser Leu			
705	710	715	720
Tyr Asn Asp Tyr Val Asp Val Phe Tyr Asn Thr Lys Pro Tyr Lys His			
725	730	735	
Arg Asp Asp Arg Leu Leu Gln Ala Leu Val Asp Ile Leu Asn Glu Glu			
740	745	750	

Asn

<210> SEQ ID NO 760
<211> LENGTH: 785
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 760

Met Pro Lys Gly Arg Gln Lys Val Pro His Leu Asp Ala Pro Leu Gly			
1	5	10	15
Leu Pro Thr Cys Leu Trp Leu Glu Leu Ala Gly Leu Phe Leu Leu Val			
20	25	30	
Pro Trp Val Met Gly Leu Ala Gly Thr Gly Gly Pro Asp Gly Gln Gly			
35	40	45	
Thr Gly Gly Pro Ser Trp Ala Val His Leu Glu Ser Leu Glu Gly Asp			
50	55	60	
Gly Glu Glu Glu Thr Leu Glu Gln Gln Ala Asp Ala Leu Ala Gln Ala			
65	70	75	80
Ala Gly Leu Val Asn Ala Gly Arg Ile Gly Glu Leu Gln Gly His Tyr			

US 10,023,654 B2

449**450**

-continued

85	90	95	
Leu Phe Val Gln Pro Ala Gly His Arg Pro Ala	Leu Glu Val Glu Ala		
100	105	110	
Ile Arg Gln Gln Val Glu Ala Val Leu Ala Gly His	Glu Ala Val Arg		
115	120	125	
Trp His Ser Glu Gln Arg Leu Leu Arg Arg Ala Lys	Arg Ser Val His		
130	135	140	
Phe Asn Asp Pro Lys Tyr Pro Gln Gln Trp His	Leu Asn Asn Arg Arg		
145	150	155	160
Ser Pro Gly Arg Asp Ile Asn Val Thr Gly Val Trp	Glu Arg Asn Val		
165	170	175	
Thr Gly Arg Gly Val Thr Val Val Val Asp Asp Gly	Val Glu His		
180	185	190	
Thr Ile Gln Asp Ile Ala Pro Asn Tyr Ser Pro	Glu Gly Ser Tyr Asp		
195	200	205	
Leu Asn Ser Asn Asp Pro Asp Pro Met Pro His	Pro Asp Val Glu Asn		
210	215	220	
Gly Asn His His Gly Thr Arg Cys Ala Gly Glu	Ile Ala Ala Val Pro		
225	230	235	240
Asn Asn Ser Phe Cys Ala Val Gly Val Ala Tyr	Gly Ser Arg Ile Ala		
245	250	255	
Gly Ile Arg Val Leu Asp Gly Pro Leu Thr Asp Ser	Met Glu Ala Val		
260	265	270	
Ala Phe Asn Lys His Tyr Gln Ile Asn Asp Ile Tyr	Ser Cys Ser Trp		
275	280	285	
Gly Pro Asp Asp Asp Gly Lys Thr Val Asp Gly	Pro His Gln Leu Gly		
290	295	300	
Lys Ala Ala Leu Gln His Gly Val Ile Ala Gly Arg	Gln Gly Phe Gly		
305	310	315	320
Ser Ile Phe Val Val Ala Ser Gly Asn Gly	Gln His Asn Asp Asn		
325	330	335	
Cys Asn Tyr Asp Gly Tyr Ala Asn Ser Ile Tyr	Thr Val Thr Ile Gly		
340	345	350	
Ala Val Asp Glu Glu Gly Arg Met Pro Phe Tyr	Ala Glu Glu Cys Ala		
355	360	365	
Ser Met Leu Ala Val Thr Phe Ser Gly Gly Asp	Lys Met Leu Arg Ser		
370	375	380	
Ile Val Thr Thr Asp Trp Asp Leu Gln Lys Gly	Thr Gly Cys Thr Glu		
385	390	395	400
Gly His Thr Gly Thr Ser Ala Ala Ala Pro	Leu Ala Ala Gly Met Ile		
405	410	415	
Ala Leu Met Leu Gln Val Arg Pro Cys	Leu Thr Trp Arg Asp Val Gln		
420	425	430	
His Ile Ile Val Phe Thr Ala Thr Arg Tyr	Glu Asp Arg Arg Ala Glu		
435	440	445	
Trp Val Thr Asn Glu Ala Gly Phe Ser His	Ser His Gln His Gly Phe		
450	455	460	
Gly Leu Leu Asn Ala Trp Arg Leu Val Asn Ala	Ala Lys Ile Trp Thr		
465	470	475	480
Ser Val Pro Tyr Leu Ala Ser Tyr Val Ser Pro	Val Leu Lys Glu Asn		
485	490	495	
Lys Ala Ile Pro Gln Ser Pro Arg Ser	Leu Glu Val Leu Trp Asn Val		
500	505	510	

US 10,023,654 B2

451**452**

-continued

Ser Arg Met Asp Leu Glu Met Ser Gly Leu Lys Thr Leu Glu His Val
 515 520 525
 Ala Val Thr Val Ser Ile Thr His Pro Arg Arg Gly Ser Leu Glu Leu
 530 535 540
 Lys Leu Phe Cys Pro Ser Gly Met Met Ser Leu Ile Gly Ala Pro Arg
 545 550 555 560
 Ser Met Asp Ser Asp Pro Asn Gly Phe Asn Asp Trp Thr Phe Ser Thr
 565 570 575
 Val Arg Cys Trp Gly Glu Arg Ala Arg Gly Thr Tyr Arg Leu Val Ile
 580 585 590
 Arg Asp Val Gly Asp Glu Ser Phe Gln Val Gly Ile Leu Arg Gln Trp
 595 600 605
 Gln Leu Thr Leu Tyr Gly Ser Val Trp Ser Ala Val Asp Ile Arg Asp
 610 615 620
 Arg Gln Arg Leu Leu Glu Ser Ala Met Ser Gly Lys Tyr Leu His Asp
 625 630 635 640
 Asp Phe Ala Leu Pro Cys Pro Pro Gly Leu Lys Ile Pro Glu Glu Asp
 645 650 655
 Gly Tyr Thr Ile Thr Pro Asn Thr Leu Lys Thr Leu Val Leu Val Gly
 660 665 670
 Cys Phe Thr Val Phe Trp Thr Val Tyr Tyr Met Leu Glu Val Tyr Leu
 675 680 685
 Ser Gln Arg Asn Val Ala Ser Asn Gln Val Cys Arg Ser Gly Pro Cys
 690 695 700
 His Trp Pro His Arg Ser Arg Lys Ala Lys Glu Gly Thr Glu Leu
 705 710 715 720
 Glu Ser Val Pro Leu Cys Ser Ser Lys Asp Pro Asp Glu Val Glu Thr
 725 730 735
 Glu Ser Arg Gly Pro Pro Thr Thr Ser Asp Leu Leu Ala Pro Asp Leu
 740 745 750
 Leu Glu Gln Gly Asp Trp Ser Leu Ser Gln Asn Lys Ser Ala Leu Asp
 755 760 765
 Cys Pro His Gln His Leu Asp Val Pro His Gly Lys Glu Glu Gln Ile
 770 775 780
 Cys
 785

 <210> SEQ_ID NO 761
 <211> LENGTH: 692
 <212> TYPE: PRT
 <213> ORGANISM: Macaca fascicularis

 <400> SEQUENCE: 761

 Met Gly Thr Val Ser Ser Arg Arg Ser Trp Trp Pro Leu Pro Leu Pro
 1 5 10 15

 Leu Leu Leu Leu Leu Leu Gly Pro Ala Gly Ala Arg Ala Gln Glu
 20 25 30

 Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu
 35 40 45

 Glu Asp Gly Leu Ala Asp Ala Pro Glu His Gly Ala Thr Ala Thr Phe
 50 55 60

 His Arg Cys Ala Lys Asp Pro Trp Arg Leu Pro Gly Thr Tyr Val Val
 65 70 75 80

 Val Leu Lys Glu Glu Thr His Arg Ser Gln Ser Glu Arg Thr Ala Arg

US 10,023,654 B2

453

-continued

454

85	90	95
Arg Leu Gln Ala Gln Ala Ala Arg Arg Gly Tyr Leu Thr Lys Ile Leu		
100	105	110
His Val Phe His His Leu Leu Pro Gly Phe Leu Val Lys Met Ser Gly		
115	120	125
Asp Leu Leu Glu Leu Ala Leu Lys Leu Pro His Val Asp Tyr Ile Glu		
130	135	140
Glu Asp Ser Ser Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg		
145	150	155
Ile Thr Pro Ala Arg Tyr Arg Ala Asp Glu Tyr Gln Pro Pro Lys Gly		
165	170	175
Gly Ser Leu Val Glu Val Tyr Leu Leu Asp Thr Ser Ile Gln Ser Asp		
180	185	190
His Arg Glu Ile Glu Gly Arg Val Met Val Thr Asp Phe Glu Ser Val		
195	200	205
Pro Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp		
210	215	220
Ser His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly		
225	230	235
Val Ala Lys Gly Ala Gly Leu Arg Ser Leu Arg Val Leu Asn Cys Gln		
245	250	255
Gly Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg		
260	265	270
Lys Ser Gln Leu Val Gln Pro Val Gly Pro Leu Val Val Leu Leu Pro		
275	280	285
Leu Ala Gly Gly Tyr Ser Arg Val Phe Asn Ala Ala Cys Gln Arg Leu		
290	295	300
Ala Arg Ala Gly Val Val Thr Ala Ala Gly Asn Phe Arg Asp		
305	310	315
Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val		
325	330	335
Gly Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly		
340	345	350
Thr Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Glu Asp Ile		
355	360	365
Ile Gly Ala Ser Ser Asp Cys Ser Thr Cys Phe Val Ser Arg Ser Gly		
370	375	380
Thr Ser Gln Ala Ala Ala His Val Ala Gly Ile Ala Ala Met Met Leu		
385	390	395
Ser Ala Glu Pro Glu Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile		
405	410	415
His Phe Ser Ala Lys Asp Val Ile Asn Glu Ala Trp Phe Pro Glu Asp		
420	425	430
Gln Arg Val Leu Thr Pro Asn Leu Val Ala Ala Leu Pro Pro Ser Thr		
435	440	445
His Arg Ala Gly Trp Gln Leu Phe Cys Arg Thr Val Trp Ser Ala His		
450	455	460
Ser Gly Pro Thr Arg Met Ala Thr Ala Val Ala Arg Cys Ala Gln Asp		
465	470	475
Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Lys Arg Arg		
485	490	495
Gly Glu Arg Ile Glu Ala Gln Gly Gly Lys Arg Val Cys Arg Ala His		
500	505	510

US 10,023,654 B2

455**456**

-continued

Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu
 515 520 525
 Leu Pro Gln Val Asn Cys Ser Val His Thr Ala Pro Pro Ala Gly Ala
 530 535 540
 Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr
 545 550 555 560
 Gly Cys Ser Ser His Trp Glu Val Glu Asp Leu Gly Thr His Lys Pro
 565 570 575
 Pro Val Leu Arg Pro Arg Gly Gln Pro Asn Gln Cys Val Gly His Arg
 580 585 590
 Glu Ala Ser Ile His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys
 595 600 605
 Lys Val Lys Glu His Gly Ile Pro Ala Pro Gln Glu Gln Val Ile Val
 610 615 620
 Ala Cys Glu Asp Gly Trp Thr Leu Thr Gly Cys Ser Ala Leu Pro Gly
 625 630 635 640
 Thr Ser His Val Leu Gly Ala Tyr Ala Val Asp Asn Thr Cys Val Val
 645 650 655
 Arg Ser Arg Asp Val Ser Thr Thr Gly Ser Thr Ser Glu Glu Ala Val
 660 665 670
 Ala Ala Val Ala Ile Cys Cys Arg Ser Arg His Leu Val Gln Ala Ser
 675 680 685
 Gln Glu Leu Gln
 690

<210> SEQ ID NO 762

<211> LENGTH: 698

<212> TYPE: PRT

<213> ORGANISM: Mesocricetus auratus

<400> SEQUENCE: 762

Met Gly Thr Ser Cys Ser Ala Arg Pro Arg Trp Leu Leu Ser Pro Leu
 1 5 10 15
 Leu Leu Leu Leu Leu Leu Arg Tyr Met Gly Ala Ser Ala Gln Asp
 20 25 30
 Glu Asp Ala Glu Tyr Glu Glu Leu Met Leu Thr Leu Gln Ser Gln Asp
 35 40 45
 Asp Gly Leu Ala Asp Glu Thr Asp Glu Ala Pro Gln Gly Ala Thr Ala
 50 55 60
 Ala Phe His Arg Cys Pro Glu Glu Ala Trp Arg Val Pro Gly Thr Tyr
 65 70 75 80
 Ile Val Met Leu Ala Glu Glu Ala Gln Trp Val His Ile Glu Gln Thr
 85 90 95
 Met His Arg Leu Gln Thr Gln Ala Ala Arg Arg Gly Tyr Val Ile Lys
 100 105 110
 Ile Gln His Ile Phe Tyr Asp Phe Leu Pro Ala Phe Val Val Lys Met
 115 120 125
 Ser Ser Asp Leu Leu Asp Leu Ala Leu Lys Leu Pro His Val Lys Tyr
 130 135 140
 Ile Glu Glu Asp Ser Leu Val Phe Ala Gln Ser Ile Pro Trp Asn Leu
 145 150 155 160
 Asp Arg Ile Ile Pro Ala Gly Arg Gln Ala Gln Glu Tyr Ser Ser Ser
 165 170 175
 Arg Lys Val Pro Ser Gly Ser Gly Gln Val Glu Val Tyr Leu Leu Asp

US 10,023,654 B2

457

-continued

458

180	185	190
Thr Ser Ile Gln Ser Asp His Arg Glu Ile Glu Gly Arg Val Thr Val		
195	200	205
Thr Asp Phe Asn Ser Val Pro Glu Glu Asp Gly Thr Arg Phe His Arg		
210	215	220
Gln Ala Ser Lys Cys Asp Ser His Gly Thr His Leu Ala Gly Val Val		
225	230	235
Ser Gly Arg Asp Ala Gly Val Ala Lys Gly Thr Ile Leu His Gly Leu		
245	250	255
Arg Val Leu Asn Cys Gln Gly Lys Gly Ile Val Ser Gly Ile Leu Thr		
260	265	270
Gly Leu Glu Phe Ile Trp Lys Ser Gln Leu Met Gln Pro Ser Gly Pro		
275	280	285
Gln Val Val Leu Leu Pro Leu Ala Gly Arg Tyr Ser Arg Val Leu Asn		
290	295	300
Thr Ala Cys Gln His Leu Ala Arg Thr Gly Val Val Leu Val Ala Ala		
305	310	315
Ala Gly Asn Phe Arg Asp Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala		
325	330	335
Pro Glu Val Ile Thr Val Gly Ala Thr Asp Val Gln Asp Gln Pro Val		
340	345	350
Thr Leu Gly Thr Leu Gly Thr Asn Phe Gly Arg Cys Val Asp Leu Phe		
355	360	365
Ala Pro Gly Lys Asp Ile Ile Gly Ala Ser Ser Asp Cys Ser Ala Cys		
370	375	380
Phe Met Ser Gln Ser Gly Thr Ser Gln Ala Ala Ala His Val Ala Gly		
385	390	395
Ile Val Ala Met Met Leu Thr Leu Glu Pro Glu Leu Thr Leu Thr Glu		
405	410	415
Leu Arg Gln Arg Leu Ile His Phe Ser Thr Lys Asp Ala Ile Asn Met		
420	425	430
Ala Trp Phe Pro Glu Asp Gln Arg Val Leu Thr Pro Asn Leu Val Ala		
435	440	445
Thr Leu Pro Pro Ser Thr His Gly Thr Gly Gln Leu Leu Cys Arg		
450	455	460
Thr Val Trp Ser Ala His Ser Gly Pro Thr Arg Ala Ala Thr Ala Thr		
465	470	475
Ala Arg Cys Ala Pro Gly Glu Leu Leu Ser Cys Ser Ser Phe Ser		
485	490	495
Arg Ser Gly Arg Arg Gly Asp Arg Ile Glu Ala Ala Gly Thr Gln		
500	505	510
Gln Val Cys Lys Ala Leu Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala		
515	520	525
Val Ala Arg Cys Cys Leu Leu Pro Arg Ala Asn Cys Ser Ile His Thr		
530	535	540
Thr Pro Ala Ala Arg Thr Ser Leu Glu Thr His Ala His Cys His Gln		
545	550	555
Lys Asp His Val Leu Thr Gly Cys Ser Leu His Trp Glu Val Glu Gly		
565	570	575
Ile Gly Val Gln Pro Leu Ala Val Leu Arg Ser Arg His Gln Pro Gly		
580	585	590
Gln Cys Thr Gly His Arg Glu Ala Ser Val His Ala Ser Cys Cys His		
595	600	605

US 10,023,654 B2

459

-continued

Ala Pro Gly Leu Glu Cys Lys Ile Lys Glu His Gly Ile Ser Gly Pro
 610 615 620

Ala Glu Gln Val Thr Val Ala Cys Glu Ala Gly Trp Thr Leu Thr Gly
 625 630 635 640

Cys Asn Val Leu Pro Gly Ala Phe Ile Thr Leu Gly Ala Tyr Ala Val
 645 650 655

Asp Asn Thr Cys Val Ala Arg Ser Arg Val Thr Asp Thr Ala Gly Arg
 660 665 670

Thr Gly Glu Glu Ala Thr Val Ala Ala Ile Cys Cys Arg Asn Arg
 675 680 685

Pro Ser Ala Lys Ala Ser Trp Val His Gln
 690 695

<210> SEQ ID NO 763

<211> LENGTH: 691

<212> TYPE: PRT

<213> ORGANISM: Rattus norvegicus

<400> SEQUENCE: 763

Met Gly Ile Arg Cys Ser Thr Trp Leu Arg Trp Pro Leu Ser Pro Gln
 1 5 10 15

Leu Leu Leu Leu Leu Leu Cys Pro Thr Gly Ser Arg Ala Gln Asp
 20 25 30

Glu Asp Gly Asp Tyr Glu Glu Leu Met Leu Ala Leu Pro Ser Gln Glu
 35 40 45

Asp Ser Leu Val Asp Glu Ala Ser His Val Ala Thr Ala Thr Phe Arg
 50 55 60

Arg Cys Ser Lys Glu Ala Trp Arg Leu Pro Gly Thr Tyr Val Val Val
 65 70 75 80

Leu Met Glu Glu Thr Gln Arg Leu Gln Val Glu Gln Thr Ala His Arg
 85 90 95

Leu Gln Thr Trp Ala Ala Arg Arg Gly Tyr Val Ile Lys Val Leu His
 100 105 110

Val Phe Tyr Asp Leu Phe Pro Gly Phe Leu Val Lys Met Ser Ser Asp
 115 120 125

Leu Leu Gly Leu Ala Leu Lys Leu Pro His Val Glu Tyr Ile Glu Glu
 130 135 140

Asp Ser Leu Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg Ile
 145 150 155 160

Ile Pro Ala Trp Gln Gln Thr Glu Glu Asp Ser Ser Pro Asp Gly Ser
 165 170 175

Ser Gln Val Glu Val Tyr Leu Asp Thr Ser Ile Gln Ser Gly His
 180 185 190

Arg Glu Ile Glu Gly Arg Val Thr Ile Thr Asp Phe Asn Ser Val Pro
 195 200 205

Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp Ser
 210 215 220

His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly Val
 225 230 235 240

Ala Lys Gly Thr Ser Leu His Ser Leu Arg Val Leu Asn Cys Gln Gly
 245 250 255

Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg Lys
 260 265 270

Ser Gln Leu Ile Gln Pro Ser Gly Pro Leu Val Val Leu Pro Leu

460

US 10,023,654 B2

461**462**

-continued

275 280 285

Ala Gly Gly Tyr Ser Arg Ile Leu Asn Thr Ala Cys Gln Arg Leu Ala
 290 295 300

Arg Thr Gly Val Val Leu Val Ala Ala Gly Asn Phe Arg Asp Asp
 305 310 315 320

Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val Gly
 325 330 335

Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly Thr
 340 345 350

Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Lys Asp Ile Ile
 355 360 365

Gly Ala Ser Ser Asp Cys Ser Thr Cys Tyr Met Ser Gln Ser Gly Thr
 370 375 380

Ser Gln Ala Ala Ala His Val Ala Gly Ile Val Ala Met Met Leu Asn
 385 390 395 400

Arg Asp Pro Ala Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile Leu
 405 410 415

Phe Ser Thr Lys Asp Val Ile Asn Met Ala Trp Phe Pro Glu Asp Gln
 420 425 430

Arg Val Leu Thr Pro Asn Arg Val Ala Thr Leu Pro Pro Ser Thr Gln
 435 440 445

Glu Thr Gly Gly Gln Leu Leu Cys Arg Thr Val Trp Ser Ala His Ser
 450 455 460

Gly Pro Thr Arg Thr Ala Thr Ala Arg Cys Ala Pro Glu Glu
 465 470 475 480

Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Arg Arg Arg Gly
 485 490 495

Asp Arg Ile Glu Ala Ile Gly Gln Gln Val Cys Lys Ala Leu Asn
 500 505 510

Ala Phe Gly Glu Gly Val Tyr Ala Val Ala Arg Cys Cys Leu Leu
 515 520 525

Pro Arg Val Asn Cys Ser Ile His Asn Thr Pro Ala Ala Arg Ala Gly
 530 535 540

Pro Gln Thr Pro Val His Cys His Gln Lys Asp His Val Leu Thr Gly
 545 550 555 560

Cys Ser Phe His Trp Glu Val Glu Asn Leu Arg Ala Gln Gln Pro
 565 570 575

Leu Leu Arg Ser Arg His Gln Pro Gly Gln Cys Val Gly His Gln Glu
 580 585 590

Ala Ser Val His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys Lys
 595 600 605

Ile Lys Glu His Gly Ile Ala Gly Pro Ala Glu Gln Val Thr Val Ala
 610 615 620

Cys Glu Ala Gly Trp Thr Leu Thr Gly Cys Asn Val Leu Pro Gly Ala
 625 630 635 640

Ser Leu Pro Leu Gly Ala Tyr Ser Val Asp Asn Val Cys Val Ala Arg
 645 650 655

-continued

Ile Arg Asp Ala Gly Arg Ala Asp Arg Thr Ser Glu Glu Ala Thr Val
660 665 670

Ala Ala Ala Ile Cys Cys Arg Ser Arg Pro Ser Ala Lys Ala Ser Trp
675 680 685

Val His Gln
690

We claim:

1. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising:
 - a) a heavy chain complementarity determining region 1 (HCDR1) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 76;
 - b) a heavy chain complementarity determining region 2 (HCDR2) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 78;
 - c) a heavy chain complementarity determining region 3 (HCDR3) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 80;
 - d) a light chain complementarity determining region 1 (LCDR1) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 84;
 - e) a light chain complementarity determining region 2 (LCDR2) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 86; and
 - f) a light chain complementarity determining region 3 (LCDR3) comprising an amino acid sequence that is at least 95% identical to SEQ ID NO: 88.
2. The antibody or antigen-binding fragment of an antibody of claim 1, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755).
3. The antibody or antigen-binding fragment of an antibody of claim 1, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)").
4. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising a heavy chain variable region comprising an amino acid sequence that is at least 95% identical to SEQ ID NO:90; and a light chain variable region comprising an amino acid sequence that is at least 95% identical to SEQ ID NO:92.
5. The antibody or antigen-binding fragment of an antibody of claim 4, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755).
6. The antibody or antigen-binding fragment of an antibody of claim 4, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)").
7. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising:
 - a) a heavy chain complementarity determining region 1 (HCDR1) comprising an amino acid sequence that is at least 98% identical to SEQ ID NO: 76;
 - b) a heavy chain complementarity determining region 2 (HCDR2) comprising an amino acid sequence that is at least 98% identical to SEQ ID NO: 78;
 - c) a heavy chain complementarity determining region 3 (HCDR3) comprising an amino acid sequence that is at least 98% identical to SEQ ID NO: 80;
8. The antibody or antigen-binding fragment of an antibody of claim 7, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755).
9. The antibody or antigen-binding fragment of an antibody of claim 7, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)").
10. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising a heavy chain variable region comprising an amino acid sequence that is at least 98% identical to SEQ ID NO:90; and a light chain variable region comprising an amino acid sequence that is at least 98% identical to SEQ ID NO:92.
11. The antibody or antigen-binding fragment of an antibody of claim 10, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755).
12. The antibody or antigen-binding fragment of an antibody of claim 10, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)").
13. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising:
 - a) a heavy chain complementarity determining region 1 (HCDR1) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 76;
 - b) a heavy chain complementarity determining region 2 (HCDR2) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 78;
 - c) a heavy chain complementarity determining region 3 (HCDR3) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 80;
 - d) a light chain complementarity determining region 1 (LCDR1) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 84;
 - e) a light chain complementarity determining region 2 (LCDR2) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 86; and
 - f) a light chain complementarity determining region 3 (LCDR3) comprising an amino acid sequence that is at least 99% identical to SEQ ID NO: 88.
14. The antibody or antigen-binding fragment of an antibody of claim 13, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755).

465

15. The antibody or antigen-binding fragment of an antibody of claim 13, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)").

16. An antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9, comprising a heavy chain variable region comprising an amino acid sequence that is at least 99% identical to SEQ ID NO:90; and a light chain variable region comprising an amino acid sequence that is at least 99% identical to SEQ ID NO:92. 5

17. The antibody or antigen-binding fragment of an antibody of claim 16, wherein the antibody or antigen-binding fragment of the antibody binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755). 10

18. The antibody or antigen-binding fragment of an antibody of claim 16, wherein the antibody or antigen-binding fragment of the antibody binds a human PCSK9 with GOF mutation D374Y ("hPCSK9(D374Y)"). 15

* * * * *

466