



US009550837B2

(12) **United States Patent**  
**Sleeman et al.**

(10) **Patent No.:** **US 9,550,837 B2**  
(45) **Date of Patent:** **\*Jan. 24, 2017**

(54) **THERAPEUTIC USES OF ANTI-PCSK9 ANTIBODIES**

(71) Applicant: **REGENERON PHARMACEUTICALS, INC.**,  
Tarrytown, NY (US)

(72) Inventors: **Mark W. Sleeman**, Melbourne (AU);  
**Joel H. Martin**, Putnam Valley, NY (US); **Tammy T. Huang**, Goldens Bridge, NY (US); **Douglas MacDonald**, New York, NY (US)

(73) Assignee: **Regeneron Pharmaceuticals, Inc.**,  
Tarrytown, NY (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/737,488**

(22) Filed: **Jun. 12, 2015**

(65) **Prior Publication Data**

US 2015/0284474 A1 Oct. 8, 2015

**Related U.S. Application Data**

(60) Continuation of application No. 13/690,585, filed on Nov. 30, 2012, now abandoned, which is a (Continued)

(51) **Int. Cl.**  
**A61K 39/395** (2006.01)  
**C07K 16/40** (2006.01)  
**A61K 39/00** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **C07K 16/40** (2013.01); **A61K 2039/505** (2013.01); **C07K 2317/21** (2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC ..... **C07K 16/40**; **A61K 39/3955**; **A61K 31/40**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,260,440 A 11/1993 Hirai

5,273,995 A 12/1993 Roth

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 101489565 7/2009

EP 0409281 1/1991

(Continued)

**OTHER PUBLICATIONS**

LaGace et al. (J Clin Invest Am So Clin Invest. Nov. 1, 2006;116(11):2995-3005).\*

(Continued)


*Primary Examiner* — Cherie M Stanfield

(74) *Attorney, Agent, or Firm* — Swanson & Bratschun, L.L.C.

(57) **ABSTRACT**

An human antibody or antigen-binding fragment of a human antibody that specifically binds and inhibits human proprotein convertase subtilisin/kexin type 9 (hPCSK9) characterized by the ability to reduce serum LDL cholesterol by 40-80% over a 24, 60 or 90 day period relative to predose levels, with little or no reduction in serum HDL cholesterol and/or with little or no measurable effect on liver function, as determined by ALT and AST measurements.

**10 Claims, 14 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 12/949,846, filed on Nov. 19, 2010, now Pat. No. 8,501,184, which is a division of application No. 12/637,942, filed on Dec. 15, 2009, now Pat. No. 8,062,640.

- (60) Provisional application No. 61/122,482, filed on Dec. 15, 2008, provisional application No. 61/210,566, filed on Mar. 18, 2009, provisional application No. 61/168,753, filed on Apr. 13, 2009, provisional application No. 61/218,136, filed on Jun. 18, 2009, provisional application No. 61/249,135, filed on Oct. 6, 2009, provisional application No. 61/261,776, filed on Nov. 17, 2009.

(52) **U.S. Cl.**

CPC .... *C07K 2317/56* (2013.01); *C07K 2317/565* (2013.01); *C07K 2317/76* (2013.01); *C07K 2317/92* (2013.01)

(56) **References Cited**

## U.S. PATENT DOCUMENTS

5,399,670	A	3/1995	Bhattacharya
5,851,999	A	12/1998	Ulrich
5,939,598	A	8/1999	Kucherlapati
6,011,003	A	1/2000	Charmock-Jones
6,171,586	B1	1/2001	Lam
6,267,958	B1	7/2001	Andya
6,270,993	B1	8/2001	Shibuya
6,596,541	B2	7/2003	Murphy
6,629,949	B1	10/2003	Douglas
6,659,982	B2	12/2003	Douglas
6,875,432	B2	4/2005	Liu
7,001,892	B1	2/2006	Chmielewski
7,029,895	B2	4/2006	Glucksmann
7,060,268	B2	6/2006	Andya
7,129,338	B1	10/2006	Ota
7,300,754	B2	11/2007	Abi Fadel et al.
7,482,147	B2	1/2009	Glucksmann
7,572,618	B2	8/2009	Mintier
7,608,693	B2	10/2009	Martin
7,754,208	B2	7/2010	Ledbetter
8,030,457	B2 *	10/2011	Jackson ..... A61K 31/22 424/130.1
8,062,640	B2	11/2011	Sleeman
8,080,243	B2	12/2011	Liang
8,092,803	B2	1/2012	Furfine
8,168,762	B2	5/2012	Jackson
8,188,233	B2	5/2012	Condra
8,188,234	B2	5/2012	Condra
8,357,371	B2	1/2013	Sleeman
2003/0092606	A1	5/2003	L'Italien
2003/0113316	A1	6/2003	Kaisheva
2003/0118592	A1	6/2003	Ledbetter
2003/0133939	A1	7/2003	Ledbetter
2004/0101920	A1	5/2004	Radziejewski
2004/0197324	A1	10/2004	Liu
2005/0281831	A1	12/2005	Davis-Smyth
2006/0147945	A1	7/2006	Edmonds
2007/0082345	A1	4/2007	Ota
2007/0224663	A1	9/2007	Rosen
2008/0008697	A1 *	1/2008	Mintier ..... C12N 9/6424 424/94.63
2009/0142352	A1	6/2009	Jackson
2009/0232795	A1	9/2009	Condra
2009/0246192	A1	10/2009	Condra
2009/0269350	A1	10/2009	Glucksmann
2009/0318536	A1	12/2009	Freier
2009/0326202	A1	12/2009	Jackson
2010/0040610	A1	2/2010	Sitlani
2010/0040611	A1	2/2010	Sparrow
2010/0041102	A1	2/2010	Sitlani

2010/0068199	A1	3/2010	Liang
2010/0136028	A1	6/2010	Sparrow
2010/0150937	A1	6/2010	Sparrow
2010/0166768	A1	7/2010	Sleeman
2010/0233177	A1	9/2010	Yowe
2011/0027287	A1	2/2011	Jackson
2011/0033465	A1	2/2011	Hedrick
2011/0065902	A1	3/2011	Sleeman
2011/0098450	A1	4/2011	Igawa
2011/0111406	A1	5/2011	Igawa
2011/0142849	A1	6/2011	Rue
2011/0171241	A1	7/2011	Dix
2011/0229489	A1	9/2011	Pons
2011/0256148	A1	10/2011	Sleeman
2012/0014951	A1	1/2012	Liang
2012/0015435	A1	1/2012	Liang
2012/0020975	A1	1/2012	Jackson
2012/0027765	A1	2/2012	Jackson
2012/0076799	A1	3/2012	Sparrow
2012/0077964	A1	3/2012	Sparrow
2012/0082679	A1	4/2012	Sparrow
2012/0082680	A1	4/2012	Sitlani
2012/0093818	A1	4/2012	Jackson
2012/0097565	A1	4/2012	Dix
2012/0195910	A1	8/2012	Wu
2012/0213794	A1	8/2012	Luo
2012/0213797	A1	8/2012	Jackson
2012/0219558	A1	8/2012	Ni
2012/0231005	A1	9/2012	Luo
2012/0251544	A1	10/2012	Jackson
2013/0011866	A1	1/2013	Igawa
2013/0064825	A1	3/2013	Chan
2013/0064834	A1	3/2013	Sleeman

## FOREIGN PATENT DOCUMENTS

EP	0521471	1/1993
EP	1067182	1/2001
EP	1514933	3/2005
EP	1317537	12/2006
EP	1618212	11/2007
WO	WO 93/00807	1/1993
WO	WO97/35620	10/1997
WO	WO 98/22136	5/1998
WO	WO 99/38495	8/1999
WO	WO 01/57081	8/2001
WO	WO 2004/055164	7/2004
WO	WO 2005103081	11/2005
WO	WO 2007/143315	12/2007
WO	WO 2007/149334	12/2007
WO	WO 2008/057457	5/2008
WO	WO 2008/057458	5/2008
WO	WO 2008/057459	5/2008
WO	WO 2008/063382	5/2008
WO	WO 2008057457	A2 * 5/2008
WO	WO 2008057458	A2 * 5/2008
WO	WO 2008057459	A2 * 5/2008
WO	WO 2008063382	A2 * 5/2008
WO	WO 2008/125623	10/2008
WO	WO 2008125623	A2 * 10/2008
WO	WO 2008/133647	11/2008
WO	WO 2009/026558	2/2009
WO	WO 2009/055783	4/2009
WO	WO 2009/100297	8/2009
WO	WO 2009/100318	8/2009
WO	WO 2010/029513	3/2010
WO	WO 2010/077854	7/2010
WO	WO 2010/102241	9/2010
WO	WO 2011/028938	3/2011
WO	WO 2011/039578	4/2011
WO	WO 2011/053759	5/2011
WO	WO 2011/061712	5/2011
WO	WO 2011/111007	9/2011
WO	WO 2012/054438	4/2012
WO	WO 2012/064792	5/2012
WO	WO 2012/101251	8/2012
WO	WO 2012/101252	8/2012
WO	WO 2012/101253	8/2012
WO	WO 2012/109530	8/2012

(56)

**References Cited**

## FOREIGN PATENT DOCUMENTS

WO	WO 2012/146776	11/2012
WO	WO 2012/154999	11/2012
WO	WO 2013/039969	3/2013
WO	WO 2013/158984	10/2013
WO	WO 2013/166448	11/2013
WO	WO 2014/194111	12/2014
WO	WO 2014/197752	12/2014
WO	WO 2015/054619	4/2015
WO	WO 2015/073494	5/2015
WO	WO 2015/123423	8/2015
WO	WO 2015/140079	9/2015
WO	WO 2015/142668	9/2015
WO	WO 2016/011256	1/2016
WO	WO 2016/011260	1/2016

## OTHER PUBLICATIONS

Anonymous: A Randomized, Double-Blind, Placebo-Controlled, Parallel Group Study to Evaluate the Effect of Alirocumab (SAR236553/REGN727) on the Occurrence of Cardiovascular Events in Patients Who Have Recently Experienced an Acute Coronary Syndrome. Archive from ClinicalTrials.gov for NCT01663402 on Mar. 11, 2014 (3 pages).

Anonymous: Long-term Safety and Tolerability of Alirocumab SAR236553 (REGN727) in High Cardiovascular Risk Patients With Hypercholesterolemia Not Adequately Controlled With Their Lipid Modifying Therapy: A Randomized, Double-Blind, Placebo-Controlled Study. Archive from ClinicalTrials.gov for NCT01507831 on Jun. 27, 2013 (3 pages).

Blom, Dirk J. et al.: "A 52-Week Placebo-Controlled Trial of Evolocumab in Hyperlipidemia" vol. 370, No. 19, May 8, 2014 pp. 1809-1819.

Costet. PCSK9 inhibitors as LDL cholesterol-lowering agents: Rationale, concerns and preliminary outcomes. *Drugs of the Future*. May 1, 2012. vol. 37, No. 5, pp. 331-341.

Gonnet et al.: Exhaustive Matching of the Entire Protein Sequence Database; *Science*; 1992, vol. 256, pp. 1443-1445.

Gusarova V, Sleeman M, Swergold G, Sasiela B, Stahl N, Yancopoulos G, Murphy A. Fully human antibody that blocks PCSK9 demonstrates reduction in LDL-C preclinically and in early clinical trials. Abstract of oral presentation at the Keystone Symposium on Molecular and Cellular Biology, Mar. 25-30, 2012, Montana, USA.

Haddley et al. ALIROCUMAB Anti-Proprotein Convertase 9 (PCSK9) Mab Treatment of Hypercholesterolemia. *Drugs of the Future*; Apr. 1, 2013. vol. 38, No. 4. pp. 215-216.

Robinson JG, Farnier M, Krempf M, Bergeron J, Luc G, Averna M, Stroes E, Langslet G, Raal FJ, El Shahawy M, Koren MJ, Lepor N, Lorenzato C, Pordy R, Chaudhari U, Kastelein JJP. Long-term safety, tolerability and efficacy of alirocumab versus placebo in high cardiovascular risk patients: first results from the Odyssey Long Term study in 2,341 patients; presented at ESC Congress Aug. 31, 2014, abstract not published.

Roth et al. Alirocumab for hyperlipidemia: physiology of PCSK9 inhibition, pharmacodynamics and Phase I and II clinical trial results of a PCSK9 monoclonal antibody. *Future Cardiology*. Mar. 2014; vol. 10, No. 2. pp. 187-197. 183-199.

Shao W. New Therapies for Lowering LDL-C: Targeting PCSK9. Abstract of oral presentation at the Sino-American Pharmaceutical Professionals Association—2014 Scientific Symposium, Apr. 26, 2014, New Jersey, USA.

Swergold GD, et al. Identification and characterization of patients with autosomal dominant hypercholesterolemia caused by gain-of-function mutations in proprotein convertase subtilisin/kexin type 9 and comparison with patients with Familial Hypercholesterolemia (FH) and Familial Defective apolipoprotein B (FDB). Abstract of a poster presentation at the American Society of Human Genetics (ASHG), Oct. 22-26, 2013, Boston, USA.

Chinese Patent Application No. 201280015477.6, Office Action dated Dec. 2, 2014 with English summary, 12 pages.

Chinese Patent Application No. 201280015571.1, Office Action dated Sep. 3, 2014 with English summary, 12 pages.

European Patent Application No. 12701015.5, Communication pursuant to Article 94(3) EPC dated Apr. 24, 2015, 9 pages.

European Patent Application No. 12701015.5, Communication pursuant to Article 94(3) EPC dated May 30, 2014, 8 pages.

European Patent Application No. 12701742.4, Communication pursuant to Article 94(3) EPC dated May 28, 2014, 8 pages.

Dube, et al. (2012) *Curr Opin Lipidol* 23(2):133-140, "Lipoprotein(a): more interesting than ever after 50 years".

Koschinsky and Boffa (2014) *Endocrinology and Metabolism Clinics of North America* 43(4):949-962, "Lipoprotein(a): An Important Cardiovascular Risk Factor and a Clinical Conundrum".

Lamon-Fava, et al. (2011) *Journal of Lipid Research* 52:1181-1187 "Lipoprotein(a) levels, apo(a) isoform size, and coronary heart disease risk in the Framingham Offspring Study".

Third Party Observation for European Patent Application No. 12761864.3 dated Feb. 24, 2016.

Tsimikas, et al. (2015) *The Lancet* 386(10002):1472-1483, "Anti-sense therapy targeting apolipoprotein(a): a randomised, double-blind, placebo-controlled phase 1 study".

Davidson et al. (2011) *Journal of Clinical Lipidology* 5:338-367, "Clinical utility of inflammatory markers and advanced lipoprotein testing: Advice from an expert panel of lipid specialists".

Rader, et al. (1995) *The Journal of Clinical Investigation, Inc.* 95:1403-1408, "The Low Density Lipoprotein Receptor Is Not Required for Normal Catabolism of Lp(a) in Humans".

Kostner et al. (2013) *European Heart Journal* 34:3268-3276, "When should we measure lipoprotein (a)?"

Abifadel, et al., 2012 *Atherosclerosis* 223(2):394-400, "Identification and characterization of new gain-of-function mutations in the PCSK9 gene responsible for autosomal dominant hypercholesterolemia".

Abifadel, et al., 2009 *Human Mutation* 30(4):520-529, "Mutations and polymorphisms in the proprotein convertase subtilisin kexin 9 (PCSK9) gene in cholesterol metabolism and disease".

Abifadel, et al. (2003) *Nature Genetics* 34(2):154-156, "Mutations in PCSK9 cause autosomal dominant hypercholesterolemia".

Alborn, et al. (2007) *Clinical Chemistry* 53(10):1814-1819, "Serum proprotein convertase subtilisin Kexin type 9 is correlated directly with serum LDL cholesterol".

Al-Mashhadi et al., 2013 *Science Translation Medicine, American Association for the Advancement of Science* 5(166):44-53, "Atherosclerosis: Familial hypercholesterolemia and atherosclerosis in clones minipigs created by DNA transposition of a human PCSK9 gain-of-function mutant".

Almagro et al., 'Humanization of antibodies.' *Frontiers in Bioscience*. 2008, vol. 13, pp. 1619-1633.

Altschul et al., 'Basic local alignment search tool.' *Journal of Molecular Biology*. 1990, vol. 215, No. 3, pp. 403-410.

Altschul et al., 'Gapped BLAST and PSI-BLAST: a new generation of protein database search programs.' *Nucleic Acids Research*. 1997, vol. 25, No. 17, pp. 3389-3402.

AMGen: 'Ascending Multiple Dose Study to Evaluate the Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of AMG 145 in Subjects With Hyperlipidemia on Stable Doses of a Statin'. May 27, 2010, XP002682099. Retrieved from the Internet: [clinicaltrials.gov/ct2/show/nct01133522?term=amg+145&rank=2](http://clinicaltrials.gov/ct2/show/nct01133522?term=amg+145&rank=2) Accessed on Aug. 6, 2014.

Angal et al., 'A single amino acid substitution abolishes the heterogeneity of chimeric mouse/human (IgG4) antibody.' *Molecular Immunology*. 1993, vol. 30, No. 1, pp. 105-108.

Attie and Seidah (2005) *Cell Metabolism* 5:290-292, "Dual regulation of the LDL receptor—Some clarity and new questions".

Annex to Form PCT/ISA/206—Communication Relating to the Results of the Partial International Search for PCT/US2009/068013, mailed Mar. 10, 2010.

Benjannet, et al. (2006) *J. Biological Chemistry* 281(41): 30561-30572, "The Proprotein Convertase (PC) PCSK9 Is Inactivated by Furin and/or PC5/6A".

(56)

## References Cited

## OTHER PUBLICATIONS

- Bird et al., 'Single-chain antigen-binding proteins.' *Science*. 1988, vol. 242, No. 4877, pp. 423-426.
- Chan, et al. (2009) *PNAS* 106(24):9820-9825, "A proprotein convertase subtilisin/kexin type 9 neutralizing antibody reduces serum cholesterol in mice and nonhuman primates".
- Chaparro-Riggers, et al. (2012) *J. Biological Chemistry* 287(14):11090-11097, "Increasing serum half-life and extending cholesterol lowering in vivo by engineering antibody with pH-sensitive binding to PCSK9".
- Fallon, et al. (2000) *J. Biological Chemistry* 275(10):6790-6797, "Increased endosomal sorting of ligand to recycling enhances potency of an interleukin-2 analog".
- Farnier, 2011 *American Journal of Cardiovascular Drugs* 11(3):145-152, "The role of proprotein convertase subtilisin/kexin type 9 in hyperlipidemia: Focus on therapeutic implications".
- Fasano, et al., 2008 *NMCD Nutrition Metabolism and Cardiovascular Diseases* 18(1):S46, "45 Activity of Gain-of-Function PCSK9 Mutants on LDLR Correlates with Total-Cholesterol Values in ADH patients".
- Foot and Winter (1992) *J. Mol. Biol.* 224:487-499, "Antibody Framework Residues Affecting the Conformation of the Hypervariable Loops".
- Grozdanov, et al. (2006) *Biochem. Cell. Biol.* 84:80-92, Expression and localization of PCSK9 in rat hepatic cells.
- Heap et al., 'Analysis of a 17-amino acid residue, virus-neutralizing microantibody.' *Journal of General Virology*. 2005, vol. 86, No. 6, pp. 1791-1800.
- Holliger et al., 'Diabodies: small bivalent and bispecific antibody fragments.' *Proceedings of the National Academy of Sciences*. 1993, vol. 90, No. 14, pp. 6444-6448.
- Huston et al., 'Protein engineering of antibody binding sites: recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in *Escherichia coli*.' *Proceedings of the National Academy of Sciences*. 1988, vol. 85, No. 16, pp. 5879.
- Hopkins, et al., 2011 *Journal of Clinical Lipidology* 5(3):S9-S17, "Familial Hypercholesterolemias: Prevalence, genetics, diagnosis and screening recommendations from the National Lipid Association Expert Panel on Familial Hypercholesterolemia".
- Horton, et al. (2007) *Trends Biochem Sci.* 32(2): 71-77, "Molecular biology of PCSK9: its role in LDL metabolism".
- Igawa, et al. (2010) *Nature Biotechnology* 28(11):1203-1208, "Antibody recycling by engineered pH-dependent antigen binding improves the duration of antigen neutralization".
- Ito, et al. (1992) *Federation of European Biochemical Societies* 309(1):85-88, "The His-probe method: effects of histidine residues introduced into the complementarity-determining regions of antibodies on antigen-antibody interactions at different pH values".
- Jorgensen et al. (2013) *European Heart Journal* 34:1826-1833, "Genetically elevated non-fasting triglycerides and calculated remnant cholesterol as casual risk factors for myocardial infarction".
- Kawashiri, et al. (2012) *Circulation* 126(21):13869, "Statin Therapy Improves Fractional Catabolic Rate of LDL without Affecting Impaired VLDL and VLDL Remnant Catabolism in Homozygous FH Patient Due to PCSK9 Gene Mutation: Evidence from Kinetic Study with Stable Isotope".
- Lagace, et al. (2006) *J Clin Invest Am Soc Clin Invest* 116(11):2995-3005, "Secreted PCSK9 decreases the number of LDL receptors in hepatocytes and in liver of parabiotic mice".
- Langer et al., 'New methods of drug delivery.' *Science*. 1990, vol. 249, No. 4976, pp. 1527-1533.
- Langer et al., 'Medical Applications of Controlled Release.' CRC Press, Boca Raton, Florida. 1984, pp. 115-138.
- Leuenberger et al., 'A Multilingual Glossary of Biotechnological Terms.' *Recueil des Travaux Chimiques des Pays Bas*. 1996, vol. 115, No. 7, pp. 382.
- Lippi and Guidi (2000) *QJ Med* 93:75-84, "Lipoprotein(a): from ancestral benefit to modern pathogen?".
- Lopez, Dayami (2008) *Drug News & Perspectives Abstract* 21(6): 323, "Inhibition of PCSK9 as a Novel Strategy for the Treatment of Hypercholesterolemia".
- Lose, et al., 2013 *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy* 33(4):447-460, "Evaluation of Proprotein Convertase Subtilisin/Kexin Type 9: Focus on Potential Clinical and Therapeutic Implications for Low-Density Lipoprotein Cholesterol Lowering".
- Marcovina and Koschinsky (1998) *The American Journal of Cardiology* 82(12A):57U-66U, "Lipoprotein(a) as a Risk Factor for Coronary Artery Disease".
- Maxwell and Breslow (2004) *PNAS* 101(18):7100-7105, "Adenoviral-mediated expression of Pcsk9 in mice results in a low-density lipoprotein receptor knockout phenotype".
- McKenney, et al. (2012) *Journal of the American College of Cardiology* 59(25):2335-2353, "Safety and Efficacy of a Monoclonal Antibody to Proprotein Convertase Subtilisin/Kexin Type 9 Serine Protease, SAR236553/REGN727, in Patients With Primary Hypercholesterolemia Receiving Ongoing Stable Atorvastatin Therapy".
- Nakasako, et al. (1999) *J. Mol. Biol.* 291:117-134, "The pH-dependent structural variation of complementarity-determining region H3 in the crystal structures of the Fv fragment from an anti-dansyl monoclonal antibody".
- Natureckiene, et al. (2003) *Archives of Biochemistry and Biophysics* 420:55-67, "Functional characterization of Narc 1, a novel proteinase related to proteinase K".
- Noguchi, et al., 2010 *Atherosclerosis* 210(1):166-172, "The E32K variant of PCSK9 exacerbates the phenotype of familial hypercholesterolemia by increasing PCSK9 function and concentration in the circulation".
- Nordstgaard, et al. (2010) *European Heart Journal* 31:2844-2853, "Lipoprotein(s) as cardiovascular risk factor: current status".
- Padlan et al., 'Identification of specificity-determining residues in antibodies.' *The FASEB Journal*. 1995, vol. 9, No. 1, pp. 133-139.
- Parhofer (2011) *Current Pharmaceutical Design* 17:871-876, "Lipoprotein(a): Medical Treatment Options for an Elusive Molecule".
- Park, et al. (2004) *J. Biol. Chem.* 279: 50630-50638, "Lipids and Lipoproteins: Post-transcriptional Regulation of Low Density Lipoprotein Receptor Protein by Proprotein Convertase Subtilisin/Kexin Type 9a in Mouse Liver".
- Partial International Search Report mailed Nov. 6, 2014 for International Application No. PCT/US2014/040163.
- Pfizer: 'Safety and Tolerability of Multiple Doses of PF-04950615 (RN316) in Subjects With Hypercholesterolemia.' Nov. 3, 2012, XP002682100. Retrieved from the Internet: [clinicaltrials.gov/ct2/show?term=rn316&rank=2](http://clinicaltrials.gov/ct2/show?term=rn316&rank=2).
- Pearson, William R., 'Using the FASTA program to search protein and DNA sequence databases.' *Computer Analysis of Sequence Data*. 1994, pp. 307-331.
- Powell et al., 'Compendium of Excipients for Parenteral Formulations PDA.' *Journal of Pharmaceutical Science and Technology*. 1998, vol. 52, No. 5, pp. 238-311.
- Qui et al., 'Small antibody mimetics comprising two complementarity-determining regions and a framework region for tumor targeting.' *Nature Biotechnology*. 2007, vol. 25, No. 8, pp. 921-929.
- Rhoads, et al., 2012 *Clinical Lipidology* 7(6):621-640, "PCSK9 inhibition and LDL cholesterol lowering: The biology of an attractive therapeutic target and critical review of the latest clinical trials".
- Rashid, et al. (2005) *PNAS* 102(15):5374-5379, "Decreased plasma cholesterol and hypersensitivity to statins in mice lacking Pcsk9".
- Reddy et al., 'Elimination of Fc receptor-dependent effector functions of a modified IgG4 monoclonal antibody to human CD4.' *The Journal of Immunology*. 2000, vol. 164, No. 4, pp. 1925-1933.
- Reineke, Ulrich, 'Antibody epitope mapping using arrays of synthetic peptides.' *Antibody Engineering*. Humana Press. 2004, pp. 443-463.
- Sarkar, et al. (2002) *Nature Biotechnology* 20:908-913, "Rational cytokine design for increased lifetime and enhanced potency using pH-activated histidine switching".

(56)

## References Cited

## OTHER PUBLICATIONS

- Seidah, et al. (2003) PNAS 100(3):928-933, "The secretory proprotein convertase neural apoptosis-regulated convertase 1 (NARC-1): liver regeneration and neuronal differentiation".
- Sefton, Michael V., 'Implantable Pumps.' Critical Reviews in Biomedical Engineering. 1986, vol. 14, No. 3, pp. 201-240.
- Seidah et al., 'The secretory proprotein convertase neural apoptosis-regulated convertase 1 (NARC-1): liver regeneration and neuronal differentiation.' PNAS. 2003,100(3):928-933.
- Soutar, Anne, 'Unexpected Roles for PCSK9 in Lipid Metabolism.' Current Opinion in Lipidology. 2011, vol. 22, pp. 192-196.
- Stein and Swergold, 2013 Current Atherosclerosis Reports 15(310):1-14, "Potential of proprotein Convertase Subtilisin/Kexin Type 9 Based Therapeutics".
- Stein, et al., 2012 Obstetrical and Gynecological Survey 67(7):413-414, "Effect of a monoclonal antibody to PCSK9 on LDL cholesterol".
- Stein, et al. (2012) New England Journal of Medicine 366:1108-1118, "Effect of a Monoclonal Antibody to PCSK9 on D Cholesterol".
- Stein, et al. (2012) The Lancet 380:29-36, "Effect of a monoclonal antibody to PCSK9, REGN727/SAR236553, to reduce low-density lipoprotein cholesterol in patients with heterozygous familial hypercholesterolemia on stable statin dose with or without ezetimibe therapy: a phase 2 randomized controlled trial".
- Timms, et al. (2004) Human Genetics 114(4):349-353, "A mutation in PCSK9 causing autosomal-dominant hypercholesterolemia in a Utah pedigree".
- Toth, et al., (2013) Circulation 128(22):17492, "Alirocumab, a Proprotein Convertase Subtilisin/Kexin Type 9 Monoclonal Antibody, Reduces Cholesterol Concentrations of Serum Remnant Lipoprotein Fractions, Very Low-Density Lipoproteins and Triglycerides".
- Tiwari et al., 'Statins therapy: a review on conventional and novel formulation approaches.' Journal of Pharmacy and Pharmacology. 2011, vol. 63, No. 8, pp. 983-998.
- Tutt et al., 'Trispecific F (ab')<sub>3</sub> derivatives that use cooperative signaling via the TCR/CD3 complex and CD2 to activate and redirect resting cytotoxic T cells.' The Journal of Immunology. 1991, vol. 147, No. 1, pp. 60-69.
- Varbo, et al., (2013) Journal of the American College of Cardiology 61(4):427-436, "Remnant Cholesterol as a Casual Risk Factor for Ischemic Heart Disease".
- Vajdos, et al. (2002) Journal of Molecular Biology 320:415-428, "Comprehensive functional maps of the antigen-binding site of an anti-ErbB2 antibody obtained with shotgun scanning mutagenesis".
- Watanabe, et al. (2009) J. Biological Chemistry 284(18):12373-12383, "Optimizing pH response of affinity between protein G and IgG Fc".
- Winter and Harris (1993) Immunology Today 14(6):243-246, "Humanized Antibodies".
- Ward et al., 'Binding activities of a repertoire of single immunoglobulin variable domains secreted from *Escherichia coli*.' Nature. 1989, vol. 341, No. 6242, pp. 544-546.
- Wu et al., 'Receptor-mediated in vitro gene transformation by a soluble DNA carrier system.' Journal of Biological Chemistry. 1987, vol. 262, No. 10, pp. 4429-4432.
- Colhoun, et al., (2014) BMC Cardiovascular Disorders, Biomed Central 14(1):121, "Efficacy and safety of alirocumab, a fully human PCSK9 monoclonal antibody, in high cardiovascular risk patients with poorly controlled hypercholesterolemia on maximally tolerated doses of statins: rationale and design of the ODYSSEY COMBO I and II trials".
- Kastelein et al., (2014) Cardiovascular Drugs and Therapy 28(3):281-289, "Efficacy and Safety of Alirocumab in Patients with Heterozygous Familial Hypercholesterolemia not Adequately Controlled with Current Lipid-Lowering Therapy: Design and Rationale of the ODYSSEY FH Studies".
- Robinson et al., (2014) Clinical Cardiology 37(10):597-604, "Efficacy and Safety of Alirocumab as Add-on Therapy in High-Cardiovascular-Risk Patients with Hypercholesterolemia Not Adequately Controlled with Atorvastatin (20 or 40 mg) or Rosuvastatin (10 or 20 mg): Design and Rationale of the ODYSSEY OPTIONS Studies".
- International Search Report dated Aug. 19, 2015 for International Application No. PCT/US2015/015633.
- Bays H, Farnier M, Gaudet D, Weiss R, Lima Ruiz J, Watts GF, Gouni-Berthold I, Robinson J, Jones P, Severance R, Averna M, Steinhagen-Thiessen E, Colhoun HM, Zhao J, Du Y, Hanotin C, Donahue S. Efficacy and safety of combining alirocumab with atorvastatin or rosuvastatin versus statin intensification or adding ezetimibe in high cardiovascular risk patients: ODYSSEY OPTIONS I and II. Circulation. 2014;130:2105-2126.
- Bays H; Gaudet D; Weiss R; Lima Ruiz J; Watts GF; Gouni-Berthold I; Robinson J; Zhao J; Hanotin C; Donahue S. PCSK9 Inhibitor Alirocumab as Add-on to Atorvastatin versus Other Lipid Treatment Strategies in Patients at High CVD Risk: ODYSSEY OPTIONS I. Circulation. 2014;130:A16194.
- Cannon CP, Cariou B, Blom D, McKenney JM, Lorenzato C, Pordy R, Chaudhari U, Colhoun HM. Efficacy and safety of alirocumab in high cardiovascular risk patients with inadequately controlled hypercholesterolaemia on maximally tolerated daily statin: results from the ODYSSEY COMBO II study; presented at ESC Congress Aug. 31, 2014, abstract not published.
- Cannon CP, Cariou B, Blom D, McKenney JM, Lorenzato C, Pordy R, Chaudhari U, Colhoun HM; for the ODYSSEY COMBO II Investigators. Efficacy and safety of alirocumab in high cardiovascular risk patients with inadequately controlled hypercholesterolaemia on maximally tolerated doses of statins: the ODYSSEY COMBO II randomized controlled trial Eur Heart J. 2015. doi:10.1093/eurheartj/ehv028 [epub ahead of print].
- Catapano AL, Papadopoulos N. The safety of therapeutic monoclonal antibodies: implications for cardiovascular disease and targeting the PCSK9 pathway. Atherosclerosis 2013;228(1):18-28.
- Duff et al. Biochem Journal, the Biochemical Society, vol. 419, No. 3, May 1, 2009 pp. 577-584.
- Dufour R, Moriarty PM, Genestin E, Sasiela WJ, Du Y, Ferrand A-C; Ginsberg HN. Effect of REGN727/SAR236553 PCSK9 fully human monoclonal antibody in patients with elevated triglycerides/low high-density lipoprotein cholesterol: data from three phase 2 studies. Circulation 2012;126:Abstract A16127.
- Farnier M, Kastelein JJP, Roth E, Taskinen MR, Ginsberg HN, Colhoun HM, Robinson JG, Merlet L, Brunet A, Pordy R, Baccara-Dinet MT. Relationship between alirocumab, PCSK9 and LDL-C levels: results from the ODYSSEY MONO Phase 3 trial of alirocumab 75 mg every 2 weeks. Atherosclerosis. 2014;235(2):e34-e35. [Abstract MP02E].
- Foody J, Khan I, Lewis B. Attainment of low-density lipoprotein cholesterol goals in patients at high cardiovascular risk: results from a managed care population study. Circulation. 2013;128:A17254.
- Gaudet D, Kereiakes D, McKenney J, Roth E, Hanotin C, Gipe D, Du Y, Ferrand A-C, Ginsberg H, Stein E. Alirocumab, a fully human monoclonal antibody to PCSK9, reduces high plasma Lp(a) concentration: pooled analysis of 352 patients from phase 2. J Clin Lipidol 2013;7(3):283-284.
- Gaudet D, Kereiakes D, McKenney J, Roth E, Hanotin C, Gipe D, Du Y, Ferrand A-C, Ginsberg H, Stein E. Effect of Alirocumab, a Monoclonal Proprotein Convertase Subtilisin/Kexin 9 Antibody, on Lipoprotein(a) Concentrations (a Pooled Analysis of 150 mg Every 2 Weeks Dosing from Phase 2 Trials). Am J Cardiol. 2014;114(5):711-715.
- Gaudet D, Kereiakes D, McKenney J, Roth E, Hanotin C, Gipe D, Du Y, Ferrand A-C, Ginsberg H, Stein E. Effect of SAR236553/REGN727 fully human monoclonal anti-proprotein convertase subtilisin/kexin type 9 antibody on plasma lipoprotein(a) concentrations: pooled analysis from three phase 2 studies (NCT:01266876; 01288469; 01288443). Circulation 2012;126:Abstract A14725.

(56)

## References Cited

## OTHER PUBLICATIONS

- Ginsberg HN, Rader DJ, Raal FJ, Guyton JR, Lorenzato C, Pordy R, Baccara-Dinet MT, Stroes E. ODYSSEY HIGH FH: efficacy and safety of alirocumab in patients with severe heterozygous familial hypercholesterolemia. *Circulation*. 2014;130:2119.
- Gusarova V, Howard VG, Okamoto H, Koehler-Stec EM, Papadopoulos N, Murphy AJ, Yancopoulos GD, Stahl N, Sleeman MW. Reduction of LDL cholesterol by a monoclonal antibody to PCSK9 in rodents and nonhuman primates. *Clin Lipidol* 2012;7(6):737-743.
- Hochleitner et al., Characterization of a discontinuous epitope of the human immunodeficiency virus ~HIV-1 core protein p24 by epitope excision and differential chemical modification followed by mass spectrometric peptide mapping analysis; *Protein Science* 2000, 9:487-496. Cambridge University Press.
- Hopkins PN, Swergold GD, Mellis S, Bruckert E, Luc G, Mendoza J, Du Y, Krempf M. A randomized placebo-phase clinical trial with the monoclonal antibody alirocumab demonstrates reductions in low-density lipoprotein cholesterol in patients with proprotein convertase subtilisin/kexin type 9 gain-of-function mutations. *Circulation*. 2013;128:A17156.
- Hovingh GK, Davidson MH, Kastelein JJ, O'Connor AM. Diagnosis and treatment of familial hypercholesterolaemia. *Eur Heart J* 2013;34(13):962-971.
- International Preliminary Report on Patentability dated Jul. 30, 2013 for International application No. PCT/EP12/051321, 7 pages.
- International Search Report and Written Opinion dated Aug. 19, 2015 for International application No. PCT/US2015/015633, 23 pages.
- International Search Report and Written Opinion mailed Apr. 16, 2015 for International Application No. PCT/US2014/060109 (19 pages).
- International Search Report and Written Opinion mailed Feb. 3, 2015 for International Application No. PCT/US2014/065149 (17 pages).
- International Search Report and Written Opinion mailed Jun. 12, 2015 for International Application No. PCT/US2015/020564 (20 pages).
- International Search Report dated Aug. 2, 2012 for International application No. PCT/EP12/051321, (4 pages).
- Jones P, Bays H, Chaudhari U, Pordy R, Lorenzato C, Miller K, Robinson J. Pooled safety and adverse events in nine randomized, placebo-controlled, phase 2 and 3 clinical trials of alirocumab. *J Am Coll Cardiol* 2015;65(10\_S):A1363.
- Junghans et al.: Anti-Tac-H, a Humanized Antibody to the Interleukin 2 Receptor with New Features for Immunotherapy in Malignant and Immune Disorders; *Cancer Research*, 50. 1495-1502; Mar. 1, 1990.
- Kastelein JJP, Ginsberg HN, Langslet G, Kees Hovingh G, Ceska R, Dufour R, Blom D, Civeira F, Krempf M, Farnier M. Efficacy and safety of alirocumab in patients with heterozygous familial hypercholesterolaemia not adequately controlled with current lipid-lowering therapy: results of ODYSSEY FH I and FH II studies; presented at ESC Congress Aug. 31, 2014, abstract not published.
- Kereiakes DJ, Robinson JG, Cannon CP, Lorenzato C, Pordy R, Chaudhari U, Colhoun HM. Efficacy and safety of alirocumab in high cardiovascular risk patients with suboptimally controlled hypercholesterolemia on maximally tolerated doses of statins: the ODYSSEY COMBO I study. *Circulation*. 2014;130:2119.
- Kereiakes DJ, Robinson JG, Cannon CP, Lorenzato C, Pordy R, Chaudhari U, Colhoun HM. Efficacy and safety of the PCSK9 inhibitor alirocumab among high cardiovascular risk patients on maximally tolerated statin therapy: the ODYSSEY COMBO I study. *Am Heart J*. 2015. In press. DOI: dx.doi.org/10.1016/j.ahj.2015.03.004.
- Koren M, Stein E, McKenney JM, Gipe D, Hanotin C, Ferrand A-C, Wu R, Dufour R. Efficacy, safety and tolerability of 150 mg Q2W dose of the anti-PCSK9 mAb, REGN727/SAR236553: data from 3 phase 2 studies. *Eur Heart J* 2012;33(Abstract Supplement);37. Abstract 429.
- Koren MJ, Kereiakes D, Pourfarzib R, Winegar D, Banerjee P, Hamon S, Hanotin C, McKenney JM. Effects of alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, on lipoprotein particle concentrations determined by nuclear magnetic resonance: substudy of a randomized double-blind phase II clinical trial. *J Am Coll Cardiol* 2014;63(12 Suppl 1): A1373.
- Koren MJ, Roth EM, McKenney JM, Gipe D, Hanotin C, Ferrand AC, Wu R, Dufour R. Safety and efficacy of alirocumab 150 mg every 2 weeks, a fully human proprotein convertase subtilisin/kexin type 9 monoclonal antibody: a Phase II pooled analysis. *Postgrad Med* 2015;22:1-8.
- Koren MJ, Stein E, Roth E, McKenney JM, Gipe D, Hanotin C, Ferrand A-C, Wu R, Dufour R. Efficacy, safety and tolerability of alirocumab 150 mg Q2W, a fully human PCSK9 monoclonal antibody: a pooled analysis of 352 patients from phase 2. *J Clin Lipidol* 2013;7(3):279-280.
- Krauss RM, Banerjee P, Hamon S, Hanotin C, Sasiela B, Koren MJ, McKenney JM. Alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, and its effects on lipoprotein subfractions determined by ion mobility. *Circulation*. 2014;130:A15525.
- Kühnast S, van der Hoorn JW, Pieterman E, Sasiela WJ, Gusarova V, Peyman A, Schäfer H-L, Schwahn U, Jukema JW, Princen HM. PCSK-9 monoclonal antibody alirocumab dose-dependently decreases atherosclerosis development and enhances the effects of atorvastatin in APOE\*3Leiden.CETP mice. *Circulation*. 2013;128:A15823.
- Kühnast S, van der Hoorn JWA, Pieterman EJ, van den Hoek AM, Sasiela WJ, Gusarova V, Peyman A, Schäfer H-L, Schwahn U, Jukema JW, Princen HMG. Alirocumab inhibits atherosclerosis, improves the plaque morphology, and enhances the effects of a statin. *J Lipid Res*. 2014;55(10):2103-2112.
- Lambert G, Chatelais M, Petrides F, Passard M, Thedrez A, Rye KA, Schwahn U, Gusarova V, Blom DJ, Sasiela W, Marais AD. Normalization of Low-Density Lipoprotein Receptor Expression in Receptor Defective Homozygous Familial Hypercholesterolemia by Inhibition of PCSK9 With Alirocumab. *J Am Coll Cardiol*. 2014;64(21):2299-2300.
- Lambert G, Sjouke B, Choque B, Kastelein JJ, Hovingh GK. The PCSK9 decade. *J Lipid Res* 2012;53(12):2515-2524.
- Lunven C, Paehler T, Lewanczyk P, Poitiers F, Brunet A, Rey J, Hanotin C, Sasiela WJ. A randomized study of the relative bioavailability, pharmacodynamics, and safety of alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, after single subcutaneous administration at three different injection sites in healthy subjects. *J Am Coll Cardiol* 2014;63(12 Suppl 1): A1377.
- Lunven C, Paehler T, Poitiers F, Brunet A, Rey J, Hanotin C, Sasiela WJ. A randomized study of the relative pharmacokinetics, pharmacodynamics and safety of alirocumab, a fully human monoclonal antibody to PCSK9, after single subcutaneous administration at three different injection sites in healthy subjects. *Cardiovasc Ther*. Dec. 2014;32(6):297-301.
- McKenney J, Koren M, Kereiakes D, Hanotin C, Ferrand A-C. A randomized, double-blind, placebo-controlled trial of the safety and efficacy of a monoclonal antibody to proprotein convertase subtilisin/kexin type 9 serine protease, REGN727/SAR236553, in patients with primary hypercholesterolemia (NCT: 01288443). Presented as a late-breaking oral presentation at the American College of Cardiology (ACC) Annual Scientific Session, Mar. 24-27, 2012, Chicago, Illinois, USA.
- Missouri DU Report, Drug Use Review Newsletter, vol. 8, No. 6, Oct./Nov. 2003 "Statin Therapy" pp. 1-9.
- Moriarty PM, Jacobson TA, Bruckert E, Thompson PD, Guyton JR, Baccara-Dinet MT, Gipe D. Efficacy and safety of alirocumab, a monoclonal antibody to PCSK9, in statin-intolerant patients: Design and rationale of ODYSSEY ALTERNATIVE, a randomized Phase 3 trial. *J Clin Lipidol*. 2014;8(6):554-561.

(56)

## References Cited

## OTHER PUBLICATIONS

- Moriarty PM, Lecorps G, Hanotin C, Pordy R, Roth EM. Homogeneity of treatment effect of REGN727/SAR236553, a fully human monoclonal antibody against PCSK9, in lowering LDL-C: data from three phase 2 studies. *Eur Heart J*. 2013;34(Suppl 1):doi:10.1093/eurheartj/ehs307.142.
- Moriarty PM, Thompson PD, Cannon CP, Guyton JR, Bergeron J, Zieve FJ, Bruckert E, Jacobson TA, Baccara-Dinet MT, Zhao J, Pordy R, Gipe R. ODYSSEY ALTERNATIVE: Efficacy and safety of the proprotein convertase subtilisin/kexin type 9 monoclonal antibody, alirocumab, versus ezetimibe, in patients with statin intolerance as defined by a placebo run-in and statin rechallenge arm. *Circulation*. 2014;130:2108.
- Pordy R, Lecorps G, Bessac L, Sasiela WJ, Ginsberg H. Alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9: therapeutic dosing in phase 3 studies. *J Clin Lipidol* 2013;7(3):279.
- Ramanathan A, Gusarova V, Kyrtasous C. Role of alirocumab (proprotein convertase subtilisin/kexin type 9 antibody) on CD81 levels and hepatitis C virus entry into hepatocytes. *Circulation*. 2013;128:A12052.
- Ray KK, Foody J, Khan I, Lewis BE. Attainment of low-density lipoprotein cholesterol goals in patients at very high cardiovascular risk in the United Kingdom: results from a general practice population study. *Value Health* 2013;16(7):A513.
- Rey J, Poitiers F, Paehler T, Brunet A, Pinquier JL, Hanotin C, Sasiela B. Randomized, partial blind study of the pharmacodynamics, pharmacokinetics and safety of multiple subcutaneous doses of alirocumab, a fully human monoclonal antibody to proprotein convertase subtilisin/kexin type 9, administered every 4 weeks alone or in combination with ezetimibe or fenofibrate in healthy subjects. *J Am Coll Cardiol* 2014;63(12 Suppl 1):A1375.
- Robinson J, Farnier M, Chaudhari U, Sasiela B, Lorenzato C, Miller K, Kastelein JJP. Adverse events in patients with low-density lipoprotein cholesterol levels <25 or <15 mg/dL on at least two consecutive visits in fourteen randomized, controlled, clinical trials of alirocumab. *J Am Coll Cardiol* 2015;65(10\_S):A1350.
- Robinson JG, Farnier M, Krempf M, Bergeron J, Luc G, Averna M, Stroes E, Langslet G, Raal FJ, El Shahawy M, Koren MJ, Lepor N, Lorenzato C, Pordy R, Chaudhari U, Kastelein JJP. Long-term safety, tolerability and efficacy of alirocumab versus placebo in high cardiovascular risk patients: first results from the ODYSSEY LONG TERM study in 2,341 patients. *Circulation*. 2014;130:2120.
- Robinson JG, Farnier M, Krempf M, Bergeron J, Luc G, Averna M, Stroes ES, Langslet G, Raal FJ, Shahawy ME, Koren MJ, Lepor NE, Lorenzato C, Pordy R, Chaudhari U, Kastelein JJ; ODYSSEY LONG TERM Investigators. Efficacy and Safety of Alirocumab in Reducing Lipids and Cardiovascular Events. *N Engl J Med*. 2015.
- Roth E, Taskinen M-R, Ginsberg HN, Kastelein JJP, Colhoun HM, Robinson JG, Merlet L, Pordy R, Baccara-Dinet MT. A 24-week study of alirocumab monotherapy versus ezetimibe: The first phase 3 data of a proprotein convertase subtilisin/kexin type 9 inhibitor. *J Am Coll Cardiol* 2014;63(12 Suppl 1): A.
- Roth EM, McKenney J, Hanotin C, Asset G, Stein E. The effects of co-administering a monoclonal antibody to proprotein convertase subtilisin/kexin type 9 serine protease, REGN727/SAR236553, with 10 and 80 mg atorvastatin compared to 80 mg atorvastatin alone in patients with primary hypercholesterolemia (NCT: 01288469). *J Am Coll Cardiol* 2012;59:E1620.
- Roth EM, McKenney JM, Hanotin C, Asset G, Stein EA. Atorvastatin with or without an antibody to PCSK9 in primary hypercholesterolemia. *N Engl J Med*. 2012;367(20):1891-1900.
- Roth EM, McKenney JM. ODYSSEY MONO: effect of alirocumab 75 mg subcutaneously every 2 weeks as monotherapy versus ezetimibe over 24 weeks. *Future Cardiol* 2015;11(1):27-37.
- Roth EM, Taskinen M-R, Ginsberg H, Kastelein JJP, Colhoun HM, Robinson JG, Merlet L, Pordy R, Baccara-Dinet MT. Monotherapy with the PCSK9 inhibitor alirocumab versus ezetimibe in patients with hypercholesterolemia: Results of a 24 week, double-blind, randomized Phase 3 trial. *Int J Cardiol*. 2014;176(1):55-61.
- Schwartz GG, Bessac L, Berdan LG, Bhatt DL, Bittner V, Diaz R, Goodman SG, Hanotin C, Harrington RA, Jukema JW, Mahaffey KW, Moryusef A, Pordy R, Roe MT, Rorick T, Sasiela WJ, Shirodaria C, Szarek M, Tamby J-F, Tricoci P, White H, Zeiher A, Steg PG. Effect of alirocumab, a monoclonal antibody to pcsk9, on long-term cardiovascular outcomes following acute coronary syndromes: Rationale and design of the odyssey outcomes trial. *Am Heart J*. 2014;168(5):682-689.e1.
- Steen D, Khan I, Becker L, Gorcyca K, Foody J. Attainment of Lipid Levels in Patients at High Cardiovascular Risk: Results from a U.S. Managed Care Population Study. *Circulation*. 2014;130:A19949.
- Steen D, Khan I, Song X, Sanchez R, Gorcyca K, Hollenbeak CS, Foody J. Cardiovascular Event Rates in a High-Risk Managed Care Population in the United States. *J Am Coll Cardiol* 2015;65(10\_S):A1647.
- Stein E, Bergeron J, Gaudet D, Weiss R, Gipe D, Wu R, Dufour R, Pordy R. Safety and efficacy of a monoclonal antibody to PCSK9, REGN727/SAR236553, in statin-treated heterozygous familial hypercholesterolemia patients. Presented as an oral presentation at the 80th European Atherosclerosis Society (EAS) Congress, May 25-28, 2012, Milan, Italy. Abstract 1398.
- Stein EA, Bergeron J, Gaudet D, Weiss R, Dufour R, Du Y, Yang F, Andisik M, Toni A, Pordy R, Gipe D. One year open-label treatment with alirocumab 150 mg every two weeks in heterozygous familial hypercholesterolemic patients. *Lancet* 2012 380:29-36.
- Stroes E, Guyton JR, Farnier M, Rader D, Moriarty PM, Bergeron J, Langslet G, Lepor N, Civeira F, Gaudet D, Watts GF, Manvelian G, Lecorps G, Zhao J, Baccara-Dinet M, Roth EM. Efficacy and safety of different dosing regimens of alirocumab (starting doses of 75 mg every two weeks and 150 mg every four weeks) versus placebo in patients with hypercholesterolemia not treated using statins: the ODYSSEY CHOICE II study. *J Am Coll Cardiol* 2015;65(10\_S):A1370.
- Sullivan, et al. Effect of a Monoclonal Antibody to PCSK9 on Low-Density Lipoprotein Cholesterol Levels in Statin-Intolerant Patients. *JAMA*. Dec. 19, 2012. vol. 308, No. 23. pp. 2497-2506.
- Swergold G, Biedermann S, Renard R, Du Y, Nadler D, Wu R, Mellis S, Lisbon E. REGN727/SAR236553, a fully-human monoclonal antibody to proprotein convertase subtilisin kexin 9 (PCSK9), decreases ApoB and non-HDL-C when administered intravenously to healthy volunteers. *J Clin Lipidol* 2011;5(3):219.
- Swergold G, Biedermann S, Renard R, Nadler D, Wu R, Lisbon EA, Gutierrez MJ, Mellis S. REGN727/SAR236553, a fully human proprotein convertase subtilisin kexin 9 (PCSK9) monoclonal antibody: effects on safety and lipid and lipoprotein profiles when administered subcutaneously. *J Am Coll Cardiol* 2011;57(14s1):E2023.
- Swergold G, Biedermann S, Renard R, Nadler D, Wu R, Mellis S. Safety, lipid, and lipoprotein effects of REGN727/SAR236553, a fully human proprotein convertase subtilisin kexin 9 (PCSK9) neutralizing monoclonal antibody administered intravenously to healthy volunteers. *Circulation* 2010;122:Abstract A23251.
- Swergold G, Smith W, Mellis S, Logan D, Webb C, Wu R, Du Y, Krans T, Gasparino E, Stein EA. Inhibition of proprotein convertase subtilisin/kexin type 9 with a monoclonal antibody REGN727/SAR236553, effectively reduces low-density-lipoprotein cholesterol, as mono or add-on therapy in heterozygous familial and non-familial hypercholesterolemia. *Circulation* 2011;124:Abstract A16265.
- Teramoto T, Kobayashi M, Uno K, Takagi Y, Matsuoka O, Sugimoto M, Inoue S, Minami F, Baccara-Dinet MT. Efficacy and safety of alirocumab in Japanese patients with hypercholesterolemia on stable statin therapy: first data with the 75 mg every two weeks dose. *Circulation*. 2014;130:A13651.
- Toth PP, Hamon S, Jones SR, Joshi PH, Martin SS, Pordy R, Hanotin C. Alirocumab, a proprotein convertase subtilisin/kexin type 9 monoclonal antibody, reduces cholesterol concentrations of all serum low-density lipoprotein cholesterol fractions. *Circulation*. 2013;128:A17313.

(56)

**References Cited****OTHER PUBLICATIONS**

- Toth PP, Hamon S, Jones SR, Martin SS, Joshi PH, Kulkarni K, Banerjee P, Hanotin C. Proprotein convertase subtilisin/kexin 9 monoclonal antibody therapy significantly reduces apoprotein CII and CIII levels in serum. *Atherosclerosis*. 2014;235(2):e107-e108. [Abstract 593].
- Van der Hoorn JWA, Kuhnast S, Pieterman E, van der Hoek AM, Sasiela WJ, Gusarova V, Peyman A, Schafer H-L, Schwahn U, Jukema JW, Princen HMG. Alirocumab, a monoclonal antibody to PCSK-9, dose-dependently decreases atherosclerosis, improves plaque stability and shows additive effects with atorvastatin in APOE\*3Leiden.CETP mice. *Atherosclerosis*. 2014;235(2):e19. [Abstract WS16].
- Wong ND, Chuang J. Residual Dyslipidemia According to LDL-C, non-HDL-C and Apolipoprotein B by Cardiovascular Risk Category in Statin Treated US Adults. *J Clin Lipidol*. 2014;8:323-324. Presented as a poster presentation at the National Lipid Association Scientific Sessions, May 1-4, 2014, Orlando, Florida, USA.
- Romagnuolo, et al. (2015) *The Journal of Biological Chemistry* 290(18):11649-11662, "Lipoprotein(a) Catabolism is Regulated by Proprotein Convertase Subtilisin/Kexin Type 9 through the Low Density Lipoprotein Receptor".
- Bee, et al. (2009) *Journal of Pharmaceutical Sciences* 98(9): 3290-3301, "Precipitation of a monoclonal antibody by soluble tungsten".
- Breen, et al. (2001) *Pharmaceutical Research* 18(9): 1345-1353, "Effect of moisture on the stability of a lyophilized humanized monoclonal antibody formulation".
- Carpenter, 1997 *Pharm. Res.* 14(8): 969-975, Rational Design of Stable Lyophilized Protein Formulations: Some Practical Advice.
- Daugherty, et al., 2006 *Advanced Drug Delivery Reviews* 58: 686-706, "Formulation and delivery issues for monoclonal antibody therapeutics".
- Katayama, et al. 2004 *J. Pharm. Sci.* 93(10): 2609-2623, "Retrospective statistical analysis of lyophilized Protein Formulations of Progenipointin Using PLS: Determination of the Critical Parameters for Long-Term Storage Stability".
- Lefranc, M.-P., et al., IMGT®, the international ImMunoGeneTics information system®, *Nucl. Acids Res*, 37, D1006-D1012 (2009).
- Majumdar, et al. (2011) *Journal of Pharmaceutical Sciences* 100(7):2563-2573, "Evaluation of the effect of syringe surfaces on protein formulations".
- Meehan et al., 1996, *J. Controlled Release* 46:107-116, "A microinfusor device for the delivery of therapeutic levels of peptides and macromolecules".
- Robinson, N., 2002, *PNAS*, 99(8):5283-5288 "Protein Deamidation".
- Scaviner, D. et al., 1999 *Exp. Clin. Immunogenet.* 16:234-240 "Protein Displays of the Human Immunoglobulin Heavy, Kappa and Lambda Variable and Joining Regions".
- Varret, et al., 1999 *Am. J. Hum. Genet.* 64: 1378-1387, "A third major locus for autosomal dominant hypercholesterolemia Maps to 1p34.1-p32".
- Wang, 1999 *International J. Pharmaceutics* 185(2): 129-188, "Instability, stabilization, and formulation of liquid protein pharmaceuticals".
- Webb, et al. 2002 *J. Pharm. Sci.* 91(2): 543-558, "A new mechanism for decreasing aggregation of Recombinant Human Interferon- $\gamma$  by a Surfactant: Slowed Dissolution of Lyophilized Formulations in a Solution Containing 0.03% Polysorbate 20".
- Anthem (Sep. 21, 2015) "Proprotein Convertase Subtilisin Kexin 9 (PCSK9) Inhibitors," Policy No. DRUG.00078. American Medical Association. Accessible on the Internet at URL: [www.anthem.com/ca/medicalpolicies/policies/mp\\_pw\\_c182635.htm](http://www.anthem.com/ca/medicalpolicies/policies/mp_pw_c182635.htm). [Last Accessed Apr. 27, 2016].
- Defesche et al. (Jun. 2-5, 2013) "Natural history of autosomal dominant hypercholesterolemia caused by gain-of-function mutations in proprotein convertase subtilisin/kexin type 9 (PCSK9) (funded by Regeneron/Sanofi)," Abstract of a presentation presented at the 81st European Atherosclerosis Society (EAS) Congress, Jun. 2-5, 2013, Lyon, France.
- Hiriyama et al. (Jan. 1, 2014) "Effects of evolocumab (AMG 145), a monoclonal antibody to PCSK9, in hypercholesterolemic, statin-treated Japanese patients at high cardiovascular risk—primary results from the phase 2 YUKAWA study," *Circulation Journal*. 78(5):1073-1082.
- International Search Report with Written Opinion corresponding to International Patent Application No. PCT/EP2012/051321, mailed Apr. 19, 2012, 10 pages.
- International Search Report with Written Opinion corresponding to International Patent Application No. PCT/EP2012/057890, mailed Aug. 28, 2012, 14 pages.
- International Search Report with Written Opinion corresponding to International Patent Application No. PCT/US2015/040754, mailed Oct. 14, 2015, 15 pages.
- International Search Report with Written Opinion corresponding to International Patent Application No. PCT/US2015/040765, mailed Nov. 26, 2015, 15 pages.
- McKenney et al. (Jun. 2-5, 2013) "Dynamics between the monoclonal antibody SAR236553/REGN727, proprotein convertase subtilisin/kexin type 9 (PCSK9) and low-density lipoprotein cholesterol (LDL-C) levels (funding: Regeneron/Sanofi)," Presented as a poster presentation at the 81st European Atherosclerosis Society (EAS) Congress, Jun. 2-5, 2013, Lyon, France.
- Schäfer et al. (Mar. 14-16, 2011) "Cholesterol lowering effect of SAR236553/REGN727, a fully human PCSK9 blocking monoclonal antibody in male Syrian hamster," Presented as a poster at the Drugs Affecting Lipid Metabolism (DALM)—XVII International Symposium, Mar. 14-16, 2011, Doha, Qatar.

\* cited by examiner






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

8/14




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

# THERAPEUTIC USES OF ANTI-PCSK9 ANTIBODIES

## CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 13/690,585, filed on 30 Nov. 2012, which is a continuation of U.S. application Ser. No. 12/949,846 filed on 19 Nov. 2010, now U.S. Pat. No. 8,501,184, Issued 6 Aug. 2013, which is a divisional of U.S. application Ser. No. 12/637,942, filed 15 Dec. 2009, now U.S. Pat. No. 8,062,640, Issued 22 Nov. 2011, which claims the benefit under 35 USC §119(e) of U.S. Provisional 61/261,776 filed 17 Nov. 2009, 61/249,135 filed 6 Oct. 2009, 61/218,136 filed 18 Jun. 2009, 61/168,753 filed 13 Apr. 2009, 61/210,566 filed 18 Mar. 2009 and 61/122,482 filed 15 Dec. 2008, which applications are herein specifically incorporated by reference in their entirety.

## FIELD OF THE INVENTION

The present invention is related to human antibodies and antigen-binding fragments of human antibodies that specifically bind human proprotein convertase subtilisin/kexin type 9 (PCSK9), and therapeutic methods of using those antibodies.

## STATEMENT OF RELATED ART

Proprotein convertase subtilisin/kexin type 9 (PCSK9) is a proprotein convertase belonging to the proteinase K subfamily of the secretory subtilase family. The encoded protein is synthesized as a soluble zymogen that undergoes autocatalytic intramolecular processing in the endoplasmic reticulum. Evidence suggest that PCSK9 increases plasma LDL cholesterol by promoting degradation of the LDL receptor, which mediates LDL endocytosis in the liver, the major route of LDL clearance from circulation. The structure of PCSK9 protein shows that it has a signal sequence, followed by a prodomain, a catalytic domain that contains a conserved triad of residues (D186, H226 and S386), and a C-terminal domain. It is synthesized as a soluble 74-kDa precursor that undergoes autocatalytic cleavage in the ER, generating a 14-kDa prodomain and 60-kDa catalytic fragment. The autocatalytic activity has been shown to be required for secretion. After cleavage the prodomain remains tightly associated with the catalytic domain.

Antibodies to PCSK9 are described in, for example, WO 2008/057457, WO 2008/057458, WO 2008/057459, WO 2008/063382, WO 2008/125623, and US 2008/0008697.

## BRIEF SUMMARY OF THE INVENTION

In a first aspect, the invention provides fully human monoclonal antibodies (mAbs) and antigen-binding fragments thereof that specifically bind and neutralize human PCSK9 (hPCSK9) activity.

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9 and is characterized by at least one of:

(i) capable of reducing serum total cholesterol at least about 25-35% and sustaining the reduction over at least a 24 day period relative to a predose level, preferably the reduction in serum total cholesterol is at least about 30-40%;

(ii) capable of reducing serum LDL cholesterol at least about 65-80% and sustaining the reduction over at least a 24 day period relative to a predose level;

(iii) capable of reducing serum triglyceride at least about 25-40% relative to predose level;

(iv) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level.

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody that specifically binds hPCSK9 and is characterized by at least one of:

(i) capable of reducing serum LDL cholesterol at least about 40-70% and sustaining the reduction over at least a 60 or 90 day period relative to a predose level;

(ii) capable of reducing serum triglyceride at least about 25-40% relative to predose level;

(iii) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level.

In one embodiment, the antibody or antigen-binding fragment is characterized as binding an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or antigen-binding fragment binds an epitope comprising one or more of amino acid residue 238, 153, 159 and 343 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or fragment thereof is characterized as binding an epitope which does not comprise an amino acid residue at position 192, 194, 197 and/or 237 of SEQ ID NO:755.

In one embodiment, the antibody or antigen-binding fragment is characterized as binding an epitope comprising amino acid residue 366 of hPCSK9 (SEQ ID NO:755). In a more specific embodiment, the antibody or antigen-binding fragment binds an epitope comprising one or more of amino acid residue at position 147, 366 and 380 of SEQ ID NO:755. In a more specific embodiment, the antibody or antigen-binding fragment of an antibody is characterized as binding an epitope which does not comprise an amino acid residue at position 215 or 238 of SEQ ID NO:755.

In one embodiment, the antibody or antigen-binding fragment is characterized as exhibiting an enhanced binding affinity ( $K_D$ ) for hPCSK9 at pH 5.5 relative to the  $K_D$  at pH 7.4, as measured by plasmon surface resonance. In a specific embodiment, the antibody or fragment thereof exhibits at least a 20-fold, at least a 40-fold or at least a 50-fold enhanced affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance.

In one embodiment, the antibody or antigen-binding fragment is characterized as not exhibiting an enhanced binding affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance. In a specific embodiment, the antibody or fragment thereof exhibits a decreased binding affinity at an acidic pH.

In another embodiment, the antibody or antigen-binding fragment binds human, human GOF mutation D374Y, cynomolgus monkey, rhesus monkey, mouse, rat and hamster PCSK9.

In one embodiment, the antibody or antigen-binding fragment binds human and monkey PCSK9, but does not bind mouse, rat or hamster PCSK9.

The mAbs can be full-length (e.g., an IgG1 or IgG4 antibody) or may comprise only an antigen-binding portion (e.g., a Fab, F(ab')<sub>2</sub> or scFv fragment), and may be modified to affect functionality, e.g., to eliminate residual effector functions (Reddy et al. (2000) J. Immunol. 164:1925-1933).

In one embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody comprising a

3

heavy chain variable region (HCVR) selected from the group consisting of SEQ ID NO:2, 18, 22, 26, 42, 46, 50, 66, 70, 74, 90, 94, 98, 114, 118, 122, 138, 142, 146, 162, 166, 170, 186, 190, 194, 210, 214, 218, 234, 238, 242, 258, 262, 266, 282, 286, 290, 306, 310, 314, 330, 334, 338, 354, 358, 362, 378, 382, 386, 402, 406, 410, 426, 430, 434, 450, 454, 458, 474, 478, 482, 498, 502, 506, 522, 526, 530, 546, 550, 554, 570, 574, 578, 594, 598, 602, 618, 622, 626, 642, 646, 650, 666, 670, 674, 690, 694, 698, 714, 718, 722, 738 and 742, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the HCVR comprises an amino acid sequence selected from the group consisting of SEQ ID NO:50, 66, 70, 74, 90, 94, 122, 138, 142, 218, 234, 238, 242, 258, 262, 314, 330 and 334. In a more specific embodiment, the HCVR comprises SEQ ID NO:90 or 218.

In one embodiment, the antibody or fragment thereof further comprises a light chain variable region (LCVR) selected from the group consisting of SEQ ID NO:10, 20, 24, 34, 44, 48, 58, 68, 72, 82, 92, 96, 106, 116, 120, 130, 140, 144, 154, 164, 168, 178, 188, 192, 202, 212, 216, 226, 236, 240, 250, 260, 264, 274, 284, 288, 298, 308, 312, 322, 332, 336, 346, 356, 360, 370, 380, 384, 394, 404, 408, 418, 428, 432, 442, 452, 456, 466, 476, 480, 490, 500, 504, 514, 524, 528, 538, 548, 552, 562, 572, 576, 586, 596, 600, 610, 620, 624, 634, 644, 648, 658, 668, 672, 682, 692, 696, 706, 716, 720, 730, 740 and 744, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the LCVR comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 58, 68, 72, 82, 92, 96, 130, 140, 144, 226, 236, 240, 250, 260, 264, 322, 332 and 336. In a more specific embodiment, the LCVR comprises SEQ ID NO:92 or 226.

In specific embodiments, the antibody or fragment thereof comprises a HCVR and LCVR (HCVR/LCVR) sequence pair selected from the group consisting of SEQ ID NO: 2/10, 18/20, 22/24, 26/34, 42/44, 46/48, 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 98/106, 114/116, 118/120, 122/130, 138/140, 142/144, 146/154, 162/164, 166/168, 170/178, 186/188, 190/192, 194/202, 210/212, 214/216, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 266/274, 282/284, 286/288, 290/298, 306/308, 310/312, 314/322, 330/332, 334/336, 338/346, 354/356, 358/360, 362/370, 378/380, 382/384, 386/394, 402/404, 406/408, 410/418, 426/428, 430/432, 434/442, 450/452, 454/456, 458/466, 474/476, 478/480, 482/490, 498/500, 502/504, 506/514, 522/524, 526/528, 530/538, 546/548, 550/552, 554/562, 570/572, 574/576, 578/586, 594/596, 598/600, 602/610, 618/620, 622/624, 626/634, 642/644, 646/648, 650/658, 666/668, 670/672, 674/682, 690/692, 694/696, 698/706, 714/716, 718/720, 722/730, 738/740 and 742/744. In one embodiment, the HCVR and LCVR sequence pair comprises one of SEQ ID NO: 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 122/130, 138/140, 142/144, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 314/322, 330/332 and 334/336. In a more specific embodiment, the HCVR/LCVR pair comprises SEQ ID NO:90/92 or 218/226.

In a second aspect, the invention features an antibody or antigen-binding fragment of an antibody comprising a heavy chain CDR3 (HCDR3) domain selected from the group consisting of SEQ ID NO:8, 32, 56, 80, 104, 128, 152, 176, 200, 224, 248, 272, 296, 320, 344, 368, 392, 416, 440, 464, 488, 512, 536, 560, 584, 608, 632, 656, 680, 704 and 728, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; and a light chain CDR3 (LCDR3) domain selected

4

from the group consisting of SEQ ID NO:16, 40, 64, 88, 112, 136, 160, 184, 208, 232, 256, 280, 304, 328, 352, 376, 400, 424, 448, 472, 496, 520, 544, 568, 592, 616, 640, 664, 688, 712 and 736, or substantially similar sequences thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the HCDR3/LCDR3 sequence pair is selected from the group consisting of SEQ ID NO:56/64, 80/88, 128/136, 224/232, 248/256 and 320/328. In a more specific embodiment, the HCDR3/LCDR3 sequence pair comprises SEQ ID NO:80/88 or 224/232.

In a further embodiment, the invention comprising an antibody or fragment thereof further comprising a heavy chain CDR1 (HCDR1) domain selected from the group consisting of SEQ ID NO:4, 28, 52, 76, 100, 124, 148, 172, 196, 220, 244, 268, 292, 316, 340, 364, 388, 412, 436, 460, 484, 508, 532, 556, 580, 604, 628, 652, 676, 700 and 724, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; a heavy chain CDR2 (HCDR2) domain selected from the group consisting of SEQ ID NO:6, 30, 54, 78, 102, 126, 150, 174, 198, 222, 246, 270, 294, 318, 342, 366, 390, 414, 438, 462, 486, 510, 534, 558, 582, 606, 630, 654, 678, 702 and 726, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; a light chain CDR1 (LCDR1) domain selected from the group consisting of SEQ ID NO:12, 36, 60, 84, 108, 132, 156, 180, 204, 228, 252, 276, 300, 324, 348, 372, 396, 420, 444, 468, 492, 516, 540, 564, 588, 612, 636, 660, 684, 708 and 732, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity; and a light chain CDR2 (LCDR2) domain selected from the group consisting of SEQ ID NO:14, 38, 62, 86, 110, 134, 158, 182, 206, 230, 254, 278, 302, 326, 350, 374, 398, 422, 446, 470, 494, 518, 542, 566, 590, 614, 638, 662, 686, 710 and 734, or a substantially similar sequence thereof having at least 90%, at least 95%, at least 98% or at least 99% sequence identity. In one embodiment, the heavy and light chain CDR sequences comprise a sequence selected from the group consisting of SEQ ID NO:52, 54, 56, 60, 62, 64; 76, 78, 80, 84, 86, 88; 124, 126, 128, 132, 134, 136; 220, 222, 224, 228, 230, 232; 244, 246, 248, 252, 254, 256; and 316, 318, 320, 324, 326, 328. In more specific embodiments, the CDR sequences comprise SEQ ID NO: 76, 78, 80, 84, 86, 88; or 220, 222, 224, 228, 230, 232.

In a related embodiment, the invention comprises an antibody or antigen-binding fragment of an antibody which specifically binds hPCSK9, wherein the antibody or fragment comprises heavy and light chain CDR domains contained within heavy and light chain sequence pairs selected from the group consisting of SEQ ID NO: 2/10, 18/20, 22/24, 26/34, 42/44, 46/48, 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 98/106, 114/116, 118/120, 122/130, 138/140, 142/144, 146/154, 162/164, 166/168, 170/178, 186/188, 190/192, 194/202, 210/212, 214/216, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 266/274, 282/284, 286/288, 290/298, 306/308, 310/312, 314/322, 330/332, 334/336, 338/346, 354/356, 358/360, 362/370, 378/380, 382/384, 386/394, 402/404, 406/408, 410/418, 426/428, 430/432, 434/442, 450/452, 454/456, 458/466, 474/476, 478/480, 482/490, 498/500, 502/504, 506/514, 522/524, 526/528, 530/538, 546/548, 550/552, 554/562, 570/572, 574/576, 578/586, 594/596, 598/600, 602/610, 618/620, 622/624, 626/634, 642/644, 646/648, 650/658, 666/668, 670/672, 674/682, 690/692, 694/696, 698/706, 714/716, 718/720, 722/730, 738/740 and 742/744. In one embodi-



ment, the CDR sequences are contained within HCVR and LCVR selected from the amino acid sequence pairs of SEQ ID NO: 50/58, 66/68, 70/72, 74/82, 90/92, 94/96, 122/130, 138/140, 142/144, 218/226, 234/236, 238/240, 242/250, 258/260, 262/264, 314/322, 330/332 and 334/336. In more specific embodiments, the CDR sequences are comprised within HCVR/LCVR sequences selected from SEQ ID NO: 90/92 or 218/226.

In one embodiment, the invention provides fully human monoclonal antibody or antigen-binding fragment thereof that specifically bind hPCSK9 and neutralize PCSK9 activity, wherein the antibody or fragment thereof exhibits one or more of the following characteristics: (i) capable of reducing serum total cholesterol at least about 25-35% and sustaining the reduction over at least a 24 day period relative to a predose level, preferably the reduction in serum total cholesterol is at least about 30-40%; (ii) capable of reducing serum LDL cholesterol at least about 65-80% and sustaining the reduction over at least a 24 day period relative to a predose level; (iii) capable of reducing serum triglyceride at least about 25-40% relative to predose level; (iv) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level; (v) binds an epitope comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755); (vi) exhibits an enhanced binding affinity ( $K_D$ ) for hPCSK9 at pH 5.5 relative to the  $K_D$  at pH 7.4, as measured by plasmon surface resonance, wherein the enhanced affinity is at least about a 20- to 50-fold increase in affinity; (vii) binds human, human GOF mutation D374Y, cynomolgus monkey, rhesus monkey, mouse, rat and hamster PCSK9; (viii) comprises heavy and light chain CDR3 sequences comprising SEQ ID NO:80 and 88; and (ix) comprises CDR sequences from SEQ ID NO:90 and 92.

In one embodiment, the invention provides fully human monoclonal antibody or antigen-binding fragment thereof that specifically bind human PCSK9 (hPCSK9) and neutralize PCSK9 activity, wherein the antibody or fragment thereof exhibits one or more of the following characteristics: (i) capable of reducing serum LDL cholesterol at least about 40-70% and sustaining the reduction over at least a 60 or 90 day period relative to a predose level; (ii) capable of reducing serum triglyceride at least about 25-40% relative to predose level; (iii) does not reduce serum HDL cholesterol or reduces serum HDL cholesterol no more than 5% relative to predose level; (iv) binds an epitope comprising amino acid residue 366 of hPCSK9 (SEQ ID NO:755); (v) does not exhibit an enhanced binding affinity for PCSK9 at an acidic pH relative to a neutral pH, as measured by surface plasmon resonance; (vi) binds human and monkey PCSK9, but does not bind mouse, rat or hamster PCSK9; (vii) comprises heavy and light chain CDR3 sequences comprising SEQ ID NO:224 and 232; and (viii) comprises CDR sequences from SEQ ID NO:218 and 226.

In a third aspect, the invention provides nucleic acid molecules encoding anti-PCSK9 antibodies or fragments thereof. Recombinant expression vectors carrying the nucleic acids of the invention, and host cells into which such vectors have been introduced, are also encompassed by the invention, as are methods of producing the antibodies by culturing the host cells under conditions permitting production of the antibodies, and recovering the antibodies produced.

In one embodiment, the invention provides an antibody or fragment thereof comprising a HCVR encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 1, 17, 21, 25, 41, 45, 49, 65, 69, 73, 89, 93, 97, 113, 117,

121, 137, 141, 145, 161, 165, 169, 185, 189, 193, 209, 213, 217, 233, 237, 241, 257, 261, 265, 281, 285, 289, 305, 309, 313, 329, 333, 337, 353, 357, 361, 377, 381, 385, 401, 405, 409, 425, 429, 433, 449, 453, 457, 473, 477, 481, 497, 501, 505, 521, 525, 529, 545, 549, 553, 569, 573, 577, 593, 597, 601, 617, 621, 625, 641, 645, 649, 665, 669, 673, 689, 693, 697, 713, 717, 721, 737 and 741, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the HCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 49, 65, 69, 73, 89, 93, 121, 137, 141, 217, 233, 237, 241, 257, 261, 313, 329 and 333. In more specific embodiments, the HCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 89 and 217.

In one embodiment, the antibody or fragment thereof further comprises a LCVR encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 9, 19, 23, 33, 43, 47, 57, 67, 71, 81, 91, 95, 105, 115, 119, 129, 139, 143, 153, 163, 167, 177, 187, 191, 201, 211, 215, 225, 235, 239, 249, 259, 263, 273, 283, 287, 297, 307, 311, 321, 331, 335, 345, 355, 359, 369, 379, 383, 393, 403, 407, 417, 427, 431, 441, 451, 455, 465, 475, 479, 489, 499, 503, 513, 523, 527, 537, 547, 551, 561, 571, 575, 585, 595, 599, 609, 619, 623, 633, 643, 647, 657, 667, 671, 681, 691, 695, 705, 715, 719, 729, 739 and 743, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the LCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 57, 67, 71, 81, 91, 95, 129, 139, 143, 225, 235, 239, 249, 259, 263, 321, 331 and 335. In more specific embodiments, the LCVR is encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO: 91 and 225.

In one embodiment, the invention features an antibody or antigen-binding fragment of an antibody comprising a HCDR3 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO:7, 31, 55, 79, 103, 127, 151, 175, 199, 223, 247, 271, 295, 319, 343, 367, 391, 415, 439, 463, 487, 511, 535, 559, 583, 607, 631, 655, 679, 703 and 727, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; and a LCDR3 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 15, 39, 63, 87, 111, 135, 159, 183, 207, 231, 255, 279, 303, 327, 351, 375, 399, 423, 447, 471, 495, 519, 543, 567, 591, 615, 639, 663, 687, 711 and 735, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the HCDR3 and LCDR3 comprise a sequence pair encoded by the nucleic acid sequence of SEQ ID NO: 55/63, 79/87, 127/135, 223/231, 247/255 and 319/327, respectively. In more specific embodiments, the HCDR3 and LCDR3 comprise a sequence pair encoded by the nucleic acid sequence of SEQ ID NO: 79/87 and 223/231.

In a further embodiment, the antibody or fragment thereof further comprises, a HCDR1 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 3, 27, 51, 75, 99, 123, 147, 171, 195, 219, 243, 267, 291, 315, 339, 363, 387, 411, 435, 459, 483, 507, 531, 555, 579, 603, 627, 651, 675, 699 and 723, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; a HCDR2 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO:5, 29, 53, 77, 101, 125, 149, 173, 197, 221, 245, 269, 293, 317, 341, 365, 389, 413, 437, 461, 485, 509, 533, 557, 581, 605, 629, 653, 677, 701 and 725,

or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; a LCDR1 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 11, 35, 59, 83, 107, 131, 155, 179, 203, 227, 251, 275, 299, 323, 347, 371, 395, 419, 443, 467, 491, 515, 539, 563, 587, 611, 635, 659, 683, 707 and 731, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof; and a LCDR2 domain encoded by a nucleotide sequence selected from the group consisting of SEQ ID NO: 13, 37, 61, 85, 109, 133, 157, 181, 205, 229, 253, 277, 301, 325, 349, 373, 397, 421, 445, 469, 493, 517, 541, 565, 589, 613, 637, 661, 685, 709 and 733, or a substantially identical sequence having at least 90%, at least 95%, at least 98%, or at least 99% homology thereof. In one embodiment, the heavy and light chain CDR sequences are encoded by the nucleic acid sequences of SEQ ID NO: 51, 53, 55, 59, 61, 63, 75, 77, 79, 83, 85, 87, 123, 125, 127, 131, 133, 135, 219, 221, 223, 227, 229, 231, 243, 245, 247, 251, 253, 255; and 315, 317, 319, 323, 325, 327. In more specific embodiments, the heavy and light chain CDR sequences are encoded by the nucleic acid sequences of SEQ ID NO: 75, 77, 79, 83, 85, 87; and 219, 221, 223, 227, 229, 231.

In a fourth aspect, the invention features an isolated antibody or antigen-binding fragment thereof that specifically binds hPCSK9, comprising a HCDR3 and a LCDR3, wherein HCDR3 comprises an amino acid sequence of the formula  $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X^9-X^{10}-X^{11}-X^{12}-X^{13}-X^{14}-X^{15}-X^{16}-X^{17}-X^{18}-X^{19}-X^{20}$  (SEQ ID NO:747), wherein  $X^1$  is Ala,  $X^2$  is Arg or Lys,  $X^3$  is Asp,  $X^4$  is Ser or Ile,  $X^5$  is Asn or Val,  $X^6$  is Leu or Trp,  $X^7$  is Gly or Met,  $X^8$  is Asn or Val,  $X^9$  is Phe or Tyr,  $X^{10}$  is Asp,  $X^{11}$  is Leu or Met,  $X^{12}$  is Asp or absent,  $X^{13}$  is Tyr or absent,  $X^{14}$  is Tyr or absent,  $X^{15}$  is Tyr or absent,  $X^{16}$  is Tyr or absent,  $X^{17}$  is Gly or absent,  $X^{18}$  is Met or absent,  $X^{19}$  is Asp or absent, and  $X^{20}$  is Val or absent; and LCDR3 comprises an amino acid sequence of the formula  $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X^9$  (SEQ ID NO:750), wherein  $X^1$  is Gln or Met,  $X^2$  is Gln,  $X^3$  is Tyr or Thr,  $X^4$  is Tyr or Leu,  $X^5$  is Thr or Gln,  $X^6$  is Thr,  $X^7$  is Pro,  $X^8$  is Tyr or Leu, and  $X^9$  is Thr.

In a further embodiment, the antibody or fragment thereof further comprise a HCDR1 sequence of the formula  $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8$  (SEQ ID NO:745), wherein  $X^1$  is Gly,  $X^2$  is Phe,  $X^3$  is Thr,  $X^4$  is Phe,  $X^5$  is Ser or Asn,  $X^6$  is Ser or Asn,  $X^7$  is Tyr or His, and  $X^8$  is Ala or Trp; a HCDR2 sequence of the formula  $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8$  (SEQ ID NO:746), wherein  $X^1$  is Ile,  $X^2$  is Ser or Asn,  $X^3$  is Gly or Gln,  $X^4$  is Asp or Ser,  $X^5$  is Gly,  $X^6$  is Ser or Gly,  $X^7$  is Thr or Glu, and  $X^8$  is Thr or Lys; a LCDR1 sequence of the formula  $X^1-X^2-X^3-X^4-X^5-X^6-X^7-X^8-X^9-X^{10}-X^{11}-X^{12}$  (SEQ ID NO:748) wherein  $X^1$  is Gln,  $X^2$  is Ser,  $X^3$  is Val or Leu,  $X^4$  is Leu,  $X^5$  is His or Tyr,  $X^6$  is Arg or Ser,  $X^7$  is Ser or Asn,  $X^8$  is Asn or Gly,  $X^9$  is Asn,  $X^{10}$  is Arg or Asn,  $X^{11}$  is Asn or Tyr, and  $X^{12}$  is Phe or absent; a LCDR2 sequence of the formula  $X^1-X^2-X^3$  (SEQ ID NO:749) wherein  $X^1$  is Trp or Leu,  $X^2$  is Ala or Gly, and  $X^3$  is Ser. FIG. 1 shows the sequence alignment of heavy and light chain variable regions for 316P and 300N mAbs.

In a fifth aspect, the invention features a human anti-PCSK9 antibody or antigen-binding fragment of an antibody comprising a heavy chain variable region (HCV) encoded by nucleotide sequence segments derived from  $V_H$ ,  $D_H$  and  $J_H$  germline sequences, and a light chain variable region (LCVR) encoded by nucleotide sequence segments derived from  $V_K$  and  $J_K$  germline sequences, wherein the germline sequences are (a)  $V_H$  gene segment 3-23,  $D_H$  gene segment

7-27,  $J_H$  gene segment 2,  $V_K$  gene segment 4-1 and  $J_K$  gene segment 2; or (b)  $V_H$  gene segment 3-7,  $D_H$  gene segment 2-8,  $J_H$  gene segment 6,  $V_K$  gene segment 2-28 and  $J_K$  gene segment 4.

In a sixth aspect, the invention features an antibody or antigen-binding fragment thereof that binds to a PCSK9 protein of SEQ ID NO:755, wherein the binding of the antibody or fragment thereof to a variant PCSK9 protein is less than 50% of the binding between the antibody or fragment thereof and the PCSK9 protein of SEQ ID NO:755. In specific embodiment, the antibody or fragment thereof binds to the variant PCSK9 protein with a binding affinity ( $K_D$ ) which is less than about 50%, less than about 60%, less than about 70%, less than about 80%, less than about 90% or less than about 95% compared to the binding to PCSK9 (SEQ ID NO:755).

In one embodiment, the variant PCSK9 protein comprises at least one mutation at position 238 of SEQ ID NO:755. In a more specific embodiment, the mutation is D238R. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 90% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at residue 238. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 80% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 153, 159, 238 and 343. In a more specific embodiment, the mutation is one of S153R, E159R, D238R and D343R.

In one embodiment, the variant PCSK9 protein comprises at least one mutation at position 366 of SEQ ID NO:755. In a more specific embodiment, the mutation is E366K. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 95% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at residue 366. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 90% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 147, 366 and 380. In a more specific embodiment, the mutation is one of S147F, E366K and V380M. In one embodiment, the antibody or antibody fragment binding affinity for the variant PCSK9 protein is at least 80% less relative to the wildtype protein of SEQ ID NO:755, wherein the variant protein comprises a mutation at one or more of residue 147, 366 and 380. In a more specific embodiment, the mutation is one of S147F, E366K and V380M.

The invention encompasses anti-PCSK9 antibodies having a modified glycosylation pattern. In some applications, modification to remove undesirable glycosylation sites may be useful, or e.g., removal of a fucose moiety to increase antibody dependent cellular cytotoxicity (ADCC) function (see Shield et al. (2002) JBC 277:26733). In other applications, modification of galactosylation can be made in order to modify complement dependent cytotoxicity (CDC).

In a seventh aspect, the invention features a pharmaceutical composition comprising a recombinant human antibody or fragment thereof which specifically binds hPCSK9 and a pharmaceutically acceptable carrier. In one embodiment, the invention features a composition which is a combination of an antibody or antigen-binding fragment of an antibody of the invention, and a second therapeutic agent. The second therapeutic agent may be any agent that is advantageously combined with the antibody or fragment thereof of the invention, for example, an agent capable of

inducing a cellular depletion of cholesterol synthesis by inhibiting 3-hydroxy-3-methylglutaryl (HMG)-coenzyme A (CoA) reductase, such as, for example, cerovastatin, atorvastatin, simvastatin, pitavastatin, rosuvastatin, fluvastatin, lovastatin, pravastatin, etc.; capable of inhibiting cholesterol uptake and or bile acid re-absorption; capable of increasing lipoprotein catabolism (such as niacin); and/or activators of the LXR transcription factor that plays a role in cholesterol elimination such as 22-hydroxycholesterol.

In an eighth aspect, the invention features methods for inhibiting hPCSK9 activity using the anti-PCSK9 antibody or antigen-binding portion of the antibody of the invention, wherein the therapeutic methods comprise administering a therapeutically effective amount of a pharmaceutical composition comprising an antibody or antigen-binding fragment of an antibody of the invention. The disorder treated is any disease or condition which is improved, ameliorated, inhibited or prevented by removal, inhibition or reduction of PCSK9 activity. Specific populations treatable by the therapeutic methods of the invention include subjects indicated for LDL apheresis, subjects with PCSK9-activating mutations (gain of function mutations, "GOF"), subjects with heterozygous Familial Hypercholesterolemia (heFH); subjects with primary hypercholesterolemia who are statin intolerant or statin uncontrolled; and subjects at risk for developing hypercholesterolemia who may be preventably treated. Other indications include dyslipidemia associated with secondary causes such as Type 2 diabetes mellitus, cholestatic liver diseases (primary biliary cirrhosis), nephrotic syndrome, hypothyroidism, obesity; and the prevention and treatment of atherosclerosis and cardiovascular diseases.

In specific embodiments of the method of the invention, the anti-hPCSK9 antibody or antibody fragment of the invention is useful to reduce elevated total cholesterol, non-HDL cholesterol, LDL cholesterol, and/or apolipoprotein B (apolipoprotein B100).

The antibody or antigen-binding fragment of the invention may be used alone or in combination with a second agent, for example, an HMG-CoA reductase inhibitor and/or other lipid lowering drugs.

Other embodiments will become apparent from a review of the ensuing detailed description.

#### BRIEF DESCRIPTION OF THE FIGURES

FIG. 1. Sequence comparison tables of heavy chain (A) and light chain (B) variable regions and CDRs of antibodies H1H316P and H1M300N.

FIG. 2. Antibody concentrations in serum over time. 316P 5 mg/kg (□); 300N 5 mg/kg (○); 316P 15 mg/kg (■); 300N 15 mg/kg (●).

FIG. 3. Serum total cholesterol level as a percentage of change over buffer control. Buffer control (\*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 4. Serum LDL cholesterol level as a percentage of change over buffer control: Buffer Control (\*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 5. Serum LDL cholesterol level normalized to buffer control. Buffer control (\*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 6. Serum HDL cholesterol level as a percentage of change over buffer control. Buffer control (\*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 7. Serum triglyceride level expressed as a percentage of change over buffer control. Buffer control (\*); 316P 5 mg/kg (■); 300N 5 mg/kg (▲); 316P 15 mg/kg (□); 300N 15 mg/kg (Δ).

FIG. 8. Serum LDL cholesterol level expressed as a percentage of change over baseline following a single dose subcutaneous administration. 316P 5 mg/kg (■); 300N 5 mg/kg (●).

FIG. 9. Antibody concentrations in serum over time following a single dose subcutaneous administration. 316P 5 mg/kg (●); 300N 5 mg/kg (▲).

FIG. 10. Western blot for mouse LDL receptor of total liver homogenates. Samples were taken 24 hours after PBS (lanes 1-3), 5 mg/kg 316P (lanes 4-6), or 5 mg/kg of non-hPCSK9 specific mAb (lanes 7-8) administration and 4 hours after 1.2 mg/kg hPCSK9-mmh (all lanes).

FIG. 11. Effects of 316P on serum LDL cholesterol level in PCSK9<sup>hu/hu</sup> mice. Buffer ■ control 316P 1 mg/kg (≡); 316P 5 mg/kg (≡) 316P 10 mg/kg (≡).

FIG. 12. Anti-hPCSK9 mAb serum pharmacokinetic profile in C57BL/6 mice. Single dose of Control I mAb (●) at 10 mg/kg; 316P (▲) at 10 mg/kg and 300N (■) at 10 mg/kg.

FIG. 13. Anti-hPCSK9 mAb serum pharmacokinetic profile in hPCSK9 heterozygous mice. Single dose of Control I mAb (●) at 10 mg/kg; 316P (▲) at 10 mg/kg and 300N (■) at 10 mg/kg.

FIG. 14. Effect of 316P on serum LDL cholesterol levels in Syrian Hamster fed a normal diet. Buffer control (●); 316P 1 mg/kg (■); 316P 3 mg/kg (▲); 316P 5 mg/kg (▼).

#### DETAILED DESCRIPTION

Before the present methods are described, it is to be understood that this invention is not limited to particular methods, and experimental conditions described, as such methods and conditions may vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting, since the scope of the present invention will be limited only by the appended claims.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although any methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, preferred methods and materials are now described. All publications mentioned herein are incorporated herein by reference in their entirety.

#### DEFINITIONS

The term "human proprotein convertase subtilisin/kexin type 9" or "hPCSK9", as used herein, refers to hPCSK9 having the nucleic acid sequence shown in SEQ ID NO:754 and the amino acid sequence of SEQ ID NO:755, or a biologically active fragment thereof.

The term "antibody", as used herein, is intended to refer to immunoglobulin molecules comprised of four polypeptide chains, two heavy (H) chains and two light (L) chains inter-connected by disulfide bonds. Each heavy chain is comprised of a heavy chain variable region ("HCVR" or "VH") and a heavy chain constant region (comprised of domains CH1, CH2 and CH3). Each light chain is comprised of a light chain variable region ("LCVR" or "VL") and a light chain constant region (CL). The VH and VL regions can be further subdivided into regions of hypervariability, termed

complementarity determining regions (CDR), interspersed with regions that are more conserved, termed framework regions (FR). Each VH and VL is composed of three CDRs and four FRs, arranged from amino-terminus to carboxy-terminus in the following order: FR1, CDR1, FR2, CDR2, FR3, CDR3, FR4.

Substitution of one or more CDR residues or omission of one or more CDRs is also possible. Antibodies have been described in the scientific literature in which one or two CDRs can be dispensed with for binding. Padlan et al. (1995 FASEB J. 9:133-139) analyzed the contact regions between antibodies and their antigens, based on published crystal structures, and concluded that only about one fifth to one third of CDR residues actually contact the antigen. Padlan also found many antibodies in which one or two CDRs had no amino acids in contact with an antigen (see also, Vajdos et al. 2002 J Mol Biol 320:415-428).

CDR residues not contacting antigen can be identified based on previous studies (for example residues H60-H65 in CDRH2 are often not required), from regions of Kabat CDRs lying outside Chothia CDRs, by molecular modeling and/or empirically. If a CDR or residue(s) thereof is omitted, it is usually substituted with an amino acid occupying the corresponding position in another human antibody sequence or a consensus of such sequences. Positions for substitution within CDRs and amino acids to substitute can also be selected empirically. Empirical substitutions can be conservative or non-conservative substitutions.

The term "human antibody", as used herein, is intended to include antibodies having variable and constant regions derived from human germline immunoglobulin sequences. The human mAbs of the invention may include amino acid residues not encoded by human germline immunoglobulin sequences (e.g., mutations introduced by random or site-specific mutagenesis in vitro or by somatic mutation in vivo), for example in the CDRs and in particular CDR3. However, the term "human antibody", as used herein, is not intended to include mAbs in which CDR sequences derived from the germline of another mammalian species (e.g., mouse), have been grafted onto human FR sequences.

The term "specifically binds," or the like, means that an antibody or antigen-binding fragment thereof forms a complex with an antigen that is relatively stable under physiologic conditions. Specific binding can be characterized by an equilibrium dissociation constant of at least about  $1 \times 10^{-6}$  M or less (e.g., a smaller  $K_D$  denotes a tighter binding). Methods for determining whether two molecules specifically bind are well known in the art and include, for example, equilibrium dialysis, surface plasmon resonance, and the like. An isolated antibody that specifically binds hPCSK9 may, however, exhibit cross-reactivity to other antigens such as PCSK9 molecules from other species. Moreover, multi-specific antibodies (e.g., bispecifics) that bind to hPCSK9 and one or more additional antigens are nonetheless considered antibodies that "specifically bind" hPCSK9, as used herein.

The term "high affinity" antibody refers to those mAbs having a binding affinity to hPCSK9 of at least  $10^{-10}$  M; preferably  $10^{-11}$  M; even more preferably  $10^{-12}$  M, as measured by surface plasmon resonance, e.g., BIACORE™ or solution-affinity ELISA.

By the term "slow off rate", "Koff" or "kd" is meant an antibody that dissociates from hPCSK9 with a rate constant of  $1 \times 10^{-3}$  s<sup>-1</sup> or less, preferably  $1 \times 10^{-4}$  s<sup>-1</sup> or less, as determined by surface plasmon resonance, e.g., BIACORE™.

The term "antigen-binding portion" of an antibody (or simply "antibody fragment"), as used herein, refers to one or more fragments of an antibody that retain the ability to specifically bind to hPCSK9. An antibody fragment may include a Fab fragment, a F(ab')<sub>2</sub> fragment, a Fv fragment, a dAb fragment, a fragment containing a CDR, or an isolated CDR.

The specific embodiments, antibody or antibody fragments of the invention may be conjugated to a therapeutic moiety ("immunoconjugate"), such as a cytotoxin, a chemotherapeutic drug, an immunosuppressant or a radioisotope.

An "isolated antibody", as used herein, is intended to refer to an antibody that is substantially free of other mAbs having different antigenic specificities (e.g., an isolated antibody that specifically binds hPCSK9 is substantially free of mAbs that specifically bind antigens other than hPCSK9). An isolated antibody that specifically binds hPCSK9 may, however, have cross-reactivity to other antigens, such as PCSK9 molecules from other species.

A "neutralizing antibody", as used herein (or an "antibody that neutralizes PCSK9 activity"), is intended to refer to an antibody whose binding to hPCSK9 results in inhibition of at least one biological activity of PCSK9. This inhibition of the biological activity of PCSK9 can be assessed by measuring one or more indicators of PCSK9 biological activity by one or more of several standard in vitro or in vivo assays known in the art (see examples below).

The term "surface plasmon resonance", as used herein, refers to an optical phenomenon that allows for the analysis of real-time biospecific interactions by detection of alterations in protein concentrations within a biosensor matrix, for example using the BIACORE™ system (Pharmacia Biosensor AB, Uppsala, Sweden and Piscataway, N.J.).

The term " $K_D$ ", as used herein, is intended to refer to the equilibrium dissociation constant of a particular antibody-antigen interaction.

The term "epitope" is a region of an antigen that is bound by an antibody. Epitopes may be defined as structural or functional. Functional epitopes are generally a subset of the structural epitopes and have those residues that directly contribute to the affinity of the interaction. Epitopes may also be conformational, that is, composed of non-linear amino acids. In certain embodiments, epitopes may include determinants that are chemically active surface groupings of molecules such as amino acids, sugar side chains, phosphoryl groups, or sulfonyl groups, and, in certain embodiments, may have specific three-dimensional structural characteristics, and/or specific charge characteristics.

The term "substantial identity" or "substantially identical," when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 90%, and more preferably at least about 95%, 96%, 97%, 98% or 99% of the nucleotide bases, as measured by any well-known algorithm of sequence identity, such as FASTA, BLAST or GAP, as discussed below.

As applied to polypeptides, the term "substantial similarity" or "substantially similar" means that two peptide sequences, when optimally aligned, such as by the programs GAP or BESTFIT using default gap weights, share at least 90% sequence identity, even more preferably at least 95%, 98% or 99% sequence identity. Preferably, residue positions which are not identical differ by conservative amino acid substitutions. A "conservative amino acid substitution" is

one in which an amino acid residue is substituted by another amino acid residue having a side chain (R group) with similar chemical properties (e.g., charge or hydrophobicity). In general, a conservative amino acid substitution will not substantially change the functional properties of a protein. In cases where two or more amino acid sequences differ from each other by conservative substitutions, the percent or degree of similarity may be adjusted upwards to correct for the conservative nature of the substitution. Means for making this adjustment are well known to those of skill in the art. See, e.g., Pearson (1994) *Methods Mol. Biol.* 24: 307-331, which is herein incorporated by reference. Examples of groups of amino acids that have side chains with similar chemical properties include 1) aliphatic side chains: glycine, alanine, valine, leucine and isoleucine; 2) aliphatic-hydroxyl side chains: serine and threonine; 3) amide-containing side chains: asparagine and glutamine; 4) aromatic side chains: phenylalanine, tyrosine, and tryptophan; 5) basic side chains: lysine, arginine, and histidine; 6) acidic side chains: aspartate and glutamate, and 7) sulfur-containing side chains: cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, glutamate-aspartate, and asparagine-glutamine. Alternatively, a conservative replacement is any change having a positive value in the PAM250 log-likelihood matrix disclosed in Gonnet et al. (1992) *Science* 256: 1443-45, herein incorporated by reference. A "moderately conservative" replacement is any change having a nonnegative value in the PAM250 log-likelihood matrix.

Sequence similarity for polypeptides is typically measured using sequence analysis software. Protein analysis software matches similar sequences using measures of similarity assigned to various substitutions, deletions and other modifications, including conservative amino acid substitutions. For instance, GCG software contains programs such as GAP and BESTFIT which can be used with default parameters to determine sequence homology or sequence identity between closely related polypeptides, such as homologous polypeptides from different species of organisms or between a wild type protein and a mutein thereof. See, e.g., GCG Version 6.1. Polypeptide sequences also can be compared using FASTA with default or recommended parameters; a program in GCG Version 6.1. FASTA (e.g., FASTA2 and FASTA3) provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson (2000) *supra*). Another preferred algorithm when comparing a sequence of the invention to a database containing a large number of sequences from different organisms is the computer program BLAST, especially BLASTP or TBLASTN, using default parameters. See, e.g., Altschul et al. (1990) *J. Mol. Biol.* 215: 403-410 and (1997) *Nucleic Acids Res.* 25:3389-402, each of which is herein incorporated by reference.

In specific embodiments, the antibody or antibody fragment for use in the method of the invention may be monospecific, bispecific, or multispecific. Multispecific antibodies may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for epitopes of more than one target polypeptide. An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) CH3 domain and a second Ig CH3 domain, wherein the first and second Ig CH3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bispecific antibody to Protein A as compared to a bi-specific

antibody lacking the amino acid difference. In one embodiment, the first Ig CH3 domain binds Protein A and the second Ig CH3 domain contains a mutation that reduces or abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second CH3 may further comprise an Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second CH3 include: D16E, L18M, N44S, K52N, V57M, and V82I (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 mAbs; N44S, K52N, and V82I (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 mAbs; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V82I (by IMGT; Q355R, N384S, K392N, V397M, R409K, E419Q, and V422I by EU) in the case of IgG4 mAbs. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

By the phrase "therapeutically effective amount" is meant an amount that produces the desired effect for which it is administered. The exact amount will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (see, for example, Lloyd (1999) *The Art, Science and Technology of Pharmaceutical Compounding*).

#### 25 Preparation of Human Antibodies

Methods for generating human antibodies in transgenic mice are known (see for example, U.S. Pat. No. 6,596,541, Regeneron Pharmaceuticals, VELOCIMMUNE™). The VELOCIMMUNE™ technology involves generation of a transgenic mouse having a genome comprising human heavy and light chain variable regions operably linked to endogenous mouse constant region loci such that the mouse produces an antibody comprising a human variable region and a mouse constant region in response to antigenic stimulation. The DNA encoding the variable regions of the heavy and light chains of the antibody are isolated and operably linked to DNA encoding the human heavy and light chain constant regions. The DNA is then expressed in a cell capable of expressing the fully human antibody. In specific embodiment, the cell is a CHO cell.

Antibodies may be therapeutically useful in blocking a ligand-receptor interaction or inhibiting receptor component interaction, rather than by killing cells through fixation of complement and participation in complement-dependent cytotoxicity (CDC), or killing cells through antibody-dependent cell-mediated cytotoxicity (ADCC). The constant region of an antibody is thus important in the ability of an antibody to fix complement and mediate cell-dependent cytotoxicity. Thus, the isotype of an antibody may be selected on the basis of whether it is desirable for the antibody to mediate cytotoxicity.

Human antibodies can exist in two forms that are associated with hinge heterogeneity. In one form, an antibody molecule comprises a stable four-chain construct of approximately 150-160 kDa in which the dimers are held together by an interchain heavy chain disulfide bond. In a second form, the dimers are not linked via inter-chain disulfide bonds and a molecule of about 75-80 kDa is formed composed of a covalently coupled light and heavy chain (half-antibody). These forms have been extremely difficult to separate, even after affinity purification.

The frequency of appearance of the second form in various intact IgG isotypes is due to, but not limited to, structural differences associated with the hinge region isotype of the antibody. A single amino acid substitution in the hinge region of the human IgG4 hinge can significantly reduce the appearance of the second form (Angal et al.

(1993) *Molecular Immunology* 30:105) to levels typically observed using a human IgG1 hinge. The instant invention encompasses antibodies having one or more mutations in the hinge, CH2 or CH3 region which may be desirable, for example, in production, to improve the yield of the desired antibody form.

Generally, a VELOCIMMUNE™ mouse is challenged with the antigen of interest, and lymphatic cells (such as B-cells) are recovered from the mice that express antibodies. The lymphatic cells may be fused with a myeloma cell line to prepare immortal hybridoma cell lines, and such hybridoma cell lines are screened and selected to identify hybridoma cell lines that produce antibodies specific to the antigen of interest. DNA encoding the variable regions of the heavy chain and light chain may be isolated and linked to desirable isotypic constant regions of the heavy chain and light chain. Such an antibody protein may be produced in a cell, such as a CHO cell. Alternatively, DNA encoding the antigen-specific chimeric antibodies or the variable domains of the light and heavy chains may be isolated directly from antigen-specific lymphocytes.

Initially, high affinity chimeric antibodies are isolated having a human variable region and a mouse constant region. As described below, the antibodies are characterized and selected for desirable characteristics, including affinity, selectivity, epitope, etc. The mouse constant regions are replaced with a desired human constant region to generate the fully human antibody of the invention, for example wild-type or modified IgG1 or IgG4 (for example, SEQ ID NO:751, 752, 753). While the constant region selected may vary according to specific use, high affinity antigen-binding and target specificity characteristics reside in the variable region.

#### Epitope Mapping and Related Technologies

To screen for antibodies that bind to a particular epitope (e.g., those which block binding of IgE to its high affinity receptor), a routine cross-blocking assay such as that described *Antibodies*, Harlow and Lane (Cold Spring Harbor Press, Cold Spring Harb., N.Y.) can be performed. Other methods include alanine scanning mutants, peptide blots (Reineke (2004) *Methods Mol Biol* 248:443-63) (herein specifically incorporated by reference in its entirety), or peptide cleavage analysis. In addition, methods such as epitope excision, epitope extraction and chemical modification of antigens can be employed (Tomer (2000) *Protein Science* 9: 487-496) (herein specifically incorporated by reference in its entirety).

The term "epitope" refers to a site on an antigen to which B and/or T cells respond. B-cell epitopes can be formed both from contiguous amino acids or noncontiguous amino acids juxtaposed by tertiary folding of a protein. Epitopes formed from contiguous amino acids are typically retained on exposure to denaturing solvents, whereas epitopes formed by tertiary folding are typically lost on treatment with denaturing solvents. An epitope typically includes at least 3, and more usually, at least 5 or 8-10 amino acids in a unique spatial conformation.

Modification-Assisted Profiling (MAP), also known as Antigen Structure-based Antibody Profiling (ASAP) is a method that categorizes large numbers of monoclonal antibodies (mAbs) directed against the same antigen according to the similarities of the binding profile of each antibody to chemically or enzymatically modified antigen surfaces (US 2004/0101920, herein specifically incorporated by reference in its entirety). Each category may reflect a unique epitope either distinctly different from or partially overlapping with epitope represented by another category. This technology

allows rapid filtering of genetically identical mAbs, such that characterization can be focused on genetically distinct mAbs. When applied to hybridoma screening, MAP may facilitate identification of rare hybridoma clones that produce mAbs having the desired characteristics. MAP may be used to sort the anti-PCSK9 mAbs of the invention into groups of mAbs binding different epitopes.

In various embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the catalytic domain, which is about 153 to 425 of SEQ ID NO:755); more specifically, an epitope from about 153 to about 250 or from about 250 to about 425; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about 153 to about 208, from about 200 to about 260, from about 250 to about 300, from about 275 to about 325, from about 300 to about 360, from about 350 to about 400, and/or from about 375 to about 425.

In various embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the propeptide domain (residues 31 to 152 of SEQ ID NO:755); more specifically, an epitope from about residue 31 to about residue 90 or from about residue 90 to about residue 152; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about residue 31 to about residue 60, from about residue 60 to about residue 90, from about residue 85 to about residue 110, from about residue 100 to about residue 130, from about residue 125 to about residue 150, from about residue 135 to about residue 152, and/or from about residue 140 to about residue 152.

In some embodiments, the anti-hPCSK9 antibody or antigen-binding fragment of an antibody binds an epitope within the C-terminal domain, (residues 426 to 692 of SEQ ID NO:755); more specifically, an epitope from about residue 426 to about residue 570 or from about residue 570 to about residue 692; more specifically, the antibody or antibody fragment of the invention binds an epitope within the fragment from about residue 450 to about residue 500, from about residue 500 to about residue 550, from about residue 550 to about residue 600, and/or from about residue 600 to about residue 692.

In some embodiments, the antibody or antibody fragment binds an epitope which includes more than one of the enumerated epitopes within the catalytic, propeptide or C-terminal domain, and/or within two or three different domains (for example, epitopes within the catalytic and C-terminal domains, or within the propeptide and catalytic domains, or within the propeptide, catalytic and C-terminal domains).

In some embodiments, the antibody or antigen-binding fragment binds an epitope on hPCSK9 comprising amino acid residue 238 of hPCSK9 (SEQ ID NO:755). Experimental results (Table 27) show that when D238 was mutated, the  $K_D$  of mAb 316P exhibited >400-fold reduction in binding affinity ( $\sim 1 \times 10^{-9}$  M to  $\sim 410 \times 10^{-9}$  M) and  $T_{1/2}$  decreased >30-fold (from  $\sim 37$  to  $\sim 1$  min). In a specific embodiment, the mutation was D238R. In specific embodiments, the antibody or antigen-binding fragment of the invention binds an epitope of hPCSK9 comprising two or more of amino acid residues at positions 153, 159, 238 and 343.

As shown below, a mutation in amino acid residue 153, 159 or 343 resulted in about a 5- to 10-fold decrease in affinity or similar shortening in  $T_{1/2}$ . In specific embodiments, the mutation was S153R, E159R and/or D343R.

In some embodiments, the antibody or antigen-binding fragment binds an epitope on hPCSK9 comprising amino

acid residue 366 of hPCSK9 (SEQ ID NO:755). Experimental results (Table 27) show that when E366 was mutated, the affinity of mAb 300N exhibited about 50-fold decrease ( $\sim 0.7 \times 10^{-9}$  M to  $\sim 36 \times 10^{-9}$  M) and a similar shortening in  $T_{1/2}$  (from  $\sim 120$  to  $\sim 2$  min). In a specific embodiment, the mutation is E366K.

The present invention includes anti-PCSK9 antibodies that bind to the same epitope as any of the specific exemplary antibodies described herein. Likewise, the present invention also includes anti-PCSK9 antibodies that compete for binding to PCSK9 or a PCSK9 fragment with any of the specific exemplary antibodies described herein.

One can easily determine whether an antibody binds to the same epitope as, or competes for binding with, a reference anti-PCSK9 antibody by using routine methods known in the art. For example, to determine if a test antibody binds to the same epitope as a reference anti-PCSK9 antibody of the invention, the reference antibody is allowed to bind to a PCSK9 protein or peptide under saturating conditions. Next, the ability of a test antibody to bind to the PCSK9 molecule is assessed. If the test antibody is able to bind to PCSK9 following saturation binding with the reference anti-PCSK9 antibody, it can be concluded that the test antibody binds to a different epitope than the reference anti-PCSK9 antibody. On the other hand, if the test antibody is not able to bind to the PCSK9 molecule following saturation binding with the reference anti-PCSK9 antibody, then the test antibody may bind to the same epitope as the epitope bound by the reference anti-PCSK9 antibody of the invention.

To determine if an antibody competes for binding with a reference anti-PCSK9 antibody, the above-described binding methodology is performed in two orientations: In a first orientation, the reference antibody is allowed to bind to a PCSK9 molecule under saturating conditions followed by assessment of binding of the test antibody to the PCSK9 molecule. In a second orientation, the test antibody is allowed to bind to a PCSK9 molecule under saturating conditions followed by assessment of binding of the reference antibody to the PCSK9 molecule. If, in both orientations, only the first (saturating) antibody is capable of binding to the PCSK9 molecule, then it is concluded that the test antibody and the reference antibody compete for binding to PCSK9. As will be appreciated by a person of ordinary skill in the art, an antibody that competes for binding with a reference antibody may not necessarily bind to the identical epitope as the reference antibody, but may sterically block binding of the reference antibody by binding an overlapping or adjacent epitope.

Two antibodies bind to the same or overlapping epitope if each competitively inhibits (blocks) binding of the other to the antigen. That is, a 1-, 5-, 10-, 20- or 100-fold excess of one antibody inhibits binding of the other by at least 50% but preferably 75%, 90% or even 99% as measured in a competitive binding assay (see, e.g., Junghans et al., *Cancer Res.* 1990 50:1495-1502). Alternatively, two antibodies have the same epitope if essentially all amino acid mutations in the antigen that reduce or eliminate binding of one antibody reduce or eliminate binding of the other. Two antibodies have overlapping epitopes if some amino acid mutations that reduce or eliminate binding of one antibody reduce or eliminate binding of the other.

Additional routine experimentation (e.g., peptide mutation and binding analyses) can then be carried out to confirm whether the observed lack of binding of the test antibody is in fact due to binding to the same epitope as the reference antibody or if steric blocking (or another phenomenon) is responsible for the lack of observed binding. Experiments of

this sort can be performed using ELISA, RIA, surface plasmon resonance, flow cytometry or any other quantitative or qualitative antibody-binding assay available in the art.

In a specific embodiment, the invention comprises an anti-PCSK9 antibody or antigen binding fragment of an antibody that binds an PCSK9 protein of SEQ ID NO:755, wherein the binding between the antibody or fragment thereof to PCSK9 and a variant PCSK9 protein is less than 50% of the binding between the antibody or fragment and the PCSK9 protein of SEQ ID NO:755. In one specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 153, 159, 238 and 343. In a more specific embodiment, the at least one mutation is S153R, E159R, D238R, and/or D343R. In another specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 366. In one specific embodiment, the variant PCSK9 protein comprises at least one mutation of a residue at a position selected from the group consisting of 147, 366 and 380. In a more specific embodiment, the mutation is S147F, E366K and V380M.

Immunoconjugates

The invention encompasses a human anti-PCSK9 monoclonal antibody conjugated to a therapeutic moiety ("immunoconjugate"), such as a cytotoxin, a chemotherapeutic drug, an immunosuppressant or a radioisotope. Cytotoxin agents include any agent that is detrimental to cells. Examples of suitable cytotoxin agents and chemotherapeutic agents for forming immunoconjugates are known in the art, see for example, WO 05/103081.

Bispecifics

The antibodies of the present invention may be monospecific, bispecific, or multispecific. Multispecific mAbs may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for more than one target polypeptide. See, e.g., Tutt et al. (1991) *J. Immunol.* 147:60-69. The human anti-PCSK9 mAbs can be linked to or co-expressed with another functional molecule, e.g., another peptide or protein. For example, an antibody or fragment thereof can be functionally linked (e.g., by chemical coupling, genetic fusion, noncovalent association or otherwise) to one or more other molecular entities, such as another antibody or antibody fragment, to produce a bispecific or a multispecific antibody with a second binding specificity.

An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) CH3 domain and a second Ig CH3 domain, wherein the first and second Ig CH3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bispecific antibody to Protein A as compared to a bi-specific antibody lacking the amino acid difference. In one embodiment, the first Ig CH3 domain binds Protein A and the second Ig CH3 domain contains a mutation that reduces or abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second CH3 may further comprise a Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second CH3 include: D16E, L18M, N44S, K52N, V57M, and V82I (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 antibodies; N44S, K52N, and V82I (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 antibodies; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V82I (by IMGT; Q355R, N384S, K392N,



V397M, R409K, E419Q, and V422I by EU) in the case of IgG4 antibodies. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

#### Bioequivalents

The anti-PCSK9 antibodies and antibody fragments of the present invention encompass proteins having amino acid sequences that vary from those of the described mAbs, but that retain the ability to bind human PCSK9. Such variant mAbs and antibody fragments comprise one or more additions, deletions, or substitutions of amino acids when compared to parent sequence, but exhibit biological activity that is essentially equivalent to that of the described mAbs. Likewise, the anti-PCSK9 antibody-encoding DNA sequences of the present invention encompass sequences that comprise one or more additions, deletions, or substitutions of nucleotides when compared to the disclosed sequence, but that encode an anti-PCSK9 antibody or antibody fragment that is essentially bioequivalent to an anti-PCSK9 antibody or antibody fragment of the invention. Examples of such variant amino acid and DNA sequences are discussed above.

Two antigen-binding proteins, or antibodies, are considered bioequivalent if, for example, they are pharmaceutical equivalents or pharmaceutical alternatives whose rate and extent of absorption do not show a significant difference when administered at the same molar dose under similar experimental conditions, either single dose or multiple dose. Some antibodies will be considered equivalents or pharmaceutical alternatives if they are equivalent in the extent of their absorption but not in their rate of absorption and yet may be considered bioequivalent because such differences in the rate of absorption are intentional and are reflected in the labeling, are not essential to the attainment of effective body drug concentrations on, e.g., chronic use, and are considered medically insignificant for the particular drug product studied. In one embodiment, two antigen-binding proteins are bioequivalent if there are no clinically meaningful differences in their safety, purity, and potency.

In one embodiment, two antigen-binding proteins are bioequivalent if a patient can be switched one or more times between the reference product and the biological product without an expected increase in the risk of adverse effects, including a clinically significant change in immunogenicity, or diminished effectiveness, as compared to continued therapy without such switching.

In one embodiment, two antigen-binding proteins are bioequivalent if they both act by a common mechanism or mechanisms of action for the condition or conditions of use, to the extent that such mechanisms are known.

Bioequivalence may be demonstrated by in vivo and in vitro methods. Bioequivalence measures include, e.g., (a) an in vivo test in humans or other mammals, in which the concentration of the antibody or its metabolites is measured in blood, plasma, serum, or other biological fluid as a function of time; (b) an in vitro test that has been correlated with and is reasonably predictive of human in vivo bioavailability data; (c) an in vivo test in humans or other mammals in which the appropriate acute pharmacological effect of the antibody (or its target) is measured as a function of time; and (d) in a well-controlled clinical trial that establishes safety, efficacy, or bioavailability or bioequivalence of an antibody.

Bioequivalent variants of anti-PCSK9 antibodies of the invention may be constructed by, for example, making various substitutions of residues or sequences or deleting terminal or internal residues or sequences not needed for biological activity. For example, cysteine residues not essen-

tial for biological activity can be deleted or replaced with other amino acids to prevent formation of unnecessary or incorrect intramolecular disulfide bridges upon renaturation.

#### Treatment Population

The invention provides therapeutic methods for treating a human patient in need of a composition of the invention. While modifications in lifestyle and conventional drug treatment are often successful in reducing cholesterol levels, not all patients are able to achieve the recommended target cholesterol levels with such approaches. Various conditions, such as familial hypercholesterolemia (FH), appear to be resistant to lowering of LDL-C levels in spite of aggressive use of conventional therapy. Homozygous and heterozygous familial hypercholesterolemia (hoFH, heFH) is a condition associated with premature atherosclerotic vascular disease. However, patients diagnosed with hoFH are largely unresponsive to conventional drug therapy and have limited treatment options. Specifically, treatment with statins, which reduce LDL-C by inhibiting cholesterol synthesis and upregulating the hepatic LDL receptor, may have little effect in patients whose LDL receptors are non-existent or defective. A mean LDL-C reduction of only less than about 20% has been recently reported in patients with genotype-confirmed hoFH treated with the maximal dose of statins. The addition of ezetimibe 10 mg/day to this regimen resulted in a total reduction of LDL-C levels of 27%, which is still far from optimal. Likewise, many patients are statin non-responsive, poorly controlled with statin therapy, or cannot tolerate statin therapy; in general, these patients are unable to achieve cholesterol control with alternative treatments. There is a large unmet medical need for new treatments that can address the short-comings of current treatment options.

Specific populations treatable by the therapeutic methods of the invention include patients indicated for LDL apheresis, subjects with PCSK9-activating (GOF) mutations, heterozygous Familial Hypercholesterolemia (heFH); subjects with primary hypercholesterolemia who are statin intolerant or statin uncontrolled; and subjects at risk for developing hypercholesterolemia who may be preventably treated.

#### Therapeutic Administration and Formulations

The invention provides therapeutic compositions comprising the anti-PCSK9 antibodies or antigen-binding fragments thereof of the present invention. The administration of therapeutic compositions in accordance with the invention will be administered with suitable carriers, excipients, and other agents that are incorporated into formulations to provide improved transfer, delivery, tolerance, and the like. A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, Pa. These formulations include, for example, powders, pastes, ointments, jellies, waxes, oils, lipids, lipid (cationic or anionic) containing vesicles (such as LIPOFECTIN™), DNA conjugates, anhydrous absorption pastes, oil-in-water and water-in-oil emulsions, emulsions carbowax (polyethylene glycols of various molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax. See also Powell et al. "Compendium of excipients for parenteral formulations" PDA (1998) J Pharm Sci Technol 52:238-311.

The dose may vary depending upon the age and the size of a subject to be administered, target disease, conditions, route of administration, and the like. When the antibody of the present invention is used for treating various conditions and diseases associated with PCSK9, including hypercholesterolemia, disorders associated with LDL and apolipoprotein B, and lipid metabolism disorders, and the like, in an



adult patient, it is advantageous to intravenously administer the antibody of the present invention normally at a single dose of about 0.01 to about 20 mg/kg body weight, more preferably about 0.02 to about 7, about 0.03 to about 5, or about 0.05 to about 3 mg/kg body weight. Depending on the severity of the condition, the frequency and the duration of the treatment can be adjusted.

Various delivery systems are known and can be used to administer the pharmaceutical composition of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the mutant viruses, receptor mediated endocytosis (see, e.g., Wu et al. (1987) *J. Biol. Chem.* 262:4429-4432). Methods of introduction include, but are not limited to, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The composition may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local.

The pharmaceutical composition can be also delivered in a vesicle, in particular a liposome (see Langer (1990) *Science* 249:1527-1533; Treat et al. (1989) in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez Berestein and Fidler (eds.), Liss, New York, pp. 353-365; Lopez-Berestein, *ibid.*, pp. 317-327; see generally *ibid.*).

In certain situations, the pharmaceutical composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton (1987) *CRC Crit. Ref. Biomed. Eng.* 14:201). In another embodiment, polymeric materials can be used; see, *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Fla. (1974). In yet another embodiment, a controlled release system can be placed in proximity of the composition's target, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138, 1984).

The injectable preparations may include dosage forms for intravenous, subcutaneous, intracutaneous and intramuscular injections, drip infusions, etc. These injectable preparations may be prepared by methods publicly known. For example, the injectable preparations may be prepared, e.g., by dissolving, suspending or emulsifying the antibody or its salt described above in a sterile aqueous medium or an oily medium conventionally used for injections. As the aqueous medium for injections, there are, for example, physiological saline, an isotonic solution containing glucose and other auxiliary agents, etc., which may be used in combination with an appropriate solubilizing agent such as an alcohol (e.g., ethanol), a polyalcohol (e.g., propylene glycol, polyethylene glycol), a nonionic surfactant [e.g., polysorbate 80, HCO-50 (polyoxyethylene (50 mol) adduct of hydrogenated castor oil)], etc. As the oily medium, there are employed, e.g., sesame oil, soybean oil, etc., which may be used in combination with a solubilizing agent such as benzyl benzoate, benzyl alcohol, etc. The injection thus prepared is preferably filled in an appropriate ampoule. A pharmaceutical composition of the present invention can be delivered subcutaneously or intravenously with a standard needle and syringe. In addition, with respect to subcutaneous delivery, a pen delivery device readily has applications in delivering a pharmaceutical composition of the present invention. Such a pen delivery device can be reusable or disposable. A reusable pen delivery device generally utilizes a replaceable cartridge that contains a pharmaceutical composition. Once

all of the pharmaceutical composition within the cartridge has been administered and the cartridge is empty, the empty cartridge can readily be discarded and replaced with a new cartridge that contains the pharmaceutical composition. The pen delivery device can then be reused. In a disposable pen delivery device, there is no replaceable cartridge. Rather, the disposable pen delivery device comes prefilled with the pharmaceutical composition held in a reservoir within the device. Once the reservoir is emptied of the pharmaceutical composition, the entire device is discarded.

Numerous reusable pen and autoinjector delivery devices have applications in the subcutaneous delivery of a pharmaceutical composition of the present invention. Examples include, but certainly are not limited to AUTOPEN™ (Owen Mumford, Inc., Woodstock, UK), DISETRONIC™ pen (Disetronic Medical Systems, Burghdorf, Switzerland), HUMALOG MIX 75/25™ pen, HUMALOG™ pen, HUMALIN 70/30™ pen (Eli Lilly and Co., Indianapolis, Ind.), NOVOPEN™ I, II and III (Novo Nordisk, Copenhagen, Denmark), NOVOPEN JUNIOR™ (Novo Nordisk, Copenhagen, Denmark), BD™ pen (Becton Dickinson, Franklin Lakes, N.J.), OPTIPEN™, OPTIPEN PRO™, OPTIPEN STARLET™, and OPTICLIK™ (sanofi-aventis, Frankfurt, Germany), to name only a few. Examples of disposable pen delivery devices having applications in subcutaneous delivery of a pharmaceutical composition of the present invention include, but certainly are not limited to the SOLOSTAR™ pen (sanofi-aventis), the FLEXPEN™ (Novo Nordisk), and the KWIKPEN™ (Eli Lilly).

Advantageously, the pharmaceutical compositions for oral or parenteral use described above are prepared into dosage forms in a unit dose suited to fit a dose of the active ingredients. Such dosage forms in a unit dose include, for example, tablets, pills, capsules, injections (ampoules), suppositories, etc. The amount of the aforesaid antibody contained is generally about 5 to about 500 mg per dosage form in a unit dose; especially in the form of injection, it is preferred that the aforesaid antibody is contained in about 5 to about 100 mg and in about 10 to about 250 mg for the other dosage forms.

The invention provides therapeutic methods in which the antibody or antibody fragment of the invention is useful to treat hypercholesterolemia associated with a variety of conditions involving hPCSK9. The anti-PCSK9 antibodies or antibody fragments of the invention are particularly useful for the treatment of hypercholesterolemia and the like. Combination therapies may include the anti-PCSK9 antibody of the invention with, for example, one or more of any agent that (1) induces a cellular depletion of cholesterol synthesis by inhibiting 3-hydroxy-3-methylglutaryl (HMG)-coenzyme A (CoA) reductase, such as cerivastatin, atorvastatin, simvastatin, pitavastatin, rosuvastatin, fluvastatin, lovastatin, pravastatin; (2) inhibits cholesterol uptake and/or bile acid re-absorption; (3) increase lipoprotein catabolism (such as niacin); and activators of the LXR transcription factor that plays a role in cholesterol elimination such as 22-hydroxycholesterol or fixed combinations such as ezetimibe plus simvastatin; a statin with a bile resin (e.g., cholestyramine, colestipol, colesevelam), a fixed combination of niacin plus a statin (e.g., niacin with lovastatin); or with other lipid lowering agents such as omega-3-fatty acid ethyl esters (for example, omacor).

## EXAMPLES

The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure

## 23

and description of how to make and use the methods and compositions of the invention, and are not intended to limit the scope of what the inventors regard as their invention. Efforts have been made to ensure accuracy with respect to numbers used but some experimental errors and deviations should be accounted for. Unless indicated otherwise, molecular weight is average molecular weight, temperature is in degrees Centigrade, and pressure is at or near atmospheric.

## Example 1

## Generation of Human Antibodies to Human PCSK9

VELOCIMMUNE™ mice were immunized with human PCSK9, and the antibody immune response monitored by antigen-specific immunoassay using serum obtained from these mice. Anti-hPCSK9 expressing B cells were harvested from the spleens of immunized mice shown to have elevated anti-hPCSK9 antibody titers were fused with mouse myeloma cells to form hybridomas. The hybridomas were screened and selected to identify cell lines expressing hPCSK9-specific antibodies using assays as described below. The assays identified several cell lines that produced chimeric anti-hPCSK9 antibodies designated as H1M300, H1M504, H1M505, H1M500, H1M497, H1M498, H1M494, H1M309, H1M312, H1M499, H1M493, H1M496, H1M503, H1M502, H1M508, H1M495 and H1M492.

Human PCSK9-specific antibodies were also isolated directly from antigen-immunized B cells without fusion to myeloma cells, as described in U.S. 2007/0280945A1, hereby incorporated by reference in its entirety. Heavy and light chain variable regions were cloned to generate fully human anti-hPCSK9 antibodies designated as H1H313, H1H314, H1H315, H1H316, H1H317, H1H318, H1H320, H1H321 and H1H334. Stable recombinant antibody-expressing CHO cell lines expressing these antibodies were established.

## Example 2

## Gene Utilization Analysis

To analyze the structure of the mAbs produced, the nucleic acids encoding antibody variable regions were cloned and sequenced. The predicted amino acid sequences of the variable regions were confirmed by N-terminal amino acid sequencing. From the nucleic acid sequence and predicted amino acid sequence of the mAbs, gene usage was identified for each antibody chain.

TABLE 1

Antibody	Heavy Chain Variable Region			Light Chain Variable Region	
	VH	D	JH	VK	JK
H1H313	3-13	1-26	4	3-15	3
H1H314	3-33	3-3	4	1-5	2
H1H315	3-33	3-3	4	4-1	1
H1H316	3-23	7-27	2	4-1	2
H1H317	3-13	1-26	4	1-6	1
H1H318	4-59	3-10	6	1-9	1
H1H320	1-18	2-2	6	2-30	1
H1H321	2-5	1-7	6	2-28	4
H1H334	2-5	6-6	6	2-28	4
H1M300	3-7	2-8	6	2-28	4

## 24

TABLE 1-continued

Antibody	Heavy Chain Variable Region			Light Chain Variable Region	
	VH	D	JH	VK	JK
H1M504	3-30	2-8	6	2-28	4
H1M505	3-30	2-8	6	2-28	4
H1M500	2-5	5-5	6	2-28	4
H1M497	1-18	2-2	6	2-30	2
H1M498	3-21	2-2	4	1-5	2
H1M494	3-11	5-12	6	3-20	4
H1M309	3-21	6-13	4	1-5	1
H1M312	3-21	6-13	4	1-5	1
H1M499	3-21	6-13	4	1-5	1
H1M493	3-21	6-13	4	1-5	1
H1M496	3-13	6-19	4	3-15	3
H1M503	1-18	2-2	6	2-28	1
H1M502	3-13	6-13	4	3-15	3
H1M508	3-13	6-13	4	3-15	3
H1M495	3-9	4-17	6	1-9	3
H1M492	3-23	3-3	2	3-20	4

## Example 3

## Antigen Binding Affinity Determination

Equilibrium dissociation constants ( $K_D$ ) for hPCSK9 binding to mAbs generated by hybridoma cell lines described above were determined by surface kinetics in a real-time biosensor surface plasmon resonance assay (BIA-CORE™ T100). Each antibody was captured at a flow rate of 4  $\mu$ l/min for 90 sec on a goat anti-mouse IgG polyclonal antibody surface created through direct chemical coupling to a BIACORE™ chip to form a captured antibody surface. Human PCSK9-myc-myc-his (hPCSK9-mmh) at a concentration of 50 nM or 12.5 nM was injected over the captured antibody surfaces at a flowrate of 50  $\mu$ l/min for 300 sec, and antigen-antibody dissociation was monitored for 15 min at either 25° C. or 37° C. ( $K_D$ =pM;  $T_{1/2}$ =min).

TABLE 2

Antibody	25° C.		37° C.	
	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$
H1M300	399	170	1510	32
H1M309	29.9	7461	537	326
H1M312	0.225	15568	432	392
H1M493	46.5	4921	522	341
H1M494	870	114	2350	30
H1M495	440	222	7500	19
H1M496	254	257	421	118
H1M497	20.1	5801	480	290
H1M498	6400	30	7500	14
H1M499	106	2253	582	316
H1M500	1400	91	6010	15
H1M502	78.3	958	411	151
H1M503	510	118	1880	30
H1M504	3470	35	11200	6
H1M505	2740	42	9200	6
H1M508	138	572	442	139
H1M510	1070	68	3960	10

Equilibrium dissociation constants ( $K_D$ ) for hPCSK9 binding to mAbs generated via direct isolation of splenocytes were determined by surface kinetics in a real-time biosensor surface plasmon resonance assay (BIACORE™ T100). Each selected antibody was captured at a flowrate of 2  $\mu$ l/min for 6 min on a goat anti-human IgG polyclonal antibody surface created through direct chemical coupling to a BIACORE™ chip to form a captured antibody surface.

## 25

Human PCSK9-mmh at a concentration of 50 nM or 12.5 nM was injected over the captured antibody surface at a flowrate of 70  $\mu$ l/min for 5 min, and antigen-antibody dissociation was monitored for 15 min at either 25° C. or 37° C. ( $K_D$ =pM;  $T_{1/2}$ =min).

TABLE 3

Antibody	25° C.		37° C.	
	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$
H1H313P	244	230	780	60
H1H314P	3990	65	3560	43
H1H315P	129	151	413	35
H1H316P	377	42	1080	11
H1H317P	30400	137	18600	70
H1H318P	972	59	1690	28
H1H320P	771	28	1930	8
H1H321P	865	106	3360	23
H1H334P	3750	46	15900	8

Dissociation rate (kd) of selected mAbs for tagged rhesus monkey (*Macaca mulata*) PCSK9 (mmPCSK9; SEQ ID NO:756) (mmPCSK9-mmh) at 25° C. was determined as described above.

TABLE 4

Antibody	kd (1/s)	$T_{1/2}$ (min)
H1H313P	$2.92 \times 10^{-5}$	396
H1H318P	$3.69 \times 10^{-3}$	3
H1H334P	$8.06 \times 10^{-3}$	1
H1H315P	$2.29 \times 10^{-4}$	51
H1H316P	$2.29 \times 10^{-4}$	51
H1H320P	$3.17 \times 10^{-4}$	36
H1M300	$1.52 \times 10^{-4}$	76
H1M504	$5.04 \times 10^{-4}$	23
H1M497	$6.60 \times 10^{-5}$	175
H1M503	$8.73 \times 10^{-5}$	132
H1M496	$4.45 \times 10^{-5}$	260

## Example 4

## Effect of pH on Antigen Binding Affinity

The effects of pH on antigen binding affinity for CHO cell-produced fully human anti-hPCSK9 mAbs was assessed as described above. The mAbs tested are fully human versions of H1H316P ("316P") (HCVR/LCVR SEQ ID NO: 90/92; CDR sequences SEQ ID NO: 76/78/80 and 84/86/88) and H1M300N ("300N") (HCVR/LCVR SEQ ID NO: 218/226; CDR sequences SEQ ID NO:220/222/224 and 228/230/232). Human PCSK9-myc-myc-his (hPCSK9-mmh) was captured on an anti-myc mAb surface either at a high density (about 35 to 45 resonance units) (RU) or at a low density (about 5 to 14 RU). Each antibody, at 50 nM in HBST (pH 7.4 or pH 5.5) was injected over the captured hPCSK9 surface at a flow rate of 100  $\mu$ l/ml for 1.5 min at 25° C. and antigen-antibody dissociation was monitored for 10 min. Control I: anti-hPCSK9 mAb SEQ ID NO:79/101 (WO 2008/063382) ( $K_D$ =pM;  $T_{1/2}$ =min).

## 26

TABLE 5

Antibody	High hPCSK9 Density Surface		Low hPCSK9 Density Surface	
	pH 7.4	pH 5.5	pH 7.4	pH 5.5
316P	191	74	144	83
300N	65	507	1180	26
Control I	20000	29	ND	ND

The antigen binding properties of 316P and 300N at pH 7.4 or pH 5.5 were determined by a modified BIACORE™ assay as described above. Briefly, mAbs were immobilized onto BIACORE™ CM5 sensor chips via amine coupling. Varying concentrations of myc-myc-his tagged hPCSK9, mouse PCSK9 (mPCSK9, SEQ ID NO:757), hPCSK9 with a gain of function (GOF) point mutation of D374Y (hPCSK9 (D374Y), cynomolgus monkey (*Macaca fascicularis*) PCSK9 (mfPCSK9, SEQ ID NO:761) (mfPCSK9), rat (*Rattus norvegicus*) PCSK9 (rPCSK9, SEQ ID NO:763), and his-tagged Syrian golden hamster (*Mesocricetus auratus*) PCSK9 (maPCSK9, SEQ ID NO:762) (maPCSK9), ranging from 11 to 100 nM, were injected over the antibody surface at the flow rate of 100  $\mu$ l/ml for 1.5 min and antigen-antibody dissociation was monitored in real time for 5 min at either 25° C. (Table 6) or 37° C. (Table 7). Control II: anti-hPCSK9 mAbs SEQ ID NO:67/12 (WO 2009/026558) (NB: no binding was observed under the experimental condition) ( $K_D$ =pM;  $T_{1/2}$ =min).

TABLE 6

Antigen	pH 7.4		pH 5.5	
	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$
316P				
hPCSK9-mmh	1260	36	22	39
mPCSK9-mmh	4460	10	63	11
hPCSK9(D347Y)-mmh	2490	15	166	13
mfPCSK9-mmh	1420	42	8	23
maPCSK9-h	8350	8	87	8
rPCSK9-mmh	24100	2	349	5
300N				
hPCSK9-mmh	1100	76	3100	5
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	1310	46	9030	3
mfPCSK9-mmh	2170	31	38500	0.4
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control I				
hPCSK9-mmh	33100	14	1740	31
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	71000	11	7320	30
mfPCSK9-mmh	362000	0.2	67200	3
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control II				
hPCSK9-mmh	143	266	2	212
mPCSK9-mmh	3500	11	33	12
hPCSK9(D347Y)-mmh	191	155	49	56
mfPCSK9-mmh	102	262	12	63
maPCSK9-h	6500	3	ND	ND
rPCSK9-mmh	22400	2	106	5

27

TABLE 7

pH Effect at 37° C.				
Antigen	pH 7.4		pH 5.5	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
316P				
hPCSK9-mmh	4000	9	142	11
mPCSK9-mmh	12200	3	13600	3
hPCSK9(D347Y)-mmh	6660	4	1560	5
mfPCSK9-mmh	3770	11	44	5
maPCSK9-h	21700	2	ND	ND
rPCSK9-mmh	55100	2	399	1
300N				
hPCSK9-mmh	2470	20	11900	1
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	2610	14	28000	1
mfPCSK9-mmh	4810	8	65200	0.1
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB
Control I				
hPCSK9-mmh	45900	0.1	11300	3
mPCSK9-mmh	NB	NB	NB	NB
hPCSK9(D347Y)-mmh	169000	0.4	27000	3
mfPCSK9-mmh	500000	0.6	5360	0.3
maPCSK9-h	NB	NB	NB	NB
rPCSK9	NB	NB	NB	NB
Control II				
hPCSK9-mmh	284	87	20	44
mPCSK9-mmh	8680	3	89	3
hPCSK9(D347Y)-mmh	251	57	483	26
mfPCSK9-mmh	180	127	214	65
maPCSK9-h	8830	0.5	ND	ND
rPCSK9p-mmh	30200	1	233	1

Example 5

#### Anti-hPCSK9 mAbs Binding to hPCSK9 with Point Mutation D374Y

The binding affinity of selected anti-hPCSK9 mAbs to hPCSK9 with a gain of function (GOF) point mutation of D374Y (hPCSK9(D374Y)-mmh) was determined as described above. Each antibody was captured at a flowrate of 40  $\mu$ l/min for 8-30 sec on a goat anti-human IgG polyclonal antibody surface created through direct chemical coupling to a BIAcore™ chip to form a captured antibody surface. hPCSK9(D374Y)-mmh at varying concentrations of 1.78 nM to 100 nM was injected over the captured antibody surface at a flowrate of 50  $\mu$ l/min for 5 min, and the dissociation of hPCSK9(D374Y)-mmh and antibody was monitored for 15 min at 25° C. Control III: anti-hPCSK9 mAbs SEQ ID NO:49/23 (WO 2009/026558) (K<sub>D</sub>=pM; T<sub>1/2</sub>=min).

TABLE 8

Antibody	K <sub>D</sub>	T <sub>1/2</sub>
316P	1780	14
300N	1060	49
Control I	23600	25
Control II	66	216
Control III	1020	126

28

Example 6

#### Binding Specificity of Anti-hPCSK9 mAbs

316P, 300N, and Control I anti-hPCSK9 mAbs were captured on an amine-coupled anti-hFc CM5 chip on BIAcore™2000. Tagged (myc-myc-his) human PCSK9, human PCSK1 (hPCSK1) (SEQ ID NO:759), human PCSK7 (hPCSK7) (SEQ ID NO:760), or mouse PCSK9 were injected (100 nM) over the captured mAb surface and allowed to bind at 25° C. for 5 min. Changes in RU were recorded. Results: 300N and Control I bound only to hPCSK9, and 316P bound both hPCSK9 and mPCSK9.

The binding specificities of anti-hPCSK9 mAbs were determined by ELISA. Briefly, anti-hPCSK9 antibody was coated on a 96-well plate. Human PCSK9-mmh, mPCSK9-mmh, maPCSK9-h, hPCSK1-mmh, or hPCSK7-mmh, at 1.2 nM, were added to antibody-coated plates and incubated at RT for 1 hr. Plate-bound PCSK protein was then detected by HRP-conjugated anti-His antibody. Results show that 316P binds human, mouse, and hamster PCSK9, whereas 300N and Control I only bound hPCSK9. None of the anti-hPCSK9 mAbs exhibited significant binding to hPCSK1 or hPCSK7.

Example 7

#### Cross-Reactivity of Anti-hPCSK9 mAbs

Cross-reactivity of anti-hPCSK9 mAbs with mmPCSK9, mfPCSK9, mPCSK9, maPCSK9, or rPCSK9 was determined using BIAcore™3000. Briefly, anti-hPCSK9 mAbs were captured on an anti-hFc surface created through direct chemical coupling to a BIAcore™ chip. Purified tagged hPCSK9, hPCSK9(D374Y), mmPCSK9, mfPCSK9, mPCSK9, maPCSK9, or rPCSK9, each at 1.56 nM to 50 nM, was injected over the antibody surface at either 25° C. or 37° C. Binding between 316P, 300N, Control I, Control II, or Control III and the PCSK9 proteins was determined (K<sub>D</sub>=pM; T<sub>1/2</sub>=min) (ND=not determined).

TABLE 9

316P mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
hPCSK9-mmh	1800	9	580	36
hPCSK9(D374Y)-mmh	4200	4	1690	15
mmPCSK9-mmh	1800	21	550	92
mfPCSK9-mmh	1800	11	520	60
mPCSK9-mmh	4700	3	2300	11
maPCSK9-h	19000	1	6810	5
rPCSK9-mmh	37500	1	14500	2

TABLE 10

300N mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
hPCSK9-mmh	2400	22	740	110
hPCSK9(D374Y)-mmh	2200	14	900	65
mmPCSK9-mmh	1600	26	610	79
mfPCSK9-mmh	3800	11	1500	45

29

TABLE 10-continued

300N mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
mPCSK9-mmh	NB	NB	NB	NB
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB

TABLE 11

Control I mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
hPCSK9-mmh	226000	2	27500	16
hPCSK9(D374Y)-mmh	ND	ND	23600	25
mmPCSK9-mmh	420000	3	291000	2
mfPCSK9-mmh	14300	10	24900	14
mPCSK9-mmh	NB	NB	NB	NB
maPCSK9-h	NB	NB	NB	NB
rPCSK9-mmh	NB	NB	NB	NB

TABLE 12

Control II mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
hPCSK9-mmh	91	162	61	372
hPCSK9(D374Y)-mmh	93	90	66	216
mfPCSK9-mmh	33	252	26	546
mPCSK9-mmh	4700	3	2300	11
maPCSK9-h	60800	0.4	25000	2
rPCSK9-mmh	14100	1	6900	3

TABLE 13

Control III mAb				
Antigen	37° C.		25° C.	
	K <sub>D</sub>	T <sub>1/2</sub>	K <sub>D</sub>	T <sub>1/2</sub>
hPCSK9-mmh	380	378	490	450
hPCSK9(D374Y)-mmh	130	660	1000	126
mfPCSK9-mmh	110	750	340	396
mPCSK9-mmh	33500	1	10900	4
maPCSK9-h	780	107	2100	67
rPCSK9-mmh	NB	NB	33200	2

## Example 8

## Inhibition of Binding Between hPCSK9 and hLDLR Domains

The ability of selected anti-hPCSK9 mAbs to block hPCSK9 binding to human LDLR full length extracellular domain (hLDLR-ecto SEQ ID NO:758), hLDLR EGF-A domain (amino acids 313-355 of SED ID NO:758), or hLDLR EGF-AB domains (amino acids of 314-393 of SEQ ID NO:758) (LDLR Genbank number NM\_000527) was evaluated using BIACORE™ 3000. Briefly, hLDLR-ecto, EGF-A-hFc, or EGF-AB-hFc protein was amine-coupled on

30

a CM5 chip to create a receptor or receptor fragment surface. Selected anti-hPCSK9 mAbs, at 62.5 nM (2.5 fold excess over antigen), were premixed with 25 nM of hPCSK9-mmh, followed by 40 min incubation at 25° C. to allow antibody-antigen binding to reach equilibrium to form equilibrated solutions. The equilibrated solutions were injected over the receptor or receptor fragment surfaces at 2 µl/min for 40 min at 25° C. Changes in RU due to the binding of the anti-hPCSK9 mAbs to hLDLR-ecto, EGF-A-hFc, or EGF-AB-hFc were determined. Results show that H1H316P and H1M300N blocked the binding of hPCSK9-mmh to hLDLR-ecto, hLDLR EGF-A domain, and hLDLR EGF-AB domains; H1H320P blocked the binding of hPCSK9-mmh to hLDLR-ecto and hLDLR EGF-A domain; and H1H321P blocked the binding of hPCSK9-mmh to hLDLR EGF-A domain.

The ability of the mAbs to block hPCSK9 binding to hLDLR-ecto, hLDLR EGF-A domain, or hLDLR EGF-AB domains was also evaluated with an ELISA-based immunoassay. Briefly, hLDLR-ecto, hLDLR EGF-A-hFc or hLDLR EGF-AB-hFc, each at 2 µg/ml, was coated on a 96-well plate in PBS buffer overnight at 4° C., and nonspecific binding sites blocked with BSA. This plate was used to measure free hPCSK9-mmh in a PCSK9-mmh solution pre-equilibrated with varying concentrations of anti-hPCSK9 mAbs. A constant amount of hPCSK9-mmh (500 pM) was pre-mixed with varied amounts of antibody, ranging from 0 to ~50 nM in serial dilutions, followed by 1 hr incubation at room temperature (RT) to allow antibody-antigen binding to reach equilibrium. The equilibrated sample solutions were transferred to receptor or receptor fragment coated plates. After 1 hour of binding, the plates were washed and bound hPCSK9-mmh detected using HRP conjugated anti-myc antibody. IC<sub>50</sub> values (in pM) were determined as the amount of antibody required to achieve 50% reduction of hPCSK9-mmh bound to the plate-coated receptor or receptor fragment. The results show that specific mAbs functionally block PCSK9 from binding the three receptors at both neutral pH (7.2) and acidic pH (5.5).

TABLE 14

Ab	pH 7.2			pH 5.5		
	Plate Coating Surface					
	hLDLR-ecto	EGF-A	EGF-AB	hLDLR-ecto	EGF-A	EGF-AB
316P	<125	<125	<125	<125	<125	<125
300N	144	146	<125	1492	538	447
Control I	—	>100,000	>100,000	—	>100,000	>100,000
Control II	288	510	274	411	528	508
Control III	303	635	391	742	787	1073

The ability of the mAbs to block hPCSK9 GOF mutant hPCSK9(D374Y)-mmh binding to hLDLR EGF-A domain or hLDLR EGF-AB domain (IC<sub>50</sub> values in pM) was also evaluated with the ELISA-based immunoassay described above using a constant amount of 0.05 nM hPCSK9 (D374Y)-mmh.

31

TABLE 15

	pH 7.2		pH 5.5	
	Plate Coating Surface			
	EGF-A	EGF-AB	EGF-A	EGF-AB
316P	203	139	1123	1139
300N	135	142	3463	3935
Control I	>100,000	>100,000	>100,000	>100,000
Control II	72	57	129	118
Control III	537	427	803	692

The ability of the mAbs to block either mmPCSK9 or mPCSK9 binding to hLDLR-ecto domain, hLDLR EGF-A domain, or hLDLR EGF-AB domain (IC<sub>50</sub> values in pM) was evaluated at neutral pH (7.2) with the ELISA-based immunoassay describe above using a constant amount of 1 nM of mmh-tagged mmPCSK9 or 1 nM of mPCSK9.

TABLE 16

	1 nM mmPCSK9-mmh			1 nM mPCSK9-mmh	
	hLDLR-ecto	EGF-A	EGF-AB	EGF-A	EGF-AB
316P	<250	<250	<250	<250	<250
300N	255	256	290	>33000	>33000

The ability of the mAbs to block hPCSK9, mmPCSK9, rPCSK9, maPCSK9, mfPCSK9, or mPCSK9 binding to hLDLR EGF-A domain (IC<sub>50</sub> values in pM) was evaluated at neutral pH (7.2) (Table 17) acidic pH (5.5, Table 18) with the ELISA-based immunoassay described above using a constant amount of 0.5 nM of hPCSK9-mmh, 1 nM of mmPCSK9-mmh, 1 nM of rPCSK9-mmh, 1 nM of maPCSK9-h, 0.3 nM of mfPCSK9-mmh, or 1 nM of mPCSK9-mmh.

TABLE 17

	hPCSK9	mmPCSK9	rPCSK9	maPCSK9	mfPCSK9	mPCSK9
316P	<125	<250	2662	349	75	305
300N	182	460	>100000	>100000	473	>100000
Control I	—	>100000	>100000	>100000	>100000	>100000
Control II	146	83	2572	2038	361	855
Control III	249	293	>100000	245	572	>100000

TABLE 18

	hPCSK9	mmPCSK9	rPCSK9	maPCSK9	mPCSK9
316P	<125	<250	42880	1299	991
300N	223	3704	>100000	>100000	>100000
Control I	>10000	>100000	>100000	>100000	>100000
Control II	154	<250	11640	8339	2826
Control III	390	376	>100000	414	>100000

The ability of 316P and Control I to block hPCSK9 binding to hLDLR was also determined. Briefly, either recombinant hLDLR or hLDLR-EGFA-mFc was immobilized onto BIACORE™ CM5 chips via amine coupling. An antigen-antibody mixture of 100 nM hPCSK9-mmh and 316P, Control I mAb, or a non-hPCSK9 specific mAb (each at 250 nM) was incubated at RT for 1 hr, and then injected over the hLDLR or hLDLR-EGFA surface at the flow rate of

32

10 µl/ml for 15 min at 25° C. Changes in RU due to the binding between the free hPCSK9-mmh in the mixture to either hLDLR or hLDLR-EGFA were recorded. The binding of hPCSK9 to either hLDLR or hLDLR-EGFA was completely blocked by 316P and 300N but not by Control I mAb.

## Example 9

## Epitope Mapping

In order to determine epitope-binding specificity, three chimeric PCSK9-mmh proteins were generated in which specific human PCSK9 domains were substituted with mouse PCSK9 domains. Chimeric protein #1 consists of a mouse PCSK9 pro-domain (amino acid residues 1-155 of SEQ ID NO:757) followed by a human PCSK9 catalytic domain (residues 153-425 of SEQ ID NO:755) and a mouse PCSK9 C-terminal domain (residues 429-694 SEQ ID NO:757) (mPro-hCat-mC-term-mmh). Chimeric protein #2 consists of a human PCSK9 pro-domain (residues 1-152 of SEQ ID NO:755) followed by a mouse PCSK9 catalytic domain (residues 156-428 of SEQ ID NO:757) and a mouse PCSK9 C-terminal (hPro-mCat-mC-term-mmh). Chimeric protein #3 consists of mouse PCSK9 pro-domain and a mouse PCSK9 catalytic domain followed by a human PCSK9 C-terminal domain (residues 426-692 of SEQ ID NO:755) (mPro-mCat-hC-term-mmh). In addition, hPCSK9 with a point mutation of D374Y (hPCSK9 (D374Y)-mmh) was generated.

Binding specificity of mAbs to test proteins hPCSK9-mmh, mouse PCSK9-mmh, chimeric proteins #1, #2, and #3, and hPCSK9 (D374Y)-mmh were tested as follows: the mAbs were coated on a 96-well plate overnight at 4° C., then each test protein (1.2 nM) was added to the plate. After 1 hr binding at RT, the plate was washed and bound test protein detected using HRP-conjugated anti-myc polyclonal antibody (++=OD>1.0; +=OD 0.4-1.0; -=OD<0.4).

TABLE 19

Antibody	Chimeric Protein					hPCSK9(D374Y)
	hPCSK9	mPCSK9	#1	#2	#3	
H1M300	++	—	++	+	—	++
H1M309	++	—	—	—	++	++
H1M312	++	—	—	—	++	++
H1M492	++	—	—	—	—	+
H1M493	++	—	—	—	++	++
H1M494	++	—	—	+	++	++
H1M495	++	—	—	—	++	++
H1M496	++	—	—	—	++	++
H1M497	++	—	—	++	+	++
H1M498	++	—	—	—	+	++
H1M499	++	—	—	—	++	++
H1M500	++	—	++	—	—	++
H1M502	++	—	—	—	++	++
H1M503	++	—	—	++	—	++
H1M504	++	—	—	—	—	+
H1M505	++	—	++	+	—	++
H1M508	++	—	—	—	++	++
H1H318P	++	—	++	—	—	++
H1H334P	++	—	++	—	—	++
H1H316P	++	++	++	++	++	++
H1H320P	++	—	—	++	—	++
Control I	++	—	—	—	++	++

Binding specificity of 316P, 300N and control anti-hPCSK9 mAbs to hPCSK9-mmh, mPCSK9-mmh, mmPCSK9-mmh, mfPCSK9-mmh, rPCSK9-mmh, chimeric proteins #1, #2, and #3, and hPCSK9 (D374Y)-mmh

## 33

were tested as described above except that the protein concentration is 1.7 nM (−=OD<0.7; +=OD 0.7–1.5; ++=OD>1.5).

TABLE 20

	316P	300N	Control I	Control II	Control III
hPCSK9-mmh	++	++	++	++	++
mPCSK9-mmh	++	–	–	++	++
mmPCSK9-mmh	++	++	++	++	++
mfPCSK9-mmh	++	++	++	++	++
rPCSK9-mmh	++	–	–	++	+
Chimeric Protein #1	++	++	–	++	++
Chimeric Protein #2	++	++	–	++	++
Chimeric Protein #3	++	+	++	++	++
hPCSK9 (D374Y)	++	++	++	++	++

Similar results for selected mAbs were obtained by BIA-CORE™ binding assay. Briefly, 316P, 300N, or Control I mAb was captured on an amine-coupled anti-hFc CM5 chip and 100 nM of each protein injected over the mAb-captured surface. Changes in RU due to the binding of each protein to the mAb surface was determined.

TABLE 21

Antibody	Chimeric Protein				
	hPCSK9	mPCSK9	#1	#2	#3
316P	500	505	529	451	467
300N	320	13	243	76	10
Control I	65	7	4	3	69

To further assess the binding specificity of 316P, which cross-reacts with mPCSK9-mmh, a cross-competition ELISA assay was developed to determine binding domain specificity. Briefly, mAbs specific for chimeric protein #1, #2, or #3, were first coated on a 96-well plate overnight at 1 µg/ml. Human PCSK9-mmh (2 µg/ml) was then added to each well followed by 1 hr incubation at RT. 316P (1 µg/ml) was added and incubated for another hour at RT. Plate-bound 316P was detected using HRP-conjugated anti-hFc polyclonal antibody. Although 316P binding to hPCSK9-mmh was not affected by the presence of mAbs specific for either chimeric protein #2 or chimeric protein #3, 316P binding to hPCSK9-mmh was greatly reduced by the presence of antibody specific for chimeric protein #1.

## Example 10

## BIA-CORE™-Based Antigen Binding Profile Assessment

Antibody binding profiles were also established for 316P, 300N, Control I, II, and III mAbs using BIA-CORE™1000. Briefly, hPCSK9-mmh was captured on an anti-myc surface. A first anti-hPCSK9 mAb (50 µg/ml) was injected over the PCSK9-bound surface for 10 min, at a flow rate of 10 µl/min at 25° C. A second anti-hPCSK9 mAb (50 µg/ml) was then injected over the first mAb-bound surface for 10 min, at a flow rate of 10 µl/min at 25° C. Ability of the first mAb to block binding of the second mAb was measured and is expressed as percent inhibition.

## 34

TABLE 22

First mAb	Second mAb				
	316P	300N	Control I	Control II	Control III
316P	100	101	27	99	101
300N	77	100	12	82	–2
Control I	6	12	100	6	9
Control II	91	102	–6	100	3
Control III	73	10	–12	1	100

## Example 11

## Increase of LDL Uptake by Anti-hPCSK9 Antibodies

The ability of anti-hPCSK9 mAbs to increase LDL uptake in vitro was determined using a human hepatocellular liver carcinoma cell line (HepG2). HepG2 cells were seeded onto 96-well plates at  $9 \times 10^4$  cells/well in DMEM complete media and incubated at 37° C., 5% CO<sub>2</sub>, for 6 hr to form HepG2 monolayers. Human PCSK9-mmh, at 50 nM in lipoprotein deficient medium (LPDS), and a test mAb was added in various concentrations from 500 nM to 0.98 nM in LPDS medium. Data are expressed as IC<sub>50</sub> values for each experiment (IC<sub>50</sub>=antibody concentration at which increases LDL uptake by 50%). In addition, the experiment also showed that both 316P and 300N were able to completely reverse the inhibitory effect of hPCSK9 on LDL uptake, while Control I mAb or H1M508 anti-hPCSK9 mAb reversed the inhibitory effect by about 50%.

TABLE 23

Antibody	IC <sub>50</sub> (nM)
316P	21.30
300N	22.12
Control I	>250
H1M508	>250

The ability of anti-hPCSK9 mAbs to reverse the inhibitory effect on LDL uptake by PCSK9 protein from different mammalian species was also tested in a HepG2 cell line as described above. Briefly, HepG2 cells were incubated overnight with serial dilutions of antibody in LPDS medium (beginning with 500 nM) and 50 nM of hPCSK9-mmh, mfPCSK9-mmh, mPCSK9-mmh, rPCSK9-mmh, or maPCSK9-h. HepG2 cells were also incubated overnight with serial dilutions of antibody in LPDS (beginning with 50 nM) and 1 nM hPCSK9(D374Y). As shown in Table 24, while 316P was able to completely reverse the inhibitory effect on LDL by all PCSK9 proteins tested, 300N was only able to reverse the inhibitory effect on LDL uptake by hPCSK9, hPCSK9 (D374Y), and mfPCSK9. Values are expressed as nM IC<sub>50</sub>.

TABLE 24

	316P	300N	Control I	Control II	Control III
hPCSK9-mmh	14.1	12.6	>500	13.4	12.4
hPCSK9(D374Y)-mmh	2.1	1.1	>50	0.7	0.6
mfPCSK9-mmh	14.7	13.4	>500	14.2	13.6
mPCSK9-mmh	21.2	>500	>500	19	>500
rPCSK9-mmh	27.7	>500	>500	21.9	>500
maPCSK9-h	14.4	>500	>500	29.5	12.7

## Neutralization of Biological Effect of hPCSK9 In Vivo

To assess the biological effect of neutralizing PCSK9, hPCSK9 was over-expressed in C57BL/6 mice by hydrodynamic delivery (HDD) of DNA constructs encoding full-length hPCSK9-mmh. 4 mice (C57BL/6) were injected with empty vector/saline (control), and 16 mice were injected with a 50 µg hPCSK9-mmh-DNA/saline mixture in the tail vein equal to 10% of their body weight. At day 7 after HDD, delivery of hPCSK9 resulted in a 1.6-fold elevation of total cholesterol, 3.4-fold elevation in LDL-cholesterol (LDL-C) and a 1.9-fold elevation in non-HDL cholesterol (relative to control). Serum hPCSK9 levels on day 7 were all greater than 1 µg/ml, as assessed by quantitative ELISA.

Administration of H1M300N on day 6 after HDD to 3 experimental groups (1, 5 or 10 mg/kg) (n=4 per group) via intraperitoneal (i.p.) injection resulted in a significant attenuation of serum cholesterol levels. At 18 hours after administration, total cholesterol was reduced by 9.8%, 26.3% and 26.8%, LDL-C was reduced by 5.1%, 52.3% and 56.7%, and non-HDL cholesterol was reduced by 7.4%, 33.8% and 28.6% in the 1, 5 or 10 mg/kg H1M300N treated groups, respectively.

## Example 13

## Pharmacokinetic and Serum Chemistry Study in Monkeys

A pharmacokinetic (PK) study was conducted in naïve male cynomolgus monkeys (*Macaca fascicularis*) with a body weight range between 5-7 kg and aged between 3-5 years.

## Group Assignments.

The monkeys were assigned into 5 treatment groups: Treatment Group 1 (n=3) received control buffer (10 mM sodium phosphate, pH 6, 1 ml/kg); Treatment Group 2 (n=3) received 1 ml/kg of 316P (5 mg/ml); Treatment Group 3 (n=3) received 1 ml/kg 300N (5 mg/ml); Treatment Group 4 (n=3) received 1 ml/kg 316P (15 mg/ml); and Treatment Group 5 (n=3) received 1 ml/kg 300N (15 mg/ml). All treatments were administered by IV bolus followed by a 1 ml saline flush. Total dose volume (ml) was calculated on the most recent body weight (each animal was weighed twice during acclimation and once weekly throughout the study). A single dose of test mAb or buffer control was administered on Day 1.

## Animal Care.

Animals were housed in a temperature- and humidity-monitored environment. The targeted range of temperature and relative humidity was between 18-29° C. and 30-70%, respectively. An automatic lighting system provided a 12-hour diurnal cycle. The dark cycle could be interrupted for study- or facility-related activities. The animals were individually housed in cages that comply with the Animal Welfare Act and recommendations set forth in The Guide for the Care and Use of Laboratory Animals (National Research Council 1996).

## Diet and Feeding.

Animals were fed twice per day according to SNBL USA SOPs. Animals were fasted when required by specific procedures (e.g., prior to blood draws for serum chemistry, urine collection, or when procedures involving sedation are performed). The diet was routinely analyzed for contami-

nants and found to be within manufacturer's specifications. No contaminants were expected to be present at levels that would interfere with the outcome of the study.

## Experimental Design.

An appropriate number of animals were selected from SNBL USA stock. Animals were examined for health by veterinary staff, and had undergone serum chemistry, hematology, and coagulation screening. Sixteen males, confirmed healthy, were assigned to the study. Fifteen males were assigned to specific study groups and the remaining animal was available as a spare. A stratified randomization scheme incorporating serum cholesterol level (based on the average of two draws in acclimation) was used to assign animals to study groups.

## Acclimation Period.

Previously quarantined animals were acclimated to the study room for a minimum of 14 days prior to initiation of dosing. Acclimation phase data was collected from all animals, including the spare. All animals were assessed for behavioral abnormalities that could affect performance on study. The spare animal was returned to stock after day 1.

## Blood Collection.

Blood was collected by venipuncture from a peripheral vein from restrained, conscious animals. Whenever possible, blood was collected via a single draw and then divided appropriately.

## PK Study.

Blood samples (1.5 ml) were collected at pre-dose, 2 min, 15, min, 30 min, 1 hr, 2 hr, 4 hr, 8 hr, 12 hr, 24 hr, and subsequently once every 24 hr in serum separator tubes (SST). Specimen storage serum is transferred to 2 vials and stored at -60° C. or below.

Serum samples were analyzed using an optimized ELISA (enzyme-linked immunosorbent assay) procedure. Briefly, a microtiter plate was first coated with hPCSK9-mmh. Test mAb 316P or 300N was then captured on the hPCSK9-mmh plate. The captured 316P or 300N was detected using a biotinylated mouse anti-hIgG4 followed by binding to NeutrAvidin-HRP. Varying concentrations of 316P or 300N, ranging from 100 to 1.56 ng/ml, were used as standards. One percent monkey serum (assay matrix) in the absence of 316P or 300N was used as the zero (0 ng/ml) standard. The results, shown in FIG. 2, indicate a dose-dependent increase in serum 316P and 300N levels. PK parameters were analyzed using WinNonlin software (Noncompartmental analysis, Model 201-IV bolus administration).

TABLE 25

PK Parameter	316P		300N	
	5 mg/kg	15 mg/kg	5 mg/kg	15 mg/kg
T <sub>max</sub> (h)	0.428	0.105	4.02	0.428
C <sub>max</sub> (µg/ml)	184	527	226	1223
T <sub>1/2</sub> (h)	83	184	215	366

## Serum Chemistry.

Blood samples were collected at pre-dose, 12 hr, 48 hr, and subsequently once every 48 hr, for clinical chemistry analysis, in particular lipid profiles (i.e. cholesterol, LDL-C, HDL-C, triglycerides). With the exception of the 12 hr post-dose sample, all animals were subject to an overnight fast prior to sample collection. The sample volume was approximately 1 ml. Chemistry parameters were determined using an Olympus automated analyzer. Parameters measured (Xybio code): Albumin (ALB); Alkaline Phosphatase (ALP); Alanine Aminotransferase (ALT); Aspartate



Transaminase (AST); Total Bilirubin (TBIL); Calcium (Ca); Total Cholesterol (TChol); Creatine Kinase (CK); Creatinine (CRN); Gamma Glutamyltransaminase (GGT); Glucose (GLU); Inorganic Phosphorus (IP); Total Protein (TP); Triglyceride (TRIG); Blood Urea Nitrogen (BUN); Globulin (GLOB); Albumin/Globulin Ratio (A/G); Chloride (Cl); Potassium (K); Sodium (Na); LDL and HDL cholesterol. Residual serum was stored at  $-20^{\circ}\text{C}$ . or below and disposed of no sooner than one week after analysis.

Results from samples through Day 105 post-dose time point are shown in FIGS. 3-7. There was a reduction in total cholesterol and LDL-C in animals receiving 316P and 300N, regardless of dose, within 24 hours of the first dose. Serum total cholesterol reduced rapidly and robustly ( $\sim 35\%$ , FIG. 3). A robust decrease of  $\sim 80\%$  was seen in LDL-C (FIGS. 4-5) by day 6. In animals that received a 15 mg/kg dose of 300N, the reduction in both total cholesterol ( $\sim 10\text{-}15\%$  reduction) and LDL-C ( $\sim 40\%$  reduction) continued to at least day 80 of the study. In addition, HDL-C was elevated in animals that received 316P at 15 mg/kg (FIG. 6). Animals that received a higher dose (15 mg/kg) of either 316P or 300N also showed a reduction in triglycerides during the course of study (FIG. 7). 316P exhibited maximal suppression of LDL-C levels of up to 80% relative to baseline. The length of this suppression was dose-dependent with at least 60% suppression (relative to baseline LDL-C levels) lasting approximately 18 days (5 mg/kg dose) and approximately 45 days (15 mg/kg dose). 300N exhibits a distinct pharmacodynamic profile from 316P. LDL-C suppression by 300N was sustained for a much longer period of time at comparable doses (50% LDL-C suppression for 28 days following a 5 mg/kg dose and 50% LDL-C suppression for approximately 90 days following a 15 mg/kg dose). There was little or no measurable change in liver function as determined by ALT and AST measurements. All animals receiving an anti-PCSK9 antibody in the study exhibited a rapid suppression of LDL-C and total cholesterol.

A similar LDL-C lowering effect of 316P and 300N was also observed in cynomolgous monkeys that received a single subcutaneous (SC) administration of either 5 mg/kg 316P or 5 mg/kg 300N (FIG. 8). Both 316P and 300N dramatically suppressed LDL-C levels and maintained an LDL-C lowering effect for approximately 15 and 30 days, respectively (FIG. 8). The pharmacodynamic effect (approximately 40% LDL-C suppression) approximately correlates with functional antibody levels in monkey serum (FIG. 9). As antibody levels decrease below 10  $\mu\text{g/ml}$ , LDL-C suppression appeared to diminish as well. In addition, 300N demonstrated a substantially longer circulating half-life than 316P and hence a longer observed LDL-C suppression.

TABLE 26

PK Parameter	316P	300N
$T_{max}$ (h)	60	84
$C_{max}$ ( $\mu\text{g/ml}$ )	46	63
$T_{1/2}$ (h)	64	286

## Example 14

## Attenuation of LDL Receptor Degradation by Anti-hPCSK9 Antibodies

To assess the biological effect of PCSK9 on hepatic LDL receptor levels and subsequent effects on serum LDL-C

levels, hPCSK9 was administered to mice expressing hPCSK9 but not mPCSK9 (PCSK9<sup>hu/hu</sup> mice) by intravenous injection. Specifically, PCSK9<sup>hu/hu</sup> mice were injected with PBS (control), or 1.2 mg/kg hPCSK9-mmh via the tail vein. Six hours after delivery of hPCSK9, a 1.4-fold elevation (relative to baseline level) in total cholesterol and a 2.3-fold elevation in LDL-C in serum were observed. Analysis of hepatic LDL receptor levels in a separate cohort (n=3) of animals 4 hours after hPCSK9 administration revealed a significant reduction in detectable LDL receptor in liver homogenates.

To assess the biological effect of anti-hPCSK9 on hepatic LDL receptor levels and subsequent effects on serum LDL-C levels, 316P and a non-hPCSK9 specific mAb were administered to PCSK9<sup>hu/hu</sup> mice at equivalent dose (5 mg/kg i.p.) 20 hours prior to the hPCSK9-mmh protein injection described above. Four hours after the hPCSK9 administration, mice were sacrificed and a total of eight tissues (liver, brain, lung, kidney, heart, ileum, adrenal, and pancreas) were collected and levels of LDL receptor were determined by Western blot. Changes in LDL receptor levels were only observed in liver. In comparison to PBS control dosing, administration of 316P significantly blocked the PCSK9-mediated increases in total cholesterol and LDL cholesterol (LDL-C=2.49 mg/dl at baseline and 3.1 mg/dl 6 hours after PCSK9; a 25% increase compared to 135% with vehicle). Prior administration of the non-hPCSK9 specific mAb blocked LDL-C increases by approximately 27% from PBS alone (LDL-C=4.1 mg/dl compared to PBS 5.6 mg/dl). Analysis of LDL receptor levels in a separate cohort of mice (n=3 per treatment group) revealed a significant reduction in LDL receptor levels with PCSK9 administration, which was blocked by 316P but not by the non-hPCSK9 specific mAb (FIG. 10).

Effect of different doses of 316P was also evaluated in PCSK9<sup>hu/hu</sup> mice with both elevated LDL-C and elevated hPCSK9 levels. PCSK9<sup>hu/hu</sup> mice were first placed on a high carbohydrate diet for 8 weeks, resulting in a  $\sim 2$ -fold elevation in both LDL-C and hPCSK9 levels. Either 316P or a non-hPCSK9 specific mAb, each at 1 mg/kg, 5 mg/kg, or 10 mg/kg, were administered to the mice. Sera were collected 24 hours later and LDL-C levels were analyzed. 316P was effective in decreasing LDL-C levels in a dose-dependent manner (FIG. 11). In addition, 316P administered at a dose of 10 mg/kg, rapidly reduced LDL-C levels back to original (pre-diet) values within 24 hours.

## Example 15

## Mouse PK Studies

A PK study was conducted in 6-week-old C57BL/6 mice and 11-15 week old hPCSK9 heterozygous mice. A single injection of Control I, 316P, or 300N, each at 10 mg/kg, was administered SC. Serum bleeds were measured for hIgG levels at 0 hr (pre-bleed), 6 hr, day 1, 3, 6, 10, 14, 21, 28, 35, 42 and 56, for a total of 12 time points, using an anti-hFc capture and anti-hFc detection sandwich ELISA (FIGS. 12 and 13). All mAbs achieved their  $T_{max}$  at approximately 3 days with corresponding  $C_{max}$  levels of approximately 47-115  $\mu\text{g/ml}$  for C57BL/6 mice and 55-196  $\mu\text{g/ml}$  for hPCSK9 heterozygous mice. At Day 56, Control I mAb levels were about 12  $\mu\text{g/ml}$  and 300N levels were about 11  $\mu\text{g/ml}$  whereas 316P levels were about less than 0.02  $\mu\text{g/ml}$  in C57BL/6 mice. At Day 56 in hPCSK9 heterozygous mice,

Control I mAb levels were about 29 µg/ml, while both 300N and 316P levels were below the quantifiable limit (BQL) of 0.02 µg/ml.

### Example 16

#### Anti-hPCSK9 Antibody Binding to Mutant/Variant hPCSK9

To further assess binding between hPCSK9 and anti-hPCSK9 mAbs, 21 variant hPCSK9 proteins in which each variant contained a single point mutation and two variant hPCSK9 proteins each contained a double mutation were generated. Each selected antibody was captured on a F(ab')<sub>2</sub> anti-hIgG surface created through direct chemical coupling to a BIACORE™ chip to form a captured antibody surface. Each mmh-tagged variant hPCSK9 at varying concentrations from 100 nM to 25 nM was then injected over the captured antibody surface at a flowrate of 60 µl/min for 240 sec, and the dissociation of variant hPCSK9 and antibody was monitored in real time for 20 min at 25° C. nb: no binding was observed under these experimental conditions ( $K_D$ =M $\times 10^{-9}$ ;  $T_{1/2}$ =min; WT=wildtype).

TABLE 27

	316P		300N		Control I		Control II		Control III	
	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$	$K_D$	$T_{1/2}$
WT	1.00	37	0.69	120	30.6	16	0.10	333	0.60	481
P70A	1.42	32	1.68	80	19.0	16	0.24	168	0.90	325
S127R	2.40	36	1.87	110	25.0	18	0.26	288	0.55	550
D129G	1.27	36	1.40	88	22.9	18	0.19	257	0.75	445
S147F	1.29	32	9.07	24	21.1	15	0.22	178	0.23	1468
S153R	5.64	4	0.56	141	36.6	17	0.09	322	3.33	60
E159R	6.96	5	0.82	94	31.7	16	0.08	350	2.97	68
T162R	0.98	43	0.58	140	29.0	17	0.09	322	0.48	362
D192R	1.35	28	0.75	119	30.2	15	0.09	326	nb	nb
R194E	0.38	71	0.65	129	31.4	16	0.07	389	nb	nb
E197R	1.42	27	0.67	115	30.2	17	0.09	339	nb	nb
R215H	0.86	41	1.03	98	37.8	17	0.65	49	0.74	272
R215E	0.90	43	1.81	77	44.0	16	4.48	12	0.78	276
F216L	1.83	32	0.99	121	21.2	15	1.35	39	0.33	880
R237E	2.48	15	1.03	109	29.6	15	0.07	481	5.89	43
D238R	410	1	0.78	123	25.9	19	0.24	144	0.14	1273
A341R	1.54	21	0.34	190	28.7	18	0.08	340	0.88	200
D343R	7.88	6	1.18	89	27.0	16	0.08	402	4.13	66
R357H	6.26	30	6.53	66	26.4	13	0.63	165	1.91	896
E366K	2.92	13	36.0	2	28.8	18	0.46	69	0.38	808
D374Y	2.04	15	0.66	83	25.0	17	0.08	285	1.02	161
V380M	0.48	63	2.82	28	25.9	17	0.15	177	0.35	711
P70A, S147F	1.18	34	7.87	24	23.5	18	0.23	164	0.79	348
E366K, V380M	3.33	12	78.3	1	25.5	18	0.59	60	0.52	551

The results show that when residue D238 was mutated, the binding affinity of 316P for hPCSK9 was reduced >400-fold, from a  $K_D$  of  $1 \times 10^{-9}$  M to  $410 \times 10^{-9}$  M; and  $T_{1/2}$  shortened about 30-fold, from 37 to 1 min, indicating that 316P binds an epitope on hPCSK9 comprising D238 of hPCSK9 (SEQ ID NO:755). Additionally, BIACORE™ assays show that 316P binding affinity and  $T_{1/2}$  were reduced about 5- to 10-fold when a residue at 153, 159 or 343 was mutated. Specifically,  $K_D$  was reduced from about  $1 \times 10^{-9}$  M to between about  $5-8 \times 10^{-9}$  M when any one of S153, E159 or D343 were mutated; while  $T_{1/2}$  was decreased from about 37 min to between about 4-6 min.

300N binding to hPCSK9 was reduced about 50-fold when the residue at position 366 was mutated, resulting in a decreased  $K_D$  of from about  $0.7 \times 10^{-9}$  M to about  $36 \times 10^{-9}$  M and a shorter  $T_{1/2}$  from about 120 to 2 min. These results indicate that 300N binds an epitope on hPCSK9 comprising

E366 of hPCSK9 (SEQ ID NO:755). Additionally, the BIACORE™ assays show that 300N binding affinity and  $T_{1/2}$  were reduced between 2- to >10-fold when a residue at 147 or 380 was mutated. Specifically,  $K_D$  was reduced from about  $0.69 \times 10^{-9}$  M to between about  $2-9 \times 10^{-9}$  M when any of S147 or V380 were mutated; while  $T_{1/2}$  was shortened from about 120 min to between about 24-66 min. Compared to 316P, 300N binding to hPCSK9 was not reduced by a mutation at residue 238.

In contrast, Control I antibody did not exhibit an altered binding affinity or  $T_{1/2}$  in response to any of the positional mutations tested; Control II antibody exhibited a 40-fold decreased affinity when residue 215 was mutated (R215E) (from  $\sim 0.1 \times 10^{-9}$  to  $\sim 4.5 \times 10^{-9}$ ), and  $T_{1/2}$  was about 27-fold shorter (from  $\sim 333$  to 12 min); while Control III antibody exhibited a decreased affinity when residue 237 was mutated ( $K_D$  decreased from  $\sim 0.6 \times 10^{-9}$  to  $\sim 5.9 \times 10^{-9}$ , and  $T_{1/2}$  decreased from  $\sim 481$  to  $\sim 43$  min).

Binding specificity of 316P, 300N, and control anti-hPCSK9 mAbs to hPCSK9 variants was tested using an ELISA-based immunoassay. Anti-PCSK9 mAbs were coated on a 96-well plate overnight at 4° C. Each mmh-tagged variant hPCSK9 in CHO-k1 transient transfection

lysate supernatants was added to the antibody-coated plate at various concentrations ranging from 0 to 5 nM. After 1 hr binding at RT, the plate was washed and bound variant hPCSK9 was detected using HRP-conjugated anti-myc polyclonal antibody ( $-OD < 0.7$ ;  $+OD = 0.7-1.5$ ;  $++ = OD > 1.5$ ).

TABLE 28

hPCSK9 or Variant	316P	300N	Control I	Control II	Control III
hPCSK9(WT)	++	++	++	++	++
hPCSK9(S127R)	++	++	++	++	++
hPCSK9(D129G)	++	++	++	++	++
hPCSK9(S153R)	++	++	++	++	++
hPCSK9(R215H)	++	++	++	++	++
hPCSK9(F216L)	++	++	++	++	++

TABLE 28-continued

hPCSK9 or Variant	316P	300N	Control I	Control II	Control III
hPCSK9(R237E)	++	++	++	++	++
hPCSK9(D238R)	-	++	++	++	++
hPCSK9(A341R)	++	++	++	++	++
hPCSK9(D343R)	++	++	++	++	++
hPCSK9(R357H)	++	++	++	++	++
hPCSK9(E159R)	++	++	++	++	++
hPCSK9(T162R)	++	++	++	++	++
HPCSK9(D192R)	++	++	++	++	-
hPCSK9(R194E)	++	++	++	++	-
hPCSK9(E197R)	++	++	++	++	-
hPCSK9(R215E)	++	++	++	++	++
hPCSK9(P70A)	++	++	++	++	++
hPCSK9(S147F)	++	++	++	++	++
hPCSK9(E366K)	++	+	++	++	++
hPCSK9(V380M)	++	++	++	++	++
hPCSK9(P70A, S147F)	++	++	++	++	++
hPCSK9(E366K, V380M)	++	+	++	++	++

Example 17

## Effect of 316P on Normolipemic and Hyperlipemic Hamster

The ability of anti-PCSK9 mAb 316P to reduce serum LDL-C was tested in normolipemic or hyperlipemic Gold Syrian hamsters (*Mesocricetus auratus*). Male Syrian Hamsters, age 6-8 weeks, weighing between 80-100 grams, were allowed to acclimate for a period of 7 days before entry into the study. All animals were placed on either a standard chow diet or a hyperlipemic diet of chow supplemented with 0.1% cholesterol and 10% coconut oil. The 316P mAb was delivered to hamsters by a single subcutaneous injection at doses of 1, 3, or 10 mg/kg for normolipemic hamsters and at doses of 3, 10, or 30 mg/kg for hyperlipemic hamsters. Serum samples were taken from all groups at 24 hr and 7, 14, and 22 days post injection, at which time serum lipid levels were assessed and compared to baseline levels taken 7 days prior to the administration of the mAbs. Circulating total cholesterol and LDL-C in normolipemic hamsters was significantly reduced in a dose-dependent manner compared to vehicle injection. As shown in FIG. 14, administration of 316P effectively reduced LDL-C levels by up to 60% seven days post injection at the highest dose (10 mg/kg) tested. Similar cholesterol reducing effect of 316P was not observed in hyperlipemic hamsters.

## SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 763

<210> SEQ ID NO 1

<211> LENGTH: 351

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 1

```

cagggtccagc tgggtgcagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc      60
tctctgtgcag cctctggatt tactctaagt agttacgaca tgcaactgggt ccgccaatct      120
acaggaaaag gtctggagtg ggtctcagct attggttcta ccggtgacac atactatcca      180
ggctccgtga agggccgatt caccatcacc agagaaaaag ccaagaactc cgtgtatctt      240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgtaag agaggggtgg      300
gaggtaccct ttgactactg gggccaggga accctgggtca ctgtctctc a                351

```

<210> SEQ ID NO 2

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 2

```

Gln Val Gln Leu Val Gln Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
      20             25             30

Asp Met His Trp Val Arg Gln Ser Thr Gly Lys Gly Leu Glu Trp Val
      35             40             45

Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
      50             55             60

```

-continued

---

Gly Arg Phe Thr Ile Thr Arg Glu Lys Ala Lys Asn Ser Val Tyr Leu  
65 70 75 80

Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Val  
85 90 95

Arg Glu Gly Trp Glu Val Pro Phe Asp Tyr Trp Gly Gln Gly Thr Leu  
100 105 110

Val Thr Val Ser Ser  
115

<210> SEQ ID NO 3  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 3

ggatttactc taagtagtta cgac

24

<210> SEQ ID NO 4  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 4

Gly Phe Thr Leu Ser Ser Tyr Asp  
1 5

<210> SEQ ID NO 5  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 5

attggttcta ccggtgacac a

21

<210> SEQ ID NO 6  
<211> LENGTH: 7  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 6

Ile Gly Ser Thr Gly Asp Thr  
1 5

<210> SEQ ID NO 7  
<211> LENGTH: 33  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 7

gtaagagagg ggtgggaggt accctttgac tac

33

<210> SEQ ID NO 8  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 8

Val	Arg	Glu	Gly	Trp	Glu	Val	Pro	Phe	Asp	Tyr
1				5					10	

<210> SEQ ID NO 9  
 <211> LENGTH: 327  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 9

gacatccaga	tgacccagtc	tccagccacc	ctgtctgtgt	ctccagggga	aagagccgcc	60
ctctcctgca	gggccagtca	gagtgttagc	agcaacttag	cctggtagca	ccagaaacct	120
ggccaggctc	ccaggtctct	catctatggt	gcattccacca	gggccactgg	tatccagacc	180
aggttcagtg	gcattgggtc	tgggacagag	ttcactctca	ttatcagcag	cctgcagtct	240
gaagattttg	cattttatct	ctgtcagcag	tataataact	ggcctccatt	cactttcgcc	300
cctgggacca	aggtggagat	caaacga				327

<210> SEQ ID NO 10  
 <211> LENGTH: 109  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 10

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly
1				5					10					15	
Glu	Arg	Ala	Ala	Leu	Ser	Cys	Arg	Ala	Ser	Gln	Ser	Val	Ser	Ser	Asn
		20						25					30		
Leu	Ala	Trp	Tyr	His	Gln	Lys	Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Ile
		35					40					45			
Tyr	Gly	Ala	Ser	Thr	Arg	Ala	Thr	Gly	Ile	Pro	Ala	Arg	Phe	Ser	Gly
	50				55				60						
Ile	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Ser
	65				70				75					80	
Glu	Asp	Phe	Ala	Phe	Tyr	Phe	Cys	Gln	Gln	Tyr	Asn	Asn	Trp	Pro	Pro
			85					90						95	
Phe	Thr	Phe	Gly	Pro	Gly	Thr	Lys	Val	Glu	Ile	Lys	Arg			
			100					105							

<210> SEQ ID NO 11  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 11

cagagtgtta gcagcaac

18

<210> SEQ ID NO 12  
 <211> LENGTH: 6  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 12

Gln Ser Val Ser Ser Asn  
 1 5

&lt;210&gt; SEQ ID NO 13

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 13

ggtgcatcc

9

&lt;210&gt; SEQ ID NO 14

&lt;211&gt; LENGTH: 3

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 14

Gly Ala Ser  
 1

&lt;210&gt; SEQ ID NO 15

&lt;211&gt; LENGTH: 30

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 15

cagcagtata ataactggcc tccattcact

30

&lt;210&gt; SEQ ID NO 16

&lt;211&gt; LENGTH: 10

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 16

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr  
 1 5 10

&lt;210&gt; SEQ ID NO 17

&lt;211&gt; LENGTH: 351

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 17

gagggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc 60

tctctgtgcag cctctggatt tactctaagt agttacgaca tgcactgggt ccgccaatct 120

acaggaaaaa gtctggagtg ggtctcagct attggttcta ccggtgacac atactatcca 180

ggctccgtga agggccgatt caccatcacc agagaaaaag ccaagaactc cgtgtatctt 240

caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgtaag agaggggtgg 300

gagggtaccct ttgactactg gggccaggga accctgggtca ccgtctctc a 351

-continued

<210> SEQ ID NO 18  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 18

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
          20             25             30
Asp Met His Trp Val Arg Gln Ser Thr Gly Lys Gly Leu Glu Trp Val
          35             40             45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
          50             55             60
Gly Arg Phe Thr Ile Thr Arg Glu Lys Ala Lys Asn Ser Val Tyr Leu
          65             70             75             80
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Val
          85             90             95
Arg Glu Gly Trp Glu Val Pro Phe Asp Tyr Trp Gly Gln Gly Thr Leu
          100            105            110
Val Thr Val Ser Ser
          115

```

<210> SEQ ID NO 19  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 19

```

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccgcc      60
ctctcctgca gggccagtca gagtgttagc agcaacttag cctggtacca ccagaaacct      120
ggccaggctc ccaggctcct catctatggt gcatccacca gggccactgg tatccagcc      180
aggttcagtg gcattgggtc tgggacagag ttcactctca ttatcagcag cctgcagtct      240
gaagattttg ctttttattt ctgtcagcag tataataact ggcctccatt cactttcggc      300
cctgggacca aagtgatat caaa                                324

```

<210> SEQ ID NO 20  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 20

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1             5             10             15
Glu Arg Ala Ala Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
          20             25             30
Leu Ala Trp Tyr His Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
          35             40             45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
          50             55             60
Ile Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Ser

```

-continued

---

65	70	75	80	
Glu Asp Phe Ala Phe Tyr Phe Cys Gln Gln Tyr Asn Asn Trp Pro Pro				
	85	90	95	
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys				
	100	105		

<210> SEQ ID NO 21  
 <211> LENGTH: 351  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 21

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc	60
tcctgtgcag cctctggatt tactctaagt agttacgaca tgcactgggt ccgccaagct	120
acaggaaaag gtctggagtg ggtctcagct attggttcta ccggtgacac atactatcca	180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt	240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgtaag agaggggtgg	300
gaggtaccct ttgactactg gggccaggga accctgggtca ccgtctcctc a	351

<210> SEQ ID NO 22  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 22

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly	
1 5 10 15	
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr	
20 25 30	
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val	
35 40 45	
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys	
50 55 60	
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu	
65 70 75 80	
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Val	
85 90 95	
Arg Glu Gly Trp Glu Val Pro Phe Asp Tyr Trp Gly Gln Gly Thr Leu	
100 105 110	
Val Thr Val Ser Ser	
115	

<210> SEQ ID NO 23  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 23

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc	60
ctctcctgca gggccagtca gagtgttagc agcaacttag cctgggtacca gcagaaacct	120
ggccaggctc ccaggctcct catctatggt gcattccacca gggccactgg tatccagcc	180



-continued

---

```

aggttcagtg gcagtggggc tgggacagag ttcactctca ccatcagcag cctgcagtct 240
gaagattttg cagtttatta ctgtcagcag tataataact ggctccatt cactttcggc 300
cctgggacca aagtggatat caaa 324

```

```

<210> SEQ ID NO 24
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 24

```

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1         5         10        15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
      20        25        30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
      35        40        45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
      50        55        60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
      65        70        75        80
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
      85        90        95
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
      100       105

```

```

<210> SEQ ID NO 25
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 25

```

```

caggtgcagc tgggtgcagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120
ccaggcaagg ggctggagtg ggtggcggtt ataggatttg atggaagtaa tatacattat 180
ggagactccg tgaggggccg aatcatcata tccagagaca attccgagaa cacgttgat 240
ctggaaatga acagcctgag agccgaggac acggcaatgt actattgtgc gagagagaag 300
ggtttagact ggggccaggg aaccacggtc accgtctcct ca 342

```

```

<210> SEQ ID NO 26
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 26

```

```

Gln Val Gln Leu Val Gln Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1         5         10        15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
      20        25        30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35        40        45

```

-continued

---

Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile His Tyr Gly Asp Ser Val  
50 55 60

Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr  
65 70 75 80

Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Met Tyr Tyr Cys  
85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Thr Val Thr Val  
100 105 110

Ser Ser

<210> SEQ ID NO 27  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 27

ggattcacct tcagtagcta tggc

24

<210> SEQ ID NO 28  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 28

Gly Phe Thr Phe Ser Ser Tyr Gly  
1 5

<210> SEQ ID NO 29  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 29

ataggatttg atggaagtaa tata

24

<210> SEQ ID NO 30  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 30

Ile Gly Phe Asp Gly Ser Asn Ile  
1 5

<210> SEQ ID NO 31  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 31

gcgagagaga agggtttaga c

21

<210> SEQ ID NO 32  
<211> LENGTH: 7

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 32

Ala Arg Glu Lys Gly Leu Asp  
 1 5

<210> SEQ ID NO 33  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 33

gccatccaga tgaccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcaattgcc gggccagtca gagtattagt agctgggttg cctggatatc gcagaaacca 120  
 gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attacacttt tggccagggg 300  
 accaaggtgg aaatcaaacg a 321

<210> SEQ ID NO 34  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 34

Ala Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr  
 85 90 95  
 Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
 100 105

<210> SEQ ID NO 35  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 35

cagagtatta gtagctgg 18

<210> SEQ ID NO 36  
 <211> LENGTH: 6  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 36

Gln Ser Ile Ser Ser Trp  
 1 5

<210> SEQ ID NO 37  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 37

aaggcgtct

9

<210> SEQ ID NO 38  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 38

Lys Ala Ser  
 1

<210> SEQ ID NO 39  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 39

caacagtata atagttatta cact

24

<210> SEQ ID NO 40  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 40

Gln Gln Tyr Asn Ser Tyr Tyr Thr  
 1 5

<210> SEQ ID NO 41  
 <211> LENGTH: 342  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 41

cagggtgcagc tgggtggagtc tggggggaggc gtggtccagc ctgggaggtc cctgagactc 60

tcctgtgcag cgtctggatt caccttcagt agctatggca tgcactgggt cgcagggt 120

ccaggcaagg ggctggagtg ggtggcggtt ataggatttg atggaagtaa tatacattat 180

ggagactccg tgaggggccg aatcatcata tccagagaca attccgagaa caggttgat 240

ctggaaatga acagcctgag agccgaggac acggcaatgt actattgtgc gagagagaag 300

-continued

ggtttagact ggggccaggg aaccctggtc accgtctcct ca

342

<210> SEQ ID NO 42  
 <211> LENGTH: 114  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 42

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile His Tyr Gly Asp Ser Val  
 50 55 60  
 Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr  
 65 70 75 80  
 Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Met Tyr Tyr Cys  
 85 90 95  
 Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val  
 100 105 110  
 Ser Ser

<210> SEQ ID NO 43  
 <211> LENGTH: 318  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 43

gacatccaga tgaccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtca gaggattagt agctgggttg cctgggtatca gcagaaacca 120  
 gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttactctca ccatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attacacttt tggccagggg 300  
 accaagctgg agatcaaa 318

<210> SEQ ID NO 44  
 <211> LENGTH: 106  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 44

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60

-continued

---

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
65 70 75 80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr  
85 90 95

Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys  
100 105

<210> SEQ ID NO 45  
<211> LENGTH: 342  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 45

cagggtgcagc tgggtggagtc tggggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
tcctgtgcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120  
ccaggcaagg ggctggagtg ggtggcagtt ataggatttg atggaagtaa tatatactat 180  
gcagactccg tgaagggccg attcaccatc tccagagaca attccaagaa cacgctgtat 240  
ctgcaaatga acagcctgag agctgaggac acggctgtgt attactgtgc gagagagaag 300  
ggttttagact ggggccaggg aaccctggtc accgtctcct ca 342

<210> SEQ ID NO 46  
<211> LENGTH: 114  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 46

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
20 25 30  
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Ala Val Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Ala Asp Ser Val  
50 55 60  
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
65 70 75 80  
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95  
Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val  
100 105 110

Ser Ser

<210> SEQ ID NO 47  
<211> LENGTH: 319  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 47

gacatccaga tgacccagtc tccttcaccc ctgtctgcat ctgtaggaga cagagtcacc 60  
atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca gcagaaacca 120  
gggaaagccc ctaagtcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180

-continued

---

```

aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240
gatgattttg caacttatta ctgccaacag tataatagtt attacacttt tggccagggg 300
accaagctgg agatcaaac 319

```

```

<210> SEQ ID NO 48
<211> LENGTH: 106
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 48

```

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1         5         10        15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
        20        25        30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
        35        40        45
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
        50        55        60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
        65        70        75        80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Tyr Thr
        85        90        95
Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
        100       105

```

```

<210> SEQ ID NO 49
<211> LENGTH: 342
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 49

```

```

cagggtgcagc tgcaggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag cgtctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120
ccaggcaagg ggctggagtg ggtggcggtt ataggatttg atggaagtaa tatatattat 180
ggagactccg tgaggggccg aatcatcata tccagagaca attccgagaa cacgttggtat 240
ctggaaatga acagcctgag agccgaggac acggcagtgt attattgtgc gagagagaag 300
ggtttagact ggggccaggg aaccctggtc actgtctcct ca 342

```

```

<210> SEQ ID NO 50
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 50

```

```

Gln Val Gln Leu Gln Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1         5         10        15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
        20        25        30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
        35        40        45

```

-continued

---

Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Gly Asp Ser Val  
50 55 60

Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr  
65 70 75 80

Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val  
100 105 110

Ser Ser

<210> SEQ ID NO 51  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 51

ggattcacct tcagtagcta tggc

24

<210> SEQ ID NO 52  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 52

Gly Phe Thr Phe Ser Ser Tyr Gly  
1 5

<210> SEQ ID NO 53  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 53

ataggatttg atggaagtaa tata

24

<210> SEQ ID NO 54  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 54

Ile Gly Phe Asp Gly Ser Asn Ile  
1 5

<210> SEQ ID NO 55  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 55

gcgagagaga agggtttaga c

21

<210> SEQ ID NO 56  
<211> LENGTH: 7



-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 56

Ala Arg Glu Lys Gly Leu Asp  
 1 5

<210> SEQ ID NO 57  
 <211> LENGTH: 342  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 57

gccatccaga tgacccagtc tccagactcc ctggctgtgt ctctgggcga gagggccacc 60  
 atcaactgca agtcagccca gagtgttttt cacacctcca acaataagaa ctacttagtt 120  
 tggatatcagc agaaaccagg acagcctcct aagttgctcc tttactgggc ctctaccgg 180  
 gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc 240  
 atcagcagcc tgcaggtgca agatgtggca aattattact gtcaccaata ttacagtatt 300  
 ccgtggacgt tcggccaagg gaccaaggtg gagatcaaac ga 342

<210> SEQ ID NO 58  
 <211> LENGTH: 114  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 58

Ala Ile Gln Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly  
 1 5 10 15  
 Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr  
 20 25 30  
 Ser Asn Asn Lys Asn Tyr Leu Val Trp Tyr Gln Gln Lys Pro Gly Gln  
 35 40 45  
 Pro Pro Lys Leu Leu Leu Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val  
 50 55 60  
 Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr  
 65 70 75 80  
 Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Asn Tyr Tyr Cys His Gln  
 85 90 95  
 Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile  
 100 105 110  
 Lys Arg

<210> SEQ ID NO 59  
 <211> LENGTH: 36  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 59

cagagtgttt ttcacacctc caacaataag aactac 36

<210> SEQ ID NO 60

-continued

---

<211> LENGTH: 12  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 60

Gln Ser Val Phe His Thr Ser Asn Asn Lys Asn Tyr  
 1 5 10

<210> SEQ ID NO 61  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 61

tgggcctct

9

<210> SEQ ID NO 62  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 62

Trp Ala Ser  
 1

<210> SEQ ID NO 63  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 63

caccaatatt acagtattcc gtggacg

27

<210> SEQ ID NO 64  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 64

His Gln Tyr Tyr Ser Ile Pro Trp Thr  
 1 5

<210> SEQ ID NO 65  
 <211> LENGTH: 342  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 65

cagggtgcagc tgggtggagtc tggggggaggc gtgggtccagc ctgggaggtc cctgagactc 60

tcctgtgcag cgtctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120

ccaggcaagc ggctggagtg ggtggcggtt ataggatttg atggaagtaa tatatattat 180

ggagactccg tgagggggccg aatcatcata tccagagaca attccgagaa cacgttgtat 240

-continued

---

```
ctggaaatga acagcctgag agccgaggac acggcagtgt attattgtgc gagagagaag 300
ggtttagact ggggccaggg aaccctggtc accgtctcct ca 342
```

```
<210> SEQ ID NO 66
<211> LENGTH: 114
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 66
```

```
Gln Val Gln Leu Val Glu Ser Gly Gly Val Val Gln Pro Gly Arg
 1         5         10        15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
      20         25        30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35         40        45
Ala Phe Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Gly Asp Ser Val
      50         55        60
Arg Gly Arg Ile Ile Ile Ser Arg Asp Asn Ser Glu Asn Thr Leu Tyr
      65         70        75        80
Leu Glu Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
      85         90        95
Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val
      100        105        110
Ser Ser
```

```
<210> SEQ ID NO 67
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 67
```

```
gacatcgtga tgacccagtc tccagactcc ctggtgtgtgt ctctggggcga gagggccacc 60
atcaactgca agtcagccca gagtgttttt cacacctcca acaataagaa ctacttagtt 120
tggtatcagc agaaaccagg acagcctcct aagttgctcc tttactgggc ctctaccgg 180
gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc 240
atcagcagcc tgcaggtcta agatgtggca aattattact gtcaccaata ttacagtatt 300
ccgtggacgt tcggccaagg gaccaaggtg gaaatcaaa 339
```

```
<210> SEQ ID NO 68
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic
```

```
<400> SEQUENCE: 68
```

```
Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1         5         10        15
Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr
      20         25        30
Ser Asn Asn Lys Asn Tyr Leu Val Trp Tyr Gln Gln Lys Pro Gly Gln
      35         40        45
Pro Pro Lys Leu Leu Leu Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
```

-continued

---

50	55	60	
Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr			
65	70	75	80
Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Asn Tyr Tyr Cys His Gln			
	85	90	95
Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile			
	100	105	110

Lys

<210> SEQ ID NO 69  
 <211> LENGTH: 342  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 69

cagggtgcagc tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc	60
tctgtgtcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccagget	120
ccaggcaagg ggctggagtg ggtggcagtt ataggatttg atggaagtaa tatatactat	180
gcagactccg tgaagggccg attcaccatc tccagagaca attccaagaa cacgctgtat	240
ctgcaaatga acagcctgag agctgaggac acggctgtgt attactgtgc gagagagaag	300
ggtttagact ggggccaggg aaccctggtc accgtctcct ca	342

<210> SEQ ID NO 70  
 <211> LENGTH: 114  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 70

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg	
1	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr	
20	30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35	45
Ala Val Ile Gly Phe Asp Gly Ser Asn Ile Tyr Tyr Ala Asp Ser Val	
50	60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr	
65	80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys	
85	95
Ala Arg Glu Lys Gly Leu Asp Trp Gly Gln Gly Thr Leu Val Thr Val	
100	110

Ser Ser

<210> SEQ ID NO 71  
 <211> LENGTH: 339  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 71

gacatcgtga tgaccagtc tccagactcc ctggtgtgt ctctgggcga gagggccacc	60
---	----

-continued

---

```

atcaactgca agtccagcca gagtgttttt cacacctcca acaataagaa ctacttagct 120
tggtaccagc agaaaccagg acagcctcct aagctgctca tttactgggc ctctaccgg 180
gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc 240
atcagcagcc tgcaggctga agatgtggca gtttattact gtcaccaata ttacagtatt 300
ccgtggacgt tcggccaagg gaccaagggtg gaaatcaaa 339

```

```

<210> SEQ ID NO 72
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 72

```

```

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1             5             10             15
Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Phe His Thr
          20             25             30
Ser Asn Asn Lys Asn Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln
          35             40             45
Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
          50             55             60
Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
          65             70             75             80
Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys His Gln
          85             90             95
Tyr Tyr Ser Ile Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile
          100            105            110

```

```

Lys

```

```

<210> SEQ ID NO 73
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 73

```

```

gaagtgcagc tgggtgcagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc 60
tctgtgtcag cctctggatt cacctttaac aactatgcca tgaactgggt ccgccaggct 120
ccaggaaaagg gactggactg ggtctcaact attagtggta gcggtgggtac tacaaaactac 180
gcagactccg tgaagggccg ttctattatt tcccagagaca gttccaaaca cagctgttat 240
ctgcaaatga acagcctgag agccgaggac acggccgtat attactgtgc gaaagattct 300
aactggggaa atttcgatct ctggggccgt ggcaccacgg tcaactgtctc ctca 354

```

```

<210> SEQ ID NO 74
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 74

```

```

Glu Val Gln Leu Val Gln Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15

```

-continued

---

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr  
                   20                  25                  30

Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val  
                   35                  40                  45

Ser Thr Ile Ser Gly Ser Gly Gly Thr Thr Asn Tyr Ala Asp Ser Val  
                   50                  55                  60

Lys Gly Arg Phe Ile Ile Ser Arg Asp Ser Ser Lys His Thr Leu Tyr  
                   65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
                   85                  90                  95

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr  
                   100                  105                  110

Thr Val Thr Val Ser Ser  
                   115

<210> SEQ ID NO 75  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 75

ggattcacct ttaacaacta tgcc

24

<210> SEQ ID NO 76  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 76

Gly Phe Thr Phe Asn Asn Tyr Ala  
   1                  5

<210> SEQ ID NO 77  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 77

attagtggtgta gcggtggtac taca

24

<210> SEQ ID NO 78  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 78

Ile Ser Gly Ser Gly Gly Thr Thr  
   1                  5

<210> SEQ ID NO 79  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

---

<400> SEQUENCE: 79

gcgaaagatt ctaactgggg aaatttcgat ctc

33

<210> SEQ ID NO 80

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 80

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu

1 5 10

<210> SEQ ID NO 81

<211> LENGTH: 342

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 81

gacatccaga tgaccagtc tccagactcc ctggctgtgt ctctgggcga gagggccacc 60

atcaactgca agtccagcca gagtgtttta tacagggtcca acaataggaa cttcttaggt 120

tggtagcagc agaaaccagg gcagcctcct aatctactca tttactgggc atctaccggg 180

gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc 240

atcagcagcc tgcaggctga agatgtggca gtttattact gtcaacaata ttatactact 300

ccgtacactt ttggccaggg gaccaagggtg gaaatcaaac ga 342

<210> SEQ ID NO 82

<211> LENGTH: 114

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 82

Asp Ile Gln Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly

1 5 10 15

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg

20 25 30

Ser Asn Asn Arg Asn Phe Leu Gly Trp Tyr Gln Gln Lys Pro Gly Gln

35 40 45

Pro Pro Asn Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val

50 55 60

Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr

65 70 75 80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln

85 90 95

Tyr Tyr Thr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Val Glu Ile

100 105 110

Lys Arg

<210> SEQ ID NO 83

<211> LENGTH: 36

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 83

cagagtgttt tatacaggtc caacaatagg aacttc

36

&lt;210&gt; SEQ ID NO 84

&lt;211&gt; LENGTH: 12

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 84

Gln Ser Val Leu Tyr Arg Ser Asn Asn Arg Asn Phe

1

5

10

&lt;210&gt; SEQ ID NO 85

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 85

tgggcatct

9

&lt;210&gt; SEQ ID NO 86

&lt;211&gt; LENGTH: 3

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 86

Trp Ala Ser

1

&lt;210&gt; SEQ ID NO 87

&lt;211&gt; LENGTH: 27

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 87

caacaatatt atactactcc gtacact

27

&lt;210&gt; SEQ ID NO 88

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 88

Gln Gln Tyr Tyr Thr Pro Tyr Thr

1

5

&lt;210&gt; SEQ ID NO 89

&lt;211&gt; LENGTH: 354

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 89

gaggtgcagc tgggtggagtc tggggggaggc ttggtacagc ctgggggggtc cctgagactc

60



-continued

---

```

tctgtgcag cctctggatt cacctttaac aactatgcc aagaactgggt ccgccaggct 120
ccaggaaagg gactggactg ggtctcaact attagtggta gcggtggtag taaaaactac 180
gcagactccg tgaagggccg ttctattatt tcccgagaca gttccaaaca cagctgtat 240
ctgcaaatga acagcctgag agccgaggac acggccgtat attactgtgc gaaagattct 300
aactggggaa atttcgatct ctggggccgt ggcaccctgg tcactgtctc ctca 354

```

```

<210> SEQ ID NO 90
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 90

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10            15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr
          20            25            30
Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
          35            40            45
Ser Thr Ile Ser Gly Ser Gly Gly Thr Thr Asn Tyr Ala Asp Ser Val
          50            55            60
Lys Gly Arg Phe Ile Ile Ser Arg Asp Ser Ser Lys His Thr Leu Tyr
          65            70            75            80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
          85            90            95
Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr
          100           105           110
Leu Val Thr Val Ser Ser
          115

```

```

<210> SEQ ID NO 91
<211> LENGTH: 339
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 91

```

```

gacatcgtga tgaccagtc tccagactcc ctggtgtgtg ctctgggcga gagggccacc 60
atcaactgca agtccagcca gagtgtttta tacagggtcca acaataggaa cttcttaggt 120
tggtaccagc agaaaccagg gcagcctcct aatctactca tttactgggc atctaccgg 180
gaatccgggg tccctgacgg attcagtggc agcgggtctg ggacagattt cactctcacc 240
atcagcagcc tgcaggctga agatgtggca gtttattact gtcaacaata ttatactact 300
ccgtacactt ttggccaggg gaccaagctg gagatcaaa 339

```

```

<210> SEQ ID NO 92
<211> LENGTH: 113
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 92

```

```

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
 1             5             10            15

```

-continued

---

Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg  
                   20                  25                  30

Ser Asn Asn Arg Asn Phe Leu Gly Trp Tyr Gln Gln Lys Pro Gly Gln  
                   35                  40                  45

Pro Pro Asn Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val  
           50                  55                  60

Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr  
   65                  70                  75                  80

Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln  
                   85                  90                  95

Tyr Tyr Thr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile  
           100                  105                  110

Lys

<210> SEQ ID NO 93  
 <211> LENGTH: 354  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 93

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggggggtc cctgagactc 60  
 tcctgtgcag cctctggatt cacctttaac aactatgcc a tgagctgggt ccgccaggct 120  
 ccaggaaggg ggctggagtg ggtctcagct attagtggta gcggtgggtac tacatactac 180  
 gcagactccg tgaagggccg gttcaccatc tccagagaca attccaagaa cacgctgtat 240  
 ctgcaaatga acagcctgag agccgaggac acggccgtat attactgtgc gaaagattct 300  
 aactggggaa atttcgatct ctgggggccgt ggcaccctgg tcaactgtctc ctca 354

<210> SEQ ID NO 94  
 <211> LENGTH: 118  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 94

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
   1          5          10          15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asn Asn Tyr  
           20          25          30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
           35          40          45

Ser Ala Ile Ser Gly Ser Gly Gly Thr Thr Tyr Tyr Ala Asp Ser Val  
           50          55          60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
   65          70          75          80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
           85          90          95

Ala Lys Asp Ser Asn Trp Gly Asn Phe Asp Leu Trp Gly Arg Gly Thr  
           100          105          110

Leu Val Thr Val Ser Ser  
           115

&lt;210&gt; SEQ ID NO 95

-continued

<211> LENGTH: 339  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 95

```

gacatcgtga tgacccagtc tccagactcc ctggtgtgtg ctctgggcga gagggccacc    60
atcaactgca agtcagcca gagtgtttta tacagggtcca acaataggaa cttcttagct    120
tggtaccagc agaaaccagg acagcctcct aagctgctca tttactgggc atctaccgg    180
gaatccgggg tccctgaccg attcagtggc agcgggtctg ggacagattt cactctcacc    240
atcagcagcc tgcaggtgca agatgtggca gtttattact gtcaacaata ttatactact    300
ccgtacactt ttggccaggg gaccaagctg gagatcaaa                            339
  
```

<210> SEQ ID NO 96  
 <211> LENGTH: 113  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 96

```

Asp Ile Val Met Thr Gln Ser Pro Asp Ser Leu Ala Val Ser Leu Gly
  1             5             10            15
Glu Arg Ala Thr Ile Asn Cys Lys Ser Ser Gln Ser Val Leu Tyr Arg
      20            25            30
Ser Asn Asn Arg Asn Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln
      35            40            45
Pro Pro Lys Leu Leu Ile Tyr Trp Ala Ser Thr Arg Glu Ser Gly Val
      50            55            60
Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr
      65            70            75            80
Ile Ser Ser Leu Gln Ala Glu Asp Val Ala Val Tyr Tyr Cys Gln Gln
      85            90            95
Tyr Tyr Thr Thr Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile
      100           105           110
Lys
  
```

<210> SEQ ID NO 97  
 <211> LENGTH: 351  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 97

```

caggtgcagc tgggtgcagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc    60
tcctgtgcag tctctggatt caccctcagt agctacgata tgcactgggt ccgccaacct    120
acaggaaaag gtctggagtg ggtctcagct attggttcta ctggtgacac atactatcca    180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt    240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agagggatgg    300
gacgtaccct ttgacttctg gggccaggga accctgggtca ccgtctcctc a            351
  
```

<210> SEQ ID NO 98  
 <211> LENGTH: 117  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 98

Gln Val Gln Leu Val Gln Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Leu Ser Ser Tyr  
 20 25 30  
 Asp Met His Trp Val Arg Gln Pro Thr Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys  
 50 55 60  
 Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu  
 65 70 75 80  
 Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala  
 85 90 95  
 Arg Glu Gly Trp Asp Val Pro Phe Asp Phe Trp Gly Gln Gly Thr Leu  
 100 105 110  
 Val Thr Val Ser Ser  
 115

<210> SEQ ID NO 99  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 99

ggattcaccc tcagtagcta cgat

24

<210> SEQ ID NO 100  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 100

Gly Phe Thr Leu Ser Ser Tyr Asp  
 1 5

<210> SEQ ID NO 101  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 101

attggttcta ctggtgacac a

21

<210> SEQ ID NO 102  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 102

Ile Gly Ser Thr Gly Asp Thr  
 1 5

-continued

<210> SEQ ID NO 103  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 103

gcaagagagg gatgggacgt accctttgac ttc

33

<210> SEQ ID NO 104  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 104

Ala Arg Glu Gly Trp Asp Val Pro Phe Asp Phe  
 1 5 10

<210> SEQ ID NO 105  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 105

gccatccagt tgacccagtc tccatcctcc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggcaagtca ggacattaga aatgatttag gctgggtatca gcagaaacca 120  
 gggaaagccc ctaagctect gatctatgct gcattccagtt tacaaagtgg ggtcccatca 180  
 cggttcagcg gcagtggtac tggcacagat ttactctca ccatcagcag cctgcagcct 240  
 gaagattttg caacttatta ctgtctacaa gattacaatt acccgtaggac gttcggccaa 300  
 gggaccaagg tggagatcaa acga 324

<210> SEQ ID NO 106  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 106

Ala Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Arg Asn Asp  
 20 25 30  
 Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys Leu Gln Asp Tyr Asn Tyr Pro Trp  
 85 90 95  
 Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
 100 105

-continued

---

<210> SEQ ID NO 107  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 107

caggacatta gaaatgat

18

<210> SEQ ID NO 108  
<211> LENGTH: 6  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 108

Gln Asp Ile Arg Asn Asp  
1 5

<210> SEQ ID NO 109  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 109

gctgcatcc

9

<210> SEQ ID NO 110  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 110

Ala Ala Ser  
1

<210> SEQ ID NO 111  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 111

ctacaagatt acaattaccc gtggacg

27

<210> SEQ ID NO 112  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 112

Leu Gln Asp Tyr Asn Tyr Pro Trp Thr  
1 5

<210> SEQ ID NO 113  
<211> LENGTH: 351  
<212> TYPE: DNA

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 113

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc      60
tcctgtgcag tctctggatt caccctcagt agctacgata tgcactgggt ccgccaacct      120
acaggaaaag gtctggagtg ggtctcagct attggttcta ctggtgacac atactatcca      180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt      240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agaggggatg      300
gacgtacctt ttgacttctg gggccaggga accctggtca ccgtctcttc a                351
  
```

<210> SEQ ID NO 114  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 114

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
  1           5           10           15
Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Leu Ser Ser Tyr
      20           25           30
Asp Met His Trp Val Arg Gln Pro Thr Gly Lys Gly Leu Glu Trp Val
      35           40           45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
      50           55           60
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
      65           70           75           80
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
      85           90           95
Arg Glu Gly Trp Asp Val Pro Phe Asp Phe Trp Gly Gln Gly Thr Leu
      100          105          110
Val Thr Val Ser Ser
      115
  
```

<210> SEQ ID NO 115  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 115

```

gccatccaga tgaccagtc tccatcctcc ctgtctgcat ctgtaggaga cagagtcacc      60
atcacttgcc gggcaagtca ggacattaga aatgatttag gctgggtatca gcagaaacca      120
gggaaagccc ctaagctcct gatctatgct gcattccagtt tacaaagtgg ggtcccatca      180
cggttcagcg gcagtggatc tggcacagat ttactcttca ccatcagcag cctgcagcct      240
gaagattttg caacttatta ctgtctacaa gattacaatt acccgtggac gttcggccaa      300
gggaccaagg tggaaatcaa a                321
  
```

<210> SEQ ID NO 116  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence

-continued

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 116

```

Ala Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1         5         10         15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Arg Asn Asp
 20        25        30
Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35        40        45
Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50        55        60
Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65        70        75        80
Glu Asp Phe Ala Thr Tyr Tyr Cys Leu Gln Asp Tyr Asn Tyr Pro Trp
 85        90        95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100       105

```

&lt;210&gt; SEQ ID NO 117

&lt;211&gt; LENGTH: 351

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 117

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctcagt agctacgata tgcactgggt ccgccaagct      120
acaggaaaag gtctggagtg ggtctcagct attggttcta ctggtgacac atactatcca      180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt      240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agagggatgg      300
gacgtaccct ttgacttctg gggccaggga accctgggtca ccgtctcctc a              351

```

&lt;210&gt; SEQ ID NO 118

&lt;211&gt; LENGTH: 117

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 118

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1         5         10        15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
 20        25        30
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
 35        40        45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50        55        60
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
 65        70        75        80
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
 85        90        95
Arg Glu Gly Trp Asp Val Pro Phe Asp Phe Trp Gly Gln Gly Thr Leu
 100       105       110

```



-continued

Val Thr Val Ser Ser  
115

<210> SEQ ID NO 119  
<211> LENGTH: 321  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 119

```
gccatccaga tgacccagtc tccatcctcc ctgtctgcat ctgtaggaga cagagtcacc      60
atcacttgcc gggcaagtca ggacattaga aatgatttag gctggatca gcagaaacca      120
gggaaagccc ctaagctcct gatctatgct gcattccagtt taaaagtgg ggtcccatca      180
aggttcagcg gcagtggatc tggcacagat ttactctca ccatcagcag cctgcagcct      240
gaagattttg caacttatta ctgtctacaa gattacaatt acccgtggac gtcggccaa      300
gggaccaagg tggaaatcaa a                                     321
```

<210> SEQ ID NO 120  
<211> LENGTH: 107  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 120

```
Ala Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
 1         5         10        15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Arg Asn Asp
 20        25        30
Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35        40        45
Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
 50        55        60
Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
 65        70        75        80
Glu Asp Phe Ala Thr Tyr Tyr Cys Leu Gln Asp Tyr Asn Tyr Pro Trp
 85        90        95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100       105
```

<210> SEQ ID NO 121  
<211> LENGTH: 384  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 121

```
cagggtgcagc tgcaggagtc ggggccagga ctggtgaagc ctcgggagac cctgtccctc      60
acctgcactg tctctgggga ctccatcaat acttactact ggagctggtt ccggcagccc      120
ccaggaaggg gactggagtg gattgggtat atctattata gtggaaccac caactacaac      180
ccctccctca agagtcgagt caccatata atagacacgc ccaggaacca gttctccctg      240
aagctgatct ctgtgaccgc agcggacacg gccgtgtatt actgtgcgag agagaggatt      300
actatgattc ggggagttac cctctactat tactcctacg gtatggacgt ctggggccaa      360
gggaccacgg tcaccgtctc ctca                                     384
```

-continued

<210> SEQ ID NO 122  
 <211> LENGTH: 128  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 122

```
Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
  1           5           10          15
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Asn Thr Tyr
  20          25          30
Tyr Trp Ser Trp Phe Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
  35          40          45
Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Asn Tyr Asn Pro Ser Leu Lys
  50          55          60
Ser Arg Val Thr Ile Ser Ile Asp Thr Pro Arg Asn Gln Phe Ser Leu
  65          70          75          80
Lys Leu Ile Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
  85          90          95
Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr Ser
  100         105         110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
  115         120         125
```

<210> SEQ ID NO 123  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 123

ggggactcca tcaatactta ctac

24

<210> SEQ ID NO 124  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 124

```
Gly Asp Ser Ile Asn Thr Tyr Tyr
  1           5
```

<210> SEQ ID NO 125  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 125

atctattata gtggaaccac c

21

<210> SEQ ID NO 126  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 126

Ile Tyr Tyr Ser Gly Thr Thr  
 1 5

&lt;210&gt; SEQ ID NO 127

&lt;211&gt; LENGTH: 66

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 127

gcgagagaga ggattactat gattcgggga gttaccctct actattactc ctacggtatg 60  
 gacgtc 66

&lt;210&gt; SEQ ID NO 128

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 128

Ala Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr  
 1 5 10 15  
 Ser Tyr Gly Met Asp Val  
 20

&lt;210&gt; SEQ ID NO 129

&lt;211&gt; LENGTH: 324

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 129

gacatccaga tgacccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgct gggccagtca ggacattagc agttatttag cctggtatca gcaaaaacca 120  
 gggatagccc ctaagctcct gatctatgct gcataccactt tgcaaagtgg ggtcccatca 180  
 aggttcggcg gcagtggatc tgggacagaa ttcactctca caatcagcag cctgcagcct 240  
 gaagattttg caacttatta ctgtcaacag cttaatatgt accctcggac gttcggccaa 300  
 gggaccaagg tggaaatcaa acga 324

&lt;210&gt; SEQ ID NO 130

&lt;211&gt; LENGTH: 108

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 130

Asp Ile Gln Met Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Asp Ile Ser Ser Tyr  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Ile Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Gly Gly  
 50 55 60

-continued

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg  
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys Arg  
100 105

<210> SEQ ID NO 131  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 131

caggacatta gcagttat

18

<210> SEQ ID NO 132  
<211> LENGTH: 6  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 132

Gln Asp Ile Ser Ser Tyr  
1 5

<210> SEQ ID NO 133  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 133

gctgcatcc

9

<210> SEQ ID NO 134  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 134

Ala Ala Ser  
1

<210> SEQ ID NO 135  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 135

caacagctta atagttaccc tcggacg

27

<210> SEQ ID NO 136  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 136

Gln Gln Leu Asn Ser Tyr Pro Arg Thr  
 1 5

&lt;210&gt; SEQ ID NO 137

&lt;211&gt; LENGTH: 384

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 137

```

caggtgcagc tgcaggagtc ggggccagga ctggtgaagc ctcggagac cctgtccctc   60
acctgcactg tctctgggga ctccatcaat acttactact ggagctggtt ccggcagccc  120
ccaggggaagg gactggagtg gattgggtat atctattata gtggaaccac caactacaac  180
ccctccctca agagtcgagt caccatcatca atagacacgc ccaggaacca gttctccctg  240
aagctgatct ctgtgaccgc agcggacacg gccgtgtatt actgtgagag agagaggatt  300
actatgattc ggggagttac cctctactat tactcctacg gtatggacgt ctggggccaa  360
gggaccacgg tcaccgtctc ctca                                     384

```

&lt;210&gt; SEQ ID NO 138

&lt;211&gt; LENGTH: 128

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 138

```

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1      5      10      15
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Asn Thr Tyr
      20      25      30
Tyr Trp Ser Trp Phe Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
      35      40      45
Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Asn Tyr Asn Pro Ser Leu Lys
      50      55      60
Ser Arg Val Thr Ile Ser Ile Asp Thr Pro Arg Asn Gln Phe Ser Leu
      65      70      75      80
Lys Leu Ile Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
      85      90      95
Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr Ser
      100      105      110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115      120      125

```

&lt;210&gt; SEQ ID NO 139

&lt;211&gt; LENGTH: 321

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 139

```

gacatccaga tgaccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc   60
atcacttgct gggccagtc ggacattagc agttatttag cctgggtatca gcaaaaacca  120
gggatagccc ctaagtcct gatctatgct gcattcactt tgcaaagtgg ggtcccatca  180

```

-continued

---

```

aggttcggcg gcagtggatc tgggacagaa ttcactctca caatcagcag cctgcagcct 240
gaagattttg caacttatta ctgtcaacag cttaatagtt accctcggac gttcggccaa 300
gggaccaagg tggaaatcaa a 321

```

```

<210> SEQ ID NO 140
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 140

```

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1         5         10         15
Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Asp Ile Ser Ser Tyr
        20         25         30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Ile Ala Pro Lys Leu Leu Ile
        35         40         45
Tyr Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Gly Gly
        50         55         60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65         70         75         80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg
        85         90         95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
        100        105

```

```

<210> SEQ ID NO 141
<211> LENGTH: 384
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 141

```

```

cagggtgcagc tgcaggagtc gggcccagga ctggtgaagc cttcggagac cctgtccctc 60
acctgcactg tctctgggga ctccatcaat acttactact ggagctggat ccggcagccc 120
ccaggaaggg gactggagtg gattgggtat atctattata gtggaaccac caactacaac 180
ccctccctca agagtcgagt caccatatca gtagacacgt ccaagaacca gttctccctg 240
aagctgagct ctgtgaccgc tgcggacacg gccgtgtatt actgtgcgag agagaggatt 300
actatgattc ggggagttac cctctactat tactcctacg gtatggacgt ctggggccaa 360
gggaccacgg tcaccgtctc ctca 384

```

```

<210> SEQ ID NO 142
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 142

```

```

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1         5         10         15
Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Asp Ser Ile Asn Thr Tyr
        20         25         30
Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile

```

-continued

---

35	40	45	
Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Asn Tyr Asn Pro Ser Leu Lys			
50	55	60	
Ser Arg Val Thr Ile Ser Val Asp Thr Ser Lys Asn Gln Phe Ser Leu			
65	70	75	80
Lys Leu Ser Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala			
85	90	95	
Arg Glu Arg Ile Thr Met Ile Arg Gly Val Thr Leu Tyr Tyr Tyr Ser			
100	105	110	
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
115	120	125	

<210> SEQ ID NO 143  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 143

gacatccaga tgacccagtc tccatcctcc ctgtctgcat ctgtaggaga cagagtcacc	60
atcacttgcc gggcaagtca ggacattagc agttatttag gctggtatca gcagaaacca	120
gggaaagccc ctaagcgct gatctatgct gcattcagtt tgcaaagtgg ggtcccatca	180
aggttcagcg gcagtggatc tgggacagaa ttactctca caatcagcag cctgcagcct	240
gaagattttg caacttatta ctgtcaacag cttaatatgtt accctcggac gtcggccaa	300
gggaccaagg tggaaatcaa a	321

<210> SEQ ID NO 144  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 144

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly	
1	15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Asp Ile Ser Ser Tyr	
20	30
Leu Gly Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Arg Leu Ile	
35	45
Tyr Ala Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly	
50	60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro	
65	80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ser Tyr Pro Arg	
85	95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys	
100	105

<210> SEQ ID NO 145  
 <211> LENGTH: 378  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 145

-continued

---

```

caggtgcagc tggcgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc    60
tcctgcaagg cttctgggta cacctttacc aactatggta tcagctgggt gcgacaggcc    120
cctggacaag gacttgagtt aatgggatgg attagtgggtt acaatggtaa cacaaactat    180
gcacaagaac tccaggccag agtcaccatg accacagaca catccacgag cacagcctac    240
atggagctga ggaacctgag atctgacgac acggccgtat attactgtgc gagagataga    300
gtcgttgtag cagctgctaa ttactacttt tattctatgg acgtctgggg ccaagggacc    360
acggtcaccg tctcctca                                         378

```

```

<210> SEQ ID NO 146
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 146

```

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
          20             25            30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Leu Met
          35             40            45
Gly Trp Ile Ser Gly Tyr Asn Gly Asn Thr Asn Tyr Ala Gln Glu Leu
          50             55            60
Gln Ala Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
          65             70            75            80
Met Glu Leu Arg Asn Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
          85             90            95
Ala Arg Asp Arg Val Val Val Ala Ala Ala Asn Tyr Tyr Phe Tyr Ser
          100            105           110
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120           125

```

```

<210> SEQ ID NO 147
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 147

```

```

ggttacacct ttaccaacta tgggt

```

24

```

<210> SEQ ID NO 148
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 148

```

```

Gly Tyr Thr Phe Thr Asn Tyr Gly
 1             5

```

```

<210> SEQ ID NO 149
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence

```



-continued

<220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 149

attagtgggtt acaatggtaa caca

24

<210> SEQ ID NO 150  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 150

Ile Ser Gly Tyr Asn Gly Asn Thr  
 1 5

<210> SEQ ID NO 151  
 <211> LENGTH: 57  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 151

gcgagagata gagtcgttgt agcagctgct aattactact tttattctat ggacgctc

57

<210> SEQ ID NO 152  
 <211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 152

Ala Arg Asp Arg Val Val Val Ala Ala Ala Asn Tyr Tyr Phe Tyr Ser  
 1 5 10 15

Met Asp Val

<210> SEQ ID NO 153  
 <211> LENGTH: 339  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 153

gccatccaga tgaccagtc tccactctcc ctgtccgtca cccttgagaca gccggcctcc

60

atctctgtca ggtctagtca aagcctcgta tacagtgatg gagacaccta cttgaattgg

120

tttcagcaga ggccaggcca atctccaagg cgctaattt ataaggtttc taaccgggac

180

tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgctttcac actgaaaatc

240

agcgggggtgg aggccgagga tgttgggggtt tactactgca tgcaagctac acactggcct

300

cggacgttcg gccaaaggac caaggtggaa atcaaacga

339

<210> SEQ ID NO 154  
 <211> LENGTH: 113  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 154

-continued

---

Ala	Ile	Gln	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Ser	Val	Thr	Leu	Gly
1				5					10					15	
Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
		20					25					30			
Asp	Gly	Asp	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
	35					40					45				
Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
	50					55				60					
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Ala	Phe	Thr	Leu	Lys	Ile
65				70					75					80	
Ser	Gly	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Ala
			85					90						95	
Thr	His	Trp	Pro	Arg	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys
		100					105						110		

Arg

<210> SEQ ID NO 155  
<211> LENGTH: 33  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 155

caaagcctcg tatacagtga tggagacacc tac

33

<210> SEQ ID NO 156  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 156

Gln	Ser	Leu	Val	Tyr	Ser	Asp	Gly	Asp	Thr	Tyr
1				5					10	

<210> SEQ ID NO 157  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 157

aaggtttct

9

<210> SEQ ID NO 158  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 158

Lys	Val	Ser
1		

<210> SEQ ID NO 159  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 159

atgcaagcta cacactggcc tcggacg

27

<210> SEQ ID NO 160

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 160

Met Gln Ala Thr His Trp Pro Arg Thr

1

5

<210> SEQ ID NO 161

<211> LENGTH: 378

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 161

cagggttcagc tgggtcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc 60

tcttgcaagg cttctgggta cacctttacc aactatggta tcagctgggt gcgacaggcc 120

cctggacaag gacttgagtt aatgggatgg attagtgggt acaatggtaa cacaaactat 180

gcacaagaac tccagccag agtcaccatg accacagaca catccacgag cacagcctac 240

atggagctga ggaacctgag atctgacgac acggccgtat attactgtgc gagagataga 300

gtcgtttag cagctgctaa ttactacttt tattctatgg acgtctgggg ccaagggacc 360

acggtcaccg tctcctca 378

<210> SEQ ID NO 162

<211> LENGTH: 126

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 162

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala

1

5

10

15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr

20

25

30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Leu Met

35

40

45

Gly Trp Ile Ser Gly Tyr Asn Gly Asn Thr Asn Tyr Ala Gln Glu Leu

50

55

60

Gln Ala Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr

65

70

75

80

Met Glu Leu Arg Asn Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys

85

90

95

Ala Arg Asp Arg Val Val Val Ala Ala Ala Asn Tyr Tyr Phe Tyr Ser

100

105

110

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser

115

120

125

<210> SEQ ID NO 163

-continued

<211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 163

```

gatgttgatga tgactcagtc tccactctcc ctgtccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gagacaccta cttgaattgg      120
tttcagcaga ggccaggcca atctccaagg cgcctaattt ataaggtttc taaccgggac      180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgctttcac actgaaaatc      240
agcgggggtgg aggccgagga tggtggggtt tactactgca tgcaagctac aactcggcct      300
cggacgttcg gccaaaggga caagtgga atcaaa      336
  
```

<210> SEQ ID NO 164  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 164

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Ser Val Thr Leu Gly
  1              5              10              15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
      20              25              30
Asp Gly Asp Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
      35              40              45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
      50              55              60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Lys Ile
      65              70              75              80
Ser Gly Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
      85              90              95
Thr His Trp Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
      100             105             110
  
```

<210> SEQ ID NO 165  
 <211> LENGTH: 378  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 165

```

caggttcagc tggatcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctgggta cacctttacc aactatggta tcagctgggt gcgacaggcc      120
cctggacaag ggcttgatg gatgggatgg attagtgggt acaatggtaa cacaaactat      180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac      240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagagataga      300
gtcgttgtag cagctgctaa ttactacttt tattctatgg acgtctgggg ccaagggacc      360
acggtcaccg tctcctca      378
  
```

<210> SEQ ID NO 166  
 <211> LENGTH: 126  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 166

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1             5             10             15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
          20             25             30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
          35             40             45
Gly Trp Ile Ser Gly Tyr Asn Gly Asn Thr Asn Tyr Ala Gln Lys Leu
          50             55             60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
          65             70             75             80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Arg Asp Arg Val Val Val Ala Ala Ala Asn Tyr Tyr Phe Tyr Ser
          100            105            110
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120            125

```

<210> SEQ ID NO 167  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 167

```

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaaca gccggcctcc      60
atctcctgca ggtctagtc aagcctcgta tacagtgatg gagacaccta cttgaattgg      120
tttcagcaga ggccaggcca atctccaagg cgcctaattt ataaggtttc taaccgggac      180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc      240
agcaggggtgg aggctgagga tgttgggggtt tattactgca tgcaagctac aactggcct      300
cggacgttcg gccaaaggac caaggtggaa atcaaa      336

```

<210> SEQ ID NO 168  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 168

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1             5             10             15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
          20             25             30
Asp Gly Asp Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
          35             40             45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
          65             70             75             80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
          85             90             95

```

-continued

Thr His Trp Pro Arg Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 169

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 169

cagggtccact tgaaggagtc tggctcctacg ctggtgaaac ccacacagac cctcacgctg 60  
 acctgcacct tctctggatt ctcactcatc actagtggag tgggtgtggg ctggattcgt 120  
 cagccccccg gaaaggccct ggagtggctt gcaactcattt attggaatgg tgataagcgc 180  
 tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccagggtg 240  
 gtccttacaa tgaccaacat ggacctgtg gacacagcca catattactg tgcacacagg 300  
 ataactgaaa ctagttacta cttctactac ggtatggacg tctggggcca agggaccacg 360  
 gtcaccgtct cctca 375

<210> SEQ ID NO 170

<211> LENGTH: 125

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 170

Gln Val His Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln  
 1 5 10 15  
 Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ile Thr Ser  
 20 25 30  
 Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu  
 35 40 45  
 Trp Leu Ala Leu Ile Tyr Trp Asn Gly Asp Lys Arg Tyr Ser Pro Ser  
 50 55 60  
 Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val  
 65 70 75 80  
 Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr  
 85 90 95  
 Cys Ala His Arg Ile Thr Glu Thr Ser Tyr Tyr Phe Tyr Tyr Gly Met  
 100 105 110  
 Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 171

<211> LENGTH: 30

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 171

ggattctcac tcatcactag tggagtgggt 30

<210> SEQ ID NO 172

<211> LENGTH: 10

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 172

Gly Phe Ser Leu Ile Thr Ser Gly Val Gly  
 1 5 10

<210> SEQ ID NO 173  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 173

atttattgga atggtgataa g 21

<210> SEQ ID NO 174  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 174

Ile Tyr Trp Asn Gly Asp Lys  
 1 5

<210> SEQ ID NO 175  
 <211> LENGTH: 51  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 175

gcacacagga taactgaaac tagttactac ttctactacg gtagggacgt c 51

<210> SEQ ID NO 176  
 <211> LENGTH: 17  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 176

Ala His Arg Ile Thr Glu Thr Ser Tyr Tyr Phe Tyr Tyr Gly Met Asp  
 1 5 10 15

Val

<210> SEQ ID NO 177  
 <211> LENGTH: 339  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 177

gacatccaga tgacccagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60

atctctctgca ggtctagtca gagcctctcg catagtcacg gatacgacta tttggattgg 120

tacctgcaga agccagggca gtctccacag ctctgatctc atttgggttc taatcgggcc 180

tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240

agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactccg 300

-continued

ctcacttttcg gcggaggagac caaggtggaa atcaaacga

339

<210> SEQ ID NO 178  
<211> LENGTH: 113  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 178

Asp Ile Gln Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
1 5 10 15  
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
20 25 30  
His Gly Tyr Asp Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
35 40 45  
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
50 55 60  
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
65 70 75 80  
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
85 90 95  
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
100 105 110

Arg

<210> SEQ ID NO 179  
<211> LENGTH: 33  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 179

cagagcctcc tgcatagtca tggatacgac tat

33

<210> SEQ ID NO 180  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 180

Gln Ser Leu Leu His Ser His Gly Tyr Asp Tyr  
1 5 10

<210> SEQ ID NO 181  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 181

ttgggttct

9

<210> SEQ ID NO 182  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:



-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 182

Leu Gly Ser  
1

<210> SEQ ID NO 183

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 183

atgcaagctc tacaaactcc gctcact

27

<210> SEQ ID NO 184

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 184

Met Gln Ala Leu Gln Thr Pro Leu Thr  
1 5

<210> SEQ ID NO 185

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 185

cagatcacct tgaaggagtc tggctcctacg ctggtgaaac ccacacagac cctcacgctg 60

acctgcacct tctctggatt ctcactcatc actagtggag tgggtgtggg ctggattcgt 120

cagccccccg gaaaggccct ggagtggctt gcactcattt attggaatgg tgataagcgc 180

tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccaggtg 240

gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacagg 300

ataactgaaa ctagttacta cttctactac ggtatggacg tctggggcca agggaccacg 360

gtcacctgtc cctca 375

<210> SEQ ID NO 186

<211> LENGTH: 125

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 186

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln  
1 5 10 15

Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ile Thr Ser  
20 25 30

Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu  
35 40 45

Trp Leu Ala Leu Ile Tyr Trp Asn Gly Asp Lys Arg Tyr Ser Pro Ser  
50 55 60

Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val

-continued

---

65	70	75	80	
Val Leu Thr Met	Thr Asn Met Asp Pro	Val Asp Thr Ala Thr	Tyr Tyr	
	85	90	95	
Cys Ala His Arg	Ile Thr Glu Thr Ser Tyr	Tyr Phe Tyr Tyr	Gly Met	
	100	105	110	
Asp Val Trp Gly	Gln Gly Thr Thr Val Thr	Val Ser Ser		
	115	120	125	

<210> SEQ ID NO 187  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 187

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc	60
atctctctgca ggtctagtca gagcctctctg catagtcatg gatacgacta tttggattgg	120
tacctgcaga agccagggca gtctccacag ctctctgatct atttgggttc taatcgggcc	180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtgg aggctgagga tgttgggggtt tattactgca tgcaagctct acaaaactccg	300
ctcactttcg gcggagggac caaggtggag atcaaa	336

<210> SEQ ID NO 188  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 188

Asp Ile Val Met	Thr Gln Ser Pro Leu Ser Leu	Pro Val Thr Pro Gly
1	5	10 15
Glu Pro Ala Ser	Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser	
	20	25 30
His Gly Tyr Asp	Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser	
	35	40 45
Pro Gln Leu Leu	Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro	
	50	55 60
Asp Arg Phe Ser	Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile	
65	70	75 80
Ser Arg Val Glu	Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala	
	85	90 95
Leu Gln Thr Pro	Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys	
	100	105 110

<210> SEQ ID NO 189  
 <211> LENGTH: 375  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 189

cagatcacct tgaaggagtc tggctcctacg ctgggtgaaac ccacacagac cctcacgctg	60
acctgcacct tctctggatt ctcaactcatc actagtggag tgggtgtggg ctggatccgt	120
cagccccag gaaagggcct ggagtggctt gcaactcattt attggaatgg tgataagcgc	180

-continued

---

```

tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccaggtg 240
gtccttaciaa tgaccaacat ggacctgtg gacacagcca catattactg tgcacacagg 300
ataactgaaa ctagtacta cttctactac ggtatggacg tctggggcca agggaccacg 360
gtcaccgtct cctca 375

```

```

<210> SEQ ID NO 190
<211> LENGTH: 125
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 190

```

```

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln
 1             5             10             15
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ile Thr Ser
                20             25             30
Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu
                35             40             45
Trp Leu Ala Leu Ile Tyr Trp Asn Gly Asp Lys Arg Tyr Ser Pro Ser
 50             55             60
Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val
 65             70             75             80
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr
                85             90             95
Cys Ala His Arg Ile Thr Glu Thr Ser Tyr Tyr Phe Tyr Tyr Gly Met
                100            105            110
Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115            120            125

```

```

<210> SEQ ID NO 191
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 191

```

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60
atctcctgca ggtctagtca gagcctcctg catagtcatg gatacgacta tttggattgg 120
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactcc 300
ctcactttcg gcggagggac caaggtggag atcaaa 336

```

```

<210> SEQ ID NO 192
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 192

```

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10             15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser

```

-continued

---

20	25	30
His Gly Tyr Asp Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser		
35	40	45
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro		
50	55	60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile		
65	70	75
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala		
85	90	95
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys		
100	105	110

<210> SEQ ID NO 193  
 <211> LENGTH: 375  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 193

cagatcacct tgaaggagtc tggctcctact ctggtgaaac cctcacagac cctcacgctg	60
acctgcacct tctctgggtt ctcaactcagc actagtggag tgggtgtggg ctggatccgt	120
cagccccag gaaagccct ggagtggctt gcactcattt attggaattc tgataagcgc	180
tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccaggta	240
gtccttaca tgaccaacat ggacctgtg gacacagcca catattactg tgcacacaga	300
catgacagct cgtcctacta cttctactac ggtatggacg tctggggcca agggatcacg	360
gtcacgtct cctca	375

<210> SEQ ID NO 194  
 <211> LENGTH: 125  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 194

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Ser Gln	
1	5
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser	
20	25
Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu	
35	40
Trp Leu Ala Leu Ile Tyr Trp Asn Ser Asp Lys Arg Tyr Ser Pro Ser	
50	55
Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val	
65	70
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr	
85	90
Cys Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met	
100	105
Asp Val Trp Gly Gln Gly Ile Thr Val Thr Val Ser Ser	
115	120

<210> SEQ ID NO 195  
 <211> LENGTH: 30  
 <212> TYPE: DNA

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 195

gggttctcac tcagcactag tggagtgggt

30

<210> SEQ ID NO 196  
 <211> LENGTH: 10  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 196

Gly Phe Ser Leu Ser Thr Ser Gly Val Gly  
 1 5 10

<210> SEQ ID NO 197  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 197

atttattgga attctgataa g

21

<210> SEQ ID NO 198  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 198

Ile Tyr Trp Asn Ser Asp Lys  
 1 5

<210> SEQ ID NO 199  
 <211> LENGTH: 51  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 199

gcacacagac atgacagctc gtcctactac ttctactacg gtatggacgt c

51

<210> SEQ ID NO 200  
 <211> LENGTH: 17  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 200

Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met Asp  
 1 5 10 15

Val

<210> SEQ ID NO 201  
 <211> LENGTH: 339  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 201

gacatccaga tgacccagtc tccgctctcc ctgcccgta cccctggaga gccggcctcc	60
atctcctgca ggtctagtca gagcctctc catagtcatg gatacaacta ttggattgg	120
tacctgcaga agccagggca gtctccacaa ctctgatct atttgggttc taatcgggcc	180
tccgggggtcc ctgacaggtt cagtggcggt ggatcaggca cagattttac actgaaaatc	240
agcagagtgg aggtcgagga tgttgggatt tattactgca tgcaagctct acagactcct	300
ctcactttcg gcggagggaac caagtgagg atcaaacga	339

<210> SEQ ID NO 202

<211> LENGTH: 113

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 202

Asp Ile Gln Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly	
1 5 10 15	
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser	
20 25 30	
His Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser	
35 40 45	
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro	
50 55 60	
Asp Arg Phe Ser Gly Gly Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile	
65 70 75 80	
Ser Arg Val Glu Ala Glu Asp Val Gly Ile Tyr Tyr Cys Met Gln Ala	
85 90 95	
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys	
100 105 110	

Arg

<210> SEQ ID NO 203

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 203

cagagcctcc tccatagtca tggatacaac tat	33
--------------------------------------	----

<210> SEQ ID NO 204

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 204

Gln Ser Leu Leu His Ser His Gly Tyr Asn Tyr
1 5 10

<210> SEQ ID NO 205

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

-continued

<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 205

ttgggttct

9

<210> SEQ ID NO 206  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 206

Leu Gly Ser

1

<210> SEQ ID NO 207  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 207

atgcaagctc tacagactcc tctcact

27

<210> SEQ ID NO 208  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 208

Met Gln Ala Leu Gln Thr Pro Leu Thr

1

5

<210> SEQ ID NO 209  
<211> LENGTH: 375  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 209

cagatcacct tgaaggagtc tggctcact ctggtgaaac cctcacagac cctcacgctg 60

acctgcacct tctctgggtt ctactcagc actagtggag tgggtgtggg ctggatccgt 120

cagcccccag gaaaggccct ggagtggctt gactcattt attggaattc tgataagcgc 180

tacagcccat ctctgaagag caggctcacc atcaccaagg acacctcaa aaaccaggta 240

gtccttacia tgaccaacat ggacctgtg gacacagcca catattactg tgcacacaga 300

catgacagct cgtcctacta cttctactac ggtatggacg tctggggcca agggaccacg 360

gtcaccgtct cctca

375

<210> SEQ ID NO 210  
<211> LENGTH: 125  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 210

-continued

---

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Ser Gln  
 1 5 10 15  
 Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser  
 20 25 30  
 Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu  
 35 40 45  
 Trp Leu Ala Leu Ile Tyr Trp Asn Ser Asp Lys Arg Tyr Ser Pro Ser  
 50 55 60  
 Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val  
 65 70 75 80  
 Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr  
 85 90 95  
 Cys Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met  
 100 105 110  
 Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 211  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 211

gatattgtga tgactcagtc tccgtctctc ctgcccgtca cccctggaga gccggcctcc 60  
 atctcctgca ggtctagtca gagcctctc catagtcatg gatacaacta tttggattgg 120  
 tacctgcaga agccagggca gtctccacaa ctctgatct atttgggttc taatcggggc 180  
 tccgggggtc ctgacaggtt cagtggcggt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttgggatt tattactgca tgcaagctct acagactcct 300  
 ctcactttcg gcggagggaac caaggtggag atcaaa 336

<210> SEQ ID NO 212  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 212

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30  
 His Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Gly Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Ile Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 213



-continued

<211> LENGTH: 375  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 213

```

cagatcacct tgaaggagtc tggctcctacg ctggtgaaac ccacacagac cctcacgctg      60
acctgcacct tctctggggt ctcactcagc actagtggag tgggtgtggg ctggatccgt      120
cagcccccag gaaaggccct ggagtggctt gcactcattt attggaattc tgataagcgc      180
tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccagggtg      240
gtccttataa tgaccaacat ggacctgtg gacacagcca catattactg tgcacacaga      300
catgacagct cgtcctacta cttctactac ggtatggacg tctggggcca agggaccacg      360
gtcacctgtc cctca                                           375

```

<210> SEQ ID NO 214  
 <211> LENGTH: 125  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 214

```

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln
 1           5           10          15
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Thr Ser
          20          25          30
Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu
          35          40          45
Trp Leu Ala Leu Ile Tyr Trp Asn Ser Asp Lys Arg Tyr Ser Pro Ser
          50          55          60
Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val
65          70          75          80
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr
          85          90          95
Cys Ala His Arg His Asp Ser Ser Ser Tyr Tyr Phe Tyr Tyr Gly Met
          100         105         110
Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115         120         125

```

<210> SEQ ID NO 215  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 215

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccttgaga gccggcctcc      60
atctcctgca ggtctagtca gagcctctcc catagtcatg gatacaacta tttggattgg      120
tacctgcaga agccagggca gtctccacag ctctgatctc atttgggttc taatcggggc      180
tccgggggtc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc      240
agcagagtgg aggctgagga tgttggggtt tattactgca tgcaagctct acagactcct      300
ctcactttcg gcggagggac caaggtggag atcaaa                                           336

```

-continued

<210> SEQ ID NO 216  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 216

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10             15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
      20             25             30

His Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
      35             40             45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
      50             55             60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
      65             70             75             80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
      85             90             95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
      100            105            110

```

<210> SEQ ID NO 217  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 217

```

gagatgcaac tgggtggagtc tggggggaggc ttggtccagc ctgggggggtc cctgagactc      60
tcctgtgcag cctctggatt cacctttagt agtcactgga tgaagtgggt ccgccaggct      120
ccaggaaggg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaatactat      180
gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgttt      240
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatatt      300
gtactaatgg tctatgatat ggactactac tactacggta tggacgtctg gggccaaggg      360
accacgggtca ccgtctctc a                                     381

```

<210> SEQ ID NO 218  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 218

```

Glu Met Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser His
      20             25             30

Trp Met Lys Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35             40             45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val
      50             55             60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Phe
      65             70             75             80

```

-continued

---

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

Ala Arg Asp Ile Val Leu Met Val Tyr Asp Met Asp Tyr Tyr Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 219  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 219

ggattcacct ttagtagtca ctgg

24

<210> SEQ ID NO 220  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 220

Gly Phe Thr Phe Ser Ser His Trp  
1 5

<210> SEQ ID NO 221  
<211> LENGTH: 24  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 221

ataaaccaag atggaagtga gaaa

24

<210> SEQ ID NO 222  
<211> LENGTH: 8  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 222

Ile Asn Gln Asp Gly Ser Glu Lys  
1 5

<210> SEQ ID NO 223  
<211> LENGTH: 60  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 223

gcgagagata ttgtactaat ggtctatgat atggactact actactacgg tatggacgtc

60

<210> SEQ ID NO 224  
<211> LENGTH: 20  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

-continued

---

<400> SEQUENCE: 224

Ala Arg Asp Ile Val Leu Met Val Tyr Asp Met Asp Tyr Tyr Tyr Tyr  
 1 5 10 15

Gly Met Asp Val  
 20

<210> SEQ ID NO 225

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 225

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
 atctcctgca ggtctagtca gagcctctcg catagtaatg gaaacaacta tttggattgg 120  
 tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180  
 tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttgggggt tattactgca tgcaaactct acaaaactccg 300  
 ctcactttcg gcggaggggac caaggtggag atcaaa 336

<210> SEQ ID NO 226

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 226

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30

Asn Gly Asn Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Thr  
 85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 227

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 227

cagagcctcc tgcataagtaa tggaacaac tat

33

<210> SEQ ID NO 228

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 228

Gln Ser Leu Leu His Ser Asn Gly Asn Asn Tyr  
 1 5 10

&lt;210&gt; SEQ ID NO 229

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 229

ttgggttct

9

&lt;210&gt; SEQ ID NO 230

&lt;211&gt; LENGTH: 3

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 230

Leu Gly Ser  
 1

&lt;210&gt; SEQ ID NO 231

&lt;211&gt; LENGTH: 27

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 231

atgcaaacctc tacaaactcc gctcact

27

&lt;210&gt; SEQ ID NO 232

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 232

Met Gln Thr Leu Gln Thr Pro Leu Thr  
 1 5

&lt;210&gt; SEQ ID NO 233

&lt;211&gt; LENGTH: 381

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 233

gaggtgcagc tgggtggagtc tgggggaggc ttggtccagc ctgggggggc cctgagactc 60

tctgtgtgcag cctctggatt cacctttagt agtcactgga tgaagtgggt ccgccagget 120

ccaggaaggg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaatactat 180

gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtttt 240

ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatatt 300

gtactaatgg tctatgatat ggactactac tactacggta tggacgtctg gggccaaggg 360

-continued

accacgggtca ccgtctctctc a

381

<210> SEQ ID NO 234  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 234

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser His  
 20 25 30  
 Trp Met Lys Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Phe  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Asp Ile Val Leu Met Val Tyr Asp Met Asp Tyr Tyr Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 235  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 235

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
 atctcctgca ggtctagtc gagcctctctg catagtaatg gaaacaacta tttggattgg 120  
 tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180  
 tccgggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttgggggtt tattactgca tgcaaactct acaaaactccg 300  
 ctcacttttcg gcggagggac caaggtggag atcaaa 336

<210> SEQ ID NO 236  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 236

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30  
 Asn Gly Asn Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
 50 55 60

-continued

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Thr  
85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
100 105 110

<210> SEQ ID NO 237

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 237

gaggtgcagc tgggtggagtc tgggggaggc ttggtccagc ctgggggggc cctgagactc 60  
tctgtgtcag cctctggatt cacctttagt agtcactgga tgagctgggt ccgccagget 120  
ccaggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaatactat 180  
gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat 240  
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatatt 300  
gtactaatgg tctatgatat ggactactac tactacggta tggacgtctg ggggcaaggg 360  
accacgggtca ccgtctcttc a 381

<210> SEQ ID NO 238

<211> LENGTH: 127

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 238

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser His  
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val  
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

Ala Arg Asp Ile Val Leu Met Val Tyr Asp Met Asp Tyr Tyr Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 239

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 239

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccttgaga gccggcctcc 60

-continued

---

```

atctcctgca ggtctagtca gagectcctg catagtaatg gaaacaacta tttggattgg 120
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaaactct acaaactccg 300
ctcactttcg gcggaggggac caaggtggag atcaaa 336

```

```

<210> SEQ ID NO 240
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 240

```

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10            15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
      20             25            30
Asn Gly Asn Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
      35             40            45
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
      50             55            60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
      65             70            75            80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Thr
      85             90            95
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
      100            105           110

```

```

<210> SEQ ID NO 241
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 241

```

```

caggtgcagc tgggtggagtc tggggggaggc gtggtccagc ctgggaggtc cctgagactc 60
tcctgtgcag tctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat 180
gtagactccg tgaagggccg attcaccatc tccagagaca attccaagaa aacgctgtat 240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt 300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg gggccaaggg 360
accacgggtca ccgtctctc a 381

```

```

<210> SEQ ID NO 242
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 242

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1             5             10            15

```



-continued

---

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr  
                   20                  25                  30

Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                  40                  45

Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val  
                   50                  55                  60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr  
                   65                  70                  75                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys  
                   85                  90                  95

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
                   100                  105                  110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
                   115                  120                  125

<210> SEQ ID NO 243  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 243

ggattcacct tcagtagcta tggc

24

<210> SEQ ID NO 244  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 244

Gly Phe Thr Phe Ser Ser Tyr Gly  
   1                  5

<210> SEQ ID NO 245  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 245

atatcatatg atggaagtaa taaa

24

<210> SEQ ID NO 246  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 246

Ile Ser Tyr Asp Gly Ser Asn Lys  
   1                  5

<210> SEQ ID NO 247  
 <211> LENGTH: 60  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

---

<400> SEQUENCE: 247

gcgaaaaata ttgtactagt gatgtatgat atagactatc actactatgg gatggacgtc 60

<210> SEQ ID NO 248

<211> LENGTH: 20

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 248

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
 1 5 10 15

Gly Met Asp Val  
 20

<210> SEQ ID NO 249

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 249

gatattgtga tgactcagtc tccactctcc ctgcccgtea cccctggaga gccggcctcc 60

atctctctgca ggtctagtca gagcctctcg catagtaatg gatacaacta tttggattgg 120

tacctgcaga agccagggca gtctccacaa ctctgatctc atttgggttt taatcggggc 180

tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240

agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaatcct 300

ctcactttcg gcggaggggac caaggtggag atcaga 336

<210> SEQ ID NO 250

<211> LENGTH: 112

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 250

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Arg  
 100 105 110

<210> SEQ ID NO 251

<211> LENGTH: 33

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 251

cagagcctcc tgcataagtaa tggatacaac tat

33

<210> SEQ ID NO 252

<211> LENGTH: 11

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 252

Gln Ser Leu Leu His Ser Asn Gly Tyr Asn Tyr  
1 5 10

<210> SEQ ID NO 253

<211> LENGTH: 9

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 253

ttgggtttt

9

<210> SEQ ID NO 254

<211> LENGTH: 3

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 254

Leu Gly Phe  
1

<210> SEQ ID NO 255

<211> LENGTH: 27

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 255

atgcaagctc tacaaactcc tctcact

27

<210> SEQ ID NO 256

<211> LENGTH: 9

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 256

Met Gln Ala Leu Gln Thr Pro Leu Thr  
1 5

<210> SEQ ID NO 257

<211> LENGTH: 381

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 257

-continued

---

```

caggtgcagc tgggtggagtc tggggggaggc gtggtccagc ctgggaggtc cctgagactc    60
tcctgtgcag tctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct    120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat    180
gtagactccg tgaagggccg attcaccatc tccagagaca attccaagaa aacgctgtat    240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt    300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg gggccaaggg    360
accacgggtca ccgtctcctc a                                              381

```

```

<210> SEQ ID NO 258
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 258

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr
          20             25             30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35             40             45
Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val
          50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr
          65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys
          85             90             95
Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
          100            105            110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120            125

```

```

<210> SEQ ID NO 259
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 259

```

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc    60
atctcctgca ggtctagtca gagcctcctg catagtaatg gatacaacta tttggattgg    120
tacctgcaga agccagggca gtctccacaa ctctgatctc atttgggttt taatcggggc    180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc    240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactcct    300
ctcactttcg gcggaggggac caaggtggag atcaaaa                                336

```

```

<210> SEQ ID NO 260
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 260

```

-continued

---

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30  
 Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105 110

&lt;210&gt; SEQ ID NO 261

&lt;211&gt; LENGTH: 381

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 261

```

cagggtgcagc tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc      60
tctctgtcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct      120
ccaggcaagg ggctggagtg ggtggcagtt atatcatatg atggaagtaa taaatactat      180
gcagactccg tgaagggccg attcaccatc tccagagaca attccaagaa cagcgtgtat      240
ctgcaaatga acagcctgag agctgaggac acggctgtgt attactgtgc gaaaaatatt      300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg ggggcaaggg      360
accacggtca ccgtctcctc a                                     381
  
```

&lt;210&gt; SEQ ID NO 262

&lt;211&gt; LENGTH: 127

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 262

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

-continued

<210> SEQ ID NO 263  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 263

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc      60
atctcctgca ggtctagtca gagcctcctg catagtaatg gatacaacta tttggattgg      120
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttt taatcggggc      180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc      240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactct      300
ctcactttcg gcggaggggac caaggtggag atcaaaa                                336
  
```

<210> SEQ ID NO 264  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 264

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10            15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser
          20            25            30
Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
          35            40            45
Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro
          50            55            60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65             70             75            80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
          85            90            95
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100           105           110
  
```

<210> SEQ ID NO 265  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 265

```

cagggtgcagc tgggtggagtc tggggggaggc gtgggtccagc ctgggaggtc cctgagactc      60
tcctgtgcag tctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct      120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat      180
gtagactccg tgaagggccg attcaccatc tccagagaca attccaagaa aacgctgtat      240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt      300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg gggccaaggg      360
accacgggtca ccgtctcttc a                                     381
  
```

-continued

---

<210> SEQ ID NO 266  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 266

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys  
 85 90 95  
 Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
 100 105 110  
 Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 267  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 267

ggattcacct tcagtagcta tggc

24

<210> SEQ ID NO 268  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 268

Gly Phe Thr Phe Ser Ser Tyr Gly  
 1 5

<210> SEQ ID NO 269  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 269

atatcatatg atggaagtaa taaa

24

<210> SEQ ID NO 270  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 270

-continued

Ile Ser Tyr Asp Gly Ser Asn Lys  
1 5

<210> SEQ ID NO 271  
<211> LENGTH: 60  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 271

gcgaaaaata ttgtactagt gatgtatgat atagactatc actactatgg gatggacgtc 60

<210> SEQ ID NO 272  
<211> LENGTH: 20  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 272

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
1 5 10 15

Gly Met Asp Val  
20

<210> SEQ ID NO 273  
<211> LENGTH: 336  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 273

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
atctcctgca ggtctagtca gagcctctcg catagtaatg gatacaacta tttggattgg 120  
tacctgcaga agccagggca gtctccacaa ctctgatct atttgggttt taatcgggcc 180  
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactcct 300  
ctcactttcg gcggaggggac caaggtggag atcaga 336

<210> SEQ ID NO 274  
<211> LENGTH: 112  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 274

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
65 70 75 80



-continued

---

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Arg  
100 105 110

<210> SEQ ID NO 275  
<211> LENGTH: 33  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 275

cagagcctcc tgcataagtaa tggatacaac tat

33

<210> SEQ ID NO 276  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 276

Gln Ser Leu Leu His Ser Asn Gly Tyr Asn Tyr  
1 5 10

<210> SEQ ID NO 277  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 277

ttgggtttt

9

<210> SEQ ID NO 278  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 278

Leu Gly Phe  
1

<210> SEQ ID NO 279  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 279

atgcaagctc tacaaactcc tctcact

27

<210> SEQ ID NO 280  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 280

Met Gln Ala Leu Gln Thr Pro Leu Thr

-continued

---

```

1          5

<210> SEQ ID NO 281
<211> LENGTH: 381
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 281

cagggtgcagc tgggtggagtc tggggggaggc gtggtccagc ctgggaggtc cctgagactc   60
tcctgtgcag tctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct   120
ccaggcaagg ggctggagtg ggtggcagct atatcatatg atggaagtaa taaatactat   180
gtagactccg tgaagggccg attcaccatc tccagagaca attccaagaa aacgctgtat   240
ctgcaaatga acagcctgag agctgaggac acggctgtgt ataattgtgc gaaaaatatt   300
gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg gggccaaggg   360
accacgggtca ccgtctcctc a                                           381

```

```

<210> SEQ ID NO 282
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 282

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 1          5          10          15
Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Ser Ser Tyr
          20          25          30
Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35          40          45
Ala Ala Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Val Asp Ser Val
          50          55          60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Lys Thr Leu Tyr
          65          70          75          80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Asn Cys
          85          90          95
Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr
          100          105          110
Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115          120          125

```

```

<210> SEQ ID NO 283
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 283

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc   60
atctctctgca ggtctagtca gagcctctctg catagtaatg gatacaacta tttggattgg   120
tacctgcaga agccagggca gtctccacaa ctctctgatct atttgggttt taatcggggc   180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc   240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactcct   300

```

-continued

ctcactttcg gcggaggagac caaggtggag atcaaa

336

<210> SEQ ID NO 284  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 284

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
 20 25 30  
 Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 285  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 285

caaggtgcagc tgggtggagtc tgggggaggc gtggtccagc ctgggaggtc cctgagactc 60  
 tctgtgtcag cctctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120  
 ccaggcaagg ggctggagtg ggtggcagtt atatcatatg atggaagtaa taaatactat 180  
 gcagactccg tgaagggccg attcaccatc tccagagaca attccaagaa cagcgtgtat 240  
 ctgcaaatga acagcctgag agctgaggac acggctgtgt attactgtgc gaaaaatatt 300  
 gtactagtga tgtatgatat agactatcac tactatggga tggacgtctg ggggcaaggg 360  
 accacgggtca cgtctcctc a 381

<210> SEQ ID NO 286  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 286

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30  
 Gly Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ala Val Ile Ser Tyr Asp Gly Ser Asn Lys Tyr Tyr Ala Asp Ser Val  
 50 55 60

-continued

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

Ala Lys Asn Ile Val Leu Val Met Tyr Asp Ile Asp Tyr His Tyr Tyr  
100 105 110

Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
115 120 125

<210> SEQ ID NO 287

<211> LENGTH: 336

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 287

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
atctctctgca ggtctagtca gagcctctcg catagtaatg gatacaacta tttggattgg 120  
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttt taatcggggc 180  
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct acaaaactct 300  
ctcactttcg gcggaggggac caaggtggag atcaaa 336

<210> SEQ ID NO 288

<211> LENGTH: 112

<212> TYPE: PRP

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 288

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ser  
20 25 30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
85 90 95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
100 105 110

<210> SEQ ID NO 289

<211> LENGTH: 372

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 289

cagatcacct tgaaggagtc tggctctacg ctggtataaac ccacacagac cctcacgctg 60

acctgcacct tctctggggt ctcactcagc gctagtggag tgggtgtggg ctggttcggt 120

-continued

---

```

cagccccag gaaagccct ggagtggctt gcactcattt attggaatga tgataagcgt 180
tacagcccat ctctaaagaa cagcctcacc atcaccaagg acacctccaa aaaccaggtg 240
gtccttacaa tgaccaacat ggaccctgtg gacacagcca catattactg tgcacacaga 300
atacatctat ggtcctactt ctactacggt atggacgtct ggggccaaagg gaccacggtc 360
accgtctcct ca 372

```

```

<210> SEQ ID NO 290
<211> LENGTH: 124
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 290

```

```

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln
 1             5             10             15
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser
      20             25             30
Gly Val Gly Val Gly Trp Phe Arg Gln Pro Pro Gly Lys Ala Leu Glu
      35             40             45
Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser
      50             55             60
Leu Lys Asn Ser Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val
      65             70             75             80
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr
      85             90             95
Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp
      100            105            110
Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115            120

```

```

<210> SEQ ID NO 291
<211> LENGTH: 30
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 291

```

```

gggttctcac tcagcgctag tggagtgggt 30

```

```

<210> SEQ ID NO 292
<211> LENGTH: 10
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 292

```

```

Gly Phe Ser Leu Ser Ala Ser Gly Val Gly
 1             5             10

```

```

<210> SEQ ID NO 293
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 293

```

-continued

atttattgga atgatgataa g

21

<210> SEQ ID NO 294  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 294

Ile Tyr Trp Asn Asp Asp Lys  
 1 5

<210> SEQ ID NO 295  
 <211> LENGTH: 48  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 295

gcacacagaa tacatctatg gtcctacttc tactacggta tggacgtc

48

<210> SEQ ID NO 296  
 <211> LENGTH: 16  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 296

Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp Val  
 1 5 10 15

<210> SEQ ID NO 297  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 297

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60

atctcctgca ggtctagtca gactctctcg catagtaatg gatacaacta ttctgattgg 120

tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180

tccgggggtcc ctgacagatt cagtggcagt ggatcaggca cagattttac actgaaaatc 240

agcagagtgg aggctgagga tggttgaatt tattactgca tgcaagctct aaaaactcct 300

ctcactttcg gcggaggggac caaggtggag atcaga 336

<210> SEQ ID NO 298  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <400> SEQUENCE: 298

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser  
 20 25 30

-continued

---

Asn Gly Tyr Asn Tyr Phe Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
           35                          40                          45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
           50                          55                          60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
   65                          70                          75                          80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Ile Tyr Tyr Cys Met Gln Ala  
                           85                          90                          95  
 Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Arg  
           100                          105                          110

<210> SEQ ID NO 299  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 299

cagactctcc tgcataagtaa tggatacaac tat

33

<210> SEQ ID NO 300  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 300

Gln Thr Leu Leu His Ser Asn Gly Tyr Asn Tyr  
   1                          5                          10

<210> SEQ ID NO 301  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 301

ttgggttct

9

<210> SEQ ID NO 302  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 302

Leu Gly Ser  
   1

<210> SEQ ID NO 303  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 303

atgcaagctc tacaaactcc tctcact

27

<210> SEQ ID NO 304

-continued

---

<211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 304

Met Gln Ala Leu Gln Thr Pro Leu Thr  
 1 5

<210> SEQ ID NO 305  
 <211> LENGTH: 372  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 305

cagatcacct tgaaggagtc tggctcctacg ctggtaaaac ccacacagac cctcacgctg	60
acctgcacct tctctgggtt ctcaactcagc gctagtggag tgggtgtggg ctggttccgt	120
cagccccag gaaaggccct ggagtggctt gcactcattt attggaatga tgataagcgt	180
tacagcccat ctctaaagaa cagcctcacc atcaccaagg acacctccaa aaaccaggtg	240
gtccttacia tgaccaacat ggacctgtg gacacagcca catattactg tgcacacaga	300
atacatctat ggtcctactt ctactacggt atggacgtct ggggccaaagg gaccacggtc	360
accgtctcct ca	372

<210> SEQ ID NO 306  
 <211> LENGTH: 124  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 306

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln	
1 5 10 15	
Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser	
20 25 30	
Gly Val Gly Val Gly Trp Phe Arg Gln Pro Pro Gly Lys Ala Leu Glu	
35 40 45	
Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser	
50 55 60	
Leu Lys Asn Ser Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val	
65 70 75 80	
Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr	
85 90 95	
Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp	
100 105 110	
Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
115 120	

<210> SEQ ID NO 307  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 307



-continued

---

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccttgaga gccggcctcc 60
atctcctgca ggtctagtca gactctctcg catagtaatg gatacaacta tttcgattgg 120
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcgggcc 180
tccgggggtcc ctgacagatt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtgg aggctgagga tgttgaatt tattactgca tgcaagctct acaaaactct 300
ctcactttcg gcggagggac caagtgagg atcaaa 336

```

```

<210> SEQ ID NO 308
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 308

```

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10             15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser
          20             25             30
Asn Gly Tyr Asn Tyr Phe Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
          35             40             45
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
          65             70             75             80
Ser Arg Val Glu Ala Glu Asp Val Gly Ile Tyr Tyr Cys Met Gln Ala
          85             90             95
Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
          100            105            110

```

```

<210> SEQ ID NO 309
<211> LENGTH: 372
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 309

```

```

cagatcacct tgaaggagtc tggctctacg ctggtgaaac ccacacagac cctcacgctg 60
acctgcacct tctctgggtt ctcaactcagc gctagtggag tgggtgtggg ctggatccgt 120
cagcccccag gaaaggccct ggagtggctt gcactcattt attggaatga tgataagcgc 180
tacagcccat ctctgaagag caggctcacc atcaccaagg acacctccaa aaaccagggtg 240
gtccttacaa tgaccaacat ggacctgtg gacacagcca catattactg tgcacacaga 300
atacatctat ggtcctactt ctactacggt atggacgtct gggggcaagg gaccacggtc 360
accgtctcct ca 372

```

```

<210> SEQ ID NO 310
<211> LENGTH: 124
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 310

```

```

Gln Ile Thr Leu Lys Glu Ser Gly Pro Thr Leu Val Lys Pro Thr Gln
 1             5             10             15

```

-continued

---

Thr Leu Thr Leu Thr Cys Thr Phe Ser Gly Phe Ser Leu Ser Ala Ser  
                   20                  25                  30

Gly Val Gly Val Gly Trp Ile Arg Gln Pro Pro Gly Lys Ala Leu Glu  
           35                  40                  45

Trp Leu Ala Leu Ile Tyr Trp Asn Asp Asp Lys Arg Tyr Ser Pro Ser  
       50                  55                  60

Leu Lys Ser Arg Leu Thr Ile Thr Lys Asp Thr Ser Lys Asn Gln Val  
       65                  70                  75                  80

Val Leu Thr Met Thr Asn Met Asp Pro Val Asp Thr Ala Thr Tyr Tyr  
                   85                  90                  95

Cys Ala His Arg Ile His Leu Trp Ser Tyr Phe Tyr Tyr Gly Met Asp  
           100                  105                  110

Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
           115                  120

<210> SEQ ID NO 311  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 311

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc	60
atctctctgca ggtctagtca gactctctcg catagtaatg gatacaacta tttggattgg	120
tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc	180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc	240
agcagagtgg aggctgagga tgttggggtt tattactgca tgcaagctct acaaaactct	300
ctcactttcg gcggaggggac caaggtggag atcaaa	336

<210> SEQ ID NO 312  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 312

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
       1                  5                  10                  15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Thr Leu Leu His Ser  
           20                  25                  30

Asn Gly Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
       35                  40                  45

Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
       50                  55                  60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
       65                  70                  75                  80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
           85                  90                  95

Leu Gln Thr Pro Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
           100                  105                  110

<210> SEQ ID NO 313  
 <211> LENGTH: 381  
 <212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 313

```
cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc    60
tctctgaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc    120
cctggacaag ggcttgatgt gatgggatgg atcagcggtt acaatggtaa aacaaacgat    180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac    240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt    300
ttagtagtac cacctgcctt taattattcc tactacgtta tggacgtctg gggccaaggg    360
accacgggtca ccgtctcctc a                                           381
```

<210> SEQ ID NO 314  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 314

```
Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
  1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
          20             25            30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
  35             40            45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
  50             55            60
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
  65             70            75            80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
          85             90            95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr
        100            105            110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
        115            120            125
```

<210> SEQ ID NO 315  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 315

```
ggttacacct ttaccaccta tgggt
```

24

<210> SEQ ID NO 316  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 316

```
Gly Tyr Thr Phe Thr Thr Tyr Gly
  1             5
```

-continued

<210> SEQ ID NO 317  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 317

atcagcgggtt acaatggtaa aaca

24

<210> SEQ ID NO 318  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 318

Ile Ser Gly Tyr Asn Gly Lys Thr  
 1 5

<210> SEQ ID NO 319  
 <211> LENGTH: 60  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 319

tcgagagatc gtttagtagt accacctgcc cttaattatt cctactacgt tatggacgtc

60

<210> SEQ ID NO 320  
 <211> LENGTH: 20  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 320

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr  
 1 5 10 15

Val Met Asp Val  
 20

<210> SEQ ID NO 321  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 321

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttgagaca gccggcctcc

60

atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg

120

tctcagcaga ggccagggtca atctccaagg cgcctaattt ataaggtttc taaccggggac

180

tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaaac

240

agcaggggtgg aggctgagga tggtgggggtt tattactgca tgcaaggtac aactggccg

300

tacacttttg gccagggggac caagctggag atcaaa

336

<210> SEQ ID NO 322  
 <211> LENGTH: 112  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 322

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1             5             10             15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
          20             25             30
Asp Gly Asn Thr Tyr Leu Asn Trp Ser Gln Gln Arg Pro Gly Gln Ser
          35             40             45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65             70             75             80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
          85             90             95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100             105             110

```

<210> SEQ ID NO 323  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 323

caaagcctcg tatacagtga tggaaacacc tac

33

<210> SEQ ID NO 324  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 324

```

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr
 1             5             10

```

<210> SEQ ID NO 325  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 325

aaggtttct

9

<210> SEQ ID NO 326  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 326

```

Lys Val Ser
 1

```

<210> SEQ ID NO 327

-continued

<211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 327

atgcaaggta cacactggcc gtacact

27

<210> SEQ ID NO 328  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 328

Met Gln Gly Thr His Trp Pro Tyr Thr  
 1 5

<210> SEQ ID NO 329  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 329

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc 60  
 tcctgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc 120  
 cctggacaag ggcttgatgt gatgggatgg atcagcgggtt acaatggtaa aacaaacgat 180  
 gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac 240  
 atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300  
 ttagtagtac cacctgcctt taattattcc tactacgtta tggacgtctg gggccaaggg 360  
 accacgggtca ccgtctcctc a 381

<210> SEQ ID NO 330  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 330

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala  
 1 5 10 15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr  
 20 25 30  
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45  
 Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe  
 50 55 60  
 Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr  
 65 70 75 80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys  
 85 90 95  
 Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Ser Tyr Tyr  
 100 105 110  
 Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser

-continued

---

115	120	125	
<210> SEQ ID NO 331			
<211> LENGTH: 336			
<212> TYPE: DNA			
<213> ORGANISM: Artificial Sequence			
<220> FEATURE:			
<223> OTHER INFORMATION: Synthetic			
<400> SEQUENCE: 331			
gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaaca gccggcctcc			60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg			120
tctcagcaga ggccaggtca atctccaagg cgcctaattt ataaggtttc taaccgggac			180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc			240
agcaggggtgg aggctgagga tggtgggggtt tattactgca tgcaagggtac acactggccg			300
tacacttttg gccaggggac caagctggag atcaaa			336

<210> SEQ ID NO 332															
<211> LENGTH: 112															
<212> TYPE: PRT															
<213> ORGANISM: Artificial Sequence															
<220> FEATURE:															
<223> OTHER INFORMATION: Synthetic															
<400> SEQUENCE: 332															
Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly															
1			5				10						15		
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser															
			20				25						30		
Asp Gly Asn Thr Tyr Leu Asn Trp Ser Gln Gln Arg Pro Gly Gln Ser															
			35				40						45		
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro															
			50				55						60		
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile															
			65				70						75		80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly															
			85										90		95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys															
			100										105		110

<210> SEQ ID NO 333			
<211> LENGTH: 381			
<212> TYPE: DNA			
<213> ORGANISM: Artificial Sequence			
<220> FEATURE:			
<223> OTHER INFORMATION: Synthetic			
<400> SEQUENCE: 333			
cagggttcagc tgggtgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc			60
tcttgcaagg cttctgggta cacctttacc acctatggta tcagctgggt gcgacaggcc			120
cctggacaag ggcttgagtg gatgggatgg atcagcgggtt acaatggtaa aacaaactat			180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac			240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt			300
ttagtagtac cacctgccct taattattcc tactacgtta tggacgtctg ggggcaaggg			360
accacgggtca ccgtctcctc a			381

-continued

<210> SEQ ID NO 334  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 334

Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
1			5						10					15	
Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Tyr	Thr	Phe	Thr	Thr	Tyr
		20					25						30		
Gly	Ile	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
	35					40						45			
Gly	Trp	Ile	Ser	Gly	Tyr	Asn	Gly	Lys	Thr	Asn	Tyr	Ala	Gln	Lys	Leu
	50					55				60					
Gln	Gly	Arg	Val	Thr	Met	Thr	Thr	Asp	Thr	Ser	Thr	Ser	Thr	Ala	Tyr
65					70				75					80	
Met	Glu	Leu	Arg	Ser	Leu	Arg	Ser	Asp	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
			85					90						95	
Ser	Arg	Asp	Arg	Leu	Val	Val	Pro	Pro	Ala	Leu	Asn	Tyr	Ser	Tyr	Tyr
		100					105						110		
Val	Met	Asp	Val	Trp	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	
	115					120						125			

<210> SEQ ID NO 335  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 335

gatgttgatga	tgactcagtc	tccactctcc	ctgcccgtca	cccttggaca	gccggcctcc	60
atctcctgca	gggtctagtc	aagcctcgta	tacagtgatg	gaaacaccta	cttgaattgg	120
tttcagcaga	ggccaggcca	atctccaagg	cgcctaattt	ataaggtttc	taaccgggac	180
tctgggggtcc	cagacagatt	cagcggcagt	gggtcaggca	ctgatttcac	actgaaaatc	240
agcaggggtgg	aggtcaggga	tggtggggtt	tattactgca	tgcaagggtac	acactggccg	300
tacacttttg	gccaggggac	caagctggag	atcaaaa			336

<210> SEQ ID NO 336  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 336

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1			5					10						15	
Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
		20					25					30			
Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
	35					40					45				
Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
	50					55				60					
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile



-continued

---

65	70	75	80	
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly				
	85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys				
	100	105	110	

<210> SEQ ID NO 337  
 <211> LENGTH: 354  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 337

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc ctgggggggc cctgagactc	60
tcctgtgcag cctctggatt caccttcagt agctatagca tggactgggt ccgccaggct	120
ccaggaaggg ggctggagtg ggtctcatcc attagtagta gtagtagtta catatactac	180
gcagactctg tgaagggccg attcaccatc tccagagaca ccgccaagaa ctactgtat	240
ctgcaaatga acagcctgag agacgaggac acggctgttt attactgtgc gagagagggc	300
agtagcagac tttttgacta ctggggccag ggaaccctgg tcaccgtctc ctca	354

<210> SEQ ID NO 338  
 <211> LENGTH: 118  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 338

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly	
1	5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr	
	20 25 30
Ser Met Asp Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
	35 40 45
Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val	
	50 55 60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Thr Ala Lys Asn Ser Leu Tyr	
	65 70 75 80
Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys	
	85 90 95
Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr	
	100 105 110
Leu Val Thr Val Ser Ser	
	115

<210> SEQ ID NO 339  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 339

ggattcacct tcagtagcta tagc

24

<210> SEQ ID NO 340  
 <211> LENGTH: 8

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 340

Gly Phe Thr Phe Ser Ser Tyr Ser  
 1 5

<210> SEQ ID NO 341  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 341

attagtagta gtagtagtta cata

24

<210> SEQ ID NO 342  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 342

Ile Ser Ser Ser Ser Ser Tyr Ile  
 1 5

<210> SEQ ID NO 343  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 343

gcgagagagg gcagtagcag actttttgac tac

33

<210> SEQ ID NO 344  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 344

Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr  
 1 5 10

<210> SEQ ID NO 345  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 345

gacatccaga tgaccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60

atcacttgcc gggccagtca gagtattagt agctgggttg cctgggtatca gcagagacca 120

gggaaagccc ctaagctect gatctataag gcgtctagtt tagaagggtg agtccatca 180

aggttcagcg gcagtggatc tgggacagaa ttactctca ccatcagcag cctgcagcct 240

gaggattttg caacttatta ctgccaacag tataatagtt attggtacac ttttgccag 300

-continued

gggaccaagc tggagatcaa a

321

<210> SEQ ID NO 346  
<211> LENGTH: 107  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 346

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
20 25 30

Leu Ala Trp Tyr Gln Gln Arg Pro Gly Lys Ala Pro Lys Leu Leu Ile  
35 40 45

Tyr Lys Ala Ser Ser Leu Glu Gly Gly Val Pro Ser Arg Phe Ser Gly  
50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Trp Tyr  
85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys  
100 105

<210> SEQ ID NO 347  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 347

cagagtatta gtagctgg

18

<210> SEQ ID NO 348  
<211> LENGTH: 6  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 348

Gln Ser Ile Ser Ser Trp  
1 5

<210> SEQ ID NO 349  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 349

aaggcgtct

9

<210> SEQ ID NO 350  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

-continued

---

<400> SEQUENCE: 350

Lys Ala Ser  
1

<210> SEQ ID NO 351  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 351

caacagtata atagttattg gtacact

27

<210> SEQ ID NO 352  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 352

Gln Gln Tyr Asn Ser Tyr Trp Tyr Thr  
1 5

<210> SEQ ID NO 353  
<211> LENGTH: 354  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 353

gaggtgcagc tgggtggagtc tggggggaggc ctggtcaagc ctgggggggc cctgagactc 60  
tcctgtgcag cctctggatt caccttcagt agctatagca tggactgggt ccgccaggct 120  
ccaggaaggg ggctggagtg ggtctcatcc attagtagta gtagtagtta catatactac 180  
gcagactctg tgaagggccg attcaccatc tccagagaca ccgccaagaa ctactgtat 240  
ctgcaaatga acagcctgag agacgaggac acggctgttt attactgtgc gagagagggc 300  
agtagcagac tttttgacta ctggggccag ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 354  
<211> LENGTH: 118  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 354

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
20 25 30  
Ser Met Asp Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val  
50 55 60  
Lys Gly Arg Phe Thr Ile Ser Arg Asp Thr Ala Lys Asn Ser Leu Tyr  
65 70 75 80  
Leu Gln Met Asn Ser Leu Arg Asp Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

-continued

Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr  
 100 105 110

Leu Val Thr Val Ser Ser  
 115

<210> SEQ ID NO 355  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 355

gacatccaga tgacccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtca gagtattagt agctgggtgg cctggatatca gcagagacca 120  
 gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaagggtgg agtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240  
 gaggattttg caacttatta ctgccaacag tataatagtt attggtacac ttttgccag 300  
 gggaccaagc tggagatcaa a 321

<210> SEQ ID NO 356  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 356

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30

Leu Ala Trp Tyr Gln Gln Arg Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45

Tyr Lys Ala Ser Ser Leu Glu Gly Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Trp Tyr  
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys  
 100 105

<210> SEQ ID NO 357  
 <211> LENGTH: 354  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 357

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc ctgggggggc cctgagactc 60  
 tcctgtgcag cctctggatt caccttcagt agctatagca tgaactgggt ccgccaggct 120  
 ccaggaaggg ggctggagtg ggtctcatcc attagtagta gtagtagtta catatactac 180  
 gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat 240  
 ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggc 300

-continued

agtagcagac tttttgacta ctggggccaa ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 358  
 <211> LENGTH: 118  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 358

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
 20 25 30  
 Ser Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ser Ile Ser Ser Ser Ser Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Glu Gly Ser Ser Arg Leu Phe Asp Tyr Trp Gly Gln Gly Thr  
 100 105 110  
 Leu Val Thr Val Ser Ser  
 115

<210> SEQ ID NO 359  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 359

gacatccaga tgacccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtca gagtattagt agctgggttg cctgggtatca gcagaaacca 120  
 gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tataatagtt attggtacac ttttgccag 300  
 gggaccaagc tggagatcaa a 321

<210> SEQ ID NO 360  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 360

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly

-continued

---

50	55	60	
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro			
65	70	75	80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Asn Ser Tyr Trp Tyr			
	85	90	95
Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
	100	105	

<210> SEQ ID NO 361  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 361

cagggtgcacc tgggtggagtc tggggggaggc ttggtcaagc ctggaggggtc cctgagactc	60
tcctgtgtcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct	120
ccaggaaggg ggctggagtg gatttcatac attagtaatg atggtgggtac caaatactat	180
gtggactctg tggagggccg attcatcatt tccagggaca acgccaagaa ctcatgtgat	240
ctacatatga acagcctcag agccgacgac acggccgtgt attactgtgc gagagatcag	300
ggatatattg gctacgactc gtattattac tattcctacg gtatggacgt ctggggccaa	360
gggaccacgg tcaccgtcgc ctca	384

<210> SEQ ID NO 362  
 <211> LENGTH: 128  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 362

Gln Val His Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly	
1	5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His	
	20 25 30
Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile	
	35 40 45
Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Val Asp Ser Val	
	50 55 60
Glu Gly Arg Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr	
65	70 75 80
Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys	
	85 90 95
Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser	
	100 105 110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ala Ser	
	115 120 125

<210> SEQ ID NO 363  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 363

-continued

ggattcacct tcagtgacca ctac

24

<210> SEQ ID NO 364  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 364

Gly Phe Thr Phe Ser Asp His Tyr  
 1 5

<210> SEQ ID NO 365  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 365

attagtaatg atggtggtac caaa

24

<210> SEQ ID NO 366  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 366

Ile Ser Asn Asp Gly Gly Thr Lys  
 1 5

<210> SEQ ID NO 367  
 <211> LENGTH: 63  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 367

gcgagagatc agggatatat tggctacgac tcgtattatt actattccta cggtatggac

60

gtc

63

<210> SEQ ID NO 368  
 <211> LENGTH: 21  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 368

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser  
 1 5 10 15

Tyr Gly Met Asp Val  
 20

<210> SEQ ID NO 369  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 369



-continued

---

```

aaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccagggga aagagccacc      60
ctctcctgta gggccagtca gagtgttaac aacaaattct tagcctggta ccagcagaaa      120
tctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca      180
gacaggttca gtggcagtgg gtctgggacc gacttcactc tcaccatcag cggactggag      240
cctgaagatt ttgaagtgtg ttattgtcaa gtatatggta actcactcac tctcggcgga      300
gggaccaagg tggagatcaa g                                          321

```

```

<210> SEQ ID NO 370
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 370

```

```

Lys Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Pro Leu Phe Pro Gly
 1           5           10           15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys
          20           25           30
Phe Leu Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu
          35           40           45
Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
          50           55           60
Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu
          65           70           75           80
Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu
          85           90           95
Thr Leu Gly Gly Gly Thr Lys Val Glu Ile Lys
          100          105

```

```

<210> SEQ ID NO 371
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 371

```

```

cagagtgtta acaacaaatt c                                          21

```

```

<210> SEQ ID NO 372
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 372

```

```

Gln Ser Val Asn Asn Lys Phe
 1           5

```

```

<210> SEQ ID NO 373
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 373

```

-continued

ggtgcatcc

9

<210> SEQ ID NO 374  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 374

Gly Ala Ser  
 1

<210> SEQ ID NO 375  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 375

caagtatatg gtaactcact cact

24

<210> SEQ ID NO 376  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 376

Gln Val Tyr Gly Asn Ser Leu Thr  
 1 5

<210> SEQ ID NO 377  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 377

cagggtgcagc tgggtggagtc tgggggagggc ttggtcaagc ctggaggggc cctgagactc 60  
 tctgtgtcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct 120  
 ccaggaagg ggctggagtg gatttcatac attagtaatg atggtggtac caaatactat 180  
 gtggactctg tggagggcgc attcatcatt tcaggggaca acgccaagaa ctcatgttat 240  
 ctacatatga acagcctcag agccgacgac acggccgtgt attactgtgc gagagatcag 300  
 ggatatattg gctacgactc gtattattac tattcctacg gtatggacgt ctggggccaa 360  
 gggaccacgg tcacctctc ctca 384

<210> SEQ ID NO 378  
 <211> LENGTH: 128  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 378

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His  
 20 25 30

-continued

---

Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile  
           35                  40                  45

Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Val Asp Ser Val  
           50                  55                  60

Glu Gly Arg Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
   65                  70                  75                  80

Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
                   85                  90                  95

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser  
           100                  105                  110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
           115                  120                  125

<210> SEQ ID NO 379  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 379

gaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccagggga aagagccacc 60  
 ctctctctgta gggccagtca gagtgtaaac aacaaattct tagcctggta ccagcagaaa 120  
 tctggccagg ctcccaggct cctcatctat ggtgcaccca gcagggccac tggcatccca 180  
 gacaggttca gtggcagtggt gtctgggacc gacttcactc tcaccatcag cggactggag 240  
 cctgaagatt ttgaagtgtg ttattgtcaa gtatatggta actcactcac tctcggcgga 300  
 gggaccaagg tggagatcaa a 321

<210> SEQ ID NO 380  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 380

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Pro Leu Phe Pro Gly  
   1                  5                  10                  15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys  
           20                  25                  30

Phe Leu Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu  
           35                  40                  45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser  
           50                  55                  60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu  
   65                  70                  75                  80

Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu  
           85                  90                  95

Thr Leu Gly Gly Gly Thr Lys Val Glu Ile Lys  
           100                  105

<210> SEQ ID NO 381  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 381

```

caggtgcagc tgggtggagtc tggggggaggc ttggtcaagc ctggaggggc cctgagactc    60
tcctgtgcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct    120
ccaggaaggg ggctggagtg ggtttcatatc attagtaatg atggtgggtac caaatactac    180
gcagactctg tgaagggccg attcaccatc tccagggaca acgccaagaa ctactgtat    240
ctgcaaatga acagcctgag agccgaggac acggccgtgt attactgtgc gagagatcag    300
ggatatattg gctacgactc gtattattac tattcctacg gtatggacgt ctgggggcaa    360
gggaccacgg tcaccgtctc ctca                                           384

```

&lt;210&gt; SEQ ID NO 382

&lt;211&gt; LENGTH: 128

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 382

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His
      20             25             30
Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35             40             45
Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Ala Asp Ser Val
      50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
      65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
      85             90             95
Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser
      100            105            110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115            120            125

```

&lt;210&gt; SEQ ID NO 383

&lt;211&gt; LENGTH: 321

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 383

```

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc    60
ctctcctgca gggccagtca gactgttaac aacaaattct tagcctggta ccagcagaaa    120
cctgggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca    180
gacaggttca gtggcagtggt gtctgggaca gacttcactc tcaccatcag cagactggag    240
cctgaagatt ttgcagtgtg ttactgtcaa gtatatggta actcactcac ttctggcgga    300
gggaccaagg tggagatcaa a                                           321

```

&lt;210&gt; SEQ ID NO 384

&lt;211&gt; LENGTH: 107

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 384

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly  
 1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys  
 20 25 30

Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu  
 35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser  
 50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu  
 65 70 75 80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu  
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105

<210> SEQ ID NO 385

<211> LENGTH: 360

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 385

gaggtgcaga aggtggagtc tgggggaggc ctggtcaagc cggggggggtc cctgagactc 60

tctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggtc 120

ccaggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180

gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat 240

ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc 300

agcagttggt acgactactc tgactactgg ggccaggga ccttggtcac cgtctcctca 360

<210> SEQ ID NO 386

<211> LENGTH: 120

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 386

Glu Val Gln Lys Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15

Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
 20 25 30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45

Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
 100 105 110

Gly Thr Leu Val Thr Val Ser Ser

-continued

---

115	120		
<210> SEQ ID NO 387 <211> LENGTH: 24 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 387  ggattcacct tcagtactta taac			24
<210> SEQ ID NO 388 <211> LENGTH: 8 <212> TYPE: PRT <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 388  Gly Phe Thr Phe Ser Thr Tyr Asn 1 5			
<210> SEQ ID NO 389 <211> LENGTH: 24 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 389  attaggagta gtagtaatta cata			24
<210> SEQ ID NO 390 <211> LENGTH: 8 <212> TYPE: PRT <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 390  Ile Arg Ser Ser Ser Asn Tyr Ile 1 5			
<210> SEQ ID NO 391 <211> LENGTH: 39 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 391  gcgagagatg gcagcagttg gtacgactac tctgactac			39
<210> SEQ ID NO 392 <211> LENGTH: 13 <212> TYPE: PRT <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic  <400> SEQUENCE: 392  Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr 1 5 10			
<210> SEQ ID NO 393			

-continued

---

<211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 393

```

gacatccaga tgacccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc      60
atcacttgcc gggccagtca gagtattagt agctgggttg cctggatca acagatacca      120
gggaaagccc ctaaactcct gatctataag gcgctagtt tagaaaatgg ggtcccatca      180
aggttcagcg gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct      240
gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa      300
gggaccaagg tggaaatcaa a                                              321

```

<210> SEQ ID NO 394  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 394

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
  1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
          20             25             30
Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35             40             45
Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
          50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
          65             70             75             80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
          85             90             95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
          100             105

```

<210> SEQ ID NO 395  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 395

```

cagagtatta gtagctgg                                              18

```

<210> SEQ ID NO 396  
 <211> LENGTH: 6  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 396

```

Gln Ser Ile Ser Ser Trp
  1             5

```

<210> SEQ ID NO 397  
 <211> LENGTH: 9

-continued

---

<212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 397

aaggcgtct

9

<210> SEQ ID NO 398  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 398

Lys Ala Ser  
 1

<210> SEQ ID NO 399  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 399

caacagtata ttagttattc tcggacg

27

<210> SEQ ID NO 400  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 400

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr  
 1 5

<210> SEQ ID NO 401  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 401

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc cggggggggtc cctgagactc	60
tctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct	120
ccagggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac	180
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat	240
ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc	300
agcagttggt acgactactc tgactactgg ggccagggaa ccctgggtcac cgtctcctca	360

<210> SEQ ID NO 402  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 402



-continued

---

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
 20 25 30  
 Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
 100 105 110  
 Gly Thr Leu Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 403  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 403

gacatccaga tgacccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca acagatacca 120  
 gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300  
 gggaccaagg tggaaatcaa a 321

<210> SEQ ID NO 404  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 404

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg  
 85 90 95  
 Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105

<210> SEQ ID NO 405

-continued

<211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 405

```
gagggtgcagc tgggtggagtc tggggggaggc ctggtcaagc ctgggggggtc cctgagactc    60
tctgtgtcag cctctggatt caccttcagt acttataaca tgaactgggt ccgccaggct    120
ccaggaaggg ggctggagtg ggtctcatcc attaggagta gtagtaatta catatactac    180
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ctcactgtat    240
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc    300
agcagttggt acgactactc tgactactgg ggccaaggaa ccctggtcac cgtctcctca    360
```

<210> SEQ ID NO 406  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 406

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
  1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr
          20             25             30
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35             40             45
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
      50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
      65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
      100             105             110
Gly Thr Leu Val Thr Val Ser Ser
      115             120
```

<210> SEQ ID NO 407  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 407

```
gacatccaga tgacccagtc tccttcaccc ctgtctgcat ctgtaggaga cagagtcacc    60
atcacttgcc gggccagtcg gagtattagt agctgggttg cctgggtatca gcagaaacca    120
gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca    180
agggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct    240
gatgatTTTT caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa    300
gggaccaagg tggaaatcaa a                                     321
```

<210> SEQ ID NO 408  
 <211> LENGTH: 107

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 408

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
                20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
                35             40             45
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65             70             75             80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
                85             90             95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100             105

```

<210> SEQ ID NO 409  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 409

```

gagggtgcagc tgggtggagtc tggggggaggc ctggtcaagc cggggggggtc cctgagactc    60
tctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct    120
ccaggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac    180
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat    240
ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc    300
agcagttggt acgactactc tgactactgg ggccaggga ccttggtcac cgtctcctca    360

```

<210> SEQ ID NO 410  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 410

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr
                20             25             30
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
                35             40             45
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
 50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys
                85             90             95
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln

```

-continued

---

100	105	110	
-----	-----	-----	--

Gly Thr Leu Val Thr Val Ser Ser  
           115                  120

<210> SEQ ID NO 411  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 411

ggattcacct tcagtactta taac 24

<210> SEQ ID NO 412  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 412

Gly Phe Thr Phe Ser Thr Tyr Asn  
   1                  5

<210> SEQ ID NO 413  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 413

attaggagta gtagtaatta cata 24

<210> SEQ ID NO 414  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 414

Ile Arg Ser Ser Ser Asn Tyr Ile  
   1                  5

<210> SEQ ID NO 415  
 <211> LENGTH: 39  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 415

gcgagagatg gcagcagttg gtacgactac tctgactac 39

<210> SEQ ID NO 416  
 <211> LENGTH: 13  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 416

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr  
   1                  5                  10

-continued

---

```

<210> SEQ ID NO 417
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 417

gacatccaga tgaccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc      60
atcacttgcc gggccagtca gagtattagt agctggttgg cctggtatca acagatacca      120
gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca      180
aggttcacgc gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct      240
gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa      300
gggaccaagg tggaaatcaa a                                              321

```

```

<210> SEQ ID NO 418
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 418

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
 20            25            30

Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile
 35            40            45

Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
 50            55            60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
 65            70            75            80

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
 85            90            95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 100           105

```

```

<210> SEQ ID NO 419
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 419

cagagtatta gtagctgg                                              18

```

```

<210> SEQ ID NO 420
<211> LENGTH: 6
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 420

Gln Ser Ile Ser Ser Trp
 1             5

```

-continued

<210> SEQ ID NO 421  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 421

aaggcgtct

9

<210> SEQ ID NO 422  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 422

Lys Ala Ser

1

<210> SEQ ID NO 423  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 423

caacagtata ttagttattc tcggacg

27

<210> SEQ ID NO 424  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 424

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr

1

5

<210> SEQ ID NO 425  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 425

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc cggggggggtc cctgagactc 60

tctctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct 120

ccaggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180

gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat 240

ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc 300

agcagttggt acgactactc tgactactgg ggccaggga ccttggtcac cgtctcctca 360

<210> SEQ ID NO 426  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 426

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
 20 25 30  
 Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
 100 105 110  
 Gly Thr Leu Val Thr Val Ser Ser  
 115 120

&lt;210&gt; SEQ ID NO 427

&lt;211&gt; LENGTH: 321

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 427

gacatccaga tgacccagtc tccttcaccc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca acagatacca 120  
 gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300  
 gggaccaagg tggaaatcaa a 321

&lt;210&gt; SEQ ID NO 428

&lt;211&gt; LENGTH: 107

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 428

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg  
 85 90 95  
 Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105

-continued

<210> SEQ ID NO 429  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 429

```
gaggtgcagc tgggtggagtc tggggggaggc ctggtcaagc ctgggggggtc cctgagactc   60
tctgtgagc cctctggatt caccttcagt acttataaca tgaactgggt ccgccaggct   120
ccaggaagg ggctggagtg ggtctcatcc attaggagta gtagtaatta catatactac   180
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat   240
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc   300
agcagttggt acgactactc tgactactgg ggccaaggaa ccctggtcac cgtctcctca   360
```

<210> SEQ ID NO 430  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 430

```
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
  1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr
          20             25             30
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35             40             45
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
          50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
          65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
          100            105            110
Gly Thr Leu Val Thr Val Ser Ser
          115            120
```

<210> SEQ ID NO 431  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 431

```
gacatccaga tgacccagtc tccttcaccc ctgtctgcat ctgtaggaga cagagtcacc   60
atcaactgcc gggccagtca gagtattagt agctgggttg cctgggtatca gcagaaacca   120
gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca   180
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct   240
gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa   300
gggaccaagg tggaaatcaa a                                     321
```



-continued

<210> SEQ ID NO 432  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 432

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
                20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
                35             40             45
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
 50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
65             70             75             80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
                85             90             95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100             105

```

<210> SEQ ID NO 433  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 433

```

gagggtgcagc tgggtggagtc tggggggaggc ctggtcaagc cggggggggtc cctgagactc      60
tctgtacagc cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct      120
ccaggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac      180
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagag ttcactgtat      240
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc      300
agcagttggt acgactactc tgactactgg ggccagggaa ccctggtcac cgtctcctca      360

```

<210> SEQ ID NO 434  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 434

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr
                20             25             30
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
                35             40             45
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
 50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Ser Ser Leu Tyr
65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys

```

-continued

---

85	90	95	
----	----	----	--

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
                   100                  105                  110

Gly Thr Leu Val Thr Val Ser Ser  
                   115                  120

<210> SEQ ID NO 435  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 435

ggattcacct tcagtactta taac 24

<210> SEQ ID NO 436  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 436

Gly Phe Thr Phe Ser Thr Tyr Asn  
   1                  5

<210> SEQ ID NO 437  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 437

attaggagta gtagtaatta cata 24

<210> SEQ ID NO 438  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 438

Ile Arg Ser Ser Ser Asn Tyr Ile  
   1                  5

<210> SEQ ID NO 439  
 <211> LENGTH: 39  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 439

gcgagagatg gcagcagttg gtacgactac tctgactac 39

<210> SEQ ID NO 440  
 <211> LENGTH: 13  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 440

-continued

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr  
 1 5 10

<210> SEQ ID NO 441

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 441

gacatccaga tgacccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtca gattattagt agctggttgg cctggtatca acaggtagca 120  
 gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca tcacagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300  
 gggaccaagg tggaaatcaa a 321

<210> SEQ ID NO 442

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 442

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Val Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg  
 85 90 95  
 Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105

<210> SEQ ID NO 443

<211> LENGTH: 18

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 443

cagagtatta gtagctgg 18

<210> SEQ ID NO 444

<211> LENGTH: 6

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 444

-continued

Gln Ser Ile Ser Ser Trp  
1 5

<210> SEQ ID NO 445  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 445

aaggcgtct

9

<210> SEQ ID NO 446  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 446

Lys Ala Ser  
1

<210> SEQ ID NO 447  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 447

caacagtata ttagttattc tcggacg

27

<210> SEQ ID NO 448  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 448

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr  
1 5

<210> SEQ ID NO 449  
<211> LENGTH: 360  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 449

gagggtgcagc tgggtggagtc tggggggaggc ctggtcaagc cggggggggtc cctgagactc 60

tcctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct 120

ccaggaag gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180

gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagag ttactgtat 240

ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc 300

agcagttggt acgactactc tgactactgg ggccagggaa ccctgggtcac cgtctcctca 360

<210> SEQ ID NO 450  
<211> LENGTH: 120  
<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 450

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr
          20             25             30
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35             40             45
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val
          50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Ser Ser Leu Tyr
          65             70             75             80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln
          100            105            110
Gly Thr Leu Val Thr Val Ser Ser
          115            120

```

<210> SEQ ID NO 451  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 451

```

gacatccaga tgacccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc      60
atcacttgcc gggccagtc gagtattagt agctggttgg cctggatatca acaggtacca      120
gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca      180
aggttcagcg gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct      240
gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa      300
gggaccaagg tggaaatcaa a                                     321

```

<210> SEQ ID NO 452  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 452

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
          20             25             30
Leu Ala Trp Tyr Gln Gln Val Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35             40             45
Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly
          50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro
          65             70             75             80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
          85             90             95

```

-continued

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
100 105

<210> SEQ ID NO 453  
<211> LENGTH: 360  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 453

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc ctggggggtc cctgagactc 60  
tctgtgcag cctctggatt caccttcagt acttataaca tgaactgggt ccgccaggct 120  
ccaggaagg ggctggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180  
gcagactcag tgaagggccc attcaccatc tccagagaca acgccaagaa ctactgtat 240  
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc 300  
agcagttggt acgactactc tgactactgg ggccaggga ccttggtcac cgtctcctca 360

<210> SEQ ID NO 454  
<211> LENGTH: 120  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 454

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
20 25 30  
Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
50 55 60  
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
65 70 75 80  
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95  
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
100 105 110  
Gly Thr Leu Val Thr Val Ser Ser  
115 120

<210> SEQ ID NO 455  
<211> LENGTH: 321  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 455

gacatccaga tgaccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60  
atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca gcagaaacca 120  
gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180  
aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240  
gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300

-continued

gggaccaagg tggaatcaa a

321

<210> SEQ ID NO 456  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 456

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg  
 85 90 95  
 Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105

<210> SEQ ID NO 457  
 <211> LENGTH: 360  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 457

gaggtgcagc tgggtggagtc tgggggaggc ctggtcaagc cggggggggtc cctgagactc 60  
 tctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccagget 120  
 ccaggaagg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180  
 gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat 240  
 ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc 300  
 agcagttggt acgactactc tgactactgg ggccagggaa ccctggtcac cgtctcctca 360

<210> SEQ ID NO 458  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 458

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
 20 25 30  
 Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ser Ile Arg Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr

-continued

---

65	70	75	80
Leu Gln Met Asn Ser	Leu Arg Ala Asp Asp	Thr Ala Val Tyr Tyr Cys	
	85	90	95
Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln			
	100	105	110
Gly Thr Leu Val Thr Val Ser Ser			
	115	120	

<210> SEQ ID NO 459  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 459

ggattcacct tcagtactta taac

24

<210> SEQ ID NO 460  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 460

Gly Phe Thr Phe Ser Thr Tyr Asn

1

5

<210> SEQ ID NO 461  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 461

attaggagta gtagtaatta cata

24

<210> SEQ ID NO 462  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 462

Ile Arg Ser Ser Ser Asn Tyr Ile

1

5

<210> SEQ ID NO 463  
 <211> LENGTH: 39  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 463

gcgagagatg gcagcagttg gtacgactac tctgactac

39

<210> SEQ ID NO 464  
 <211> LENGTH: 13  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:



-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 464

Ala	Arg	Asp	Gly	Ser	Ser	Trp	Tyr	Asp	Tyr	Ser	Asp	Tyr
1				5					10			

<210> SEQ ID NO 465

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 465

gacatccaga	tgacccagtc	tccttcaccc	ctgtctgcat	ctgtaggaga	cagagtcacc	60
atcacttgcc	gggccagtca	gagtattagt	agctgggttg	cctggtatca	acagatacca	120
gggaaagccc	ctaaactcct	gatctataag	gcgtctagtt	tagaaaatgg	ggtcccatca	180
aggttcagcg	gcagtggatc	tgggacagaa	ttcactctca	tcatcagcag	cctgcagcct	240
gatgattttg	caacttatta	ctgccaacag	tatattagtt	attctcggac	gttcggccaa	300
gggaccaagg	tggaatcaa	a				321

<210> SEQ ID NO 466

<211> LENGTH: 107

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 466

Asp	Ile	Gln	Met	Thr	Gln	Ser	Pro	Ser	Thr	Leu	Ser	Ala	Ser	Val	Gly
1				5					10					15	
Asp	Arg	Val	Thr	Ile	Thr	Cys	Arg	Ala	Ser	Gln	Ser	Ile	Ser	Ser	Trp
			20					25					30		
Leu	Ala	Trp	Tyr	Gln	Gln	Ile	Pro	Gly	Lys	Ala	Pro	Lys	Leu	Leu	Ile
		35					40					45			
Tyr	Lys	Ala	Ser	Ser	Leu	Glu	Asn	Gly	Val	Pro	Ser	Arg	Phe	Ser	Gly
	50				55					60					
Ser	Gly	Ser	Gly	Thr	Glu	Phe	Thr	Leu	Ile	Ile	Ser	Ser	Leu	Gln	Pro
65				70				75						80	
Asp	Asp	Phe	Ala	Thr	Tyr	Tyr	Cys	Gln	Gln	Tyr	Ile	Ser	Tyr	Ser	Arg
			85					90						95	
Thr	Phe	Gly	Gln	Gly	Thr	Lys	Val	Glu	Ile	Lys					
		100					105								

<210> SEQ ID NO 467

<211> LENGTH: 18

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 467

cagagtatta	gtagctgg	18
------------	----------	----

<210> SEQ ID NO 468

<211> LENGTH: 6

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 468

Gln Ser Ile Ser Ser Trp  
 1 5

&lt;210&gt; SEQ ID NO 469

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 469

aaggcgtct

9

&lt;210&gt; SEQ ID NO 470

&lt;211&gt; LENGTH: 3

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 470

Lys Ala Ser  
 1

&lt;210&gt; SEQ ID NO 471

&lt;211&gt; LENGTH: 27

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 471

caacagtata ttagttattc tcggacg

27

&lt;210&gt; SEQ ID NO 472

&lt;211&gt; LENGTH: 9

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 472

Gln Gln Tyr Ile Ser Tyr Ser Arg Thr  
 1 5

&lt;210&gt; SEQ ID NO 473

&lt;211&gt; LENGTH: 360

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 473

gagggtgcagc tgggtggagtc tggggggaggc ctggtcaagc cggggggggtc cctgagactc 60

tcctgtacag cctctggatt caccttcagt acttataaca tgaattgggt ccgccaggct 120

ccaggaaggg gactggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180

gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ttcactgtat 240

ctgcaaatga acagcctgag agccgatgac acggctgtgt attactgtgc gagagatggc 300

agcagttggg acgactactc tgactactgg ggccagggaa ccctgggtcac cgtctcctca 360

-continued

<210> SEQ ID NO 474  
 <211> LENGTH: 120  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 474

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Thr Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
 20 25 30  
 Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
 100 105 110  
 Gly Thr Leu Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 475  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 475

gacatccaga tgaccagtc tccttcacac ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca acagatacca 120  
 gggaaagccc ctaaactcct gatctataag gcgtctagtt tagaaaatgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca tcatcagcag cctgcagcct 240  
 gatgattttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300  
 gggaccaag tggaatcaa a 321

<210> SEQ ID NO 476  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 476

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Ile Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Lys Ala Ser Ser Leu Glu Asn Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Ile Ile Ser Ser Leu Gln Pro  
 65 70 75 80

-continued

Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg  
85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
100 105

<210> SEQ ID NO 477

<211> LENGTH: 360

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 477

gaggtgcagc tgggtggagtc tggggggaggc ctggtcaagc ctgggggggtc cctgagactc 60  
tcctgtgcag cctctggatt caccttcagt acttataaca tgaactgggt ccgccaggct 120  
ccaggaagg ggctggagtg ggtctcatcc attaggagta gtagtaatta catatactac 180  
gcagactcag tgaagggccg attcaccatc tccagagaca acgccaagaa ctcactgtat 240  
ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagatggc 300  
agcagttggt acgactactc tgactactgg ggccaaggaa ccctgggtcac cgtctcctca 360

<210> SEQ ID NO 478

<211> LENGTH: 120

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 478

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly  
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Thr Tyr  
20 25 30

Asn Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
35 40 45

Ser Ser Ile Arg Ser Ser Ser Asn Tyr Ile Tyr Tyr Ala Asp Ser Val  
50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
65 70 75 80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
85 90 95

Ala Arg Asp Gly Ser Ser Trp Tyr Asp Tyr Ser Asp Tyr Trp Gly Gln  
100 105 110

Gly Thr Leu Val Thr Val Ser Ser  
115 120

<210> SEQ ID NO 479

<211> LENGTH: 321

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 479

gacatccaga tgaccagtc tccttcacc ctgtctgcat ctgtaggaga cagagtcacc 60  
atcacttgcc gggccagtc gagtattagt agctgggttg cctgggtatca gcagaaacca 120  
gggaaagccc ctaagctcct gatctataag gcgtctagtt tagaaagtgg ggtcccatca 180

-continued

---

```

aggttcagcg gcagtggatc tgggacagaa ttcactctca ccatcagcag cctgcagcct 240
gatgatatttg caacttatta ctgccaacag tatattagtt attctcggac gttcggccaa 300
gggaccaagg tggaaatcaa a 321

```

```

<210> SEQ ID NO 480
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 480

```

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Thr Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Trp
             20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
             35             40             45
Tyr Lys Ala Ser Ser Leu Glu Ser Gly Val Pro Ser Arg Phe Ser Gly
             50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro
             65             70             75             80
Asp Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Tyr Ile Ser Tyr Ser Arg
             85             90             95
Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
             100             105

```

```

<210> SEQ ID NO 481
<211> LENGTH: 354
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 481

```

```

gagggtgcaac tagtggagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc 60
tctgtgttag tctctggatt caccttcggt gactacgaca tgcaactgggt ccgtcaagct 120
acaggaagag gtctggagtg ggtctcaggt attgctcctg ctggtgacac atcctatata 180
ggctccgtga agggccgatt caccatctcc agagagaatg ccaagaactc cttgcatctt 240
caaatgaaca gcctgacaac cggggacacg gctatatatt attgtgctag agaggatata 300
gcagtgcctg gttttgatta ctggggccag ggaaccctgg tcaccgtctc ctca 354

```

```

<210> SEQ ID NO 482
<211> LENGTH: 118
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 482

```

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Val Val Ser Gly Phe Thr Phe Gly Asp Tyr
             20             25             30
Asp Met His Trp Val Arg Gln Ala Thr Gly Arg Gly Leu Glu Trp Val
             35             40             45
Ser Gly Ile Ala Pro Ala Gly Asp Thr Ser Tyr Thr Gly Ser Val Lys

```

-continued

---

50	55	60	
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu His Leu			
65	70	75	80
Gln Met Asn Ser Leu Thr Thr Gly Asp Thr Ala Ile Tyr Tyr Cys Ala			
	85	90	95
Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr			
	100	105	110
Leu Val Thr Val Ser Ser			
115			

<210> SEQ ID NO 483  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 483

ggattcacct tcggtgacta cgac
 24

<210> SEQ ID NO 484  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 484

Gly Phe Thr Phe Gly Asp Tyr Asp
 21

1 5

<210> SEQ ID NO 485  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 485

attgctcctg ctggtgacac a
 21

<210> SEQ ID NO 486  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 486

Ile Ala Pro Ala Gly Asp Thr
 36

1 5

<210> SEQ ID NO 487  
 <211> LENGTH: 36  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 487

gctagagagg atatagcagt gcctggtttt gattac
 36

<210> SEQ ID NO 488  
 <211> LENGTH: 12

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 488

Ala Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr  
 1 5 10

<210> SEQ ID NO 489  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 489

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga acgaggcacc 60  
 ctctcctgca gggccagtca gagtgttagc agcaacttag cctggtacca gcagaaacct 120  
 ggccaggctc ccagactcct catctatggt gcatccacga gggccactgg cttcccagcc 180  
 aggttcagtg gcagtgggtc tgggacagag ttcactctca ccatcagcag cctgcagtct 240  
 gaagattttg cagtttatta ctgtcagcag tataataagt ggctccggt cactttcggc 300  
 cctgggacca aagtggtatt caaa 324

<210> SEQ ID NO 490  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 490

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly  
 1 5 10 15  
 Glu Arg Gly Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Thr Arg Ala Thr Gly Phe Pro Ala Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser  
 65 70 75 80  
 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro  
 85 90 95  
 Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Phe Lys  
 100 105

<210> SEQ ID NO 491  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 491

cagagtgtta gcagcaac 18

<210> SEQ ID NO 492  
 <211> LENGTH: 6  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 492

Gln Ser Val Ser Ser Asn  
 1 5

<210> SEQ ID NO 493  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 493

ggtgcatcc

9

<210> SEQ ID NO 494  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 494

Gly Ala Ser  
 1

<210> SEQ ID NO 495  
 <211> LENGTH: 30  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 495

cagcagtata ataagtggcc tccgttcact

30

<210> SEQ ID NO 496  
 <211> LENGTH: 10  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 496

Gln Gln Tyr Asn Lys Trp Pro Pro Phe Thr  
 1 5 10

<210> SEQ ID NO 497  
 <211> LENGTH: 354  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 497

gaggtgcaac tagtggagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc 60

tctctgttag tctctggatt caccttcggt gactacgaca tgactgggt cgtcaagct 120

acaggaagag gtctggagtg ggtctcaggt attgctcctg ctggtgacac atcctataca 180

ggctccgtga agggccgatt caccatctcc agagagaatg ccaagaactc cttgcatctt 240

caaatgaaca gcctgacaac cggggacacg gctatatatt attgtgctag agaggatata 300



-continued

---

gcagtgccctg gttttgatta ctggggccag ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 498  
 <211> LENGTH: 118  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 498

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Val Val Ser Gly Phe Thr Phe Gly Asp Tyr  
 20 25 30  
 Asp Met His Trp Val Arg Gln Ala Thr Gly Arg Gly Leu Glu Trp Val  
 35 40 45  
 Ser Gly Ile Ala Pro Ala Gly Asp Thr Ser Tyr Thr Gly Ser Val Lys  
 50 55 60  
 Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu His Leu  
 65 70 75 80  
 Gln Met Asn Ser Leu Thr Thr Gly Asp Thr Ala Ile Tyr Tyr Cys Ala  
 85 90 95  
 Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr  
 100 105 110  
 Leu Val Thr Val Ser Ser  
 115

<210> SEQ ID NO 499  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 499

gaaatagtgatgacgcagctccagccaccctgtctgtgtctccaggggaacgaggcacc 60  
 ctctcctgca gggccagtca gagggttagc agcaacttag cctggtacca gcagaaacct 120  
 ggccaggctc ccagactcct catctatggt gcatccacga gggccactgg cttccagcc 180  
 aggttcagtg gcagtgggctc tgggacagag ttcactctca ccatcagcag cctgcagtc 240  
 gaagattttg cagtttatta ctgtcagcag tataataagt ggcctccgtt cactttcggc 300  
 cctgggacca aagtgatat caaa 324

<210> SEQ ID NO 500  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 500

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly  
 1 5 10 15  
 Glu Arg Gly Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Thr Arg Ala Thr Gly Phe Pro Ala Arg Phe Ser Gly  
 50 55 60

-continued

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser  
65 70 75 80

Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro  
85 90 95

Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
100 105

<210> SEQ ID NO 501  
<211> LENGTH: 354  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 501

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc 60  
tctgtgcag cctctggatt caccttcggt gactacgaca tgcaactgggt ccgccaaagct 120  
acaggaaaaag gtctggagtg ggtctcagct attgctcctg ctggtgacac atactatcca 180  
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt 240  
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgctag agaggatata 300  
gcagtgcctg gttttgatta ctgggggcaa ggaaccctgg tcaccgtctc ctca 354

<210> SEQ ID NO 502  
<211> LENGTH: 118  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 502

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
1 5 10 15  
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Gly Asp Tyr  
20 25 30  
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val  
35 40 45  
Ser Ala Ile Ala Pro Ala Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys  
50 55 60  
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu  
65 70 75 80  
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala  
85 90 95  
Arg Glu Asp Ile Ala Val Pro Gly Phe Asp Tyr Trp Gly Gln Gly Thr  
100 105 110  
Leu Val Thr Val Ser Ser  
115

<210> SEQ ID NO 503  
<211> LENGTH: 324  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 503

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc 60  
ctctcctgca gggccagtc gagtggttag agcaacttag cctggtacca gcagaaacct 120

-continued

---

```

ggccaggctc ccaggctect catctatggt gcattccacca gggccactgg tatcccagcc 180
aggttcagtg gcagtggggc tgggacagag ttcactctca ccattcagcag cctgcagtct 240
gaagattttg cagtttatta ctgtcagcag tataataagt ggctccggt cactttcggc 300
cctgggacca aagtggatat caaa 324

```

```

<210> SEQ ID NO 504
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 504

```

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
                20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
                35             40             45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65             70             75             80
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Lys Trp Pro Pro
                85             90             95
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
 100             105

```

```

<210> SEQ ID NO 505
<211> LENGTH: 378
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 505

```

```

caaatctctc tgggtgaatc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc 60
tcttgaagg cttctgggta cacctttacc aactacgcta tcagctgggt gcgacaggtc 120
cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatggtca cacaaactat 180
gcacatgaag tccagggcag agtcaccatg accacagaca catccacgac cacagcctac 240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagagggggg 300
gtagtcgtgc cagttgtctc ccacttctac aacggatatg acgtctgggg ccaagggacc 360
acggtcaccg tctctctca 378

```

```

<210> SEQ ID NO 506
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 506

```

```

Gln Ile Leu Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala
 1             5             10             15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
 20             25             30

```

-continued

---

Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met  
           35                  40                  45

Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val  
       50                  55                  60

Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Thr Thr Ala Tyr  
   65                  70                  75                  80

Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys  
           85                  90                  95

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
          100                 105                 110

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
       115                 120                 125

<210> SEQ ID NO 507  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 507

ggttacacct ttaccaacta cgct

24

<210> SEQ ID NO 508  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 508

Gly Tyr Thr Phe Thr Asn Tyr Ala  
   1                  5

<210> SEQ ID NO 509  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 509

gtcagcgctt acaatgggtca caca

24

<210> SEQ ID NO 510  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 510

Val Ser Ala Tyr Asn Gly His Thr  
   1                  5

<210> SEQ ID NO 511  
 <211> LENGTH: 57  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 511

-continued

---

 cgcgagagggg gtgtagtcgt gccagttgct cccacttctt acaacgggat ggacgtc 57

<210> SEQ ID NO 512  
 <211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 512

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
 1 5 10 15

Met Asp Val

<210> SEQ ID NO 513  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 513

gatattgtga tgactcagtt tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
 atctcctgca ggtctagtca gagcctctcg catattaatg aatacaacta tttggattgg 120  
 tacctaaaga agccagggca gtctccacag ctctgatct atttgggttt taatcgggcc 180  
 tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttggggtc tattactgca tgcaagctct tcaaaactccg 300  
 tggacgttag gccaaaggac caaggtggaa atcaaa 336

<210> SEQ ID NO 514  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 514

Asp Ile Val Met Thr Gln Phe Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile  
 20 25 30  
 Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Lys Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Trp Thr Leu Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 515  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 515

-continued

---

cagagcctcc tgcataataa tgaatacaac tat

33

<210> SEQ ID NO 516  
<211> LENGTH: 11  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 516

Gln Ser Leu Leu His Ile Asn Glu Tyr Asn Tyr  
1 5 10

<210> SEQ ID NO 517  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 517

ttgggtttt

9

<210> SEQ ID NO 518  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 518

Leu Gly Phe  
1

<210> SEQ ID NO 519  
<211> LENGTH: 27  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 519

atgcaagctc ttcaaactcc gtggacg

27

<210> SEQ ID NO 520  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 520

Met Gln Ala Leu Gln Thr Pro Trp Thr  
1 5

<210> SEQ ID NO 521  
<211> LENGTH: 378  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 521

cagggttcagc tgggtgcagtc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc 60

tcctgcaagg cttctgggta cacctttacc aactacgcta tcagctgggt gcgacaggtc 120

-continued

---

```

cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatgggtca cacaaactat 180
gcacatgaag tccagggcag agtcaccatg accacagaca catccacgac cacagcctac 240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagaggggggt 300
gtagtctgtc cagttgctcc ccacttttac aacggtatgg acgtctgggg ccaagggaacc 360
acggtcaccg tctcctca 378

```

```

<210> SEQ ID NO 522
<211> LENGTH: 126
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 522

```

```

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala
 1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
          20             25            30
Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met
          35             40            45
Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val
          50             55            60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Thr Thr Ala Tyr
          65             70            75            80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys
          85             90            95
Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly
          100            105           110
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120           125

```

```

<210> SEQ ID NO 523
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 523

```

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60
atctcctgca ggtctagtc gagcctcctg catattaatg aatacaacta tttggattgg 120
tacctaaaga agccagggca gtctccacag ctctgatct atttgggttt taatcggggc 180
tccgggggtcc ctgacaggtt cagtggcagt ggatcaggca cagattttac actgaaaatc 240
agcagagtgg aggctgagga tgttggggtc tattactgca tgcaagctct tcaaactccg 300
tggaacgttag gccaaaggac caaggtggaa atcaaa 336

```

```

<210> SEQ ID NO 524
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 524

```

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10            15

```

-continued

---

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile  
                   20                  25                  30  
 Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Lys Lys Pro Gly Gln Ser  
                   35                  40                  45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
                   50                  55                  60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
                   65                  70                  75                  80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
                   85                  90                  95  
 Leu Gln Thr Pro Trp Thr Leu Gly Gln Gly Thr Lys Val Glu Ile Lys  
                   100                  105                  110

<210> SEQ ID NO 525  
 <211> LENGTH: 378  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 525

```

cagggttcagc tgggtcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc      60
tctgtcaagg cttctgggta cacctttacc aactacgcta tcagctgggt gcgacaggcc      120
cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatggtca cacaaactat      180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac      240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagaggggggt      300
gtagtcgtgc cagttgtctc ccacttctac aacggtatgg acgtctgggg gcaaggggacc      360
acggtcaccg tctcctca                                     378
  
```

<210> SEQ ID NO 526  
 <211> LENGTH: 126  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 526

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala  
   1          5                  10                  15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr  
           20                  25                  30  
 Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
           35                  40                  45  
 Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala Gln Lys Leu  
           50                  55                  60  
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr  
           65                  70                  75                  80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys  
           85                  90                  95  
 Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
           100                  105                  110  
 Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
           115                  120                  125

<210> SEQ ID NO 527



-continued

<211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 527

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc      60
atctcctgca ggtctagtca gagcctcctg catattaatg aatacaacta tttggattgg      120
tacctgcaga agccagggca gtctccacag ctctgatctt atttgggttc taatcggggc      180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc      240
agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct tcaaaactcc      300
tggacgttcg gccaaaggga caagtgga atcaaa                                336
  
```

<210> SEQ ID NO 528  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 528

```

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly
 1             5             10            15
Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile
          20             25             30
Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser
          35             40             45
Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65             70             75             80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala
          85             90             95
Leu Gln Thr Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
100            105            110
  
```

<210> SEQ ID NO 529  
 <211> LENGTH: 351  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 529

```

gaggtgcagc tgggtgagtc tgggggaggc ttggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagca      120
acaggaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactatata      180
ggctccgtga tgggccgatt caccatctcc agagacgctg ccaaaaactc cttctatctt      240
gaaatgaaca gcctgagagt cggggacacg gctgtatatt actgtgcaag agagggaata      300
agaacaccct atgattattg gggccaggga gcccggttca ccgtctcttc a                351
  
```

<210> SEQ ID NO 530  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 530

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly
1				5					10					15	

Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr
			20					25					30		

Asp	Met	His	Trp	Val	Arg	Gln	Ala	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val
		35					40					45			

Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Thr	Gly	Ser	Val	Met
	50					55					60				

Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Ala	Ala	Lys	Asn	Ser	Phe	Tyr	Leu
65					70					75					80

Glu	Met	Asn	Ser	Leu	Arg	Val	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala
			85					90						95	

Arg	Glu	Gly	Ile	Arg	Thr	Pro	Tyr	Asp	Tyr	Trp	Gly	Gln	Gly	Ala	Arg
		100					105						110		

Val	Thr	Val	Ser	Ser
				115

<210> SEQ ID NO 531

<211> LENGTH: 24

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 531

ggattcaccc taagtagcta cgac

24

<210> SEQ ID NO 532

<211> LENGTH: 8

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 532

Gly	Phe	Thr	Leu	Ser	Ser	Tyr	Asp
1				5			

<210> SEQ ID NO 533

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 533

attggcagta ctggtgacac a

21

<210> SEQ ID NO 534

<211> LENGTH: 7

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 534

Ile	Gly	Ser	Thr	Gly	Asp	Thr
1				5		

-continued

<210> SEQ ID NO 535  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 535

gcaagagagg gaataagaac accctatgat tat

33

<210> SEQ ID NO 536  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 536

Ala Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr  
 1 5 10

<210> SEQ ID NO 537  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 537

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc 60  
 ctctcctgca gggccagtca gagtgttagc agcaatgtag cctgggtacca gcagaaacct 120  
 ggccaggctc ccaggctcct catctatggt gcatccacca gggccactgg tatcccagcc 180  
 aggttcagtg gcagtgggctc tgggacagaa ttcactctca ccacgcagcag cctgcagtct 240  
 gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttcggc 300  
 cctgggacca aagtgatat caaa 324

<210> SEQ ID NO 538  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 538

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly  
 1 5 10 15  
 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn  
 20 25 30  
 Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser  
 65 70 75 80  
 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro  
 85 90 95  
 Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
 100 105

<210> SEQ ID NO 539

-continued

<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 539

cagagtgtta gcagcaat

18

<210> SEQ ID NO 540  
<211> LENGTH: 6  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 540

Gln Ser Val Ser Ser Asn  
1 5

<210> SEQ ID NO 541  
<211> LENGTH: 9  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 541

ggtgcatcc

9

<210> SEQ ID NO 542  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 542

Gly Ala Ser  
1

<210> SEQ ID NO 543  
<211> LENGTH: 30  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 543

cagcagtata ataattggcc tccattcact

30

<210> SEQ ID NO 544  
<211> LENGTH: 10  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 544

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr  
1 5 10

<210> SEQ ID NO 545  
<211> LENGTH: 351  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 545

gaggtgcagc	tggtggagtc	tgggggaggc	ttggtacagc	ctggggggtc	cctgagactc	60
tcctgtgcag	cctctggatt	caccctaagt	agctacgaca	tgactgggt	ccgccaagca	120
acaggaaaag	gtctggagtg	ggtctcagct	attggcagta	ctggtgacac	atactataca	180
ggctccgtga	tgggccgatt	caccatctcc	agagacgtcg	ccaaaaactc	cttctatctt	240
gaaatgaaca	gcctgagagt	cggggacacg	gctgtatatt	actgtgcaag	agaggggaata	300
agaacaccct	atgattattg	gggccaggga	accctgggtca	ccgtctcctc	a	351

<210> SEQ ID NO 546

<211> LENGTH: 117

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 546

Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
1				5					10					15		
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Leu	Ser	Ser	Tyr	
			20					25					30			
Asp	Met	His	Trp	Val	Arg	Gln	Ala	Thr	Gly	Lys	Gly	Leu	Glu	Trp	Val	
		35				40						45				
Ser	Ala	Ile	Gly	Ser	Thr	Gly	Asp	Thr	Tyr	Tyr	Thr	Gly	Ser	Val	Met	
		50				55					60					
Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Ala	Ala	Lys	Asn	Ser	Phe	Tyr	Leu	
65					70					75					80	
Glu	Met	Asn	Ser	Leu	Arg	Val	Gly	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	Ala	
			85					90						95		
Arg	Glu	Gly	Ile	Arg	Thr	Pro	Tyr	Asp	Tyr	Trp	Gly	Gln	Gly	Thr	Leu	
		100						105					110			
Val	Thr	Val	Ser	Ser												
			115													

<210> SEQ ID NO 547

<211> LENGTH: 324

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 547

gaaatagtga	tgacgcagtc	tccagccacc	ctgtctgtgt	ctccagggga	aagagccacc	60
ctctcctgca	gggccagtc	gagtgtagc	agcaatgtag	cctggtacca	gcagaaacct	120
ggccaggctc	ccaggctcct	catctatggt	gcateccacca	gggccactgg	tatccagcc	180
aggttcagtg	gcagtgggtc	tgggacagaa	ttcactctca	ccatcagcag	cctgcagtct	240
gaagattttg	cagtttatta	ctgtcagcag	tataataatt	ggcctccatt	cactttcggc	300
cctggggacca	aagtgatat	caaa				324

<210> SEQ ID NO 548

<211> LENGTH: 108

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 548

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly  
 1 5 10 15  
 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn  
 20 25 30  
 Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser  
 65 70 75 80  
 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro  
 85 90 95  
 Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
 100 105

&lt;210&gt; SEQ ID NO 549

&lt;211&gt; LENGTH: 351

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 549

gaggtgcagc tgggtggagtc tggggggaggc ttggtacagc ctgggggggtc cctgagactc 60  
 tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagct 120  
 acaggaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactatcca 180  
 ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt 240  
 caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agagggaata 300  
 agaacaccct atgattattg gggccaagga accctggtca ccgtctcttc a 351

&lt;210&gt; SEQ ID NO 550

&lt;211&gt; LENGTH: 117

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 550

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr  
 20 25 30  
 Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys  
 50 55 60  
 Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu  
 65 70 75 80  
 Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala  
 85 90 95  
 Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Thr Leu  
 100 105 110  
 Val Thr Val Ser Ser  
 115

-continued

<210> SEQ ID NO 551  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 551

```

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc      60
ctctcctgca gggccagtca gagtgttagc agcaatttag cctggtacca gcagaaacct      120
ggccaggctc ccaggctcct catctatggt gcattccacca gggccactgg tatcccagcc      180
aggttcagtg gcagtgggtc tgggacagag ttcactctca ccatcagcag cctgcagtcct      240
gaagattttg cagtttatta ctgtcagcag tataataatt ggctccatt cactttcggc      300
cctgggacca aagtggatat caaa                                     324
  
```

<210> SEQ ID NO 552  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 552

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
  1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
             20             25             30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
             35             40             45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
             50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
             65             70             75             80
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
             85             90             95
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
             100            105
  
```

<210> SEQ ID NO 553  
 <211> LENGTH: 351  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 553

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagca      120
acaggaaaaa gtctggagtg ggtctcagct attggcagta ctggtgacac atactatata      180
ggctccgtga tgggccgatt caccatctcc agagacgctg ccaaaaactc cttctatctt      240
gaaatgaaca gcctgagagt cggggacacg gctgtatatt actgtgcaag agaggggaata      300
agaacacctt atgattattg gggccaggga gcccggtgta ccgtctcttc a                351
  
```

<210> SEQ ID NO 554  
 <211> LENGTH: 117

-continued

---

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 554

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
      20             25             30
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
      35             40             45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Thr Gly Ser Val Met
      50             55             60
Gly Arg Phe Thr Ile Ser Arg Asp Ala Ala Lys Asn Ser Phe Tyr Leu
      65             70             75             80
Glu Met Asn Ser Leu Arg Val Gly Asp Thr Ala Val Tyr Tyr Cys Ala
      85             90             95
Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Ala Arg
      100            105            110

Val Thr Val Ser Ser
      115

```

```

<210> SEQ ID NO 555
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 555

```

```

ggattcaccc taagtagcta cgac

```

24

```

<210> SEQ ID NO 556
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 556

```

```

Gly Phe Thr Leu Ser Ser Tyr Asp
 1             5

```

```

<210> SEQ ID NO 557
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 557

```

```

attggcagta ctggtgacac a

```

21

```

<210> SEQ ID NO 558
<211> LENGTH: 7
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 558

```

```

Ile Gly Ser Thr Gly Asp Thr

```



-continued

---

1 5

<210> SEQ ID NO 559  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 559

gcaagagagg gaataagaac accctatgat tat 33

<210> SEQ ID NO 560  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 560

Ala Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr  
 1 5 10

<210> SEQ ID NO 561  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 561

gaaatagtgga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc 60  
 ctctcctgca gggccagtca gagggttagc agcaatgtag cctgggtacca gcagaaacct 120  
 ggccaggctc ccaggctcct catctatggt gcatccacca gggccactgg tatcccagcc 180  
 aggttcagtg gcagtggggc tgggacagaa ttcactctca ccatcagcag cctgcagtc 240  
 gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttcggc 300  
 cctgggacca aagtgatat caaa 324

<210> SEQ ID NO 562  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 562

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly  
 1 5 10 15  
 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn  
 20 25 30  
 Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile  
 35 40 45  
 Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser  
 65 70 75 80  
 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro  
 85 90 95  
 Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
 100 105

-continued

<210> SEQ ID NO 563  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 563

cagagtgtta gcagcaat

18

<210> SEQ ID NO 564  
 <211> LENGTH: 6  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 564

Gln Ser Val Ser Ser Asn  
 1 5

<210> SEQ ID NO 565  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 565

ggtgcatcc

9

<210> SEQ ID NO 566  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 566

Gly Ala Ser  
 1

<210> SEQ ID NO 567  
 <211> LENGTH: 30  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 567

cagcagtata ataattggcc tccattcact

30

<210> SEQ ID NO 568  
 <211> LENGTH: 10  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 568

Gln Gln Tyr Asn Asn Trp Pro Pro Phe Thr  
 1 5 10

<210> SEQ ID NO 569  
 <211> LENGTH: 351

-continued

<212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 569

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagca      120
acaggaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactataca      180
ggctccgtga tgggcccatt caccatctcc agagacgtcg ccaaaaaactc cttctatctt      240
gaaatgaaca gcctgagagt cggggacacg gctgtatatt actgtgcaag agaggggaata      300
agaacaccct atgattattg gggccaggga accctgggtca ccgtctcttc a              351
  
```

<210> SEQ ID NO 570  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 570

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1           5           10           15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
          20           25           30
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
          35           40           45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Thr Gly Ser Val Met
          50           55           60
Gly Arg Phe Thr Ile Ser Arg Asp Ala Ala Lys Asn Ser Phe Tyr Leu
          65           70           75           80
Glu Met Asn Ser Leu Arg Val Gly Asp Thr Ala Val Tyr Tyr Cys Ala
          85           90           95
Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Thr Leu
          100          105          110
Val Thr Val Ser Ser
          115
  
```

<210> SEQ ID NO 571  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 571

```

gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc      60
ctctctctga gggccagtca gagtgtagc agcaatgtag cctggtacca gcagaaacct      120
ggccaggctc ccaggctcct catctatggt gcattccacca gggccactgg tatccagcc      180
aggttcagtg gcagtggggtc tgggacagaa ttcactctca ccatcagcag cctgcagtct      240
gaagattttg cagtttatta ctgtcagcag tataataatt ggcctccatt cactttcggc      300
cctgggacca aagtgatat caaa              324
  
```

<210> SEQ ID NO 572  
 <211> LENGTH: 108  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 572

```

Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
                20             25             30
Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
                35             40             45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
65             70             75             80
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
                85             90             95
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
100             105

```

<210> SEQ ID NO 573  
 <211> LENGTH: 351  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 573

```

gaggtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggggggtc cctgagactc      60
tcctgtgcag cctctggatt caccctaagt agctacgaca tgcactgggt ccgccaagct      120
acaggaaaag gtctggagtg ggtctcagct attggcagta ctggtgacac atactatcca      180
ggctccgtga agggccgatt caccatctcc agagaaaatg ccaagaactc cttgtatctt      240
caaatgaaca gcctgagagc cggggacacg gctgtgtatt actgtgcaag agagggaata      300
agaacaccct atgattattg gggccaagga accctggtca ccgtctcctc a              351

```

<210> SEQ ID NO 574  
 <211> LENGTH: 117  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 574

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Leu Ser Ser Tyr
                20             25             30
Asp Met His Trp Val Arg Gln Ala Thr Gly Lys Gly Leu Glu Trp Val
                35             40             45
Ser Ala Ile Gly Ser Thr Gly Asp Thr Tyr Tyr Pro Gly Ser Val Lys
 50             55             60
Gly Arg Phe Thr Ile Ser Arg Glu Asn Ala Lys Asn Ser Leu Tyr Leu
65             70             75             80
Gln Met Asn Ser Leu Arg Ala Gly Asp Thr Ala Val Tyr Tyr Cys Ala
                85             90             95
Arg Glu Gly Ile Arg Thr Pro Tyr Asp Tyr Trp Gly Gln Gly Thr Leu
100             105             110

```

-continued

Val Thr Val Ser Ser  
115

<210> SEQ ID NO 575  
<211> LENGTH: 324  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 575

```
gaaatagtga tgacgcagtc tccagccacc ctgtctgtgt ctccagggga aagagccacc    60
ctctcctgca gggccagtca gagggttagc agcaatttag cctggtacca gcagaaacct    120
ggccaggctc ccaggctcct catctatggt gcattccacca gggccactgg tatcccagcc    180
aggttcagtg gcagtggggc tgggacagag ttactcttca ccatcagcag cctgcagtcct    240
gaagattttg cagtttatta ctgtcagcag tataataatt ggctccatt cactttcggc    300
cctgggacca aagtgatat caaa                                           324
```

<210> SEQ ID NO 576  
<211> LENGTH: 108  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 576

```
Glu Ile Val Met Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Asn
 20            25            30
Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35            40            45
Tyr Gly Ala Ser Thr Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50            55            60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Ser
 65            70            75            80
Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Asn Asn Trp Pro Pro
 85            90            95
Phe Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
100           105
```

<210> SEQ ID NO 577  
<211> LENGTH: 363  
<212> TYPE: DNA  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 577

```
gaagtcgagc tgggtggagtc tgggggaggc ttggtacagc ctggcaggtc cctgagactc    60
tctgtgagc cctctggatt cacctttgat gattatgcca tgcactgggt ccggcaagct    120
ccaggaagg gcctggagtg ggtctcaggt attaatgga acagtggtag cataggctat    180
gcggactctg tgaagggccg attcaccatc tccagagaca acgccaagca ctccctgtat    240
ctgcaaatga acagtctgag acctgaggac acggccttgt attactgtgt aaaagagggtg    300
actacgggat actactacgg tatggacgtc tggggccaag ggaccacggt caccgtctcc    360
```

-continued

tca

363

<210> SEQ ID NO 578  
 <211> LENGTH: 121  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 578

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr  
 20 25 30  
 Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys His Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Leu Tyr Tyr Cys  
 85 90 95  
 Val Lys Glu Val Thr Thr Gly Tyr Tyr Tyr Gly Met Asp Val Trp Gly  
 100 105 110  
 Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 579  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 579

ggattcacct ttgatgatta tgcc

24

<210> SEQ ID NO 580  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 580

Gly Phe Thr Phe Asp Asp Tyr Ala  
 1 5

<210> SEQ ID NO 581  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 581

attaattgga acagtggtag cata

24

<210> SEQ ID NO 582  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:

-continued

---

<223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 582

Ile Asn Trp Asn Ser Gly Ser Ile  
 1 5

&lt;210&gt; SEQ ID NO 583

&lt;211&gt; LENGTH: 42

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 583

gtaaaagagg tgactacggg atactactac ggtatggacg tc 42

&lt;210&gt; SEQ ID NO 584

&lt;211&gt; LENGTH: 14

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 584

Val Lys Glu Val Thr Gly Tyr Tyr Gly Met Asp Val  
 1 5 10

&lt;210&gt; SEQ ID NO 585

&lt;211&gt; LENGTH: 321

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 585

gacatccagt tgaccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60

atcacttgct gggccagtc gggcattagc agttatttag cctgggtatca gaaaaaacca 120

gggaaagccc ctaacctct gatctatgat gcattccatt tgcaaagtgg ggtcccatca 180

aggttcagcg gcagtggatc tgggacagaa ttactctca cactcagcag cctgcagcct 240

gaagattttg caactatta ctgtcaacag cttaatatat acccattcac ttctggccct 300

gggaccaaag tggatatcaa a 321

&lt;210&gt; SEQ ID NO 586

&lt;211&gt; LENGTH: 107

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 586

Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly  
 1 5 10 15

Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Gly Ile Ser Ser Tyr  
 20 25 30

Leu Ala Trp Tyr Gln Lys Lys Pro Gly Lys Ala Pro Asn Leu Leu Ile  
 35 40 45

Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60

Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Leu Ser Ser Leu Gln Pro  
 65 70 75 80

-continued

---

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ile Tyr Pro Phe  
                                   85                                  90                                  95

Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
                   100                                  105

<210> SEQ ID NO 587  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 587

cagggcatta gcagttat

18

<210> SEQ ID NO 588  
 <211> LENGTH: 6  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 588

Gln Gly Ile Ser Ser Tyr  
   1                                  5

<210> SEQ ID NO 589  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 589

gatgcatcc

9

<210> SEQ ID NO 590  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 590

Asp Ala Ser  
   1

<210> SEQ ID NO 591  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 591

caacagctta atatttacc attcact

27

<210> SEQ ID NO 592  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 592

Gln Gln Leu Asn Ile Tyr Pro Phe Thr



-continued

---

1 5

<210> SEQ ID NO 593  
 <211> LENGTH: 363  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 593

gaagtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggcaggtc cctgagactc 60  
 tcctgtgcag cctctggatt cacctttgat gattatgcc a tgcactgggt ccggcaagct 120  
 ccaggaagc gcctggagtg ggtctcaggt attaattgga acagtggtag cataggctat 180  
 gcggactctg tgaagggccg attcaccatc tccagagaca acgccaagca ctccctgtat 240  
 ctgcaaatga acagtctgag acctgaggac acggccttgt attactgtgt aaaagagggtg 300  
 actacgggat actactacgg tatggacgtc tggggccaag ggaccacggt caccgtctcc 360  
 tca 363

<210> SEQ ID NO 594  
 <211> LENGTH: 121  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 594

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg  
 1 5 10 15  
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr  
 20 25 30  
 Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
 35 40 45  
 Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val  
 50 55 60  
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys His Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Pro Glu Asp Thr Ala Leu Tyr Tyr Cys  
 85 90 95  
 Val Lys Glu Val Thr Thr Gly Tyr Tyr Tyr Gly Met Asp Val Trp Gly  
 100 105 110  
 Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 595  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 595

gacatccagt tgaccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgct gggccagtc gggcattagc agttatttag cctgggtatca gaaaaacca 120  
 gggaaagccc ctaacctct gatctatgat gcatccactt tgcaaaagg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca cactcagcag cctgcagcct 240  
 gaagattttg caacttatta ctgtcaacag cttaatatatt acccattcac ttctggccct 300

-continued

gggaccaaag tggatatcaa a

321

<210> SEQ ID NO 596  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 596

```

Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly
 1             5             10             15
Asp Arg Val Thr Ile Thr Cys Trp Ala Ser Gln Gly Ile Ser Ser Tyr
          20             25             30
Leu Ala Trp Tyr Gln Lys Lys Pro Gly Lys Ala Pro Asn Leu Leu Ile
          35             40             45
Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly
          50             55             60
Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Leu Ser Ser Leu Gln Pro
          65             70             75             80
Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ile Tyr Pro Phe
          85             90             95
Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys
          100             105

```

<210> SEQ ID NO 597  
 <211> LENGTH: 363  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 597

```

gaagtgcagc tgggtggagtc tgggggaggc ttggtacagc ctggcaggtc cctgagactc      60
tctgtgtcag cctctggatt cacctttgat gattatgccca tgcactgggt ccggcaagct      120
ccaggaagg gcttgaggat ggtctcaggt attaattgga acagtggtag cataggctat      180
gcggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctccctgtat      240
ctgcaaatga acagtctgag agctgaggac acggccttgt attactgtgt aaaagaggtg      300
actacgggat actactacgg tatggacgtc tgggggcaag ggaccacggt caccgtctcc      360
tca                                                    363

```

<210> SEQ ID NO 598  
 <211> LENGTH: 121  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 598

```

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Arg
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Asp Asp Tyr
          20             25             30
Ala Met His Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
          35             40             45
Ser Gly Ile Asn Trp Asn Ser Gly Ser Ile Gly Tyr Ala Asp Ser Val
          50             55             60

```

-continued

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr  
 65 70 75 80  
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Leu Tyr Tyr Cys  
 85 90 95  
 Val Lys Glu Val Thr Thr Gly Tyr Tyr Tyr Gly Met Asp Val Trp Gly  
 100 105 110  
 Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120

<210> SEQ ID NO 599  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 599

gacatccagt tgacccagtc tccatccttc ctgtctgcat ctgtaggaga cagagtcacc 60  
 atcacttgcc gggccagtc gggcattagc agttatttag cctgggtatca gcaaaaacca 120  
 gggaaagccc ctaagctcct gatctatgat gcattccactt tgcaaagtgg ggtcccatca 180  
 aggttcagcg gcagtggatc tgggacagaa ttcactctca caatcagcag cctgcagcct 240  
 gaagattttg caacttatta ctgtcaacag cttaatatatt acccattcac ttctggccct 300  
 gggaccaaag tggatatcaa a 321

<210> SEQ ID NO 600  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 600

Asp Ile Gln Leu Thr Gln Ser Pro Ser Phe Leu Ser Ala Ser Val Gly  
 1 5 10 15  
 Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Gly Ile Ser Ser Tyr  
 20 25 30  
 Leu Ala Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile  
 35 40 45  
 Tyr Asp Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly  
 50 55 60  
 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro  
 65 70 75 80  
 Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Leu Asn Ile Tyr Pro Phe  
 85 90 95  
 Thr Phe Gly Pro Gly Thr Lys Val Asp Ile Lys  
 100 105

<210> SEQ ID NO 601  
 <211> LENGTH: 366  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 601

gaggtgcagt tggtggagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc 60  
 tcctgtgcag cctctggatt cacgttttagt agctatgcc tgaactgggt ccgccaggct 120

-continued

---

```

ccaggaagg ggctggattg ggtctcaggt atcagtggtg atggtggtg cacctactac 180
gcagactccg tgaaggcccg gttcaccatc tccagagaca tttccaagaa cacgctgtat 240
gtgcaaatgc acagcctgag agtcgaggac acggccgttt actactgtgc gaaagcccg 300
tattacgatt tttggggggg gaatttcgat ctctggggcc gtggcaccca ggtcactgtc 360
tcctca 366

```

```

<210> SEQ ID NO 602
<211> LENGTH: 122
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 602

```

```

Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
          20             25             30
Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val
          35             40             45
Ser Gly Ile Ser Gly Asn Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val
          50             55             60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Ile Ser Lys Asn Thr Leu Tyr
          65             70             75             80
Val Gln Met His Ser Leu Arg Val Glu Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu Trp
          100            105            110
Gly Arg Gly Thr Gln Val Thr Val Ser Ser
          115            120

```

```

<210> SEQ ID NO 603
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 603

```

```

ggattcacgt ttagtagcta tgcc 24

```

```

<210> SEQ ID NO 604
<211> LENGTH: 8
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 604

```

```

Gly Phe Thr Phe Ser Ser Tyr Ala
 1             5

```

```

<210> SEQ ID NO 605
<211> LENGTH: 24
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 605

```

-continued

atcagtggtgta atggtggttag cacc

24

<210> SEQ ID NO 606  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 606

Ile Ser Gly Asn Gly Gly Ser Thr  
 1 5

<210> SEQ ID NO 607  
 <211> LENGTH: 45  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 607

gcgaaagccc gttattacga tttttggggg gggaatttcg atctc

45

<210> SEQ ID NO 608  
 <211> LENGTH: 15  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 608

Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu  
 1 5 10 15

<210> SEQ ID NO 609  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 609

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc 60

ctctcctgca gggccagtca gagtgtagc atcagggtact tagcctggta tcagcagaaa 120

cctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca 180

gacaggttca gtgtcagtggt gtctgggaca gacttcactc tcaccatcac tagactggag 240

cctgaagatt ttgcagtcta ttactgtcag caatatggta gttcacgcgt cactttcggc 300

ggagggacca aggtggagat caaaa 324

<210> SEQ ID NO 610  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 610

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly  
 1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg  
 20 25 30

-continued

---

Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu  
           35                          40                          45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser  
       50                          55                          60

Val Ser Val Ser Gly Thr Asp Phe Thr Leu Thr Ile Thr Arg Leu Glu  
       65                          70                          75                          80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro  
                           85                          90                          95

Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
           100                          105

<210> SEQ ID NO 611  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 611

cagagtgtta gcatcaggta c

21

<210> SEQ ID NO 612  
 <211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 612

Gln Ser Val Ser Ile Arg Tyr  
       1                          5

<210> SEQ ID NO 613  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 613

ggtgcatcc

9

<210> SEQ ID NO 614  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 614

Gly Ala Ser  
       1

<210> SEQ ID NO 615  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 615

cagcaatatg gtagttcacc gctcact

27

<210> SEQ ID NO 616

-continued

---

<211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 616

Gln Gln Tyr Gly Ser Ser Pro Leu Thr  
 1 5

<210> SEQ ID NO 617  
 <211> LENGTH: 366  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 617

gaggtgcagt tgttggagtc tgggggaggc ttggtacagc ctgggggggtc cctgagactc	60
tcctgtgcag cctctggatt cacgtttagt agctatgccca tgaactgggt ccgccaggct	120
ccaggaaggg ggctggattg ggtctcaggt atcagtggtg atggtggtag cacctactac	180
gcagactccg tgaagggccg gttcaccatc tccagagaca tttccaagaa cacgtgtat	240
gtgcaaatgc acagcctgag agtcgaggac acggccggtt actactgtgc gaaagcccgt	300
tattacgatt ttgggggggg gaatttcgat ctctgggggc gtggcaccct ggctactgtc	360
tcctca	366

<210> SEQ ID NO 618  
 <211> LENGTH: 122  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 618

Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly	1 5 10 15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr	20 25 30
Ala Met Asn Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Asp Trp Val	35 40 45
Ser Gly Ile Ser Gly Asn Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val	50 55 60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Ile Ser Lys Asn Thr Leu Tyr	65 70 75 80
Val Gln Met His Ser Leu Arg Val Glu Asp Thr Ala Val Tyr Tyr Cys	85 90 95
Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu Trp	100 105 110
Gly Arg Gly Thr Leu Val Thr Val Ser Ser	115 120

<210> SEQ ID NO 619  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 619

-continued

---

```

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc    60
ctctcctgca gggccagtca gagtgttagc atcagggtact tagcctggta tcagcagaaa    120
cctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca    180
gacaggttca gtgtcagtgt gtctgggaca gacttcactc tcaccatcac tagactggag    240
cctgaagatt ttgcagtcta ttactgtcag caatatggta gttcaccgct cactttcggc    300
ggagggacca aggtggagat caaa                                           324

```

```

<210> SEQ ID NO 620
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 620

```

```

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg
          20             25             30
Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
          35             40             45
Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
          50             55             60
Val Ser Val Ser Gly Thr Asp Phe Thr Leu Thr Ile Thr Arg Leu Glu
          65             70             75             80
Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro
          85             90             95
Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
          100             105

```

```

<210> SEQ ID NO 621
<211> LENGTH: 366
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 621

```

```

gaggtgcagc tgttgagtc tgggggaggc ttggtacagc ctgggggggc cctgagactc    60
tctgtgctgag cctctggatt cacgtttagt agctatgccca tgagctgggt ccgccaggct    120
ccaggaagg ggctggagtg ggtctcagct atcagtggtta atggtggttag cacctactac    180
gcagactccg tgaagggccg gttcaccatc tccagagaca attccaagaa cacgctgtat    240
ctgcaaatga acagcctgag agccgaggac acggccgtat attactgtgc gaaagcccggt    300
tattacgatt tttggggggg gaatttcgat ctctggggcc gtggcaccct ggtcactgtc    360
tcctca                                           366

```

```

<210> SEQ ID NO 622
<211> LENGTH: 122
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 622

```

```

Glu Val Gln Leu Leu Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1             5             10             15

```



-continued

---

Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr  
                   20                                  25                                  30

Ala Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val  
                   35                                  40                                  45

Ser Ala Ile Ser Gly Asn Gly Gly Ser Thr Tyr Tyr Ala Asp Ser Val  
                   50                                  55                                  60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr  
                   65                                  70                                  75                                  80

Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys  
                                   85                                  90                                  95

Ala Lys Ala Arg Tyr Tyr Asp Phe Trp Gly Gly Asn Phe Asp Leu Trp  
                   100                                  105                                  110

Gly Arg Gly Thr Leu Val Thr Val Ser Ser  
                   115                                  120

<210> SEQ ID NO 623  
 <211> LENGTH: 324  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 623

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc 60  
 ctctctcgca gggccagtca gagtgttagc atcaggtact tagcctggta ccagcagaaa 120  
 cctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca 180  
 gacaggttca gtggcagtggt gtctgggaca gacttcactc tcaccatcag cagactggag 240  
 cctgaagatt ttgcagtgtg ttactgtcag caatatggta gttcacgct cactttcggc 300  
 ggagggacca aggtggagat caaa 324

<210> SEQ ID NO 624  
 <211> LENGTH: 108  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 624

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly  
   1                                  5                                  10                                  15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ile Arg  
                   20                                  25                                  30

Tyr Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu  
                   35                                  40                                  45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser  
                   50                                  55                                  60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu  
                   65                                  70                                  75                                  80

Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Tyr Gly Ser Ser Pro  
                   85                                  90                                  95

Leu Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
                   100                                  105

<210> SEQ ID NO 625  
 <211> LENGTH: 381  
 <212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 625

```
cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc    60
tcttgaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc    120
cctggacaag ggcttgatgt gatgggatgg atcagcggtt acaatggtaa aacaaacgat    180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac    240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt    300
ttagtagtac cacctgcctt ttattattcc tactacgtta tggacgtctg gggccaaggg    360
accacgggtca ccgtctcctc a                                           381
```

<210> SEQ ID NO 626  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 626

```
Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala
  1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
      20            25            30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
  35            40            45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe
  50            55            60
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
  65            70            75            80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys
      85            90            95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr
    100           105           110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
    115           120           125
```

<210> SEQ ID NO 627  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 627

```
ggttacacct ttaccaccta tgggt                                           24
```

<210> SEQ ID NO 628  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 628

```
Gly Tyr Thr Phe Thr Thr Tyr Gly
  1             5
```

-continued

<210> SEQ ID NO 629  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 629

atcagcgggtt acaatggtaa aaca

24

<210> SEQ ID NO 630  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 630

Ile Ser Gly Tyr Asn Gly Lys Thr  
 1 5

<210> SEQ ID NO 631  
 <211> LENGTH: 60  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 631

tcgagagatc gtttagtagt accacctgcc ctttattatt cctactacgt tatggacgtc

60

<210> SEQ ID NO 632  
 <211> LENGTH: 20  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 632

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr  
 1 5 10 15

Val Met Asp Val  
 20

<210> SEQ ID NO 633  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 633

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttgagaca gccggcctcc

60

atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg

120

tttcagcaga ggccagggtca atctccaagg cgcctaattt ataaggtttc taaccggggac

180

tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaaac

240

agcaggggtgg aggctgagga tggtgggggtt tattactgca tgcaaggtac aactggccg

300

tacacttttg gccagggggac caagctggag atcaaa

336

<210> SEQ ID NO 634  
 <211> LENGTH: 112  
 <212> TYPE: PRT

-continued

---

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 634

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly  
 1 5 10 15  
 Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser  
 20 25 30  
 Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser  
 35 40 45  
 Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly  
 85 90 95  
 Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 635  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 635

caaagcctcg tatacagtga tggaaacacc tac

33

<210> SEQ ID NO 636  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 636

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr  
 1 5 10

<210> SEQ ID NO 637  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 637

aaggtttct

9

<210> SEQ ID NO 638  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 638

Lys Val Ser  
 1

<210> SEQ ID NO 639

-continued

<211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 639

atgcaaggta cacactggcc gtacact

27

<210> SEQ ID NO 640  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 640

Met Gln Gly Thr His Trp Pro Tyr Thr  
 1 5

<210> SEQ ID NO 641  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 641

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc 60  
 tcctgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc 120  
 cctggacaag ggcttgatgt gatgggatgg atcagcgggtt acaatggtaa aacaaacgat 180  
 gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac 240  
 atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300  
 ttagtagtac cacctgcctt ttattattcc tactacgtta tggacgtctg gggccaaggg 360  
 accacgggtca ccgtctcctc a 381

<210> SEQ ID NO 642  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 642

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala  
 1 5 10 15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr  
 20 25 30  
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45  
 Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe  
 50 55 60  
 Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr  
 65 70 75 80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys  
 85 90 95  
 Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr  
 100 105 110  
 Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser

-continued

---

115	120	125	
<210> SEQ ID NO 643 <211> LENGTH: 336 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic			
<400> SEQUENCE: 643			
gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaaca gccggcctcc			60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg			120
tttcagcaga ggccaggtca atctccaagg cgcctaattt ataaggtttc taaccgggac			180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc			240
agcaggggtgg aggctgagga tggtgggggtt tattactgca tgcaagggtac acactggccg			300
tacacttttg gccaggggac caagctggag atcaaa			336
<210> SEQ ID NO 644 <211> LENGTH: 112 <212> TYPE: PRT <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic			
<400> SEQUENCE: 644			
Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly			
1 5 10 15			
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser			
20 25 30			
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser			
35 40 45			
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro			
50 55 60			
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile			
65 70 75 80			
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly			
85 90 95			
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys			
100 105 110			
<210> SEQ ID NO 645 <211> LENGTH: 381 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic			
<400> SEQUENCE: 645			
caggttcagc tgggtgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc			60
tcttgcaagg cttctgggta cacctttacc acctatggta tcagctgggt gcgacaggcc			120
cctggacaag ggcttgagtg gatgggatgg atcagcgggtt acaatggtaa aacaaactat			180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac			240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt			300
ttagtagtac cacctgccct ttattattcc tactacgtta tggacgtctg ggggcaaggg			360
accacgggtca ccgtctcctc a			381

-continued

<210> SEQ ID NO 646  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 646

```
Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
  1             5             10             15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
          20             25             30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
          35             40             45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Tyr Ala Gln Lys Leu
          50             55             60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
          65             70             75             80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Ser Tyr Tyr
          100            105            110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120            125
```

<210> SEQ ID NO 647  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 647

```
gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg      120
tttcagcaga ggccaggcca atctccaagg cgcctaattt ataaggtttc taaccgggac      180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc      240
agcaggggtgg aggctgagga tgttggggtt tattactgca tgcaagggtac acactggccg      300
tacacttttg gccaggggac caagctggag atcaaaa                                336
```

<210> SEQ ID NO 648  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 648

```
Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
  1             5             10             15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
          20             25             30
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
          35             40             45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
```

-continued

---

65	70	75	80	
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly				
	85	90	95	
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys				
	100	105	110	

<210> SEQ ID NO 649  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 649

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc	60
tcctgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc	120
cctggacaag ggcttgatgt gatgggatgg atcagcgggtt acaatggtaa aacaaaacgat	180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac	240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt	300
ttagtagtac cacctgcctt taattattac tactacgtta tggacgtctg gggccaaggg	360
accacgggtca cegtctcctc a	381

<210> SEQ ID NO 650  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 650

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala	
1	5 10 15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr	
	20 25 30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met	
	35 40 45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe	
	50 55 60
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr	
65	70 75 80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys	
	85 90 95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr	
	100 105 110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
	115 120 125

<210> SEQ ID NO 651  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 651

ggttacacct ttaccaccta tgggt



-continued

---

<210> SEQ ID NO 652  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 652

Gly Tyr Thr Phe Thr Thr Tyr Gly  
 1 5

<210> SEQ ID NO 653  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 653

atcagcgggtt acaatggtaa aaca

24

<210> SEQ ID NO 654  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 654

Ile Ser Gly Tyr Asn Gly Lys Thr  
 1 5

<210> SEQ ID NO 655  
 <211> LENGTH: 60  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 655

tcgagagatc gtttagtagt accacctgcc cttaattatt actactacgt tatggacgtc

60

<210> SEQ ID NO 656  
 <211> LENGTH: 20  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 656

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr  
 1 5 10 15

Val Met Asp Val  
 20

<210> SEQ ID NO 657  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 657

gatgttgtga tgactcagtc tccactctcc ctgcccgtca cccttgga gcccgcctcc

60

atctcctgca ggtctagtc aagcctcgta tacagtgatg gaaacaccta cttgaattgg

120

-continued

---

```

tttcagcaga ggccagggtca atctccaagg cgcctaattt ataagggttc taaccgggac 180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc 240
agcagggtgg aggctgagga tgttgggggtt tattactgca tgcaaggtag acactggccg 300
tacacttttg gccagggggac caagctggag atcaaa 336

```

```

<210> SEQ ID NO 658
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 658

```

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
 1             5             10             15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
          20             25             30
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
          35             40             45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
          50             55             60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
65             70             75             80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
          85             90             95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
100             105             110

```

```

<210> SEQ ID NO 659
<211> LENGTH: 33
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 659

```

```

caaagcctcg tatacagtga tggaaacacc tac 33

```

```

<210> SEQ ID NO 660
<211> LENGTH: 11
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 660

```

```

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr
 1             5             10

```

```

<210> SEQ ID NO 661
<211> LENGTH: 9
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 661

```

```

aaggtttct 9

```

```

<210> SEQ ID NO 662
<211> LENGTH: 3

```

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 662

Lys Val Ser  
 1

<210> SEQ ID NO 663  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 663

atgcaaggta cacactggcc gtacact

27

<210> SEQ ID NO 664  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 664

Met Gln Gly Thr His Trp Pro Tyr Thr  
 1 5

<210> SEQ ID NO 665  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 665

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc	60
tcctgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc	120
cctggacaag ggcttgatg gatgggatgg atcagcgggtt acaatggtaa aacaaacgat	180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac	240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt	300
ttagtagtac cacctgccct taattattac tactacgtta tggacgtctg gggccaaggg	360
accacgggtca ccgtctcctc a	381

<210> SEQ ID NO 666  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 666

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala  
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr  
 20 25 30

Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45

Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe

-continued

---

50	55	60	
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr			
65	70	75	80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys			
	85	90	95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr			
	100	105	110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser			
	115	120	125

<210> SEQ ID NO 667  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 667

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaaca gccggcctcc	60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg	120
tttcagcaga ggccagggtca atctccaagg cgcctaattt ataaggtttc taaccggggac	180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc	240
agcaggggtgg aggctgagga tgttgggggtt tattactgca tgcaagggtac aactgggccg	300
tacacttttg gccagggggac caagctggag atcaaa	336

<210> SEQ ID NO 668  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 668

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly	
1	15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser	
20	30
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser	
35	45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro	
50	60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile	
65	80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly	
85	95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys	
100	110

<210> SEQ ID NO 669  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 669

caggttcagc tgggtgcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc	60
--	----

-continued

---

```

tcttgaagg cttctgggta cacctttacc acctatggta tcagctgggt gcgacaggcc 120
ccttgacaag ggcttagtg gatgggatgg atcagcggtt acaatggtaa aacaaactat 180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac 240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt 300
ttagtagtac cacctgccct taattattac tactacgtta tggacgtctg ggggcaaggg 360
accacggtea ccgtctcttc a 381

```

```

<210> SEQ ID NO 670
<211> LENGTH: 127
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 670

```

```

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
          20             25            30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
          35             40            45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Tyr Ala Gln Lys Leu
          50             55            60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
          65             70            75            80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
          85             90            95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Asn Tyr Tyr Tyr Tyr
          100            105           110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120           125

```

```

<210> SEQ ID NO 671
<211> LENGTH: 336
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 671

```

```

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaca gccggcctcc 60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg 120
tttcagcaga ggccaggcca atctccaagg cgcctaattt ataaggtttc taaccgggac 180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc 240
agcaggggtg aggctgagga tgttgggggtt tattactgca tgcaaggtac aactggccg 300
tacacttttg gccaggggac caagctggag atcaaa 336

```

```

<210> SEQ ID NO 672
<211> LENGTH: 112
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 672

```

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly

```

-continued

1	5	10	15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser	20	25	30
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser	35	40	45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro	50	55	60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile	65	70	75
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly	85	90	95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys	100	105	110

<210> SEQ ID NO 673  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 673

```

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc      120
cctggacaag ggcttgatgt gatgggatgg atcagcgggtt acaatggtaa aacaaacgat      180
gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac      240
atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt      300
ttagtagtac cacctgcctt ttattattac tactacgtta tggacgtctg gggccaaggg      360
accacgggtca ccgtctcctc a                                          381
  
```

<210> SEQ ID NO 674  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 674

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala	1	5	10	15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr	20	25	30	
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met	35	40	45	
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe	50	55	60	
Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr	65	70	75	80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys	85	90	95	
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr	100	105	110	
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	115	120	125	

-continued

---

<210> SEQ ID NO 675  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 675

ggttacacct ttaccaccta tgggt

24

<210> SEQ ID NO 676  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 676

Gly Tyr Thr Phe Thr Thr Tyr Gly  
 1 5

<210> SEQ ID NO 677  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 677

atcagcgggtt acaatggtaa aaca

24

<210> SEQ ID NO 678  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 678

Ile Ser Gly Tyr Asn Gly Lys Thr  
 1 5

<210> SEQ ID NO 679  
 <211> LENGTH: 60  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 679

tcgagagatc gtttagtagt accacctgcc ctttattatt actactacgt tatggacgtc

60

<210> SEQ ID NO 680  
 <211> LENGTH: 20  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 680

Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr Tyr  
 1 5 10 15

Val Met Asp Val  
 20

<210> SEQ ID NO 681

-continued

<211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 681

```

gatgttgtga tgactcagtc tccactctcc ctgcccgtca cccttggaca gccggcctcc      60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg      120
tttcagcaga ggccagggtca atctccaagg cgcctaattt ataaggtttc taaccgggac      180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc      240
agcagggtgg aggtcaggga tggtggggtt tattactgca tgcaagggtac aactggccg      300
tacacttttg gccagggggac caagctggag atcaaa                                336
  
```

<210> SEQ ID NO 682  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 682

```

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly
  1              5              10              15
Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser
      20              25              30
Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser
      35              40              45
Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro
      50              55              60
Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile
      65              70              75              80
Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly
      85              90              95
Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys
      100             105             110
  
```

<210> SEQ ID NO 683  
 <211> LENGTH: 33  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 683

```

caaagcctcg tatacagtga tggaacacc tac                                33
  
```

<210> SEQ ID NO 684  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 684

```

Gln Ser Leu Val Tyr Ser Asp Gly Asn Thr Tyr
  1              5              10
  
```

<210> SEQ ID NO 685  
 <211> LENGTH: 9



-continued

<212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 685

aaggtttct

9

<210> SEQ ID NO 686  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 686

Lys Val Ser  
 1

<210> SEQ ID NO 687  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 687

atgcaaggta cacactggcc gtacact

27

<210> SEQ ID NO 688  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 688

Met Gln Gly Thr His Trp Pro Tyr Thr  
 1 5

<210> SEQ ID NO 689  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 689

cagggttcagc tgggtgcagtc tggacctgag gtgaagaacc ctggggcctc agtgaaggtc 60

tcttgcaagg cttctgggta cacctttacc acctatggta tcagttgggt acgacaggcc 120

cctggacaag ggcttgagtg gatgggatgg atcagcggtt acaatggtaa aacaaacgat 180

gcacagaagt tccaggacag agtcgccatg accacagaca catccacgag cacagcctac 240

atggagctga ggagcctgag atctgacgac acggccattt attactgttc gagagatcgt 300

ttagtagtac cacctgccct ttattattac tactacgtta tggacgtctg gggccaaggg 360

accacggtea ccgtctcctc a 381

<210> SEQ ID NO 690  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 690

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Asn Pro Gly Ala  
 1 5 10 15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr  
 20 25 30  
 Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45  
 Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Asp Ala Gln Lys Phe  
 50 55 60  
 Gln Asp Arg Val Ala Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr  
 65 70 75 80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Ile Tyr Tyr Cys  
 85 90 95  
 Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr Tyr  
 100 105 110  
 Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

&lt;210&gt; SEQ ID NO 691

&lt;211&gt; LENGTH: 336

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 691

gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttgagaca gccggcctcc 60  
 atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg 120  
 ttccagcaga ggccagggtca atctccaagg cgcctaattt ataaggtttc taaccggggac 180  
 tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc 240  
 agcaggggtgg aggctgagga tggtggggtt tattactgca tgcaagggtac acactggccg 300  
 tacacttttg gccagggggac caagctggag atcaaa 336

&lt;210&gt; SEQ ID NO 692

&lt;211&gt; LENGTH: 112

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 692

Asp Val Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Leu Gly  
 1 5 10 15  
 Gln Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Val Tyr Ser  
 20 25 30  
 Asp Gly Asn Thr Tyr Leu Asn Trp Phe Gln Gln Arg Pro Gly Gln Ser  
 35 40 45  
 Pro Arg Arg Leu Ile Tyr Lys Val Ser Asn Arg Asp Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Gly  
 85 90 95  
 Thr His Trp Pro Tyr Thr Phe Gly Gln Gly Thr Lys Leu Glu Ile Lys  
 100 105 110

-continued

<210> SEQ ID NO 693  
 <211> LENGTH: 381  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 693

```
caggttcagc tggtcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc    60
tcctgcaagg cttctgggta cacctttacc acctatggta tcagctgggt gcgacaggcc    120
cctggacaag ggcttagatg gatgggatgg atcagcgggt acaatggtaa aacaaactat    180
gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac    240
atggagctga ggagcctgag atctgacgac acggccgtgt attactgttc gagagatcgt    300
ttagtagtac cacctgccct ttattattac tactacgtta tggacgtctg ggggcaaggg    360
accacgggtca ccgtctcttc a                                         381
```

<210> SEQ ID NO 694  
 <211> LENGTH: 127  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 694

```
Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
  1           5           10          15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Thr Tyr
          20          25          30
Gly Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
          35          40          45
Gly Trp Ile Ser Gly Tyr Asn Gly Lys Thr Asn Tyr Ala Gln Lys Leu
          50          55          60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr
          65          70          75          80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys
          85          90          95
Ser Arg Asp Arg Leu Val Val Pro Pro Ala Leu Tyr Tyr Tyr Tyr Tyr
          100         105         110
Val Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115         120         125
```

<210> SEQ ID NO 695  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 695

```
gatgttgatga tgactcagtc tccactctcc ctgcccgtca cccttggaca gccggcctcc    60
atctcctgca ggtctagtca aagcctcgta tacagtgatg gaaacaccta cttgaattgg    120
tttcagcaga ggccaggcca atctccaagg cgcctaattt ataaggtttc taaccgggac    180
tctgggggtcc cagacagatt cagcggcagt gggtcaggca ctgatttcac actgaaaatc    240
agcaggggtgg aggctgagga tgttgggggtt tattactgca tgcaaggtac aactggccg    300
tacacttttg gccaggggac caagctggag atcaaa                               336
```

-continued

<210> SEQ ID NO 696  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 696

Asp	Val	Val	Met	Thr	Gln	Ser	Pro	Leu	Ser	Leu	Pro	Val	Thr	Leu	Gly
1				5				10						15	
Gln	Pro	Ala	Ser	Ile	Ser	Cys	Arg	Ser	Ser	Gln	Ser	Leu	Val	Tyr	Ser
		20					25					30			
Asp	Gly	Asn	Thr	Tyr	Leu	Asn	Trp	Phe	Gln	Gln	Arg	Pro	Gly	Gln	Ser
		35				40					45				
Pro	Arg	Arg	Leu	Ile	Tyr	Lys	Val	Ser	Asn	Arg	Asp	Ser	Gly	Val	Pro
	50					55					60				
Asp	Arg	Phe	Ser	Gly	Ser	Gly	Ser	Gly	Thr	Asp	Phe	Thr	Leu	Lys	Ile
65					70				75					80	
Ser	Arg	Val	Glu	Ala	Glu	Asp	Val	Gly	Val	Tyr	Tyr	Cys	Met	Gln	Gly
			85					90						95	
Thr	His	Trp	Pro	Tyr	Thr	Phe	Gly	Gln	Gly	Thr	Lys	Leu	Glu	Ile	Lys
			100					105						110	

<210> SEQ ID NO 697  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 697

cagg	tg	cacc	tg	gt	gg	ag	tc	tgg	gg	gg	ag	gc	ttg	gt	ca	ag	ctg	gag	gg	tc	cct	gag	act	c	60
tcct	gt	gc	ag	cct	ct	gg	att	cac	ctt	ca	gt	gacc	act	taca	tg	ag	ct	gg	at	ccg	cc	agg	gc	t	120
ccag	ga	aagg	gg	ct	gg	ag	tg	gatt	tcat	ac	att	ag	ta	atg	atg	gt	gt	gg	tac	caa	ata	ct	at	t	180
gt	gg	act	ctg	tgg	ag	gg	ccg	att	cat	catt	tcc	ag	gg	gaca	acg	cca	aag	aa	ctc	att	gt	tat			240
ct	aca	tat	ga	ac	ag	cc	tca	g	ac	cg	ac	gac	acg	gc	cc	gt	gt	att	act	gt	gc	gag	aga	t	300
gg	ata	tatt	g	ct	ac	gact	c	gt	att	tatt	ac	tatt	ct	ct	acg	gt	at	gg	ac	gt	ctg	ggg	g	ccaa	360
ggg	acc	ac	gg	tc	acc	gt	cg	ctca																	384

<210> SEQ ID NO 698  
 <211> LENGTH: 128  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 698

Gln	Val	His	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Lys	Pro	Gly	Gly
1				5						10					15
Ser	Leu	Arg	Leu	Ser	Cys	Ala	Ala	Ser	Gly	Phe	Thr	Phe	Ser	Asp	His
			20					25					30		
Tyr	Met	Ser	Trp	Ile	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Ile
			35				40					45			
Ser	Tyr	Ile	Ser	Asn	Asp	Gly	Gly	Thr	Lys	Tyr	Tyr	Val	Asp	Ser	Val
	50					55						60			
Glu	Gly	Arg	Phe	Ile	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr

-continued

---

65	70	75	80
----	----	----	----

Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys  
                     85                    90                    95

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser  
                     100                    105                    110

Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ala Ser  
                     115                    120                    125

<210> SEQ ID NO 699  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 699

ggattcacct tcagtgacca ctac
 24

<210> SEQ ID NO 700  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 700

Gly Phe Thr Phe Ser Asp His Tyr  
   1                    5

<210> SEQ ID NO 701  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 701

attagtaatg atggtggtac caaa
 24

<210> SEQ ID NO 702  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 702

Ile Ser Asn Asp Gly Gly Thr Lys  
   1                    5

<210> SEQ ID NO 703  
 <211> LENGTH: 63  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 703

gcgagagatc agggatatat tggctacgac tcgtattatt actattccta cggtatggac
 60

gtc
 63

<210> SEQ ID NO 704  
 <211> LENGTH: 21  
 <212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 704

Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser  
 1 5 10 15

Tyr Gly Met Asp Val  
 20

<210> SEQ ID NO 705  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 705

aaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccagggga aagagccacc 60  
 ctctcctgta gggccagtca gagtgttaac aacaaattct tagcctggta ccagcagaaa 120  
 tctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca 180  
 gacaggttca gtggcagtgg gtctgggacc gacttcactc tcaccatcag cggactggag 240  
 cctgaagatt ttgaagtgtg ttattgtcaa gtatatggta actcactcac ttctggcgga 300  
 gggaccaagg tggagatcaa g 321

<210> SEQ ID NO 706  
 <211> LENGTH: 107  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 706

Lys Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Pro Leu Phe Pro Gly  
 1 5 10 15

Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys  
 20 25 30

Phe Leu Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu  
 35 40 45

Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser  
 50 55 60

Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Gly Leu Glu  
 65 70 75 80

Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu  
 85 90 95

Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys  
 100 105

<210> SEQ ID NO 707  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 707

cagagtgtta acaacaaatt c

21

<210> SEQ ID NO 708

-continued

---

<211> LENGTH: 7  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 708

Gln Ser Val Asn Asn Lys Phe  
 1 5

<210> SEQ ID NO 709  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 709

ggtgcatcc

9

<210> SEQ ID NO 710  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 710

Gly Ala Ser  
 1

<210> SEQ ID NO 711  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 711

caagtatatg gtaactcact cact

24

<210> SEQ ID NO 712  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 712

Gln Val Tyr Gly Asn Ser Leu Thr  
 1 5

<210> SEQ ID NO 713  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 713

cagggtgcagc tgggtggagtc tggggggaggc ttggtcaagc ctggagggtc cctgagactc 60

tcctgtgcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct 120

ccaggggaag ggctggagtg gatttcatac attagtaatg atgggtgttac caaatactat 180

gtggactctg tggagggccg attcatcatt tocagggaca acgccaagaa ctcatgttat 240

-continued

---

```

ctacatatga acagcctcag agccgacgac acggccgtgt attactgtgc gagagatcag 300
ggatatattg gctacgactc gtattattac tattcctacg gtatggacgt ctggggccaa 360
gggaccacgg tcaccgtctc ctca 384

```

```

<210> SEQ ID NO 714
<211> LENGTH: 128
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 714

```

```

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
 1             5             10             15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His
          20             25             30
Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Ile
          35             40             45
Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Val Asp Ser Val
          50             55             60
Glu Gly Arg Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
          65             70             75             80
Leu His Met Asn Ser Leu Arg Ala Asp Asp Thr Ala Val Tyr Tyr Cys
          85             90             95
Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser
          100            105            110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
          115            120            125

```

```

<210> SEQ ID NO 715
<211> LENGTH: 321
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 715

```

```

gaaattgtgt tgacgcagtc tccaggcacc ctgcctttgt ttccagggga aagagccacc 60
ctctcctgta gggccagtca gagtgtaaac aacaaattct tagcctggta ccagcagaaa 120
tctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca 180
gacaggttca gtggcagtggt gtctgggacc gacttcactc tcaccatcag cggactggag 240
cctgaagatt ttgaagtgta ttattgtcaa gtatatggta actcactcac ttctggcgga 300
gggaccaagg tggagatcaa a 321

```

```

<210> SEQ ID NO 716
<211> LENGTH: 107
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

```

<400> SEQUENCE: 716

```

```

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Pro Leu Phe Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys
          20             25             30
Phe Leu Ala Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Arg Leu Leu

```



-continued

---

35	40	45	
Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile	Pro Asp Arg Phe Ser		
50	55	60	
Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr	Ile Ser Gly Leu Glu		
65	70	75	80
Pro Glu Asp Phe Glu Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu			
	85	90	95
Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys			
	100	105	

<210> SEQ ID NO 717  
 <211> LENGTH: 384  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 717

caggtgcagc tgggtggagtc tgggggaggc ttggtcaagc ctggagggtc cctgagactc	60
tcctgtgcag cctctggatt caccttcagt gaccactaca tgagctggat ccgccaggct	120
ccaggaaggg ggctggagtg ggtttcatatc attagtaatg atggtgggtac caaatactac	180
gcagactctg tgaagggccg attcaccatc tccagggaca acgccaagaa ctactgtat	240
ctgcaaatga acagcctgag agccgaggac acggccgtgt attactgtgc gagagatcag	300
ggatatattg gctacgactc gtattattac tattcctacg gtatggacgt ctgggggcaa	360
gggaccacgg tcaccgtctc ctca	384

<210> SEQ ID NO 718  
 <211> LENGTH: 128  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 718

Gln Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly	
1	15
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Asp His	
20	30
Tyr Met Ser Trp Ile Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	
35	45
Ser Tyr Ile Ser Asn Asp Gly Gly Thr Lys Tyr Tyr Ala Asp Ser Val	
50	60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr	
65	80
Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys	
85	95
Ala Arg Asp Gln Gly Tyr Ile Gly Tyr Asp Ser Tyr Tyr Tyr Tyr Ser	
100	110
Tyr Gly Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
115	125

<210> SEQ ID NO 719  
 <211> LENGTH: 321  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 719

```

gaaattgtgt tgacgcagtc tccaggcacc ctgtctttgt ctccagggga aagagccacc    60
ctctcctgca gggccagtca gagtgttaac aacaaattct tagcctggta ccagcagaaa    120
cctggccagg ctcccaggct cctcatctat ggtgcatcca gcagggccac tggcatccca    180
gacaggttca gtggcagtgg gtctgggaca gacttcactc tcaccatcag cagactggag    240
cctgaagatt ttgcagtgtg ttactgtcaa gtatatggta actcactcac ttccggcgga    300
gggaccaagg tggagatcaa a                                     321

```

&lt;210&gt; SEQ ID NO 720

&lt;211&gt; LENGTH: 107

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 720

```

Glu Ile Val Leu Thr Gln Ser Pro Gly Thr Leu Ser Leu Ser Pro Gly
 1             5             10             15
Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Asn Asn Lys
          20             25             30
Phe Leu Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu
          35             40             45
Ile Tyr Gly Ala Ser Ser Arg Ala Thr Gly Ile Pro Asp Arg Phe Ser
          50             55             60
Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Arg Leu Glu
          65             70             75             80
Pro Glu Asp Phe Ala Val Tyr Tyr Cys Gln Val Tyr Gly Asn Ser Leu
          85             90             95
Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
          100             105

```

&lt;210&gt; SEQ ID NO 721

&lt;211&gt; LENGTH: 378

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 721

```

caaatctctgc tgggtgaatc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc    60
tcttgcaagg cttctgggta cacctttacc aactacgcta tcagctgggt gcgacaggtc    120
cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatgggtc cacaaactat    180
gcacatgaag tccagggcag agtcaccatg accacagaca catccacgac cacagcctac    240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagaggggggt    300
gtagtcgtgc cagttgtctc ccacttctac aacggtatgg acgtctgggg ccaagggacc    360
acggtcaccg tctcctca                                     378

```

&lt;210&gt; SEQ ID NO 722

&lt;211&gt; LENGTH: 126

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 722

-continued

---

Gln Ile Leu Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala  
 1 5 10 15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr  
 20 25 30  
 Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45  
 Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val  
 50 55 60  
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Thr Thr Ala Tyr  
 65 70 75 80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys  
 85 90 95  
 Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
 100 105 110  
 Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 723  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 723

ggttacacct ttaccaacta cgct

24

<210> SEQ ID NO 724  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 724

Gly Tyr Thr Phe Thr Asn Tyr Ala  
 1 5

<210> SEQ ID NO 725  
 <211> LENGTH: 24  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 725

gtcagcgctt acaatgggtca caca

24

<210> SEQ ID NO 726  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 726

Val Ser Ala Tyr Asn Gly His Thr  
 1 5

<210> SEQ ID NO 727  
 <211> LENGTH: 57  
 <212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 727

gcgagagggg gtgtagtcgt gccagttgct cccacttct acaacggtat ggacgtc 57

<210> SEQ ID NO 728  
 <211> LENGTH: 19  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 728

Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
 1 5 10 15

Met Asp Val

<210> SEQ ID NO 729  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 729

gatattgtga tgactcagtt tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
 atctctctgca ggtctagtca gagcctctcg catattaatg aatacaacta tttggattgg 120  
 tacctaaaga agccagggca gtctccacag ctctcgatct atttgggttt taatcggggc 180  
 tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttggggtc tattactgca tgcaagctct tcaaaactccg 300  
 tggacgttcg gccaaaggac caaggtggaa atcaaa 336

<210> SEQ ID NO 730  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 730

Asp Ile Val Met Thr Gln Phe Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15

Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile  
 20 25 30

Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Lys Lys Pro Gly Gln Ser  
 35 40 45

Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60

Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80

Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95

Leu Gln Thr Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 731  
 <211> LENGTH: 33

-continued

---

<212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 731

cagagcctcc tgcataattaa tgaatacaac tat

33

<210> SEQ ID NO 732  
 <211> LENGTH: 11  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 732

Gln Ser Leu Leu His Ile Asn Glu Tyr Asn Tyr  
 1 5 10

<210> SEQ ID NO 733  
 <211> LENGTH: 9  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 733

ttgggtttt

9

<210> SEQ ID NO 734  
 <211> LENGTH: 3  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 734

Leu Gly Phe  
 1

<210> SEQ ID NO 735  
 <211> LENGTH: 27  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 735

atgcaagctc ttcaaactcc gtggacg

27

<210> SEQ ID NO 736  
 <211> LENGTH: 9  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 736

Met Gln Ala Leu Gln Thr Pro Trp Thr  
 1 5

<210> SEQ ID NO 737  
 <211> LENGTH: 378  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

-continued

&lt;400&gt; SEQUENCE: 737

```

cagggttcagc tgggtgcagtc tggacctgag gtgaaggagc ctggggcctc agtgaaggtc      60
tcctgcaagg cttctgggta cacctttacc aactacgcta tcagctgggt ggcacaggtc      120
cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatggta cacaaactat      180
gcacatgaag tccagggcag agtcaccatg accacagaca catccacgac cacagcctac      240
atggagctga ggagcctgag atctgacgac acggccatgt attactgtgc gagagggggg      300
gtagtctgtc cagttgctcc ccactttac aacggtatgg acgtctgggg ccaagggacc      360
acggtcaccg tctcctca                                     378

```

&lt;210&gt; SEQ ID NO 738

&lt;211&gt; LENGTH: 126

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 738

```

Gln Val Gln Leu Val Gln Ser Gly Pro Glu Val Lys Glu Pro Gly Ala
 1             5             10            15
Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr
      20             25            30
Ala Ile Ser Trp Val Arg Gln Val Pro Gly Gln Gly Leu Glu Trp Met
      35             40            45
Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala His Glu Val
      50             55            60
Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Thr Thr Ala Tyr
      65             70            75            80
Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Met Tyr Tyr Cys
      85             90            95
Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly
      100            105           110
Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115            120           125

```

&lt;210&gt; SEQ ID NO 739

&lt;211&gt; LENGTH: 336

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 739

```

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gcgggcctcc      60
atctcctgca ggtctagtca gagcctcctg catattaatg aatacaacta tttggattgg      120
tacctaaaga agccagggca gtctccacag ctctgatctc atttgggttt taatcggggc      180
tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc      240
agcagagtgg aggctgagga tgttggggtc tattactgca tgcaagetct tcaaactccg      300
tggacgttcg gccaaaggac caagtgga atcaaa                                     336

```

&lt;210&gt; SEQ ID NO 740

&lt;211&gt; LENGTH: 112

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

-continued

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 740

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile  
 20 25 30  
 Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Lys Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Phe Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105 110

&lt;210&gt; SEQ ID NO 741

&lt;211&gt; LENGTH: 378

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 741

cagggttcagc tgggtcagtc tggagctgag gtgaagaagc ctggggcctc agtgaaggtc 60  
 tcttgcaagg cttctgggta cacctttacc aactacgcta tcagctgggt gcgacaggcc 120  
 cctggacaag ggcttgagtg gatgggatgg gtcagcgctt acaatggtca cacaaactat 180  
 gcacagaagc tccagggcag agtcaccatg accacagaca catccacgag cacagcctac 240  
 atggagctga ggagcctgag atctgacgac acggccgtgt attactgtgc gagaggggggt 300  
 gtagtcgtgc cagttgtctc ccacttctac aacggtatgg acgtctgggg gcaaggggacc 360  
 acggtcaccg tctcctca 378

&lt;210&gt; SEQ ID NO 742

&lt;211&gt; LENGTH: 126

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial Sequence

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic

&lt;400&gt; SEQUENCE: 742

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala  
 1 5 10 15  
 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asn Tyr  
 20 25 30  
 Ala Ile Ser Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met  
 35 40 45  
 Gly Trp Val Ser Ala Tyr Asn Gly His Thr Asn Tyr Ala Gln Lys Leu  
 50 55 60  
 Gln Gly Arg Val Thr Met Thr Thr Asp Thr Ser Thr Ser Thr Ala Tyr  
 65 70 75 80  
 Met Glu Leu Arg Ser Leu Arg Ser Asp Asp Thr Ala Val Tyr Tyr Cys  
 85 90 95  
 Ala Arg Gly Gly Val Val Val Pro Val Ala Pro His Phe Tyr Asn Gly  
 100 105 110

-continued

Met Asp Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser  
 115 120 125

<210> SEQ ID NO 743  
 <211> LENGTH: 336  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 743

gatattgtga tgactcagtc tccactctcc ctgcccgtca cccctggaga gccggcctcc 60  
 atctcctgca ggtctagtca gagcctcctg catattaatg aatacaacta tttggattgg 120  
 tacctgcaga agccagggca gtctccacag ctctgatct atttgggttc taatcggggc 180  
 tccgggggtcc ctgacagggt cagtggcagt ggatcaggca cagattttac actgaaaatc 240  
 agcagagtgg aggctgagga tgttgggggt tattactgca tgcaagctct tcaaactccg 300  
 tggacgttcg gccaaaggac caaggtggaa atcaaa 336

<210> SEQ ID NO 744  
 <211> LENGTH: 112  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 744

Asp Ile Val Met Thr Gln Ser Pro Leu Ser Leu Pro Val Thr Pro Gly  
 1 5 10 15  
 Glu Pro Ala Ser Ile Ser Cys Arg Ser Ser Gln Ser Leu Leu His Ile  
 20 25 30  
 Asn Glu Tyr Asn Tyr Leu Asp Trp Tyr Leu Gln Lys Pro Gly Gln Ser  
 35 40 45  
 Pro Gln Leu Leu Ile Tyr Leu Gly Ser Asn Arg Ala Ser Gly Val Pro  
 50 55 60  
 Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Lys Ile  
 65 70 75 80  
 Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln Ala  
 85 90 95  
 Leu Gln Thr Pro Trp Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys  
 100 105 110

<210> SEQ ID NO 745  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic  
 <220> FEATURE:  
 <221> NAME/KEY: VARIANT  
 <222> LOCATION: (1)...(8)  
 <223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 745

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
 1 5

<210> SEQ ID NO 746  
 <211> LENGTH: 8  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial Sequence



-continued

---

<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic  
<220> FEATURE:  
<221> NAME/KEY: VARIANT  
<222> LOCATION: (1)...(8)  
<223> OTHER INFORMATION: Xaa - Any amino acid

<400> SEQUENCE: 746

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5

<210> SEQ ID NO 747  
<211> LENGTH: 20  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic  
<220> FEATURE:  
<221> NAME/KEY: VARIANT  
<222> LOCATION: (1)...(20)  
<223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 747

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10 15  
Xaa Xaa Xaa Xaa  
20

<210> SEQ ID NO 748  
<211> LENGTH: 12  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic  
<220> FEATURE:  
<221> NAME/KEY: VARIANT  
<222> LOCATION: (1)...(12)  
<223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 748

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5 10

<210> SEQ ID NO 749  
<211> LENGTH: 3  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic  
<220> FEATURE:  
<221> NAME/KEY: VARIANT  
<222> LOCATION: (1)...(3)  
<223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 749

Xaa Xaa Xaa  
1

<210> SEQ ID NO 750  
<211> LENGTH: 9  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic  
<220> FEATURE:  
<221> NAME/KEY: VARIANT  
<222> LOCATION: (1)...(9)  
<223> OTHER INFORMATION: Xaa = Any amino acid

<400> SEQUENCE: 750

-continued

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
1 5

<210> SEQ ID NO 751  
<211> LENGTH: 330  
<212> TYPE: PRT  
<213> ORGANISM: Artificial Sequence  
<220> FEATURE:  
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 751

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys  
1 5 10 15  
Ser Thr Ser Gly Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr  
20 25 30  
Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser  
35 40 45  
Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser  
50 55 60  
Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr  
65 70 75 80  
Tyr Ile Cys Asn Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys  
85 90 95  
Lys Val Glu Pro Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys  
100 105 110  
Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro  
115 120 125  
Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys  
130 135 140  
Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp  
145 150 155 160  
Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu  
165 170 175  
Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu  
180 185 190  
His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn  
195 200 205  
Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly  
210 215 220  
Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu  
225 230 235 240  
Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr  
245 250 255  
Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn  
260 265 270  
Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe  
275 280 285  
Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn  
290 295 300  
Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr  
305 310 315 320  
Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys  
325 330

<210> SEQ ID NO 752

-continued

---

```

<211> LENGTH: 327
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

<400> SEQUENCE: 752

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
 1         5         10        15
Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
 20        25        30
Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
 35        40        45
Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
 50        55        60
Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr
 65        70        75        80
Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
 85        90        95
Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Ser Cys Pro Ala Pro
100       105       110
Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
115       120       125
Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
130       135       140
Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp
145       150       155       160
Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe
165       170       175
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
180       185       190
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu
195       200       205
Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
210       215       220
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys
225       230       235       240
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
245       250       255
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
260       265       270
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
275       280       285
Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser
290       295       300
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
305       310       315       320
Leu Ser Leu Ser Leu Gly Lys
325

```

```

<210> SEQ ID NO 753
<211> LENGTH: 327
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic

```

-continued

&lt;400&gt; SEQUENCE: 753

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg  
 1 5 10 15  
 Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr  
 20 25 30  
 Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser  
 35 40 45  
 Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser  
 50 55 60  
 Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr  
 65 70 75 80  
 Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys  
 85 90 95  
 Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro  
 100 105 110  
 Glu Phe Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys  
 115 120 125  
 Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val  
 130 135 140  
 Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp  
 145 150 155 160  
 Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe  
 165 170 175  
 Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp  
 180 185 190  
 Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu  
 195 200 205  
 Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg  
 210 215 220  
 Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys  
 225 230 235 240  
 Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp  
 245 250 255  
 Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys  
 260 265 270  
 Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser  
 275 280 285  
 Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser  
 290 295 300  
 Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser  
 305 310 315 320  
 Leu Ser Leu Ser Leu Gly Lys  
 325

&lt;210&gt; SEQ ID NO 754

&lt;211&gt; LENGTH: 2076

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 754

atgggcaccg tcagctccag gcggctcctgg tggccgctgc cactgctgct gctgctgctg 60  
 ctgctcctgg gtccccgggg cgcccgctgc caggaggacg aggacggcga ctacgaggag 120  
 ctggtgctag ccttgcttgc cgaggaggac ggctggccg aagcaccga gcacggaacc 180

-continued

---

```

acagccacct tccaccgctg cgccaaggat ccgtggaggt tgcttgacac ctacgtggtg 240
gtgtgtaagg aggagaccca cctctcgag tcagagcgca ctgcccgcg cctgcaggcc 300
caggctgccc gccggggata cctcaccaag atcctgcatg tcttccatgg ccttcttct 360
ggcttctctg tgaagatgag tggcgacctg ctggagctgg ccttgaagtt gcccctatgc 420
gactacatcg aggaggactc ctctgtcttt gccagagca tcccgaggaa cctggagcgg 480
attacccctc cacggtaccg gccggatgaa taccagcccc ccgacggagg cagcctggtg 540
gaggtgtatc tcctagacac cagcatacag agtgaccacc gggaaatcga gggcagggtc 600
atggtcaccc acttcagaaa tgtgcccag gaggacggga cccgcttcca cagacaggcc 660
agcaagtgtg acagtcatgg caccacctg gcagggtgg tcagcgccg ggatgccggc 720
gtggccaagg gtgccagcat gcgcagcctg cgcgtgctca actgccaagg gaagggcacg 780
gttagcggca ccctcatagg cctggagttt attcgaaaa gccagctggt ccagcctgtg 840
gggccactgg tgggtgtgct gcccctggcg ggtgggtaca gccgcgtct caacgccgcc 900
tgccagcgcc tggcgagggc tggggtcgtg ctggtcaccc ctgccggcaa ctccgggac 960
gatgctgccc tctactcccc agcctcagct cccaggttca tcacagtgg gccaccaat 1020
gcccaggacc agccggtgac cctggggact ttggggacca actttggccg ctgtgtggac 1080
ctctttgccc caggggagga catcattggt gcctccagcg actgcagcac ctgctttgtg 1140
tcacagagtg ggacatcaca ggctgctgcc cacgtggctg gcattgcagc catgatgctg 1200
tctgccgagc cggagctcac cctggccgag ttgaggcaga gactgatcca cttctctgcc 1260
aaagatgtca tcaatgaggc ctggttcctt gaggaccagc gggtagtgac ccccaacctg 1320
gtggccgccc tgccccccag ccccattggg gcaggttggc agctgttttg caggactgtg 1380
tggtcagcac actcggggcc tacacggatg gccacagcca tcgcccgctg cggcccagat 1440
gaggagctgc tgagctgctc cagtttctcc aggagtggga agcggcgggg cgagcgcatg 1500
gaggcccaag ggggcaagct ggtctgccgg gccacaacg cttttggggg tgagggtgtc 1560
tacgccattg ccagggtgct cctgtacccc caggccaact gcagcgctcca cacagctcca 1620
ccagctgagg ccagcatggg gaccctgtgc cactgccacc aacagggcca cgtctcaca 1680
ggctgcagct cccactggga ggtggaggac cttggcacc acaagccgcc tgtgctgagg 1740
ccacgaggtc agcccaacca gtgcgtgggc cacagggagg ccagcatcca cgcttcctgc 1800
tgccatgcc caggctctga atgcaaagtc aaggagcatg gaatccggc ccctcaggag 1860
caggtgaccg tggcctgcga ggagggtgg accctgactg gctgcagtgc cctccctggg 1920
acctcccacg tcctgggggc ctacgccgta gacaacacgt gtgtagtcag gagccgggac 1980
gtcagcacta caggcagcac cagcgaagag gccgtgacag ccgttgccat ctgctgccgg 2040
agccggcacc tggcgaggc ctcccaggag ctccag 2076

```

&lt;210&gt; SEQ ID NO 755

&lt;211&gt; LENGTH: 692

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 755

```

Met Gly Thr Val Ser Ser Arg Arg Ser Trp Trp Pro Leu Pro Leu Leu
  1             5             10             15

```

```

Leu Leu Leu Leu Leu Leu Gly Pro Ala Gly Ala Arg Ala Gln Glu
      20             25             30

```

```

Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu

```

-continued

---

35	40	45
Glu Asp Gly Leu Ala 50	Glu Ala Pro 55	Glu His Gly Thr Thr Ala Thr Phe 60
His Arg Cys Ala Lys 65	Asp Pro Trp Arg Leu 70	Pro Gly Thr Tyr Val Val 75 80
Val Leu Lys Glu Glu 85	Thr His Leu Ser 90	Gln Ser Glu Arg Thr Ala Arg 95
Arg Leu Gln Ala Gln Ala 100	Ala Arg Arg Gly Tyr Leu Thr Lys Ile Leu 105 110	
His Val Phe His Gly Leu Leu 115	Pro Gly Phe Leu Val Lys Met Ser Gly 120 125	
Asp Leu Leu Glu Leu Ala 130	Leu Lys Leu Pro His Val Asp Tyr Ile Glu 135 140	
Glu Asp Ser Ser Val Phe Ala 145	Gln Ser Ile Pro Trp Asn Leu Glu Arg 150 155 160	
Ile Thr Pro Pro Arg Tyr Arg Ala 165	Asp Glu Tyr Gln Pro Pro Asp Gly 170 175	
Gly Ser Leu Val Glu Val Tyr Leu 180	Leu Asp Thr Ser Ile Gln Ser Asp 185 190	
His Arg Glu Ile Glu Gly Arg Val 195	Met Val Thr Asp Phe Glu Asn Val 200 205	
Pro Glu Glu Asp Gly Thr Arg Phe 210	His Arg Gln Ala Ser Lys Cys Asp 215 220	
Ser His Gly Thr His Leu Ala Gly 225	Val Val Ser Gly Arg Asp Ala Gly 230 235 240	
Val Ala Lys Gly Ala Ser Met Arg 245	Ser Leu Arg Val Leu Asn Cys Gln 250 255	
Gly Lys Gly Thr Val Ser Gly Thr 260	Leu Ile Gly Leu Glu Phe Ile Arg 265 270	
Lys Ser Gln Leu Val Gln Pro Val 275	Gly Pro Leu Val Val Leu Leu Pro 280 285	
Leu Ala Gly Gly Tyr Ser Arg Val 290	Leu Asn Ala Ala Cys Gln Arg Leu 295 300	
Ala Arg Ala Gly Val Val Leu Val 305	Thr Ala Ala Gly Asn Phe Arg Asp 310 315 320	
Asp Ala Cys Leu Tyr Ser Pro Ala 325	Ser Ala Pro Glu Val Ile Thr Val 330 335	
Gly Ala Thr Asn Ala Gln Asp Gln 340	Pro Val Thr Leu Gly Thr Leu Gly 345 350	
Thr Asn Phe Gly Arg Cys Val Asp 355	Leu Phe Ala Pro Gly Glu Asp Ile 360 365	
Ile Gly Ala Ser Ser Asp Cys Ser 370	Thr Cys Phe Val Ser Gln Ser Gly 375 380	
Thr Ser Gln Ala Ala Ala His Val 385	Ala Gly Ile Ala Ala Met Met Leu 390 395 400	
Ser Ala Glu Pro Glu Leu Thr Leu 405	Ala Glu Leu Arg Gln Arg Leu Ile 410 415	
His Phe Ser Ala Lys Asp Val Ile 420	Asn Glu Ala Trp Phe Pro Glu Asp 425 430	
Gln Arg Val Leu Thr Pro Asn Leu 435	Val Ala Ala Leu Pro Pro Ser Thr 440 445	
His Gly Ala Gly Trp Gln Leu Phe 450	Cys Arg Thr Val Trp Ser Ala His 455 460	

-continued

---

Ser Gly Pro Thr Arg Met Ala Thr Ala Ile Ala Arg Cys Ala Pro Asp  
 465 470 475 480  
 Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Lys Arg Arg  
 485 490 495  
 Gly Glu Arg Met Glu Ala Gln Gly Gly Lys Leu Val Cys Arg Ala His  
 500 505 510  
 Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu  
 515 520 525  
 Leu Pro Gln Ala Asn Cys Ser Val His Thr Ala Pro Pro Ala Glu Ala  
 530 535 540  
 Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr  
 545 550 555 560  
 Gly Cys Ser Ser His Trp Glu Val Glu Asp Leu Gly Thr His Lys Pro  
 565 570 575  
 Pro Val Leu Arg Pro Arg Gly Gln Pro Asn Gln Cys Val Gly His Arg  
 580 585 590  
 Glu Ala Ser Ile His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys  
 595 600 605  
 Lys Val Lys Glu His Gly Ile Pro Ala Pro Gln Glu Gln Val Thr Val  
 610 615 620  
 Ala Cys Glu Glu Gly Trp Thr Leu Thr Gly Cys Ser Ala Leu Pro Gly  
 625 630 635 640  
 Thr Ser His Val Leu Gly Ala Tyr Ala Val Asp Asn Thr Cys Val Val  
 645 650 655  
 Arg Ser Arg Asp Val Ser Thr Thr Gly Ser Thr Ser Glu Glu Ala Val  
 660 665 670  
 Thr Ala Val Ala Ile Cys Cys Arg Ser Arg His Leu Ala Gln Ala Ser  
 675 680 685  
 Gln Glu Leu Gln  
 690

&lt;210&gt; SEQ ID NO 756

&lt;211&gt; LENGTH: 692

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Macaca mulata

&lt;400&gt; SEQUENCE: 756

Met Gly Thr Val Ser Ser Arg Arg Ser Trp Trp Pro Leu Pro Leu Pro  
 1 5 10 15  
 Leu Leu Leu Leu Leu Leu Gly Pro Ala Gly Ala Arg Ala Gln Glu  
 20 25 30  
 Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu  
 35 40 45  
 Glu Asp Gly Leu Ala Asp Ala Pro Glu His Gly Ala Thr Ala Thr Phe  
 50 55 60  
 His Arg Cys Ala Lys Asp Pro Trp Arg Leu Pro Gly Thr Tyr Val Val  
 65 70 75 80  
 Val Leu Lys Glu Glu Thr His Arg Ser Gln Ser Glu Arg Thr Ala Arg  
 85 90 95  
 Arg Leu Gln Ala Gln Ala Ala Arg Arg Gly Tyr Leu Thr Lys Ile Leu  
 100 105 110  
 His Val Phe His His Leu Leu Pro Gly Phe Leu Val Lys Met Ser Gly  
 115 120 125  
 Asp Leu Leu Glu Leu Ala Leu Lys Leu Pro His Val Asp Tyr Ile Glu

-continued

---

130	135	140
Glu Asp Ser Ser Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg		
145	150	155 160
Ile Thr Pro Ala Arg Tyr Arg Ala Asp Glu Tyr Gln Pro Pro Lys Gly		
	165	170 175
Gly Ser Leu Val Glu Val Tyr Leu Leu Asp Thr Ser Ile Gln Ser Asp		
	180	185 190
His Arg Glu Ile Glu Gly Arg Val Met Val Thr Asp Phe Glu Ser Val		
	195	200 205
Pro Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp		
	210	215 220
Ser His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly		
	225	230 235 240
Val Ala Lys Gly Ala Gly Leu Arg Ser Leu Arg Val Leu Asn Cys Gln		
	245	250 255
Gly Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg		
	260	265 270
Lys Ser Gln Leu Val Gln Pro Val Gly Pro Leu Val Val Leu Leu Pro		
	275	280 285
Leu Ala Gly Gly Tyr Ser Arg Val Phe Asn Ala Ala Cys Gln Arg Leu		
	290	295 300
Ala Arg Ala Gly Val Val Leu Val Thr Ala Ala Gly Asn Phe Arg Asp		
	305	310 315 320
Asp Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val		
	325	330 335
Gly Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly		
	340	345 350
Thr Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Glu Asp Ile		
	355	360 365
Ile Gly Ala Ser Ser Asp Cys Ser Thr Cys Phe Val Ser Arg Ser Gly		
	370	375 380
Thr Ser Gln Ala Ala Ala His Val Ala Gly Ile Ala Ala Met Met Leu		
	385	390 395 400
Ser Ala Glu Pro Glu Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile		
	405	410 415
His Phe Ser Ala Lys Asp Val Ile Asn Glu Ala Trp Phe Pro Glu Asp		
	420	425 430
Gln Arg Val Leu Thr Pro Asn Leu Val Ala Ala Leu Pro Pro Ser Thr		
	435	440 445
His Arg Ala Gly Trp Gln Leu Phe Cys Arg Thr Val Trp Ser Ala His		
	450	455 460
Ser Gly Pro Thr Arg Met Ala Thr Ala Val Ala Arg Cys Ala Gln Asp		
	465	470 475 480
Glu Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Lys Arg Arg		
	485	490 495
Gly Glu Arg Ile Glu Ala Gln Gly Gly Lys Arg Val Cys Arg Ala His		
	500	505 510
Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu		
	515	520 525
Leu Pro Gln Val Asn Cys Ser Val His Thr Ala Pro Pro Ala Gly Ala		
	530	535 540
Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr		
	545	550 555 560





-continued

225	230							235							240		
Asp	Ala	Gly	Val	Ala	Lys	Gly	Thr	Ser	Leu	His	Ser	Leu	Arg	Val	Leu		
				245					250					255			
Asn	Cys	Gln	Gly	Lys	Gly	Thr	Val	Ser	Gly	Thr	Leu	Ile	Gly	Leu	Glu		
			260					265					270				
Phe	Ile	Arg	Lys	Ser	Gln	Leu	Ile	Gln	Pro	Ser	Gly	Pro	Leu	Val	Val		
		275					280					285					
Leu	Leu	Pro	Leu	Ala	Gly	Gly	Tyr	Ser	Arg	Ile	Leu	Asn	Ala	Ala	Cys		
	290					295					300						
Arg	His	Leu	Ala	Arg	Thr	Gly	Val	Val	Leu	Val	Ala	Ala	Ala	Gly	Asn		
305					310					315					320		
Phe	Arg	Asp	Asp	Ala	Cys	Leu	Tyr	Ser	Pro	Ala	Ser	Ala	Pro	Glu	Val		
				325					330					335			
Ile	Thr	Val	Gly	Ala	Thr	Asn	Ala	Gln	Asp	Gln	Pro	Val	Thr	Leu	Gly		
			340					345					350				
Thr	Leu	Gly	Thr	Asn	Phe	Gly	Arg	Cys	Val	Asp	Leu	Phe	Ala	Pro	Gly		
		355					360					365					
Lys	Asp	Ile	Ile	Gly	Ala	Ser	Ser	Asp	Cys	Ser	Thr	Cys	Phe	Met	Ser		
	370					375					380						
Gln	Ser	Gly	Thr	Ser	Gln	Ala	Ala	Ala	His	Val	Ala	Gly	Ile	Val	Ala		
385					390					395					400		
Arg	Met	Leu	Ser	Arg	Glu	Pro	Thr	Leu	Thr	Leu	Ala	Glu	Leu	Arg	Gln		
				405					410					415			
Arg	Leu	Ile	His	Phe	Ser	Thr	Lys	Asp	Val	Ile	Asn	Met	Ala	Trp	Phe		
			420					425					430				
Pro	Glu	Asp	Gln	Gln	Val	Leu	Thr	Pro	Asn	Leu	Val	Ala	Thr	Leu	Pro		
		435					440					445					
Pro	Ser	Thr	His	Glu	Thr	Gly	Gly	Gln	Leu	Leu	Cys	Arg	Thr	Val	Trp		
	450					455					460						
Ser	Ala	His	Ser	Gly	Pro	Thr	Arg	Thr	Ala	Thr	Ala	Thr	Ala	Arg	Cys		
465					470					475					480		
Ala	Pro	Glu	Glu	Glu	Leu	Leu	Ser	Cys	Ser	Ser	Phe	Ser	Arg	Ser	Gly		
				485				490						495			
Arg	Arg	Arg	Gly	Asp	Trp	Ile	Glu	Ala	Ile	Gly	Gly	Gln	Gln	Val	Cys		
			500				505						510				
Lys	Ala	Leu	Asn	Ala	Phe	Gly	Gly	Glu	Gly	Val	Tyr	Ala	Val	Ala	Arg		
		515					520					525					
Cys	Cys	Leu	Val	Pro	Arg	Ala	Asn	Cys	Ser	Ile	His	Asn	Thr	Pro	Ala		
	530					535					540						
Ala	Arg	Ala	Gly	Leu	Glu	Thr	His	Val	His	Cys	His	Gln	Lys	Asp	His		
545					550					555					560		
Val	Leu	Thr	Gly	Cys	Ser	Phe	His	Trp	Glu	Val	Glu	Asp	Leu	Ser	Val		
			565						570					575			
Arg	Arg	Gln	Pro	Ala	Leu	Arg	Ser	Arg	Arg	Gln	Pro	Gly	Gln	Cys	Val		
			580					585					590				
Gly	His	Gln	Ala	Ala	Ser	Val	Tyr	Ala	Ser	Cys	Cys	His	Ala	Pro	Gly		
		595					600					605					
Leu	Glu	Cys	Lys	Ile	Lys	Glu	His	Gly	Ile	Ser	Gly	Pro	Ser	Glu	Gln		
	610					615					620						
Val	Thr	Val	Ala	Cys	Glu	Ala	Gly	Trp	Thr	Leu	Thr	Gly	Cys	Asn	Val		
625					630					635					640		
Leu	Pro	Gly	Ala	Ser	Leu	Thr	Leu	Gly	Ala	Tyr	Ser	Val	Asp	Asn	Leu		
				645					650					655			

-continued

---

Cys Val Ala Arg Val His Asp Thr Ala Arg Ala Asp Arg Thr Ser Gly  
                   660                                  665                                  670

Glu Ala Thr Val Ala Ala Ala Ile Cys Cys Arg Ser Arg Pro Ser Ala  
                   675                                  680                                  685

Lys Ala Ser Trp Val Gln  
                   690

<210> SEQ ID NO 758  
 <211> LENGTH: 653  
 <212> TYPE: PRT  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 758

Glu Phe Arg Cys His Asp Gly Lys Cys Ile Ser Arg Gln Phe Val Cys  
   1                  5                                  10                                  15

Asp Ser Asp Arg Asp Cys Leu Asp Gly Ser Asp Glu Ala Ser Cys Pro  
                   20                                  25                                  30

Val Leu Thr Cys Gly Pro Ala Ser Phe Gln Cys Asn Ser Ser Thr Cys  
                   35                                  40                                  45

Ile Pro Gln Leu Trp Ala Cys Asp Asn Asp Pro Asp Cys Glu Asp Gly  
                   50                                  55                                  60

Ser Asp Glu Trp Pro Gln Arg Cys Arg Gly Leu Tyr Val Phe Gln Gly  
                   65                                  70                                  75                                  80

Asp Ser Ser Pro Cys Ser Ala Phe Glu Phe His Cys Leu Ser Gly Glu  
                   85                                  90                                  95

Cys Ile His Ser Ser Trp Arg Cys Asp Gly Gly Pro Asp Cys Lys Asp  
                   100                                  105                                  110

Lys Ser Asp Glu Glu Asn Cys Ala Val Ala Thr Cys Arg Pro Asp Glu  
                   115                                  120                                  125

Phe Gln Cys Ser Asp Gly Asn Cys Ile His Gly Ser Arg Gln Cys Asp  
                   130                                  135                                  140

Arg Glu Tyr Asp Cys Lys Asp Met Ser Asp Glu Val Gly Cys Val Asn  
                   145                                  150                                  155                                  160

Val Thr Leu Cys Glu Gly Pro Asn Lys Phe Lys Cys His Ser Gly Glu  
                   165                                  170                                  175

Cys Ile Thr Leu Asp Lys Val Cys Asn Met Ala Arg Asp Cys Arg Asp  
                   180                                  185                                  190

Trp Ser Asp Glu Pro Ile Lys Glu Cys Gly Thr Asn Glu Cys Leu Asp  
                   195                                  200                                  205

Asn Asn Gly Gly Cys Ser His Val Cys Asn Asp Leu Lys Ile Gly Tyr  
                   210                                  215                                  220

Glu Cys Leu Cys Pro Asp Gly Phe Gln Leu Val Ala Gln Arg Arg Cys  
                   225                                  230                                  235                                  240

Glu Asp Ile Asp Glu Cys Gln Asp Pro Asp Thr Cys Ser Gln Leu Cys  
                   245                                  250                                  255

Val Asn Leu Glu Gly Gly Tyr Lys Cys Gln Cys Glu Glu Gly Phe Gln  
                   260                                  265                                  270

Leu Asp Pro His Thr Lys Ala Cys Lys Ala Val Gly Ser Ile Ala Tyr  
                   275                                  280                                  285

Leu Phe Phe Thr Asn Arg His Glu Val Arg Lys Met Thr Leu Asp Arg  
                   290                                  295                                  300

Ser Glu Tyr Thr Ser Leu Ile Pro Asn Leu Arg Asn Val Val Ala Leu  
                   305                                  310                                  315                                  320

Asp Thr Glu Val Ala Ser Asn Arg Ile Tyr Trp Ser Asp Leu Ser Gln

-continued

325					330					335					
Arg	Met	Ile	Cys	Ser	Thr	Gln	Leu	Asp	Arg	Ala	His	Gly	Val	Ser	Ser
			340					345					350		
Tyr	Asp	Thr	Val	Ile	Ser	Arg	Asp	Ile	Gln	Ala	Pro	Asp	Gly	Leu	Ala
			355					360					365		
Val	Asp	Trp	Ile	His	Ser	Asn	Ile	Tyr	Trp	Thr	Asp	Ser	Val	Leu	Gly
			370					375					380		
Thr	Val	Ser	Val	Ala	Asp	Thr	Lys	Gly	Val	Lys	Arg	Lys	Thr	Leu	Phe
			385					390					395		400
Arg	Glu	Asn	Gly	Ser	Lys	Pro	Arg	Ala	Ile	Val	Val	Asp	Pro	Val	His
				405					410					415	
Gly	Phe	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Thr	Pro	Ala	Lys	Ile	Lys	Lys
			420					425						430	
Gly	Gly	Leu	Asn	Gly	Val	Asp	Ile	Tyr	Ser	Leu	Val	Thr	Glu	Asn	Ile
			435					440					445		
Gln	Trp	Pro	Asn	Gly	Ile	Thr	Leu	Asp	Leu	Leu	Ser	Gly	Arg	Leu	Tyr
			450					455					460		
Trp	Val	Asp	Ser	Lys	Leu	His	Ser	Ile	Ser	Ser	Ile	Asp	Val	Asn	Gly
			465					470					475		480
Gly	Asn	Arg	Lys	Thr	Ile	Leu	Glu	Asp	Glu	Lys	Arg	Leu	Ala	His	Pro
				485					490					495	
Phe	Ser	Leu	Ala	Val	Phe	Glu	Asp	Lys	Val	Phe	Trp	Thr	Asp	Ile	Ile
			500					505						510	
Asn	Glu	Ala	Ile	Phe	Ser	Ala	Asn	Arg	Leu	Thr	Gly	Ser	Asp	Val	Asn
			515					520					525		
Leu	Leu	Ala	Glu	Asn	Leu	Leu	Ser	Pro	Glu	Asp	Met	Val	Leu	Phe	His
			530					535					540		
Asn	Leu	Thr	Gln	Pro	Arg	Gly	Val	Asn	Trp	Cys	Glu	Arg	Thr	Thr	Leu
			545					550					555		560
Ser	Asn	Gly	Gly	Cys	Gln	Tyr	Leu	Cys	Leu	Pro	Ala	Pro	Gln	Ile	Asn
				565					570					575	
Pro	His	Ser	Pro	Lys	Phe	Thr	Cys	Ala	Cys	Pro	Asp	Gly	Met	Leu	Leu
			580					585						590	
Ala	Arg	Asp	Met	Arg	Ser	Cys	Leu	Thr	Glu	Ala	Glu	Ala	Ala	Val	Ala
			595					600					605		
Thr	Gln	Glu	Thr	Ser	Thr	Val	Arg	Leu	Lys	Val	Ser	Ser	Thr	Ala	Val
			610					615					620		
Arg	Thr	Gln	His	Thr	Thr	Thr	Arg	Pro	Val	Pro	Asp	Thr	Ser	Arg	Leu
			625					630					635		640
Pro	Gly	Ala	Thr	Pro	Gly	Leu	Thr	Thr	Val	Glu	Ile	Val			
				645					650						

&lt;210&gt; SEQ ID NO 759

&lt;211&gt; LENGTH: 753

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 759

Met	Glu	Arg	Arg	Ala	Trp	Ser	Leu	Gln	Cys	Thr	Ala	Phe	Val	Leu	Phe
1				5				10						15	
Cys	Ala	Trp	Cys	Ala	Leu	Asn	Ser	Ala	Lys	Ala	Lys	Arg	Gln	Phe	Val
			20					25					30		
Asn	Glu	Trp	Ala	Ala	Glu	Ile	Pro	Gly	Gly	Pro	Glu	Ala	Ala	Ser	Ala
			35					40				45			

Ile 50	Ala	Glu	Glu	Leu	Gly	Tyr 55	Asp	Leu	Leu	Gly 60	Gln	Ile	Gly	Ser	Leu
Glu 65	Asn	His	Tyr	Leu	Phe 70	Lys	His	Lys	Asn	His 75	Pro	Arg	Arg	Ser	Arg 80
Arg	Ser	Ala	Phe 85	His	Ile	Thr	Lys	Arg	Leu 90	Ser	Asp	Asp	Asp	Arg 95	Val
Ile	Trp	Ala	Glu 100	Gln	Gln	Tyr	Glu	Lys 105	Glu	Arg	Ser	Lys	Arg	Ser	Ala
Leu	Arg	Asp 115	Ser	Ala	Leu	Asn	Leu 120	Phe	Asn	Asp	Pro	Met 125	Trp	Asn	Gln
Gln	Trp 130	Tyr	Leu	Gln	Asp 135	Thr	Arg	Met	Thr	Ala	Ala 140	Leu	Pro	Lys	Leu
Asp 145	Leu	His	Val	Ile	Pro 150	Val	Trp	Gln	Lys	Gly 155	Ile	Thr	Gly	Lys	Gly 160
Val	Val	Ile	Thr 165	Val	Leu	Asp	Asp	Gly	Leu 170	Glu	Trp	Asn	His	Thr	Asp 175
Ile	Tyr	Ala	Asn 180	Tyr	Asp	Pro	Glu	Ala	Ser	Tyr	Asp	Phe	Asn 190	Asp	Asn
Asp	His	Asp 195	Pro	Phe	Pro	Arg	Tyr 200	Asp	Pro	Thr	Asn	Glu 205	Asn	Lys	His
Gly	Thr 210	Arg	Cys	Ala	Gly	Glu 215	Ile	Ala	Met	Gln	Ala 220	Asn	Asn	His	Lys
Cys 225	Gly	Val	Gly	Val	Ala 230	Tyr	Asn	Ser	Lys	Val 235	Gly	Gly	Ile	Arg	Met 240
Leu	Asp	Gly	Ile 245	Val	Thr	Asp	Ala	Ile	Glu 250	Ala	Ser	Ser	Ile	Gly	Phe 255
Asn	Pro	Gly	His 260	Val	Asp	Ile	Tyr	Ser 265	Ala	Ser	Trp	Gly	Pro 270	Asn	Asp
Asp	Gly	Lys 275	Thr	Val	Glu	Gly	Pro 280	Gly	Arg	Leu	Ala	Gln 285	Lys	Ala	Phe
Glu	Tyr 290	Gly	Val	Lys	Gln	Gly 295	Arg	Gln	Gly	Lys	Gly 300	Ser	Ile	Phe	Val
Trp 305	Ala	Ser	Gly	Asn	Gly 310	Gly	Arg	Gln	Gly	Asp 315	Asn	Cys	Asp	Cys	Asp 320
Gly	Tyr	Thr	Asp 325	Ser	Ile	Tyr	Thr	Ile	Ser 330	Ile	Ser	Ser	Ala	Ser	Gln 335
Gln	Gly	Leu 340	Ser	Pro	Trp	Tyr	Ala	Glu 345	Lys	Cys	Ser	Ser	Thr 350	Leu	Ala
Thr	Ser	Tyr 355	Ser	Ser	Gly	Asp	Tyr 360	Thr	Asp	Gln	Arg	Ile 365	Thr	Ser	Ala
Asp	Leu 370	His	Asn	Asp	Cys	Thr 375	Glu	Thr	His	Thr	Gly 380	Thr	Ser	Ala	Ser
Ala 385	Pro	Leu	Ala	Ala	Gly 390	Ile	Phe	Ala	Leu	Ala 395	Leu	Glu	Ala	Asn	Pro 400
Asn	Leu	Thr	Trp 405	Arg	Asp	Met	Gln	His	Leu 410	Val	Val	Trp	Thr	Ser	Glu 415
Tyr	Asp	Pro	Leu 420	Ala	Asn	Asn	Pro	Gly 425	Trp	Lys	Lys	Asn 430	Gly	Ala	Gly
Leu	Met	Val 435	Asn	Ser	Arg	Phe	Gly 440	Phe	Gly	Leu	Leu	Asn 445	Ala	Lys	Ala
Leu 450	Val	Asp	Leu	Ala	Asp 455	Pro	Arg	Thr	Trp	Arg	Ser	Val 460	Pro	Glu	Lys
Lys	Glu	Cys	Val	Val	Lys	Asp	Asn	Asp	Phe	Glu	Pro	Arg	Ala	Leu	Lys

-continued

---

465	470	475	480
Ala Asn Gly Glu Val Ile Ile Glu Ile Pro Thr Arg Ala Cys Glu Gly			
	485	490	495
Gln Glu Asn Ala Ile Lys Ser Leu Glu His Val Gln Phe Glu Ala Thr			
	500	505	510
Ile Glu Tyr Ser Arg Arg Gly Asp Leu His Val Thr Leu Thr Ser Ala			
	515	520	525
Ala Gly Thr Ser Thr Val Leu Leu Ala Glu Arg Glu Arg Asp Thr Ser			
	530	535	540
Pro Asn Gly Phe Lys Asn Trp Asp Phe Met Ser Val His Thr Trp Gly			
545	550	555	560
Glu Asn Pro Ile Gly Thr Trp Thr Leu Arg Ile Thr Asp Met Ser Gly			
	565	570	575
Arg Ile Gln Asn Glu Gly Arg Ile Val Asn Trp Lys Leu Ile Leu His			
	580	585	590
Gly Thr Ser Ser Gln Pro Glu His Met Lys Gln Pro Arg Val Tyr Thr			
	595	600	605
Ser Tyr Asn Thr Val Gln Asn Asp Arg Arg Gly Val Glu Lys Met Val			
610	615	620	
Asp Pro Gly Glu Glu Gln Pro Thr Gln Glu Asn Pro Lys Glu Asn Thr			
625	630	635	640
Leu Val Ser Lys Ser Pro Ser Ser Ser Ser Val Gly Gly Arg Arg Asp			
	645	650	655
Glu Leu Glu Glu Gly Ala Pro Ser Gln Ala Met Leu Arg Leu Leu Gln			
	660	665	670
Ser Ala Phe Ser Lys Asn Ser Pro Pro Lys Gln Ser Pro Lys Lys Ser			
	675	680	685
Pro Ser Ala Lys Leu Asn Ile Pro Tyr Glu Asn Phe Tyr Glu Ala Leu			
690	695	700	
Glu Lys Leu Asn Lys Pro Ser Gln Leu Lys Asp Ser Glu Asp Ser Leu			
705	710	715	720
Tyr Asn Asp Tyr Val Asp Val Phe Tyr Asn Thr Lys Pro Tyr Lys His			
	725	730	735
Arg Asp Asp Arg Leu Leu Gln Ala Leu Val Asp Ile Leu Asn Glu Glu			
	740	745	750

Asn

&lt;210&gt; SEQ ID NO 760

&lt;211&gt; LENGTH: 785

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 760

Met Pro Lys Gly Arg Gln Lys Val Pro His Leu Asp Ala Pro Leu Gly			
1	5	10	15
Leu Pro Thr Cys Leu Trp Leu Glu Leu Ala Gly Leu Phe Leu Leu Val			
	20	25	30
Pro Trp Val Met Gly Leu Ala Gly Thr Gly Gly Pro Asp Gly Gln Gly			
	35	40	45
Thr Gly Gly Pro Ser Trp Ala Val His Leu Glu Ser Leu Glu Gly Asp			
	50	55	60
Gly Glu Glu Glu Thr Leu Glu Gln Gln Ala Asp Ala Leu Ala Gln Ala			
65	70	75	80
Ala Gly Leu Val Asn Ala Gly Arg Ile Gly Glu Leu Gln Gly His Tyr			

-continued

85							90					95				
Leu	Phe	Val	Gln	Pro	Ala	Gly	His	Arg	Pro	Ala	Leu	Glu	Val	Glu	Ala	
			100					105					110			
Ile	Arg	Gln	Gln	Val	Glu	Ala	Val	Leu	Ala	Gly	His	Glu	Ala	Val	Arg	
		115					120					125				
Trp	His	Ser	Glu	Gln	Arg	Leu	Leu	Arg	Arg	Ala	Lys	Arg	Ser	Val	His	
	130					135					140					
Phe	Asn	Asp	Pro	Lys	Tyr	Pro	Gln	Gln	Trp	His	Leu	Asn	Asn	Arg	Arg	
145					150					155					160	
Ser	Pro	Gly	Arg	Asp	Ile	Asn	Val	Thr	Gly	Val	Trp	Glu	Arg	Asn	Val	
			165						170					175		
Thr	Gly	Arg	Gly	Val	Thr	Val	Val	Val	Val	Asp	Asp	Gly	Val	Glu	His	
		180						185					190			
Thr	Ile	Gln	Asp	Ile	Ala	Pro	Asn	Tyr	Ser	Pro	Glu	Gly	Ser	Tyr	Asp	
	195						200					205				
Leu	Asn	Ser	Asn	Asp	Pro	Asp	Pro	Met	Pro	His	Pro	Asp	Val	Glu	Asn	
	210					215					220					
Gly	Asn	His	His	Gly	Thr	Arg	Cys	Ala	Gly	Glu	Ile	Ala	Ala	Val	Pro	
225					230					235					240	
Asn	Asn	Ser	Phe	Cys	Ala	Val	Gly	Val	Ala	Tyr	Gly	Ser	Arg	Ile	Ala	
			245						250					255		
Gly	Ile	Arg	Val	Leu	Asp	Gly	Pro	Leu	Thr	Asp	Ser	Met	Glu	Ala	Val	
		260						265					270			
Ala	Phe	Asn	Lys	His	Tyr	Gln	Ile	Asn	Asp	Ile	Tyr	Ser	Cys	Ser	Trp	
	275						280					285				
Gly	Pro	Asp	Asp	Asp	Gly	Lys	Thr	Val	Asp	Gly	Pro	His	Gln	Leu	Gly	
	290					295					300					
Lys	Ala	Ala	Leu	Gln	His	Gly	Val	Ile	Ala	Gly	Arg	Gln	Gly	Phe	Gly	
305					310					315					320	
Ser	Ile	Phe	Val	Val	Ala	Ser	Gly	Asn	Gly	Gly	Gln	His	Asn	Asp	Asn	
			325						330					335		
Cys	Asn	Tyr	Asp	Gly	Tyr	Ala	Asn	Ser	Ile	Tyr	Thr	Val	Thr	Ile	Gly	
		340						345					350			
Ala	Val	Asp	Glu	Glu	Gly	Arg	Met	Pro	Phe	Tyr	Ala	Glu	Glu	Cys	Ala	
		355					360					365				
Ser	Met	Leu	Ala	Val	Thr	Phe	Ser	Gly	Gly	Asp	Lys	Met	Leu	Arg	Ser	
	370					375					380					
Ile	Val	Thr	Thr	Asp	Trp	Asp	Leu	Gln	Lys	Gly	Thr	Gly	Cys	Thr	Glu	
385					390					395					400	
Gly	His	Thr	Gly	Thr	Ser	Ala	Ala	Ala	Pro	Leu	Ala	Ala	Gly	Met	Ile	
			405						410					415		
Ala	Leu	Met	Leu	Gln	Val	Arg	Pro	Cys	Leu	Thr	Trp	Arg	Asp	Val	Gln	
		420						425					430			
His	Ile	Ile	Val	Phe	Thr	Ala	Thr	Arg	Tyr	Glu	Asp	Arg	Arg	Ala	Glu	
	435						440					445				
Trp	Val	Thr	Asn	Glu	Ala	Gly	Phe	Ser	His	Ser	His	Gln	His	Gly	Phe	
	450					455					460					
Gly	Leu	Leu	Asn	Ala	Trp	Arg	Leu	Val	Asn	Ala	Ala	Lys	Ile	Trp	Thr	
465					470					475					480	
Ser	Val	Pro	Tyr	Leu	Ala	Ser	Tyr	Val	Ser	Pro	Val	Leu	Lys	Glu	Asn	
			485						490				495			
Lys	Ala	Ile	Pro	Gln	Ser	Pro	Arg	Ser	Leu	Glu	Val	Leu	Trp	Asn	Val	
			500					505					510			

-continued

---

Ser Arg Met Asp Leu Glu Met Ser Gly Leu Lys Thr Leu Glu His Val  
 515 520 525  
 Ala Val Thr Val Ser Ile Thr His Pro Arg Arg Gly Ser Leu Glu Leu  
 530 535 540  
 Lys Leu Phe Cys Pro Ser Gly Met Met Ser Leu Ile Gly Ala Pro Arg  
 545 550 555 560  
 Ser Met Asp Ser Asp Pro Asn Gly Phe Asn Asp Trp Thr Phe Ser Thr  
 565 570 575  
 Val Arg Cys Trp Gly Glu Arg Ala Arg Gly Thr Tyr Arg Leu Val Ile  
 580 585 590  
 Arg Asp Val Gly Asp Glu Ser Phe Gln Val Gly Ile Leu Arg Gln Trp  
 595 600 605  
 Gln Leu Thr Leu Tyr Gly Ser Val Trp Ser Ala Val Asp Ile Arg Asp  
 610 615 620  
 Arg Gln Arg Leu Leu Glu Ser Ala Met Ser Gly Lys Tyr Leu His Asp  
 625 630 635 640  
 Asp Phe Ala Leu Pro Cys Pro Pro Gly Leu Lys Ile Pro Glu Glu Asp  
 645 650 655  
 Gly Tyr Thr Ile Thr Pro Asn Thr Leu Lys Thr Leu Val Leu Val Gly  
 660 665 670  
 Cys Phe Thr Val Phe Trp Thr Val Tyr Tyr Met Leu Glu Val Tyr Leu  
 675 680 685  
 Ser Gln Arg Asn Val Ala Ser Asn Gln Val Cys Arg Ser Gly Pro Cys  
 690 695 700  
 His Trp Pro His Arg Ser Arg Lys Ala Lys Glu Glu Gly Thr Glu Leu  
 705 710 715 720  
 Glu Ser Val Pro Leu Cys Ser Ser Lys Asp Pro Asp Glu Val Glu Thr  
 725 730 735  
 Glu Ser Arg Gly Pro Pro Thr Thr Ser Asp Leu Leu Ala Pro Asp Leu  
 740 745 750  
 Leu Glu Gln Gly Asp Trp Ser Leu Ser Gln Asn Lys Ser Ala Leu Asp  
 755 760 765  
 Cys Pro His Gln His Leu Asp Val Pro His Gly Lys Glu Glu Gln Ile  
 770 775 780  
 Cys  
 785

&lt;210&gt; SEQ ID NO 761

&lt;211&gt; LENGTH: 692

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Macaca fascicularis

&lt;400&gt; SEQUENCE: 761

Met Gly Thr Val Ser Ser Arg Arg Ser Trp Trp Pro Leu Pro Leu Pro  
 1 5 10 15  
 Leu Leu Leu Leu Leu Leu Gly Pro Ala Gly Ala Arg Ala Gln Glu  
 20 25 30  
 Asp Glu Asp Gly Asp Tyr Glu Glu Leu Val Leu Ala Leu Arg Ser Glu  
 35 40 45  
 Glu Asp Gly Leu Ala Asp Ala Pro Glu His Gly Ala Thr Ala Thr Phe  
 50 55 60  
 His Arg Cys Ala Lys Asp Pro Trp Arg Leu Pro Gly Thr Tyr Val Val  
 65 70 75 80  
 Val Leu Lys Glu Glu Thr His Arg Ser Gln Ser Glu Arg Thr Ala Arg



-continued

85								90				95			
Arg	Leu	Gln	Ala	Gln	Ala	Ala	Arg	Arg	Gly	Tyr	Leu	Thr	Lys	Ile	Leu
			100					105					110		
His	Val	Phe	His	His	Leu	Leu	Pro	Gly	Phe	Leu	Val	Lys	Met	Ser	Gly
		115					120					125			
Asp	Leu	Leu	Glu	Leu	Ala	Leu	Lys	Leu	Pro	His	Val	Asp	Tyr	Ile	Glu
	130					135					140				
Glu	Asp	Ser	Ser	Val	Phe	Ala	Gln	Ser	Ile	Pro	Trp	Asn	Leu	Glu	Arg
145					150					155				160	
Ile	Thr	Pro	Ala	Arg	Tyr	Arg	Ala	Asp	Glu	Tyr	Gln	Pro	Pro	Lys	Gly
			165					170						175	
Gly	Ser	Leu	Val	Glu	Val	Tyr	Leu	Leu	Asp	Thr	Ser	Ile	Gln	Ser	Asp
	180						185					190			
His	Arg	Glu	Ile	Glu	Gly	Arg	Val	Met	Val	Thr	Asp	Phe	Glu	Ser	Val
	195						200					205			
Pro	Glu	Glu	Asp	Gly	Thr	Arg	Phe	His	Arg	Gln	Ala	Ser	Lys	Cys	Asp
	210					215					220				
Ser	His	Gly	Thr	His	Leu	Ala	Gly	Val	Val	Ser	Gly	Arg	Asp	Ala	Gly
225					230					235				240	
Val	Ala	Lys	Gly	Ala	Gly	Leu	Arg	Ser	Leu	Arg	Val	Leu	Asn	Cys	Gln
			245					250					255		
Gly	Lys	Gly	Thr	Val	Ser	Gly	Thr	Leu	Ile	Gly	Leu	Glu	Phe	Ile	Arg
	260						265					270			
Lys	Ser	Gln	Leu	Val	Gln	Pro	Val	Gly	Pro	Leu	Val	Val	Leu	Leu	Pro
	275					280						285			
Leu	Ala	Gly	Gly	Tyr	Ser	Arg	Val	Phe	Asn	Ala	Ala	Cys	Gln	Arg	Leu
	290					295					300				
Ala	Arg	Ala	Gly	Val	Val	Leu	Val	Thr	Ala	Ala	Gly	Asn	Phe	Arg	Asp
305					310					315				320	
Asp	Ala	Cys	Leu	Tyr	Ser	Pro	Ala	Ser	Ala	Pro	Glu	Val	Ile	Thr	Val
			325					330					335		
Gly	Ala	Thr	Asn	Ala	Gln	Asp	Gln	Pro	Val	Thr	Leu	Gly	Thr	Leu	Gly
	340						345						350		
Thr	Asn	Phe	Gly	Arg	Cys	Val	Asp	Leu	Phe	Ala	Pro	Gly	Glu	Asp	Ile
	355					360						365			
Ile	Gly	Ala	Ser	Ser	Asp	Cys	Ser	Thr	Cys	Phe	Val	Ser	Arg	Ser	Gly
	370				375						380				
Thr	Ser	Gln	Ala	Ala	Ala	His	Val	Ala	Gly	Ile	Ala	Ala	Met	Met	Leu
385					390					395				400	
Ser	Ala	Glu	Pro	Glu	Leu	Thr	Leu	Ala	Glu	Leu	Arg	Gln	Arg	Leu	Ile
			405					410					415		
His	Phe	Ser	Ala	Lys	Asp	Val	Ile	Asn	Glu	Ala	Trp	Phe	Pro	Glu	Asp
		420						425					430		
Gln	Arg	Val	Leu	Thr	Pro	Asn	Leu	Val	Ala	Ala	Leu	Pro	Pro	Ser	Thr
	435					440						445			
His	Arg	Ala	Gly	Trp	Gln	Leu	Phe	Cys	Arg	Thr	Val	Trp	Ser	Ala	His
	450				455						460				
Ser	Gly	Pro	Thr	Arg	Met	Ala	Thr	Ala	Val	Ala	Arg	Cys	Ala	Gln	Asp
465					470				475					480	
Glu	Glu	Leu	Leu	Ser	Cys	Ser	Ser	Phe	Ser	Arg	Ser	Gly	Lys	Arg	Arg
			485					490					495		
Gly	Glu	Arg	Ile	Glu	Ala	Gln	Gly	Gly	Lys	Arg	Val	Cys	Arg	Ala	His
		500					505					510			

-continued

---

Asn Ala Phe Gly Gly Glu Gly Val Tyr Ala Ile Ala Arg Cys Cys Leu  
 515 520 525  
 Leu Pro Gln Val Asn Cys Ser Val His Thr Ala Pro Pro Ala Gly Ala  
 530 535 540  
 Ser Met Gly Thr Arg Val His Cys His Gln Gln Gly His Val Leu Thr  
 545 550 555 560  
 Gly Cys Ser Ser His Trp Glu Val Glu Asp Leu Gly Thr His Lys Pro  
 565 570 575  
 Pro Val Leu Arg Pro Arg Gly Gln Pro Asn Gln Cys Val Gly His Arg  
 580 585 590  
 Glu Ala Ser Ile His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys  
 595 600 605  
 Lys Val Lys Glu His Gly Ile Pro Ala Pro Gln Glu Gln Val Ile Val  
 610 615 620  
 Ala Cys Glu Asp Gly Trp Thr Leu Thr Gly Cys Ser Ala Leu Pro Gly  
 625 630 635 640  
 Thr Ser His Val Leu Gly Ala Tyr Ala Val Asp Asn Thr Cys Val Val  
 645 650 655  
 Arg Ser Arg Asp Val Ser Thr Thr Gly Ser Thr Ser Glu Glu Ala Val  
 660 665 670  
 Ala Ala Val Ala Ile Cys Cys Arg Ser Arg His Leu Val Gln Ala Ser  
 675 680 685  
 Gln Glu Leu Gln  
 690

&lt;210&gt; SEQ ID NO 762

&lt;211&gt; LENGTH: 698

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Mesocricetus auratus

&lt;400&gt; SEQUENCE: 762

Met Gly Thr Ser Cys Ser Ala Arg Pro Arg Trp Leu Leu Ser Pro Leu  
 1 5 10 15  
 Leu Leu Leu Leu Leu Leu Arg Tyr Met Gly Ala Ser Ala Gln Asp  
 20 25 30  
 Glu Asp Ala Glu Tyr Glu Glu Leu Met Leu Thr Leu Gln Ser Gln Asp  
 35 40 45  
 Asp Gly Leu Ala Asp Glu Thr Asp Glu Ala Pro Gln Gly Ala Thr Ala  
 50 55 60  
 Ala Phe His Arg Cys Pro Glu Glu Ala Trp Arg Val Pro Gly Thr Tyr  
 65 70 75 80  
 Ile Val Met Leu Ala Glu Glu Ala Gln Trp Val His Ile Glu Gln Thr  
 85 90 95  
 Met His Arg Leu Gln Thr Gln Ala Ala Arg Arg Gly Tyr Val Ile Lys  
 100 105 110  
 Ile Gln His Ile Phe Tyr Asp Phe Leu Pro Ala Phe Val Val Lys Met  
 115 120 125  
 Ser Ser Asp Leu Leu Asp Leu Ala Leu Lys Leu Pro His Val Lys Tyr  
 130 135 140  
 Ile Glu Glu Asp Ser Leu Val Phe Ala Gln Ser Ile Pro Trp Asn Leu  
 145 150 155 160  
 Asp Arg Ile Ile Pro Ala Gly Arg Gln Ala Gln Glu Tyr Ser Ser Ser  
 165 170 175  
 Arg Lys Val Pro Ser Gly Ser Gly Gln Val Glu Val Tyr Leu Leu Asp  
 180 185 190



-continued

---

Ala Pro Gly Leu Glu Cys Lys Ile Lys Glu His Gly Ile Ser Gly Pro  
610 615 620

Ala Glu Gln Val Thr Val Ala Cys Glu Ala Gly Trp Thr Leu Thr Gly  
625 630 635 640

Cys Asn Val Leu Pro Gly Ala Phe Ile Thr Leu Gly Ala Tyr Ala Val  
645 650 655

Asp Asn Thr Cys Val Ala Arg Ser Arg Val Thr Asp Thr Ala Gly Arg  
660 665 670

Thr Gly Glu Glu Ala Thr Val Ala Ala Ala Ile Cys Cys Arg Asn Arg  
675 680 685

Pro Ser Ala Lys Ala Ser Trp Val His Gln  
690 695

<210> SEQ ID NO 763  
 <211> LENGTH: 691  
 <212> TYPE: PRT  
 <213> ORGANISM: Rattus norvegicus

<400> SEQUENCE: 763

Met Gly Ile Arg Cys Ser Thr Trp Leu Arg Trp Pro Leu Ser Pro Gln  
1 5 10 15

Leu Leu Leu Leu Leu Leu Cys Pro Thr Gly Ser Arg Ala Gln Asp  
20 25 30

Glu Asp Gly Asp Tyr Glu Glu Leu Met Leu Ala Leu Pro Ser Gln Glu  
35 40 45

Asp Ser Leu Val Asp Glu Ala Ser His Val Ala Thr Ala Thr Phe Arg  
50 55 60

Arg Cys Ser Lys Glu Ala Trp Arg Leu Pro Gly Thr Tyr Val Val Val  
65 70 75 80

Leu Met Glu Glu Thr Gln Arg Leu Gln Val Glu Gln Thr Ala His Arg  
85 90 95

Leu Gln Thr Trp Ala Ala Arg Arg Gly Tyr Val Ile Lys Val Leu His  
100 105 110

Val Phe Tyr Asp Leu Phe Pro Gly Phe Leu Val Lys Met Ser Ser Asp  
115 120 125

Leu Leu Gly Leu Ala Leu Lys Leu Pro His Val Glu Tyr Ile Glu Glu  
130 135 140

Asp Ser Leu Val Phe Ala Gln Ser Ile Pro Trp Asn Leu Glu Arg Ile  
145 150 155 160

Ile Pro Ala Trp Gln Gln Thr Glu Glu Asp Ser Ser Pro Asp Gly Ser  
165 170 175

Ser Gln Val Glu Val Tyr Leu Leu Asp Thr Ser Ile Gln Ser Gly His  
180 185 190

Arg Glu Ile Glu Gly Arg Val Thr Ile Thr Asp Phe Asn Ser Val Pro  
195 200 205

Glu Glu Asp Gly Thr Arg Phe His Arg Gln Ala Ser Lys Cys Asp Ser  
210 215 220

His Gly Thr His Leu Ala Gly Val Val Ser Gly Arg Asp Ala Gly Val  
225 230 235 240

Ala Lys Gly Thr Ser Leu His Ser Leu Arg Val Leu Asn Cys Gln Gly  
245 250 255

Lys Gly Thr Val Ser Gly Thr Leu Ile Gly Leu Glu Phe Ile Arg Lys  
260 265 270

Ser Gln Leu Ile Gln Pro Ser Gly Pro Leu Val Val Leu Leu Pro Leu  
275 280 285

-continued

---

Ala Gly Gly Tyr Ser Arg Ile Leu Asn Thr Ala Cys Gln Arg Leu Ala	290	295	300
Arg Thr Gly Val Val Leu Val Ala Ala Ala Gly Asn Phe Arg Asp Asp	305	310	320
Ala Cys Leu Tyr Ser Pro Ala Ser Ala Pro Glu Val Ile Thr Val Gly	325	330	335
Ala Thr Asn Ala Gln Asp Gln Pro Val Thr Leu Gly Thr Leu Gly Thr	340	345	350
Asn Phe Gly Arg Cys Val Asp Leu Phe Ala Pro Gly Lys Asp Ile Ile	355	360	365
Gly Ala Ser Ser Asp Cys Ser Thr Cys Tyr Met Ser Gln Ser Gly Thr	370	375	380
Ser Gln Ala Ala Ala His Val Ala Gly Ile Val Ala Met Met Leu Asn	385	390	400
Arg Asp Pro Ala Leu Thr Leu Ala Glu Leu Arg Gln Arg Leu Ile Leu	405	410	415
Phe Ser Thr Lys Asp Val Ile Asn Met Ala Trp Phe Pro Glu Asp Gln	420	425	430
Arg Val Leu Thr Pro Asn Arg Val Ala Thr Leu Pro Pro Ser Thr Gln	435	440	445
Glu Thr Gly Gly Gln Leu Leu Cys Arg Thr Val Trp Ser Ala His Ser	450	455	460
Gly Pro Thr Arg Thr Ala Thr Ala Thr Ala Arg Cys Ala Pro Glu Glu	465	470	475
Glu Leu Leu Ser Cys Ser Ser Phe Ser Arg Ser Gly Arg Arg Arg Gly	485	490	495
Asp Arg Ile Glu Ala Ile Gly Gly Gln Gln Val Cys Lys Ala Leu Asn	500	505	510
Ala Phe Gly Gly Glu Gly Val Tyr Ala Val Ala Arg Cys Cys Leu Leu	515	520	525
Pro Arg Val Asn Cys Ser Ile His Asn Thr Pro Ala Ala Arg Ala Gly	530	535	540
Pro Gln Thr Pro Val His Cys His Gln Lys Asp His Val Leu Thr Gly	545	550	555
Cys Ser Phe His Trp Glu Val Glu Asn Leu Arg Ala Gln Gln Gln Pro	565	570	575
Leu Leu Arg Ser Arg His Gln Pro Gly Gln Cys Val Gly His Gln Glu	580	585	590
Ala Ser Val His Ala Ser Cys Cys His Ala Pro Gly Leu Glu Cys Lys	595	600	605
Ile Lys Glu His Gly Ile Ala Gly Pro Ala Glu Gln Val Thr Val Ala	610	615	620
Cys Glu Ala Gly Trp Thr Leu Thr Gly Cys Asn Val Leu Pro Gly Ala	625	630	635
Ser Leu Pro Leu Gly Ala Tyr Ser Val Asp Asn Val Cys Val Ala Arg	645	650	655
Ile Arg Asp Ala Gly Arg Ala Asp Arg Thr Ser Glu Glu Ala Thr Val	660	665	670
Ala Ala Ala Ile Cys Cys Arg Ser Arg Pro Ser Ala Lys Ala Ser Trp	675	680	685
Val His Gln	690		

---

463

We claim:

1. A method for treating a subject selected from the group consisting of: a subject indicated for LDL apheresis, a subject with a PCSK9 gain of function mutation, and a subject with primary hypercholesterolemia who is statin intolerant or statin uncontrolled, the method comprising administering to the subject a therapeutically effective amount of a pharmaceutical composition comprising an antibody or antigen-binding fragment thereof which specifically binds hPCSK9, wherein the antibody or antigen-binding fragment comprises the heavy and light chain CDRs of a HCVR/LCVR amino acid sequence pair selected from the group consisting of SEQ ID NOs:90/92 and 218/226.

2. The method of claim 1, wherein the antibody or antigen-binding fragment comprises heavy and light chain CDR amino acid sequences having SEQ ID NOs:220, 222, 224, 228, 230 and 232.

3. The method of claim 2, wherein the antibody or antigen-binding fragment comprises an HCVR having the amino acid sequence of SEQ ID NO:218 and an LCVR having the amino acid sequence of SEQ ID NO:226.

4. The method of claim 1, wherein the antibody or antigen-binding fragment comprises heavy and light chain CDR amino acid sequences having SEQ ID NOs:76, 78, 80, 84, 86 and 88.

464

5. The method of claim 4, wherein the antibody or antigen-binding fragment comprises an HCVR having the amino acid sequence of SEQ ID NO:90 and an LCVR having the amino acid sequence of SEQ ID NO:92.

6. The method of claim 1, wherein the antibody or antigen-binding fragment binds to the same epitope on hPCSK9 as an antibody comprising heavy and light chain CDR amino acid sequences having SEQ ID NOs:220, 222, 224, 228, 230 and 232; or SEQ ID NOs: 76, 78, 80, 84, 86 and 88.

7. The method of claim 1, wherein the antibody or antigen-binding fragment competes for binding to hPCSK9 with an antibody comprising heavy and light chain CDR amino acid sequences having SEQ ID NOs:220, 222, 224, 228, 230 and 232; or SEQ ID NOs: 76, 78, 80, 84, 86 and 88.

8. The method of claim 1, wherein the subject has familial hypercholesterolemia (FH).

9. The method of claim 8, wherein the familial hypercholesterolemia is heterozygous familial hypercholesterolemia (heFH).

10. The method of claim 8, wherein the familial hypercholesterolemia is homozygous familial hypercholesterolemia (hoFH).

\* \* \* \* \*