

**Documentation Settings** 

# **ECOMM**

# Introduction

Welcome to ECOMM APIs

## **Overview**

The APIS are:

- Post Customer details
- Post Order details
- Post Shipment details
- Get Shipment detail
- Get Customer\_order\_deatils
- Get Customer\_order\_shipent\_details

# **Error Codes**

status code 200-OK status code 400- Pricing attribute greater than MRP

## POST Customer\_deatil

http://localhost:8000/ECOMM/Customer

#### **BODY** raw

```
{
   "Mobile": 8431750954,
   "Customer_name": "Prathik",
   "Email": "P123@gmail.com",
   "City": "Kolkata"
}
```

**Example Request** 

Customer\_deatil\_Example1

\_\_\_\_ Documentation Settings

```
curl --location --request POST 'http://localhost:8000/ECOMM/Customer' \
--data-raw '{
   "Mobile": 8431750954,
   "Customer_name": "Prathik",
   "Email": "P123@gmail.com",
   "City": "Kolkata"
}'
```

Example Response 200 OK

```
Body Header(4)

{
   "Mobile": 8431750954,
   "Customer_ID": 6,
   "Email": "P123@gmail.com",
   "City": "Kolkata",
   "Customer_name": "Prathik"
}
```

#### POST Order\_detail

http://localhost:8000/ECOMM/Order

#### **BODY** raw

```
{
   "Customer_ID": 3,
   "Product_name": "Pencil",
   "Quantity": 10,
   "MRP": 15,
   "Pricing": 15
}
```

**Example Request** 

Purchase\_order\_example ▼

```
curl --location --request POST 'http://localhost:8000/ECOMM/Order' \
--data-raw '{
    "Customer_ID": 6,
    "Product_name": "Pencil",
    "Quantity": 10,
    "MRP": 15,
```

```
"Pricing": 15
= }'
```

**Documentation Settings** 

Example Response 200 OK

```
Body Header(4)

{
    "Product_name": "Pencil",
    "MRP": 15,
    "Customer_ID": 6,
    "Pricing": 15,
    "Quantity": 10,
    "Purchase_order_ID": 4
}
```

## POST Shipment\_detail

http://localhost:8000/ECOMM/SHIP

#### **BODY** raw

```
{
  "Address": "Pandey nagar ",
  "City": "Kolkata",
  "Pincode": 585409,
  "Purchase_order_ID": 4,
  "Customer_ID": 6
}
```

Example Request Shipment\_detail\_example

```
curl --location --request POST 'http://localhost:8000/ECOMM/SHIP' \
--data-raw '{
   "Address": "Pandey nagar ",
   "City": "Kolkata",
   "Pincode": 585409,
   "Purchase_order_ID": 4,
   "Customer_ID": 6
}'
```

Example Response 200 OK

Body Header (4)

```
Tocumentation Settings

{
    "Address": "Kolkata",
    "Purchase_order_ID": 4,
    "Customer_ID": 6,
    "City": "Kolkata",
    "Pincode": 585409
}
```

#### **GET Customer\_order\_detail**

```
http://localhost:8000/ECOMM/Order_details
```

```
Example Request Customer_order_detail_example

curl --location --request GET 'http://localhost:8000/ECOMM/Order_details'

Example Response 200 OK

Body Header(4)

[
{
    "Customer_ID": 6,
    "purchaseOrder": [
    {
        "MRP": 15,
        "Product_name": "Pencil",
```

**View More** 

## **GET Customer\_order\_shipment\_detail**

"Purchase\_order\_ID": 4,

"Pricing": 15,
"Quantity": 10,

http://localhost:8000/ECOMM/Ship\_order\_details

#### **GET Shipment\_detail\_by\_city**

http://localhost:8000/ECOMM/GET\_SHIPMENTS?CITY\_NAME=Bangalore

#### **PARAMS**

#### CITY\_NAME

Bangalore

```
Example Request

Shipment_detail_by_city_... 

curl --location --request GET 'http://localhost:8000/ECOMM/GET_SHIPMENTS?CITY_NAME=Goa'
```

Example Response 200 OK