TABLE STRUCTURE - PART B

RESEARCH AND ACADEMIC CONTRIBUTIONS

1) Published Papers in Journals (Maxi. marks 120)

Column	Meaning	Java Type	DB Type
Sr. No	Serial number	`Integer`	`INT`
Title with page Nos.	Paper title	`String`	`TEXT`
Journal details	Journal name/details	`String`	`TEXT`
ISSN/ISBN No.	Identifier	`String`	`VARCHAR(50)`
Indexing	Scopus / SCI / SCIE / UGC	`ENUM / String`	`VARCHAR(50)`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/journal-publications`

✅ CREATE (POST)

`POST /api/journal-publications`

👤 Faculty

- ✅ Can add:
  - title
  - journal details
  - ISSN

- indexing

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/journal-publications/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/journal-publications`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/journal-publications/{id}`

👤 Faculty can update:

- title
- journal details
- ISSN
- indexing

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/journal-publications/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API (IMPORTANT)

📊 Total Score

`GET /api/journal-publications/summary/{facultyId}`

👉 Returns:

- totalScore (max 120)

2) Articles / Chapters published in Books (Maxi. marks 50)

Column	Meaning	Java Type	DB Type
Sr. No	Serial number	`Integer`	`INT`
Title with page Nos.	Chapter/article title	`String`	`TEXT`
Book Title, editor & publisher	Book details	`String`	`TEXT`
ISSN/ISBN No.	Identifier	`String`	`VARCHAR(50)`
Type of Publisher	Publisher category	`ENUM / String`	`VARCHAR(50)`
No. of co-authors from DYPIU	Count	`Integer`	`INT`
Whether you are the first author	Yes/No	`Boolean`	`BOOLEAN`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/book-publications`

✅ CREATE (POST)

`POST /api/book-publications`

👤 Faculty

- ✅ Can add:
  - title
  - book details
  - ISBN
  - publisher type
  - co-author count
  - first author flag

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/book-publications/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/book-publications`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/book-publications/{id}`

👤 Faculty can update:

- all input fields

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/book-publications/{id}`

- 👤 ❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/book-publications/summary/{facultyId}`

👉 Returns:

- totalScore (max 50)

3) Creation of ICT mediated Teaching Learning pedagogy and content and development of new and innovative course and curricula (Maxi. marks 20)

Column	Meaning	Java Type	DB Type
S. No	Serial number	`Integer`	`INT`
Title of Development	Title of pedagogy/content	`String`	`VARCHAR(255)`
Short Description / Contribution	Description	`String`	`TEXT`
Type (Pedagogy / Modules / E-content / link)	Type/category	`ENUM / String`	`VARCHAR(100)`
No. of Quadrants	Numeric metric	`Integer`	`INT`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/pedagogy`

✅ CREATE (POST)

`POST /api/pedagogy`

👤 Faculty

- ✅ Can add:
  - title
  - description
  - type
  - quadrants

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/pedagogy/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/pedagogy`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/pedagogy/{id}`

👤 Faculty can update:

- title
- description
- type
- quadrants

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/pedagogy/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/pedagogy/summary/{facultyId}`

👉 Returns:

- totalScore (max 20)

4) a. Research Guidance (Maxi. marks 30 : PhD – 20, PG - 10)

Column	Meaning	Java Type	DB Type
Sr. No	Serial number	`Integer`	`INT`
Degree	ME / PhD	`ENUM / String`	`VARCHAR(20)`
Name of Student	Student name	`String`	`VARCHAR(255)`
Thesis Submitted / Degree awarded (with date)	Status + date	`LocalDate` + `String` *(or combined String)*	`DATE` + `VARCHAR`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/research-guidance`

✅ CREATE (POST)

`POST /api/research-guidance`

👤 Faculty

- ✅ Can add:
  - degree
  - student name
  - thesis/award date

👉 One request = one student

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/research-guidance/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/research-guidance`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/research-guidance/{id}`

👤 Faculty can update:

- student name
- degree
- date

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/research-guidance/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Summary

`GET /api/research-guidance/summary/{facultyId}`

👉 Returns:

- totalStudentsME
- totalStudentsPhD
- totalScore (max 30)

4. **b and c Ongoing and Completed Research Projects/ Consultancy Projects. (Maxi. Marks= 15+ 30= 45)**

Column	Meaning	Java Type	DB Type
Sr. No	Serial number	`Integer`	`INT`
Title of Research Project	Project name	`String`	`TEXT`
Funding Agency	Organization name	`String`	`VARCHAR(255)`
Date of Sanction	Approval date	`LocalDate`	`DATE`
Grant / Amount Mobilized (Rs. Lakhs)	Funding amount	`Double`	`DOUBLE`
Role (PI / Co-PI / Consultant)	Your role	`ENUM`	`VARCHAR(50)`
Status (Ongoing / Completed)	Project status	`ENUM`	`VARCHAR(50)`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/research-projects`

✅ CREATE (POST)

`POST /api/research-projects`

👤 Faculty

- ✅ Can add:
  - project title
  - funding agency
  - date
  - amount
  - role

- status

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/research-projects/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/research-projects`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/research-projects/{id}`

👤 Faculty can update:

- all input fields

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/research-projects/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/research-projects/summary/{facultyId}`

👉 Returns:

- totalScore (max 45)

5. **(a) IPR (Patent/ Copyrights/ Design/ Trademarks) - Maxi. marks 40**

Column	Meaning	Java Type	DB Type
S. No	Serial number	`Integer`	`INT`
Title	Title of patent/IPR	`String`	`TEXT`
National / International	Scope	`ENUM`	`VARCHAR(20)`
Date of Filing	Filing date	`LocalDate`	`DATE`
Status (Published / Granted)	Current status	`ENUM`	`VARCHAR(50)`
Patent File No.	Unique identifier	`String`	`VARCHAR(100)`
Research Score (Faculty)	Score	`Double`	`DOUBLE`
Research Score (HOD)	Score	`Double`	`DOUBLE`
Research Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/ipr`

✅ CREATE (POST)

`POST /api/ipr`

👤 Faculty

- ✅ Can add:
  - title
  - type (national/international)
  - filing date
  - status
  - patent number

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/ipr/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/ipr`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/ipr/{id}`

👤 Faculty can update:

- title

- type
- date
- status
- patent number

❌ Cannot update:

- researchScoreHod
- researchScoreDirector

🛠️ HOD:

- can update `researchScoreHod`

🛠️ Director:

- can update `researchScoreDirector`

✅ DELETE

`DELETE /api/ipr/{id}`

- 👤 ❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/ipr/summary/{facultyId}`

👉 Returns:

- totalScore (max 40)

5. **(b) Research Awards/ Fellowships (Maximum Score 10)**

Column	Meaning	Java Type	DB Type
S. No	Serial number	`Integer`	`INT`
Title of Fellowship / Award	Name of award	`String`	`TEXT`
Date of Award	Award date	`LocalDate`	`DATE`
Awarding Agency	Organization	`String`	`VARCHAR(255)`
Level (International / National)	Scope	`ENUM`	`VARCHAR(50)`
Research Score (Faculty)	Score	`Double`	`DOUBLE`
Research Score (HOD)	Score	`Double`	`DOUBLE`
Research Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/research-awards`

✅ CREATE (POST)

`POST /api/research-awards`

👤 Faculty

- ✅ Can add:
  - title
  - date
  - agency
  - level

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/research-awards/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/research-awards`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/research-awards/{id}`

👤 Faculty can update:

- title
- date
- agency
- level

❌ Cannot update:

- researchScoreHod
- researchScoreDirector

🛠️ HOD:

- can update `researchScoreHod`

🛠️ Director:

- can update `researchScoreDirector`

✅ DELETE

`DELETE /api/research-awards/{id}`

- 👤 ❌

- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/research-awards/summary/{facultyId}`

👉 Returns:

- totalScore (max 10)

6.**Invited Lectures / Resource Person / Paper presentation in Seminars/ Conferences/full paper in Conference Proceedings (*Paper presented in Seminars/Conferences and also published as full paper in Conference Proceedings will be counted only once*). (Maximum marks 30)**

Column	Meaning	Java Type	DB Type
S. No	Serial number	`Integer`	`INT`
Title / Academic Session (with date)	Event title	`String` + `LocalDate` *(better separated)*	`TEXT` + `DATE`
Type (Lecture / Resource Person / Paper / Proceedings)	Activity type	`ENUM`	`VARCHAR(50)`
Organization	Hosting org	`String`	`VARCHAR(255)`
Level (International Abroad / Within / National / etc.)	Event level	`ENUM`	`VARCHAR(50)`
Research Score (Faculty)	Score	`Double`	`DOUBLE`
Research Score (HOD)	Score	`Double`	`DOUBLE`
Research Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/conferences`

✅ CREATE (POST)

`POST /api/conferences`

👤 Faculty

- ✅ Can add:
  - title
  - date
  - type
  - organization
  - level

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/conferences/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/conferences`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/conferences/{id}`

👤 Faculty can update:

- title

- date
- type
- organization
- level

❌ Cannot update:

- researchScoreHod
- researchScoreDirector

🛠️ HOD:

- can update `researchScoreHod`

🛠️ Director:

- can update `researchScoreDirector`

✅ DELETE

`DELETE /api/conferences/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/conferences/summary/{facultyId}`

👉 Returns:

- totalScore (max 30)

7. **Others Research and Development Activities (Maximum Score 20)**

a.**Submitted research proposal (Maximum Score 10)**

Column	Meaning	Java Type	DB Type
SN	Serial number	`Integer`	`INT`
Title of proposal	Proposal title	`String`	`TEXT`
Duration	Project duration	`String` *(or Integer months)*	`VARCHAR(50)`
Funding Agency	Organization	`String`	`VARCHAR(255)`
Grant Amount Request	Requested funding	`Double`	`DOUBLE`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/research-proposals`

✅ CREATE (POST)

`POST /api/research-proposals`

👤 Faculty

- ✅ Can add:
  - title
  - duration
  - funding agency
  - grant amount

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/research-proposals/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/research-proposals`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/research-proposals/{id}`

👤 Faculty can update:

- title
- duration
- funding agency
- grant amount

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/research-proposals/{id}`

- 👤❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/research-proposals/summary/{facultyId}`

👉 Returns:

- totalScore (max 10)

b.**Product developed and Used by students in lab / commercialized (Maximum Score 10)**

Column	Meaning	Java Type	DB Type
SN	Serial number	`Integer`	`INT`
Details of Product	Product description	`String`	`TEXT`
Used in Lab / Commercialized	Usage type	`ENUM / Boolean`	`VARCHAR(50)`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/products`

✅ CREATE (POST)

`POST /api/products`

👤 Faculty

- ✅ Can add:
  - product details
  - usage type

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/products/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/products`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/products/{id}`

👤 Faculty can update:

- product details
- usage type

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/products/{id}`

- 👤 ❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/products/summary/{facultyId}`

👉 Returns:

- totalScore (max 10)

8. **Self Development (Maximum Score 10) (5 marks per FDP / Training)**

a.**Attended FDP of one week duration or more / Industrial Training**

Column	Meaning	Java Type	DB Type
SN	Serial number	`Integer`	`INT`
Program	Name of FDP / Training	`String`	`VARCHAR(255)`
Duration	Training duration	`Integer` *(days)*	`INT`
Organized by	Organizer	`String`	`VARCHAR(255)`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/self-development`

✅ CREATE (POST)

`POST /api/self-development`

👤 Faculty

- ✅ Can add:
  - program
  - duration
  - organizer

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/self-development/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/self-development`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/self-development/{id}`

👤 Faculty can update:

- program
- duration
- organizer

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/self-development/{id}`

- 👤 ❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/self-development/summary/{facultyId}`

👉 Returns:

- totalScore (max 10)

b. **Industrial training(Maximum marks 5)**

Column	Meaning	Java Type	DB Type
SN	Serial number	`Integer`	`INT`
Company / Industry	Organization name	`String`	`VARCHAR(255)`
Duration	Training duration	`Integer` *(days)*	`INT`
Nature of Training	Type/description	`String`	`TEXT`
API Score (Faculty)	Score	`Double`	`DOUBLE`
API Score (HOD)	Score	`Double`	`DOUBLE`
API Score (Director)	Score	`Double`	`DOUBLE`

API Endpoints

🔹 Base URL

`/api/industrial-training`

✅ CREATE (POST)

`POST /api/industrial-training`

👤 Faculty

- ✅ Can add:
  - company
  - duration
  - nature of training

✅ READ (GET)

Get by Faculty (MAIN)

`GET /api/industrial-training/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any data

Get All

`GET /api/industrial-training`

- 👤 ❌
- 🛠️ ✅

✅ UPDATE (PUT)

`PUT /api/industrial-training/{id}`

👤 Faculty can update:

- company
- duration
- nature of training

❌ Cannot update:

- apiScoreHod
- apiScoreDirector

🛠️ HOD:

- can update `apiScoreHod`

🛠️ Director:

- can update `apiScoreDirector`

✅ DELETE

`DELETE /api/industrial-training/{id}`

- 👤 ❌
- 🛠️ Admin → ✅

🧠 Additional API

📊 Total Score

`GET /api/industrial-training/summary/{facultyId}`

👉 Returns:

- totalScore (max 5)

SUMMARY OF API SCORES FOR AY 20___- 20___ Sem. (I/ II)

API Endpoint

🔹 Base URL

`/api/appraisal-summary`

✅ GET FINAL SUMMARY

`GET /api/appraisal-summary/{facultyId}`

📤 Response Should Include

🔹 PART A Breakdown

- teachingScore
- feedbackScore
- deptScore
- universityScore
- socialScore
- industryScore
- acrScore
- partATotal (out of 200)

🔹 PART B Breakdown

- journalScore
- bookScore
- pedagogyScore
- guidanceScore
- projectScore
- iprScore
- awardScore
- conferenceScore
- proposalScore
- productScore
- trainingScore
- partBTotal (out of 375)

🔹 FINAL

- grandTotalScore (out of 575)

🧠 Role-Based Access

Role	Access
👤 Faculty	View own summary
🛠️ Admin	View any faculty

Enclosures + Declaration + Signature block

Field	Java Type	DB Type
id	`Long`	`BIGINT`
faculty_id	`Long`	`BIGINT (FK)`

Field	Java Type	DB Type
enclosureText	`String`	`TEXT`

Field	Meaning	Java Type	DB Type
declarationText	Static text	❌ No need to store (constant)	
designation	Faculty designation	`String`	`VARCHAR(100)`
place	Location	`String`	`VARCHAR(100)`
date	Submission date	`LocalDate`	`DATE`
facultySignature	Signature (text/image)	`String`	`VARCHAR(255)`

API Endpoints

🔹 Enclosures API

Base URL:

`/api/enclosures`

✅ CREATE

`POST /api/enclosures`

👤 Faculty:

- ✅ Add enclosure (one at a time)

✅ GET

`GET /api/enclosures/faculty/{facultyId}`

- 👤 own data
- 🛠️ admin → any

✅ UPDATE

`PUT /api/enclosures/{id}`

- 👤 Faculty → can edit text

✅ DELETE

`DELETE /api/enclosures/{id}`

- 👤 Faculty → optional (allow)
- 🛠️ Admin → allowed

🔹 Declaration API

Base URL:

`/api/declaration`

✅ CREATE / UPDATE (UPSERT)

`POST /api/declaration`

👉 (same API can act as update)

👤 Faculty:

- designation
- place
- date
- signature

✅ GET

`GET /api/declaration/faculty/{facultyId}`

🧠 Backend Insights

🔥 1. Enclosures = Dynamic List

- Don't limit to 4

- User can add/remove

🔥 2. Declaration = Single Record per Faculty

👉 Enforce:

- One-to-one relationship

🔥 3. Signature Handling

Options:

- Simple: store name (String)
- Better: store image URL
- Advanced: digital signature

Remarks by Authorities

✅ Table: `appraisal_remarks`

Field	Meaning	Java Type	DB Type
id	Primary key	`Long`	`BIGINT`
faculty_id	FK	`Long`	`BIGINT`

🔹 HOD (First Reporting Officer)

Field	Type
hodRemark	`String (TEXT)`
hodApprovedScore	`Double`
hodSignature	`String`

🔹 Director

Field	Type
directorRemark	`String (TEXT)`
directorApprovedScore	`Double`
directorSignature	`String`

- Dean

Field	Type
deanRemark	`String (TEXT)`
deanApprovedScore	`Double`
deanSignature	`String`

- Final Approval

Field	Type
finalScore	`Double`
finalGrade	`String`
vcApproval	`Boolean`

- Audit Fields (IMPORTANT)

Field	Type
status	`ENUM` (DRAFT, SUBMITTED, REVIEWED, APPROVED)
createdAt	`Timestamp`
updatedAt	`Timestamp`

API Endpoints

🔹 Base URL

`/api/appraisal-remarks`

✅ GET (View Remarks)

`GET /api/appraisal-remarks/{facultyId}`

- 👤 Faculty → view only
- 🛠️ Admin → full access

✅ HOD UPDATE

`PUT /api/appraisal-remarks/hod/{facultyId}`

🛠️ HOD can:

- add remark
- set approved score
- add signature

✅ DIRECTOR UPDATE

`PUT /api/appraisal-remarks/director/{facultyId}`

🛠️ Director can:

- add remark
- approve score
- sign

✅ DEAN UPDATE

`PUT /api/appraisal-remarks/dean/{facultyId}`

🛠️ Dean can:

- add remark
- approve score
- sign

✅ FINAL APPROVAL (VC)

`PUT /api/appraisal-remarks/final/{facultyId}`

🛠️ VC can:

- set final score
- assign grade
- approve

🧠 Workflow (VERY IMPORTANT)

Step-by-step:

1. 👤 Faculty submits form
2. 🛠️ HOD reviews → adds remark
3. 🛠️ Director reviews
4. 🛠️ Dean reviews
5. 🛠️ VC gives final approval

🔐 Role-Based Control

Role	Access
Faculty	View only
HOD	Edit only HOD fields
Director	Edit only Director fields
Dean	Edit only Dean fields
VC	Final approval