

Table of Contents

[HelpOnHelpDefTopic](#)

[hhConventions](#)

[hhhelp.1.02](#)

[hhhelp.1.03](#)

[hhhelp.1.04](#)

[hhhelp.1.05](#)

[hhhelp.1.06](#)

[hhhelp.1.07](#)

[hhhelp.1.08](#)

[hhhelp.1.09](#)

[hhhelp.1.10](#)

[hhhelp.1.11](#)

[hhhelp.1.12](#)

[hhhelp.1.13](#)

HelpOnHelpDefTopic



Using IG-XL Help

Using IG-XL Help

This section explains how to use IG-XL Help.

The following topics are available:

- [Getting Help in IG-XL](#)
- [Using the IG-XL Help Window](#)
- [Finding Information in IG-XL Help](#)
- [Printing Help](#)
- [Getting IG-XL Help Using eKnowledge](#)
- [Modifying the Help Viewer](#)
- [Known Issues in Help](#)

The following information is also available:

- [Documentation Conventions](#)



hhConventions



Documentation Conventions

Documentation Conventions

IG-XL Help uses the following conventions:

input/output	Transcript of interaction with the computer or the software, including an IG-XL or Windows command, VBT language syntax, input expected by IG-XL or Windows, output generated by IG-XL or Windows, or text in a display. Appears in Courier typeface. For example: The display reads, Abort at <address> When in a sample transcript, text you type appears in bold. For example: C:\Program Files\Teradyne\IG-XL\5.00.00_flx>Imhostid Imhostid - Copyright (C) 1989-2002 Macrovision Corporation The FLEXIm host ID of this machine is "00c123456789" Also used for examples of VBT language code. For example: <pre>instruments = { pin-item : instrument-type : instrument-width : bit-order : instrument-mode : format :data-type ;</pre>
Documentation Conventions	Hypertext link. Appears light-blue and underlined. Click this text to jump to the specified destination. (Note that the shape of the pointer changes when you point at a link.)
Apply	Name of a button or other graphical interface element, including window titles. Usually found in phrases such as, "You must click Apply for your changes to take effect." Applies to any interface element with which you may interact.

Enter	Name of a key on the keyboard. For example, press Enter, press Delete, and press Esc.
Ctrl+C	Compound keystroke. Hold down the Ctrl key, then press the C key.
option1 option2 option3	Exclusive choices in a syntax. Vertical bars separate the options. When programming, you can use option1 or option2 or option3, but not any combination of options.
[-debug]	Optional item. The syntax for the item appears between brackets; do not include the brackets if you type the option. In this example, you can include or omit the -debug option as you wish.
<program_name>	Item for which you should substitute a value. The name of the value appears between less-than (<) and greater-than (>) symbols. Do not include the symbols when you type the value. In this example, you would substitute the name of the test program with which you are working. For example, to start a pattern at a specific named entry-point, use the following microcode: Start <name>
GND	Signal name. Signal names appear capitalized.
File>Save As	Path through a menu structure. A greater-than symbol (>) separates the steps in the path. For example, select the File menu, then select Save As. In the menu, items that open dialog boxes include ellipses after the menu item (for example, Save As...). For brevity, IG-XL Help does not reproduce these ellipses.
...	Part of a programming statement that has been omitted for brevity, as in: ' Count the number of rows Do While Not (EOF(FreeNum)) ... Loop This can also appear as a vertical ellipsis (using two periods) to denote an omitted section of code; for example: ' Beginning of variable definitions Dim MyArr() As Double Dim Vhi As Double . .

Dim TotalSteps As Integer
' End of variable definitions

 Note:

A note provides information to help avoid making an error, usually in the software or a test program.

 Caution:

A caution alerts you to a hazard that may damage hardware, such as the DUT or the tester, or system software.

 Warning:

A warning alerts you to a hazard that may cause personal injury or death.

hhhelp.1.02



Using IG-XL Help : Getting Help in IG-XL

Getting Help in IG-XL

IG-XL Help and other on-line help is available while using IG-XL. You can get assistance:

- From the IG-XL Start menu
- From within IG-XL
- By getting help for other applications, including Microsoft Excel, Microsoft Visual Basic, and Teradyne UltraFLEX Maintenance

On-line help is provided in the IG-XL environment for quick access and reference. The contents of IG-XL Help is also available from Teradyne’s eKnowledge Technical Support portal. See Getting IG-XL Help Using eKnowledge.

From the Start Menu

To display online help from the Windows Start menu, select:

Start>Programs>Teradyne IG-XL version>IG-XL Help

This opens IG-XL Help at its home page, with the Navigation pane displaying the help contents.

From an IG-XL Interface

From within an IG-XL interface, open help in one of the following ways:

- From the Help menu, choose the entry for the help for this interface. This opens IG-XL Help to the first page of the help for the interface. In addition, the Help menu usually has an entry for IG-XL Help. This opens IG-XL Help to its home page. Additional help entries may be available. For example, the Help menu for any TDE-based tool contains an entry that opens help for the TDE interface as well as for the tool itself.

- [Click a window or dialog box](#) Help button to open IG-XL Help to the first page of the help for this interface.
- [Move the pointer and press](#) F1 for context-sensitive help. In some cases, F1 displays help for the entire interface. In other cases, F1 displays context-sensitive help for the location under the pointer.

For example, in [DataTool](#), if you select a cell in the active data area, F1 displays help for the selected column. If you are outside the active data area, it displays help for the current sheet.

For [Visual Basic for Test \(VBT\) programming](#), F1 displays help on the currently selected property or method.

Other Help Available

Because IG-XL uses existing third-party software, help for that software is also available:

- [DataTool](#) is based on Microsoft Excel, and most Excel features are available for use within [DataTool](#). The [DataTool](#) Help menu therefore has an entry for Microsoft Excel Help.
- When you are editing VBT code in the Visual Basic for Applications (VBA) environment, you have access to VBA Help as well as VBT Help. Similarly, if you are using VB to edit an operator interface with Production Controls, you have access to VB Help.
- Maintenance help is also available. This help describes the physical components of the test system, including an introduction, physical description, functional description, FRU replacement, option installation, FRUs, and safety. It is available from the Help menu of the IG-XL Maintenance Environment interface. It is also available on the Signal Solutions CD. You can download Signal Solutions from the eKnowledge portal. In eKnowledge, search for UltraFLEX Service Manuals.




hhhelp.1.03



Using IG-XL Help : Using the IG-XL Help Window

Using the IG-XL Help Window

IG-XL Help behaves like Microsoft Internet Explorer. You can click a link to open a new topic, move backward and forward through previously-viewed pages, and return to the home page at any time. IG-XL Help includes a navigation pane along the left side of the window.



Help Window Features

This table lists the parts of the help window.

Parts of the Help Window

Element	Description
Navigation pane	Contains a hierarchical table of contents, an index, and a search facility. You can make the Navigation pane wider or thinner by dragging the divider.
	Hides or displays the Navigation pane. If the Navigation pane is hidden, the button label changes to Show. You can also type Alt+O T to show or hide the Navigation pane.
	Locates a topic in the Contents tab. After finding a topic using the Index or Search tab, click Locate to display the location of the topic in the complete Contents tab.



Displays the previous topic in the sequence of previously viewed topics. You can also type [Alt+O B](#) or [Alt+Left Arrow](#).



Displays the next topic in the sequence of previously viewed topics. You can also type [Alt+O F](#) or [Alt+Right Arrow](#).



Displays the IG-XL Help home page.



Displays the print options. See [Printing Help](#). You can also type [Alt+P](#). Type [Ctrl+P](#) to print the current topic.



Displays the [Hide Tabs](#), [Locate](#), [Back](#), [Forward](#), [Home](#), [Stop](#), [Refresh](#), [Print](#), and [Highlighting](#) options. You can type [Alt+O](#) from anywhere in Help to open this menu.

Tabs

Changes the view in the Navigation pane. The choices are:

- [Contents](#): Displays the contents of the help. See [Using the Contents](#).
- [Index](#): Displays index entries to help topics. See [Using the Index](#).
- [Search](#): Allows a full-text search of all help topics. See [Using Search](#).

Browser window

Displays the help topics.

You can use the [up arrow](#), [down arrow](#), [Page Up](#), [Page Down](#), [Home](#), and [End](#) keys, as well as the scrollbar, to scroll the contents of the Browser window.

To jump between the Navigation and Browser panes, press [F6](#).

To refresh the contents of the Browser pane, type [Alt+O R](#).

Previous/Next Page buttons

Displays the previous or next page in Table of Contents order.

Breadcrumbs links

Links that provide navigation in Help. Breadcrumbs provide a hierarchy (a trail of links) back to each previous page that you navigate through to get to the current page.

<		>	
	2015 Teradyne, Inc. All rights reserved.		

hhhelp.1.04

<	>
-----------------	-----------------

Using IG-XL Help : Finding Information in IG-XL Help

Finding Information in IG-XL Help

IG-XL Help includes several features to help you locate the information you need. You can locate information:

- | | |
|---|--------------------|
| • | Using the Contents |
| • | Using the Index |
| • | Using Search |

<	>
-----------------	-----------------

	2015 Teradyne, Inc. All rights reserved.	
--	--	--


hhhelp.1.05



Using IG-XL Help : Finding Information in IG-XL Help : Using the Contents

Using the Contents

The Contents tab uses a tree structure to display the table of contents for IG-XL Help. The tree uses book and page icons. You can type Alt+C from anywhere in Help to open the Contents tab.



Contents Tab in the Navigation Pane

A book icon indicates the presence of subtopics. Books can contain other books. A + or - control is next to a book. If the book is closed, clicking + (or double-clicking the book icon) opens the book,

displaying the topics in it. If the book is open, clicking - (or double-clicking the book icon) closes it. [A page icon indicates a topic. Click the topic to display it.](#)

[The](#) Contents tab displays a topic in the context of the entire IG-XL Help. This can show you where a topic is located in relation to other topics in help. If you reach a topic from one of the other tabs, use the Locate button to display the topic’s location in the Contents tab.

[To close the entire table of contents so only the top-level books appear, right-click any topic, then select](#) Close All from the context menu.

[To display the entire table of contents so all books and topics appear, right-click any topic, then select](#) Open All from the context menu.

		
	2015 Teradyne, Inc. All rights reserved.	

hhhelp.1.06

<	>
-----------------	-----------------

Using IG-XL Help : Finding Information in IG-XL Help : Using the Index

Using the Index

Use the Index tab to look for entries in the index. The entire IG-XL Help set is indexed.

You can type Alt+N from anywhere in Help to open the Index tab.

To use the index, type the word you want to find in the text box at the top of the tab. As you type a string, the index entries scroll down to match the string that you have typed so far. When the entry you want is visible, you can stop typing.

To display a topic, select the keyword in the list and either click Display or double-click the keyword.

If a keyword has subentries, the keyword itself may have no topic. Help then asks you to select one of the subentries.

If multiple topics match the keyword, a window lists the topics, giving their title and location (the section of the online help in which they appear). Select the topic you want from the list.

After displaying a topic, you can use the Locate button to display the topic's location in the Contents tab. This displays the topic in the context of the entire IG-XL Help, which may show you other topics of interest.

<	>
-----------------	-----------------

	2015 Teradyne, Inc. All rights reserved.	
--	--	--

hhhelp.1.07

<

>


Using IG-XL Help : Finding Information in IG-XL Help : Using Search

Using Search

Use the Search tab to search for words and phrases in the online help.

You can type Alt+S from anywhere in Help to open the Search tab.

The following figure shows the results of a Boolean search for locations that list “srm” but not “vm.”



Results of a Boolean Search

Performing a Search

To perform a search:

1. [Open the](#) Search tab.
2. Enter a search string in the text box at the top of the tab. The string can contain Boolean operators and wildcard characters, as described in [Specifying a Search String](#).
3. Set any options desired using the check boxes at the bottom of the tab, as described in [Search Options](#).
4. [Click](#) List Topics or press Enter.

While the search is being performed, you can [click](#) Cancel to cancel the search.

Each result shows the topic title (Title), the document containing the topic (Location), and the rank (Rank). Rank is based on the number of times the search terms appear in a topic relative to the length of the topic. It indicates the probability that a topic is the one you want.

You can sort a search results list according any of these categories by [clicking the column heading](#). For example, to sort according to the document containing the topic, [click the](#) Location column heading.

5. [To display a topic, double-click the topic or select the topic and click](#) Display.

Help displays the topic and highlights all instances of the search string. (To turn off highlighting, see [Highlighting Results](#).)

6. [After displaying a topic, use the](#) Locate button to display the topic's location in the Contents tab. This lets you see the topic in the context of the entire IG-XL Help, which may help you find other topics of interest.

Specifying a Search String

A search string can be a single word or a phrase. For a more complex search, you have these options:

- If you enter more than one word, search assumes the Boolean operator AND. That is, search finds any topic that contains all of the terms.

- You can use explicit Boolean operators between words by clicking the right arrow to the right of the text box. Valid operators are:

- **AND**: Both the search terms are present.

- **OR**: Either of the search terms is present.

- **NEAR**: Both the search terms are present, and they are close to each other.

- **NOT**: Only one of the search terms is present.

- You can use standard wildcard characters in the search string.

- An asterisk (*) matches any number of characters, including zero.

- A question mark (?) matches exactly one character.

- To search for a phrase, put the phrase in quotation marks. Words not enclosed in quotation marks are treated as separate items joined by the AND operator.

- To reuse a previously used search string, click the down-arrow on the text box and select the string. Once the string is displayed, you can edit it.

- To search for a VBT statement that includes periods, put the statement in quotation marks. Otherwise, help interprets the periods as delimiters. For more information and examples, see [Searching for VBT Statements](#) under known issues.

Search Options

The check boxes at the bottom of the Search tab the following set search options:

Search previous results

If checked, the next search searches only the results from the previous search. This option lets you progressively refine your results by adding new criteria.

Match similar words	If checked, the search matches words that are related to the search string: for example, both singular and plural forms of a noun, or present and past participle forms of a verb. If not checked, the search returns only exact matches.
Search titles only	If checked, the search searches only the titles of the topics, not the entire topic. Searching only the titles returns fewer results, perhaps with a higher likelihood that the desired topic will be returned.

Highlighting Results

When Help displays a topic returned by a search, the search terms appear highlighted.

To turn off the highlighting, select Options>Search Highlight Off. The change takes effect on the next search.


To turn highlighting on, select Options>Search Highlight On.

This change takes effect on your next search.

Finding Text on the Current Page

To find text in the current page:

1. Type Ctrl+F to open the Find window.



Find on Page

2. Type the search string in the Find box.

To locate the search term, type the term exactly as you entered it in the Search tab.

3. Set options using the check boxes.

Match whole word only	Requires that the term be surrounded by spaces or punctuation, and not part of a larger word. For example, finding "set" highlights "parameter set" but not "setup."
Match case	Requires that the term exist on the page exactly as you typed it, including case. For example, finding "Start" highlights "Start" but not "start."
Highlight all matches	Highlights in yellow all occurrences of your search term as you type.

4. [Click](#) Next to search toward the bottom of the page, or click Previous to search toward the top of the page.

Find highlights in blue the next or previous occurrence of your search term.
When it reaches the end of the page, Find restarts your search at the top of the page.
[Click](#) anywhere in the page to clear the highlighting from your search term.

		
	2015 Teradyne, Inc. All rights reserved.	

hhhelp.1.08

<	>
-----------------	-----------------

Using IG-XL Help : Printing Help

Printing Help

IG-XL Help is designed primarily for on-line viewing. For convenience, however, you can print topics to read off line.

Printing Topics



You can print the currently displayed topic or illustration or the current heading and all subtopics. (Note that the currently displayed topic is the one shown in the Browser window, not the one highlighted in the Navigation pane, if they differ.)

To print the currently-displayed topic:

1. Click Print.

The Print Topics window appears.

2. Click Print the selected topic and click OK.

The Print window appears.

3. Select a printer.

To save the topic to a file, select Print to file.

4. Click OK.

If the Browser window has the focus, you can also type Ctrl+P and select a printer to print the current topic.

To print a collection of topics:

1. In the Navigation pane, display the Print Topics dialog for the heading you want to print by doing either of the following:
- Select the heading you want to print, then click Print or type Alt+P.

– Right-click the heading you want to print, then click Print from the context menu.

The Print Topics window appears.

2. Click Print the selected heading and all subtopics and click OK.
3. Select a printer.

To save the topic to a file, select Print to file.

4. Click OK.

Help prints all the topics under the heading you select.
If you have currently selected a page instead of a book, this choice prints the next-highest topic that contains the page.
Topics print consecutively. Each topic does not start on a separate page.

<

>

2015 Teradyne, Inc. All rights reserved.

hhhelp.1.09



Using IG-XL Help : Getting IG-XL Help Using eKnowledge

Getting IG-XL Help Using eKnowledge

Teradyne's eKnowledge Technical Support portal is a primary source of Teradyne product support and information. If you have a question about a Teradyne product, check eKnowledge for an answer before calling Teradyne Support.

IG-XL Help is also available in eKnowledge. The entire Help set for each version of IG-XL is stored in one zip file. (Note that the zip file is large.) This zip file contains the same Help that is installed with IG-XL.

You can download and use the IG-XL Help manual set on any PC, even if you do not have IG-XL installed. Most Help functions, such as search, work properly outside of IG-XL. When using Help outside IG-XL, however, context sensitive help is not available.

Getting to eKnowledge

eKnowledge is available at the following Web address: <http://support.teradyne.com>.

To log in to eKnowledge, you must have a user name and password. Obtain these from Teradyne's Customer Care Center.

Downloading IG-XL Help Files

To locate and download IG-XL Help files in eKnowledge:

1. Browse to <http://support.teradyne.com> and log in to eKnowledge.

The eKnowledge page appears.

2. In the Search box (top of the eKnowledge Home page), enter IG-XL Help and press Enter or click the Search button.

You see a list of search results.

3. Click the result that lists the version of Help that you want (such as IG-XL Help V8.10.00 User Programming Manual for UltraFLEX).

A File Download window appears to ask if you want to open or save the Help file.

4. To save Help on your local computer, click the Save button.

Your browser asks you to supply a folder and filename. You may want to save this file in a new folder. Remember the folder and filename you provide.

Viewing IG-XL Help Files

To view help once you save the zip file to your local computer:

1. Extract all files from the zip.

You can extract the files into the same folder in which you stored the zip file. You must open all Help files on your local computer. (You cannot use IG-XL Help files over a network.) Avoid extracting files to your desktop.

2. Double-click any .chm file (denoted by a yellow question mark icon ) to launch IG-XL Help.

IG-XL Help starts and displays help for the topic that you selected.

3. Use the navigation pane at the left of the help browser window to navigate to topics that you want to view.

Submitting Help Issues and Questions

While reading Help, you may encounter documentation issues, including errors, missing information, and information you do not understand. To submit a new issue or question about IG-XL Help, do the following:

1. Click this link to go to the Technical Assistance portlet in eKnowledge.

You are asked to log in to eKnowledge using your username and password.

Alternately, do the following:

- a. Browse to <http://support.teradyne.com> and log in to eKnowledge. The eKnowledge page appears.

b. [In the](#) Technical Assistance portlet click Submit New Case.

[In either case, you will see the](#) New Case screen filled in with your name and company information.

2. [Enter the information requested, including a brief and a detailed description of the issue.](#)

3. [Click](#) Submit when you are finished.



2015 Teradyne, Inc. All rights reserved.

hhhelp.1.10



Using IG-XL Help : Modifying the Help Viewer

Modifying the Help Viewer

You can adjust the size of the window from any side or corner, and you can change the fonts and colors in the Help window.

Changes you make to the Help viewer in IG-XL affect Help for other applications but do not affect Windows Help.

Changing Fonts in Help

If you prefer to view help in a typeface other than the default, you can change the typeface that Help uses to show the contents.

☒ **Note:**

This procedure changes the fonts Internet Explorer uses to display Web pages.

To change the Help viewer typeface:

1. [Select](#) Options>Internet Options from the Help viewer menu.
2. [Select the](#) General tab.
3. [Click](#) Fonts.
4. [Click the options you want from the Fonts dialog, then click](#) OK.
5. [Select the](#) General tab.
6. [Click](#) Accessibility.

7. [Check the options you want under](#) Formatting, then click OK twice.

This procedure changes the fonts only in the right (topic) pane of the Help viewer. It does not affect the Navigation pane, which contains the Contents, Index, and Search tabs.

Changing Colors in a Help Window

You can change the text and background colors that Help uses to show the contents.

☒ **Note:**

This procedure changes the default Web page colors for Internet Explorer.

To change the Help viewer typeface:

1. [Select](#) Options>Internet Options from the Help viewer menu.
2. [Select the](#) General tab.
3. [Click](#) Colors.
4. [Clear](#) Use Windows colors in the Colors dialog.
5. [Click](#) Text or Background and then click the color you want. Click OK when finished.
6. [Select the](#) General tab.
7. [Click](#) Accessibility.
8. [Under](#) Formatting, check Ignore colors specified on Web pages, then click OK twice.

This procedure changes the colors only in the right (topic) pane of the Help viewer. It does not affect the Navigation pane, which contains the Contents, Index, and Search tabs.

Choose contrasting colors for text and background. If you choose text and background colors that are similar, you may have difficulty reading the Help text.

If you use the high-contrast black color scheme, you may not be able to read the text in Help viewer because the background blends closely with the font color. To fix this:

1. [Select](#) Options>Internet Options from the Help viewer menu.

2. [Select the](#) General tab.
3. [Click](#) Accessibility.
4. [Select](#) Ignore colors specified on Web pages, then click OK twice.



hhhelp.1.11

	
---	---

Using IG-XL Help : Known Issues in Help

Known Issues in Help

IG-XL Help is based on Microsoft’s HTML Help. HTML Help has some behaviors that can present issues to users of IG-XL Help. This section describes the following issues and, when available, describes workarounds:

- | | |
|---|---|
| • | No Index Entries with Multiple Help Instances |
| • | Searching for VBT Statements |

	
---	---

	2015 Teradyne, Inc. All rights reserved.	
--	--	--

hhhelp.1.12

	
---	---

Using IG-XL Help : Known Issues in Help : No Index Entries with Multiple Help Instances

No Index Entries with Multiple Help Instances

If you open two instances of IG-XL Help, the second instance may have essentially no index entries. (Sometimes a single index entry, "Home," appears. This is a meaningless placeholder.)

This happens because the IG-XL Help set consists of merged files, and the index combines the entries from all of the individual files. To create the combined index, HTML Help automatically generates a .chm file the first time you select the Index tab in any help file. All the individual help files share this .chm file. This lets you move between files in the help set while retaining access to the merged index entries.

The problem arises when you start a second instance of IG-XL Help. This second instance tries to create its own .chm file, but cannot, because one already exists. The second instance also cannot use the .chm file created by the first instance. It therefore cannot show the merged index.

This problem does not arise every time you open two instances of IG-XL Help. It does always occur when you start two instances from the Start menu: the second instance has only the placeholder entry. If you start two instances from different points in the software interface (for example, from the Start menu and then from DataTool, or from two different IG-XL tools) both instances can usually show all of the merged index entries. The workaround is therefore to try bringing up help from two different places in the interface.

	
---	---

	2015 Teradyne, Inc. All rights reserved.	
--	--	--

hhhelp.1.13

	
---	---

Using IG-XL Help : Known Issues in Help : Searching for VBT Statements

Searching for VBT Statements

When using the Search tab to search for a VBT statement, be aware of the fact that HTML Help interprets periods in a search string as delimiters. This means that the following search string:

thehdw.digital.patterns

is equivalent to this:

thehdw digital patterns

Furthermore, when HTML Help encounters a list of terms like this, it assumes the Boolean operator AND. It therefore returns a list of all topics that contain all three of these terms. This will include the topics that you want but also some topics that you do not, such as the following, where the results contain "thehdw" and "digital" and "patterns," but not "thehdw.digital.patterns":

UltraFLEX User Manuals - IG-XL V8.20.00

Hide Locate Back Forward Home Print Options

Contents Index Search

Type in the word(s) to search for:

thehdw.digital.patterns

List Topics Display

Select topic: Found: 432

Title	Location	Rank
UltraPin4000 Test Progra...	UltraPin4000	77
Pattern Execution Using ...	UltraSerial10G	78
Counter Opcodes	PatternLanguage	79
VBT Code	VHFACCapture	80
Alarm	VBT	81
Keepalive Programming	ProgrammingCo...	82
Understanding UltraPAC ...	UltraPACSrc	83
Using UltraWave24 in Co...	UW24SubSystem	84
Using UltraWave 12G in ...	UW12GSubSyst...	85
VBT Code	UltraVIDCVI	86
Digital-to-Analog Propagat...	UltraVIDCTime	87
Bugs Fixed in V8.20.00	relnotesCur	88
Pattern Execution Using ...	SB6G	89
Bugs Fixed in V7.10.00_ufix	relnotesPrev	90
Time Measurement VBT ...	UltraPin1600	91
External Trigger	TurboACCapture	92
Understanding UltraPAC ...	UltraPACCap	93
PCIe PA Transaction Mod...	ProtocolAware	94
VBT Code	DCVI_DC30_75	95
Programming Examples	TestTechnique...	96
Writing Interpose Functions	TestLibrary	97

☐ Search previous results
☒ Match similar words
☐ Search titles only

TurboACCapture Theory of Operation : TurboACCapture Overview : External Trigger

External Trigger

The TurboAC instrument board features an external trigger pin for each TurboAC instrument, for a total of four pins per board. The external trigger pin is an input pin to the TurboAC instrument that allows you to start sourcing a signal or to trigger a capture based on an external event. You can use the external trigger functionality to synchronize the TurboAC with other instruments in the tester by sending a signal from the DIB to any of the four AC channels on the TurboAC.

Only use the external trigger functionality when you cannot use [pattern](#) control for the instrument/DUT synchronization. When using the external trigger, the start or trigger is synchronized to an external rising edge of a pulse from a [digital](#) channel that is presented to the External Trigger input of a TurboAC. The following VBT statement sets the signal to be triggered by the external event:

```
TheHdw.TurboACCapture.Pins("MyPin1").ExternalTrigger.Load _
    t1TurboACCaptureExternalTriggerCommandTrigger, "MyCapture"
```

You control the TurboAC's external trigger pins using VBT language statements that allow you to select microcodes (like START, TRIG) to be executed when an event occurs at the trigger input.

© 2014 Teradyne, Inc. All rights reserved.

To search for a VBT statement that includes periods, enquote the string. This ensures an exact match:

UltraFLEX User Manuals - IG-XL V8.20.00

Hide Locate Back Forward Home Print Options

Contents Index Search

Type in the word(s) to search for:

"thehdw.digital.patterns"

List Topics Display

Select topic: Found: 38

Title	Location	Rank
Optimizing Pattern Restart...	DCDiffMeter	3
Optimizing Pattern Restart...	DCTime	4
Searching for VBT Statem...	helponhelp	5
VBT Code	HSD1000	6
Optimizing Pattern Restart...	UltraVDCVI	7
Overriding the Pattern's R...	LMC	8
General Enhancements	relnotesCur	9
Fixed Bugs	relnotesPrev	10
Use Pattern Control with ...	UltraPACCap	11
GetCommandString	VBT	12
VHFAC Capture Peak Det...	VHFACCapture	13
Optimizing Pattern Restart...	DCVI_DC30_75	14
Optimizing Pattern Restart...	UltraVIDCDiffMe...	15
Testing DUT Differential ...	TestTechnique...	16
Optimizing Pattern Restart...	UltraVIDCTime	17
Use Pattern Control with ...	BBACCap	18
Digital Instruments	TestTechnique...	19
VBT Code	DCVI_DC30_75	20
ModifyCommandString	VBT	21
VBT Code	HSD1000	22
VBT Code	UltraVDCVI	23

☐ Search previous results
☒ Match similar words
☐ Search titles only

Hardware (TheHdw) : Digital : Patterns : ModifyCommandString

ModifyCommandString

This method sets a vector's opcode, operand, and control bits in an SRM or VM pattern. Boolean.

Format

`TheHdw.Digital.Patterns(patName).ModifyCommandString(label, offset)`

Parameters

Parameter	Description
patName	String. A single pattern module. This parameter can be a pattern file name, if it contains a single pattern module. It cannot be a pattern set name, a file name and module name in the filename.pat:modulename format, or a comma-separated list of names.
label	String. The label in the pattern module in which command string is to be modified. An empty string (" ") means to use the first vector in the pattern module.
offset	Long. The offset from the label indicating which vector after the label or beginning of the module to modify.

< >

2015 Teradyne, Inc. All rights reserved.