


Flow Navigator


NTA Summary Apps Conversations Countries Endpoints Receivers Transmitters IP Groups Protocols ToS BGP

NetFlow Node Details - IEPUDALTX02R2 1/29/2016 12:00 AM to 2/1/2016 12:00 PM W Egress W











_					
+	▽ 🦚	Microsoft-DS (445)	6.8 Gbytes	6.8 M	0.06%
+ 📉 [⊽ 🦚	a WAP vCard (9204)	5.9 Gbytes	1.45 M	0.06%
+ 📰 [⊽ 🦚	a Palace-5 (9996)	5.2 Gbytes	3.79 M	0.05%
+ 📻 [√ 🦓	Rocrail Client Service (8051)	4.9 Gbytes	1.22 M	0.05%
+	4	Netmo HTTP (6842)	4.0 Gbytes	947.08 k	0.04%
+	4	CompactIS Tunnel (22305 TCP)	3.4 Gbytes	828.54 k	0.03%
+	4	RMONITOR SECURE (5145)	3.3 Gbytes	815.68 k	0.03%
+	4	a icl-twobase1 (25000 TCP)	3.3 Gbytes	797.83 k	0.03%
+	1	SNMP (161)	3.0 Gbytes	13.02 M	0.03%
+	B	Microsoft-SQL-Server (1433)	2.9 Gbytes	4.23 M	0.03%
+	4	FireScope Management Interface (8044)	2.7 Gbytes	645.4 k	0.02%
+	4	RTPS Data-Distribution User-Traffic (7401)	2.5 Gbytes	610.81 k	0.02%
+	4	SCO-PEER-TTA (5427)	2.5 Gbytes	602.2 k	0.02%
+	4	network blackjack (1025)	2.4 Gbytes	2.63 M	0.02%
	h	Remaining traffic	44.8 Gbytes	36.97 M	0.42%





Node	EDIT HELP		
STATU	S INTERFACE	TRAFFIC IN	TRAFFIC OUT
•	GigabitEthernet0/0/0 · LAN to mc-dal-core-6504-02	151.252 Mbps	9.749 Mbps
•	TH GigabitEthernet0/0/1 · Sungard, PA Zayo CID:TX-1BE / 118939 / DLLSTXAZ	0.0 bps	40.89 bps
	GigabitEthernet0/0/1.156 · att-unman Data VLAN	0.0 bps	0.0 bps
0	GigabitEthernet0/0/2 · B/up Link Dallas Replication 1	252.07 bps	370.99 bps
8	GigabitEthernet0/0/3 · SAN_9513_bbcsanpda2	0.0 bps	0.0 bps
•	POS0/2/0 - PO0/2/0	9.42 Mbps	162.674 Mbps
0	POS0/2/0SONET/SDH Medium/Section/Line - PO0/2/0	0.0 bps	0.0 bps

Solarwinds Orion Core 2012.2.0, SAM 5.2.0, NPM 10.4, NTA 3.10.0, UDT 2.5.0, IVIM 1.5.0 © 1995-2012 All Rights Reserved