
Navigator


Flow

NTA Summary Apps Conversations Countries Endpoints Receivers Transmitters IP Groups Protocols ToS BGP


NetFlow Node Details - IEPUDALTX02R1

1/29/2016 12:00 AM to 2/1/2016 12:00 PM W Egress W











+	W Sista 4GL (24249 TCP)	8.7 Gbytes	2.14 M	2.65%
+	ooRexx rxapi services (10010)	7.8 Gbytes	1.87 M	2.39%
+	Transaction Warehouse Data Service (8937)	7.6 Gbytes	1.82 M	2.31%
+	WS for Devices Secured (5358)	5.8 Gbytes	1.43 M	1.78%
+	Microsoft-SQL-Server (1433)	5.8 Gbytes	10.09 M	1.76%
+	The Swiss Exchange (7344)	4.5 Gbytes	1.09 M	1.36%
+	X Window System (6029)	4.4 Gbytes	1.09 M	1.34%
+	Sun Java Web Console JMX (6786)	4.0 Gbytes	969.22 k	1.22%
+	Palace-5 (9996)	3.8 Gbytes	2.8 M	1.16%
+	MS WBT Server (3389)	3.6 Gbytes	5.58 M	1.1%
+	WBEM CIM-XML (HTTPS) (5989)	3.6 Gbytes	3.09 M	1.09%
+	CompactIS Tunnel (22305 TCP)	3.4 Gbytes	834.85 k	1.03%
+	& CSCP (40841)	3.0 Gbytes	716.44 k	0.9%
+	TARGUS GetData (5200)	2.9 Gbytes	713.46 k	0.9%
	Remaining traffic	65.0 Gbytes	53.32 M	19.85%





Node Interfaces				
STATUS	INTERFACE	TRAFFIC IN	TRAFFIC OUT	
0	GigabitEthernet0/0/0 · LAN to mc-dal-core-6504-01	4.393 Mbps	4.608 Mbps	
	GigabitEthernet0/0/1 · MNG Link 1841 FR	375.81 bps	168.01 bps	
0	GigabitEthernet0/0/2 · B/up Link Dallas Replication 2	377.29 bps	232.11 bps	
0	GigabitEthernet0/0/3 · SAN_9513_bbcsanpda1	0.0 bps	0.0 bps	
0	POS0/2/0 - PO0/2/0	6.561 Mbps	440.977 Mbps	
0	O POS0/2/0SONET/SDH Medium/Section/Line - PO0/2/0	0.0 bps	0.0 bps	

Solarwinds Orion Core 2012.2.0, SAM 5.2.0, NPM 10.4, NTA 3.10.0, UDT 2.5.0, IVIM 1.5.0 © 1995-2012 All Rights Reserved