



10
1

Scenarios

2026-09-06 04:10:54
a. m.

[1.1:38] T-API-PQBP-1-CA1
Obtener producto específico
- GET /products/{id}

[2.1:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.2:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.3:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[3.1:96] T-API-PQBP-1-CA3
Crear producto exitosamente
- POST /products

[4.1:107] T-API-PQBP-1-CA4
Producto no encontrado -
GET /products/{id}

[5.1:117] T-API-PQBP-1-CA5
Categoría inválida - GET
/products/category/{category}

[6.1:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.2:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.3:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

[6.4:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

Summary | Tags | Feature: *api/fakestore.feature* | Fake Store API - Productos

positivo caso-de-prueba id-1

ms: 1170

Scenario: [1.1:38] T-API-PQBP-1-CA1 Obtener producto específico - GET /products/{id}

>> Background:	
10 Given path 'products', 1	4
11 When method get	1134
13 Then status 200	0
16 And match response.id == 1	16
17 And match response.title contains 'Fjallraven'	1
18 And match response.category == 'men's clothing'	1
19 And match response.description contains 'forest'	1
22 And match response.id == '#number'	1
23 And match response.title == '#string'	1
24 And match response.price == '#number'	0
25 And match response.description == '#string'	0
26 And match response.category == '#string'	0
27 And match response.image == '#string'	0
30 And match response.rating == { rate: '#number', count: '#number' }	1
33 And assert response.price > 0	5
34 And assert response.rating.rate >= 0 && response.rating.rate <= 5	3
35 And assert response.rating.count >= 0	0

id-2 positivo caso-de-prueba

ms: 429

Scenario: [2.1:78] T-API-PQBP-1-CA2 Listar productos por categoría - GET /products/category/{category}

>> Background:	
43 Given path 'products', 'category', "electronics"	0
44 When method get	405
46 Then status 200	0
49 And match response == '#[]'	1
50 And assert response.length > 0	0
53 And match each response[*].category == "electronics"	3
56 And match each response[*] contains	3
73 And match each response[*].price == '#? _ > 0'	6
74 And match each response[*].rating.rate == '#? _ >= 0 && _ <= 5'	5
75 And match each response[*].rating.count == '#? _ >= 0'	5

id-2 positivo caso-de-prueba

ms: 274

Scenario: [2.2:78] T-API-PQBP-1-CA2 Listar productos por categoría - GET /products/category/{category}

>> Background:	
43 Given path 'products', 'category', "men's clothing"	0
44 When method get	264
46 Then status 200	0
49 And match response == '#[]'	0
50 And assert response.length > 0	0
53 And match each response[*].category == "men's clothing"	1
56 And match each response[*] contains	1
73 And match each response[*].price == '#? _ > 0'	3
74 And match each response[*].rating.rate == '#? _ >= 0 && _ <= 5'	2
75 And match each response[*].rating.count == '#? _ >= 0'	2

id-2 positivo caso-de-prueba

ms: 260

Scenario: [2.3:78] T-API-PQBP-1-CA2 Listar productos por categoría - GET /products/category/{category}

>> Background:	
43 Given path 'products', 'category', "money"	0



10
1

Scenarios

2026-09-06 04:10:54
a. m.

[1.1:38] T-API-PQBP-1-CA1
Obtener producto específico
- GET /products/{id}

[2.1:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.2:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.3:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[3.1:96] T-API-PQBP-1-CA3
Crear producto exitosamente
- POST /products

[4.1:107] T-API-PQBP-1-CA4
Producto no encontrado -
GET /products/{id}

[5.1:117] T-API-PQBP-1-CA5
Categoría inválida - GET
/products/category/{category}

[6.1:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.2:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.3:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

[6.4:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

44	When method get	259
46	Then status 200	0
49	And match response == '#[]'	0
50	And assert response.length > 0	0
53	And match each response[*].category == "money"	0
56	And match each response[.].contains	0
73	And match each response[*].price == '#? _ > 0'	0
74	And match each response[*].rating.rate == '#? _ >= 0 && _ <= 5'	0
75	And match each response[*].rating.count == '#? _ >= 0'	0

id-3positivocaso-de-prueba	ms: 510
Scenario: [3.1:96] T-API-PQBP-1-CA3 Crear producto exitosamente - POST /products	
>> Background:	
82	Given path 'products'0
83	And request { title: 'QA Test Product', price: 19.99, description: 'Producto creado por pruebas automatizadas', image: 'https://i.pravatar.cc', category: 'electronics' }0
84	When method post488
85	Then status 2010
86	And match response.title == 'QA Test Product'2
87	And match response.category == 'electronics'1
88	And match response.description == 'Producto creado por pruebas automatizadas'1
89	And match response.image == 'https://i.pravatar.cc'1
90	And match response.id == '#number'0
92	* eval var pType = typeof response.price11
93	* assert pType == 'number' pType == 'string'5

id-4negativocaso-de-prueba	ms: 259
Scenario: [4.1:107] T-API-PQBP-1-CA4 Producto no encontrado - GET /products/{id}	
>> Background:	
100	Given path 'products', 9999990
101	When method get251
102	Then status 2000
103	* eval var ok = (response == null) (typeof response == 'string' && response.trim && response.trim().length == 0) (typeof response == 'object' && Object.keys(response).length == 0)7
104	* assert ok0

id-5negativocaso-de-prueba	ms: 255
Scenario: [5.1:117] T-API-PQBP-1-CA5 Categoría inválida - GET /products/category/{category}	
>> Background:	
111	Given path 'products', 'category', 'categoria-inexistente'0
112	When method get254
113	Then status 2000
114	And match response == []1

id-6negativoedge-casecaso-de-prueba	ms: 580
Scenario: [6.1:143] T-API-PQBP-1-CA6 Validación de límites - GET /products?limit={limitValue}	
>> Background:	
122	Given path 'products'0
123	And param limit = 11
124	When method get572
126	Then status 2000
129	And match response == '#[]'1
132	And assert response.length <= 11
135	And assert response.length > 00
138	And match each response[*].id == '#number'2
139	And match each response[*].title == '#string'1



10
1

Scenarios

2026-09-06 04:10:54
a. m.

[1.1:38] T-API-PQBP-1-CA1
Obtener producto específico
- GET /products/{id}

[2.1:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.2:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[2.3:78] T-API-PQBP-1-CA2
Listar productos por
categoría - GET
/products/category/{category}

[3.1:96] T-API-PQBP-1-CA3
Crear producto exitosamente
- POST /products

[4.1:107] T-API-PQBP-1-CA4
Producto no encontrado -
GET /products/{id}

[5.1:117] T-API-PQBP-1-CA5
Categoría inválida - GET
/products/category/{category}

[6.1:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.2:143] T-API-PQBP-1-CA6
Validación de límites - GET
/products?limit={limitValue}

[6.3:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

[6.4:143] T-API-PQBP-1-
CA6 Validación de límites -
GET /products?limit=
{limitValue}

140	And match each response[*].price == '#number'	1
-----	---	---

id-6 negativo edge-case caso-de-prueba		ms: 259
Scenario: [6.2:143] T-API-PQBP-1-CA6 Validación de límites - GET /products?limit={limitValue}		
>> Background:		
122	Given path 'products'	0
123	And param limit = 3	1
124	When method get	255
126	Then status 200	0
129	And match response == '#[]'	1
132	And assert response.length <= 3	0
135	And assert response.length > 0	0
138	And match each response[*].id == '#number'	1
139	And match each response[*].title == '#string'	1
140	And match each response[*].price == '#number'	1

id-6 negativo edge-case caso-de-prueba		ms: 394
Scenario: [6.3:143] T-API-PQBP-1-CA6 Validación de límites - GET /products?limit={limitValue}		
>> Background:		
122	Given path 'products'	0
123	And param limit = 5	0
124	When method get	390
126	Then status 200	0
129	And match response == '#[]'	1
132	And assert response.length <= 5	0
135	And assert response.length > 0	0
138	And match each response[*].id == '#number'	1
139	And match each response[*].title == '#string'	1
140	And match each response[*].price == '#number'	1

id-6 negativo edge-case caso-de-prueba		ms: 273
Scenario: [6.4:143] T-API-PQBP-1-CA6 Validación de límites - GET /products?limit={limitValue}		
>> Background:		
122	Given path 'products'	0
123	And param limit = 10	0
124	When method get	267
126	Then status 200	0
129	And match response == '#[]'	0
132	And assert response.length <= 10	1
135	And assert response.length > 0	0
138	And match each response[*].id == '#number'	1
139	And match each response[*].title == '#string'	1
140	And match each response[*].price == '#number'	1