

Azure@DTIT Landingzone Onboarding Guide

Deutsche Telekom IT GmbH; E-DTOSM0302

Internal use only

Imprint

Publisher

Deutsche Telekom IT GmbH
CCoE
Heinrich-Hertz-Str. 3-7
64295 Darmstadt

File name	File number	File description
Azure@DTIT Landingzone Onboarding Guide.docx	-	

Version	Date	Status
1.1	11.05.2020	Draft

Author document

Yvonne Klein, Dr. Matthias Nega
Bamberg/Darmstadt, Mai 2020

Contact	Telephone / Fax	E-Mail
FMB Sandbox01_azcloud		Sandbox01_azcloud@telekom.de
FMB CloudNative01_azcloud		CloudNative01_azcloud@telekom.de
FMB CloudIntegrated01_azcloud		CloudIntegrated01_azcloud@telekom.de

Change history of document

Version	Date	Contributor	Changes / Comments
1.0	11.05.2020	Yvonne Klein, Dr. Matthias Nega	Initiale Version
1.1	12.05.2020	Robert Neumann, Jakob Fischer	Formatierung, Formulierungen
1.1	14.05.2020	Jakob Fischer	Englische Übersetzung / translation to English
1.2	30.06.2020	Yvonne Klein	Implement Usermanagement
2.0	25.08.2020	Yvonne Klein	Implement 2 nd product Voyager – CloudNative
3.0	08.06.2021	Yvonne Klein, Pavol Loksa	Implement 3 rd product Enterprise - CloudIntegrated
3.1	08.12.2021	Bernd Janat, Yvonne Klein	Update YAM United Links
3.2	13.01.2022	Klein, Yvonne; Nega, Matthias	Update Screenshots for initial login due to introduction of the combined MFA and SSPR configuration

Content

1	Ordering Process	5
1.1	Product: Discovery - Sandbox	5
1.2	Product: Voyager – CloudNative	5
1.3	Product: Enterprise – CloudIntegrated	6
2	Initial login and authorization of approvers in Azure.....	7
3	Authorization of existing users for an additional product (Usermanagement).....	9
4	Invitation and approval of contributors within a subscription	10
4.1	Initial Login and Authorization of contributors in Azure.....	10
5	Appendix.....	12
5.1	Screenshots for registration (Approvers and Contributors)	12

1 Ordering Process

A subscription can be ordered via: <https://cloudsuite.telekom.de/azure>

1.1 Product: Discovery - Sandbox

Please prepare the following information for the ordering process:

2 employee E-Mail-Accounts (allowed domains: t-systems.com, telekom.de, external.telekom.de)
PSP Element
KostV E-Mail-Account

The 2 employee E-Mail-Accounts will be the 2 employees responsible for access management within the sandbox. In the following, these 2 persons will be named “**Approvers**”.

After completing an order, you will get a confirmation email with subject “Onboarding succeeded”.

Now, your sandbox will be provisioned. Upon completion you will get an E-Mail with login information and a reference link to this document.

For additional info about Sandbox please have a look into handout: [Handout Sandbox](#)

1.2 Product: Voyager – CloudNative

Please prepare the following information for the ordering process:

2 employee E-Mail-Accounts (allowed domains: t-systems.com, telekom.de, external.telekom.de)
PSP Element
W5BaseID (HowTo create in Darwin)
KostV E-Mail-Account
Environment (Dev/Test, Prod)

The 2 employee E-Mail-Accounts will be the 2 employees responsible for access management within the subscription (CloudNative). In the following, these 2 persons will be named “**Approvers**”.

After completing an order, you will get a confirmation email with subject “Onboarding succeeded”.

Now, your CloudNative subscription will be provisioned. Upon completion you will get an E-Mail with login information and a reference link to this document.

The Approvers will also receive additional 2 emails with Service Principal details and secret.

For additional info about Voyager please have a look into handout: [Handout Voyager](#)

1.3 Product: Enterprise – CloudIntegrated

Please prepare the following information for the ordering process:

2 employee E-Mail-Accounts (allowed domains: t-systems.com, telekom.de, external.telekom.de)
PSP Element
W5BaseID (HowTo create in Darwin)
KostV E-Mail-Account
Environment (Dev/Test, Prod)
Size of cnDTAG VNet: /25 (123 hosts available) /26 (59 hosts available) - default /27 (27 hosts available)

The 2 employee E-Mail-Accounts will be the 2 employees responsible for access management within the subscription (CloudIntegrated). In the following, these 2 persons will be named “**Approvers**”.

After completing an order, you will get a confirmation email with subject “Onboarding succeeded”.

Now, your CloudIntegrated subscription will be provisioned. Upon completion you will get an E-Mail with login information and a reference link to this document.

The Approvers will also receive additional 2 emails with Service Principal details and secret.

For additional info about Enterprise please have a look into handout: [Handout Enterprise](#)

2 Initial login and authorization of approvers in Azure

For successful authentication and authorization, please prepare the following:

Login information from email received by Azure@DTIT Landingzone Team
Both approvers
Mobile phone
Mobile phone number
Browser: Firefox or Chrome

The approvers will then be able to login via the *Web Link to Access Package Approver* with username and password. After the first login, both accounts will be guided through the following steps:

For a visualization of the following steps, screenshots of the procedure are appended in Appendix 5.1.- Screenshots for Approvers.

Authentication	1	Multi-Factor-Authentication	Choose and install your authenticator app and use it as the second factor for multi factor authentication.
	2	Terms of Use	Confirm Terms of Use (in the Azure Portal) TOU Sandbox TOU CloudNative TOU CloudIntegrated
	3	self-service password reset	Enter your employee email address you provided during the ordering process. Confirm with code received via email.
	4	Setting own password	Change password
Authorization	5		Refresh browser (Firefox <F5>, Chrome <CTRL + r>)
	6	Request approver access	Request access to the corresponding access package for approvers (choose corresponding subscription in the list)
	7		Refresh browser (Firefox <F5>, Chrome <CTRL + r>)
	8	Approve access mutually	You can now view the pending access request of the second approver on the “Approvals” tab (German: Genehmigungen). Approve this with a short explanation. The second approver will approve your access request in the same way.
	9		Refresh browsers (Firefox <F5>, Chrome <CTRL + r>)

10 Ready, set, Go!

Once the status of the requesting process is shown as. “access approved” (German: Zugriff genehmigt) on the “View” tab (German: Ansicht), you may login to your subscription via <https://portal.azure.com>

Hint:

As ‘approver’ you already have the role ‘contributor’ in your subscription. It’s **not** necessary to order additionally the access for the ‘contributor’ Access Package.

If necessary, additional approvers can be invited via the link to the access Package Approver. Therefore, the creation of the additional users have to be done first in the Usermanagement in the Cloudsuite (described in section 4).

3 Authorization of existing users for an additional product (Usermanagement)

If a user is already authorized for a product (e.g. Sandbox), this means, that there is an existing account in the Azure Telekom IT Tenant, he has to be authorized for every additional product (e.g. CloudNative – Voyager, CloudIntegrated - Enterprise), if the user should also work in addition to the Sandbox product with the CloudNative – Voyager or CloudIntegrated - Enterprise product.

The activation must be done via the Usermanagement in the CloudSuite, identical to the process of user creation plus the selection of the 2nd product:

<https://cloudsuite.telekom.de/azureusermanagement>

AZURE Usermanagement

> User Registration AZURE Cloud

☒ Voyager (CloudNative for development, test and production without dedicated line to the on-prem DC)

☐ Enterprise (CloudIntegrated for development, test and production with a dedicated line to the on-prem DC)

☐ Discovery (Sandbox for proof-of-concepts and general testing of Azure Services)

Number of Users (if you change it, all filled out fields will be erased!)

User 1

4 Invitation and approval of contributors within a subscription

As approvers, you have the responsibility to invite additional employees to the subscription as contributors. These will be referred to as “**contributors**” in the following.
The creation of contributors can be ordered by any of the 2 approvers via the usermanagement under the link: <https://cloudsuite.telekom.de/azureusermanagement>.

After a user is created, the contributor will receive an email with login information and a link to this document.

The approver then needs to send the *Web Link to Access Package Contributor* from the initial email received after ordering the subscription to the contributors. If contributors request access to the subscription, you (as approvers) are responsible for validation and approval of access.

4.1 Initial Login and Authorization of contributors in Azure

For successful authentication and authorization, please prepare the following:

Login information from email regarding user creation received by DTIT@Azure Landingzone Team
Web Link to Access Package Contributor
Mobile phone
Authenticator App
Browser: Firefox , Chrome, Edge

Contributors may login via the *Web Link to Access Package Contributor*, they received from the approver with username and password. After the first login, every contributor will be guided through the following steps:

For a visualization of the following steps, screenshots of the procedure are appended in Appendix 5.2.- Screenshots for Contributors.


Authentication	1	Multi-Factor-Authentication	Choose and install your authenticator app and use it as the second factor for multi factor authentication.
	2	Terms of Use Setting own password	Confirm Terms of Use (in Azure portal) TOU Sandbox TOU CloudNative TOU CloudIntegrated
	3	self-service password reset	Enter your employee email address you provided during the ordering process. Confirm with code received via email.

	4	Setting own password	Change password
	5		Refresh Browser (Firefox <F5>, Chrome <CTRL + r>)
	6	Request contributor access	Request access to the corresponding access package for contributors (choose corresponding subscription in list)
Authorization	7		Wait for approval. The approval requests decays after 14 days. Retry approval process by logging in via the Web Link again
	8	Ready, Set, Go!	Once the status of the requesting process is shown as. "access approved" (German: Zugriff genehmigt) on the "View" tab (German: Ansicht), you may login to your subscription via https://portal.azure.com



5 Appendix

5.1 Screenshots for registration (Approvers and Contributors)

1. Initial Login



2. Choose Microsoft Authenticator App or another trustworthy authenticator app



Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Authenticator-App



Konto einrichten

Fügen Sie Ihrer App ein neues Konto hinzu.

[Ich möchte eine andere Methode einrichten.](#)

3. Scan QR code with your Authenticator App:

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Authenticator-App

QR-Code scannen

Verwenden Sie die Authenticator-App, um den QR-Code zu scannen. Auf diese Weise wird die Authenticator-App mit Ihrem Konto verknüpft.

Nachdem Sie den QR-Code gescannt haben, wählen Sie "Weiter".



[Ich möchte eine andere Methode einrichten.](#)

Enter the code shown in the Authenticator App:

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.



Authenticator-App



Code eingeben

Geben Sie den sechsstelligen Code ein, der in der Authenticator-App angezeigt wird.

[Ich möchte eine andere Methode einrichten.](#)



4. Terms of use:



Open the terms of use and accept them:




Link to terms of use documents:

[TOU Sandbox](#)

[TOU CloudNative](#)

[TOU CloudIntegrated](#)



5. Now configure the second factor for the self-service password reset (E-Mail as a second factor is mandatory):

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Methode 2 von 2: Telefon

App Telefon

Telefon

Sie können Ihre Identität nachweisen, indem Sie einen Telefonanruf annehmen oder einen Code per SMS an Ihr Telefon senden lassen.

Welche Telefonnummer möchten Sie verwenden?

United States (+1) Telefonnummer eingeben

☒ Code per SMS an mich senden
☐ Anruf an mich

Möglicherweise gelten die Nachrichten- und Datentarife. Durch Auswählen von "Weiter" erklären Sie sich mit den [Vertragsbedingungen](#) und [Bestimmungen zu Datenschutz und Cookies einverstanden](#).

Weiter

[Ich möchte eine andere Methode einrichten.](#) [Setup überspringen](#)

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Methode 2 von 2: Telefon

App Telefon

Telefon

Sie können Ihre Identität nachweisen, indem Sie einen Telefonanruf annehmen oder einen Code per SMS an Ihr Telefon senden lassen.

Welche Telefonnummer möchten Sie verwenden?

United States (+1) Telefonnummer eingeben

☒ Code per SMS an mich senden
☐ Anruf an mich

Möglicherweise gelten die Nachrichten- und Datentarife. Durch Auswählen von "Weiter" erklären Sie sich mit den [Vertragsbedingungen](#) und [Bestimmungen zu Datenschutz und Cookies einverstanden](#).

Weiter

[Ich möchte eine andere Methode einrichten.](#) [Setup überspringen](#)

Andere Methode auswählen ✕

Welche Methode möchten Sie verwenden?

Telefon

E-Mail

Enter the code from the E-Mail:

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Methode 2 von 2: E-Mail



App



E-Mail

E-Mail

Wir haben einen Code an m.nega@telekom.de gesendet.

740263

[Code erneut senden](#)

[Weiter](#)

[Ich möchte eine andere Methode einrichten.](#)

[Setup überspringen](#)

Schützen Sie Ihr Konto

Für Ihre Organisation ist es erforderlich, die folgenden Methoden zum Nachweis Ihrer Identität einzurichten.

Methode 2 von 2: Fertig



App



E-Mail

Erfolgreich!

Sehr gut! Ihre Sicherheitsinformationen wurden erfolgreich eingerichtet. Klicken Sie auf "Fertig", um die Anmeldung fortzusetzen

Standardanmeldemethode: Authenticator-App oder Hardwaretoken – Code


Authenticator-App


E-Mail
m.nega@telekom.de

[Fertig](#)

6. Change your one-time password



m.nega@dtitdto.onmicrosoft.com

Ändern Sie Ihr Kennwort

Sie müssen Ihr Kennwort ändern, weil Sie sich entweder erstmalig anmelden oder Ihr Kennwort abgelaufen ist.

Aktuelles Kennwort

Neues Kennwort


Kennwort bestätigen

[Anmelden](#)

You sign in to the TEL-IT Azure - DTITDITO Tenant


7. Request access for corresponding access package for “_approver” – if you have the approver role

“_contributor” – if you have the contributor role



8. Refresh

9. Mutual Approval (mutual for approvers / for contributors by approver)



Zugriffsanforderung ×

Anforderungsdetails

Angelika.Meier@telekom.de submitted a request for AP_dtit_sb0007_approver. May 11, 2020 4:47 PM CEST

[Details](#)

Fällig May 18, 2020 4:47 PM CEST

Anforderungsverlauf

🔄 Genehmigung ausstehend

Fällig May 18, 2020 4:47 PM CEST

[Mehr](#)

☒ Genehmigen
 ☐ Verweigern

Grund *

2. Approver subscription

Absenden

Abbrechen

10. Refresh

11. Get started

Zugriffspakete

Anforderungsverlauf

Genehmigungen

Zugriffsüberprüfungen

Anforderungsverlauf

1 Anforderung

Request abbrechen

Name	Status	Angefordert von	Beschreibung	Anforderungsdatum ↓	
AP_dtit_sb0007_approver	Übermittelt	Sie	AP_dtit_sb0007_approver	May 11, 2020 4:47 PM CEST	Ansicht

Zugriffsanforderung ×

Anforderungsdetails

Sie submitted a request for AP_dtit_sb0007_approver. May 11, 2020 4:47 PM CEST

[Details](#)

Anforderungsverlauf

+ Übermittelt von hans.mueller@telekom.de May 11, 2020 4:47 PM CEST

🔄 Genehmigung ausstehend May 11, 2020 4:48 PM CEST

✓ Genehmigt von Angelika.Meier@telekom.de May 11, 2020 4:48 PM CEST [Mehr](#)

🔄 Wird übermittelt May 11, 2020 4:48 PM CEST

✓ Zugriff bereitgestellt May 11, 2020 4:48 PM CEST

Please note: The status of your request can be viewed via the “Ansicht” tab. As soon as access has been approved, the subscription can be used via login at <https://portal.azure.com>