

How to create a Function App in your Azure Subscription without violating the policies?

Introduction:

A general security requirement is to minimize the attack surface of your Azure Resources towards the internet. Therefore, the policies in your Azure Subscription disallows to access the data plane of your resources. This implies, that you must create resources who needs to have access to a data plane from a client inside of the virtual network in your Azure Subscription. The Function App Service is one of those services who needs to have access as an example to a file share in the storage account during creation. Unfortunately, the deployment via the Azure Portal doesn't succeed, even if you have chosen the virtual network integration. There are two options to create a function:

- i) Create the function via command line (or command line and Azure Portal).
- ii) Request a temporary exemption of the policies for the storage account used in conjunction with the function app at the landing zone team. After creation switch to a secured storage account or secure the one.

The following steps are necessary to succeed:

- 1) Create your administration virtual machine inside of your virtual network in the subscription (Windows Server 2022 or something else where you can open a browser and you are familiar with).
- 2) Connect to this virtual machine by using the Bastion Host and open a browser (Edge, Firefox, Chrome) to connect with your account to the Azure Portal in this virtual (portal.azure.com).
- 3) Now you can create your Function App via the Azure Portal on your admin virtual machine created and logged in before:
 - a. Create a storage account with a virtual network integration on the subnet where the

Microsoft Azure

Search resources, services, and docs

Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test >

Marketplace

Get Started

Service Providers

Management

Private Marketplace

Private Offer Management

My Marketplace

Favorites

Recently created

Private products

Categories

storage account

Showing 1 to 20 of 134 results for 'storage account'. [Clear search](#)



Storage account

Microsoft

Azure Service

Use Blobs, Tables, Queues, Files, and Data Lake Gen 2 for reliable, economical cloud storage.

Create



Storage Account Using ARM Template

CloudSpot

Azure Application

storage account arm template

Price varies

Create

Microsoft Azure

Search resources, services, and docs (G+)

Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace >

Storage account

Microsoft



Storage account

Microsoft

★ 4.2 (1784 ratings)

Plan

Storage account

Create

Overview Plans Usage Information + Support Ratings + Reviews

Microsoft Azure provides scalable, durable cloud storage, backup, and recovery solutions for any data, big or small. It works with the infrastructure you already have to cost-effectively enhance your existing applications and business continuity strategy, and provide the storage required by your cloud applications, including unstructured text or binary data such as video, audio, and images.

More products from Microsoft [See All](#)

[Home](#) > [Subscriptions](#) > [dtit_cid0002](#) | [Resource groups](#) > [rg-functioapp-test](#) > [Marketplace](#) > [Storage account](#) >

Create a storage account

[Basics](#) [Advanced](#) [Networking](#) [Data protection](#) [Encryption](#) [Tags](#) [Review](#)[storage accounts](#)

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *

Resource group *
[Create new](#)

Instance details

If you need to create a legacy storage account type, please click [here](#).

Storage account name ⓘ *

Region ⓘ *

[Deploy to an edge zone](#)

Performance ⓘ *

☒ **Standard:** Recommended for most scenarios (general-purpose v2 account)

☐ **Premium:** Recommended for scenarios that require low latency.

Redundancy ⓘ *

[Review](#)[< Previous](#)[Next : Advanced >](#)

>> Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Storage account >

Create a storage account

Basics Advanced Networking Data protection Encryption Tags Review

Security

Configure security settings that impact your storage account.

Require secure transfer for REST API operations ⓘ



Allow enabling public access on containers ⓘ



Enable storage account key access ⓘ



Default to Azure Active Directory authorization in the Azure portal ⓘ



Minimum TLS version ⓘ

Version 1.2



Permitted scope for copy operations (preview) ⓘ

From any storage account



Data Lake Storage Gen2

The Data Lake Storage Gen2 hierarchical namespace accelerates big data analytics workloads and enables file-level access control lists (ACLs). [Learn more](#)

Enable hierarchical namespace



Blob storage

Enable SFTP ⓘ



To enable SFTP, 'hierarchical namespace' must be enabled.

Enable network file system v3 ⓘ



To enable NFS v3 'hierarchical namespace' must be enabled. [Learn more about NFS v3](#)

Allow cross-tenant replication ⓘ



Access tier ⓘ



Hot: Frequently accessed data and day-to-day usage scenarios



Cool: Infrequently accessed data and backup scenarios

Azure Files

Enable large file shares ⓘ



Review

< Previous

Next : Networking >

>> Home > rg-functioapp-test > Marketplace > Storage account >

Create a storage account ...

Basics Advanced **Networking** Data protection Encryption Tags Review

Network connectivity

You can connect to your storage account either publicly, via public IP addresses or service endpoints, or privately, using a private endpoint.

Network access *

- ☐ Enable public access from all networks
- ☒ Enable public access from selected virtual networks and IP addresses
- ☐ Disable public access and use private access

Virtual networks

Only the selected network will be able to access this storage account. [Learn more](#)

Virtual network subscription ⓘ

dtit_cid0002

Virtual network ⓘ

None

[Create virtual network](#)

[Home](#) > [Subscriptions](#) > [dtit_cid0002](#) | [Resource groups](#) > [rg-functioapp-test](#) > [Marketplace](#) > [Storage account](#) >

Create a storage account

[Basics](#) [Advanced](#) [Networking](#) [Data protection](#) [Encryption](#) [Tags](#) [Review](#)

Recovery

Protect your data from accidental or erroneous deletion or modification.

☐ Enable point-in-time restore for containers

Use point-in-time restore to restore one or more containers to an earlier state. If point-in-time restore is enabled, then versioning, change feed, and blob soft delete must also be enabled. [Learn more](#)

☒ Enable soft delete for blobs

Soft delete enables you to recover blobs that were previously marked for deletion, including blobs that were overwritten. [Learn more](#)

Days to retain deleted blobs ⓘ

☒ Enable soft delete for containers

Soft delete enables you to recover containers that were previously marked for deletion. [Learn more](#)

Days to retain deleted containers ⓘ

☒ Enable soft delete for file shares

Soft delete enables you to recover file shares that were previously marked for deletion. [Learn more](#)

Days to retain deleted file shares ⓘ

Tracking

Manage versions and keep track of changes made to your blob data.

☐ Enable versioning for blobs

Use versioning to automatically maintain previous versions of your blobs. [Learn more](#)

Consider your workloads, their impact on the number of versions created, and the resulting costs. Optimize costs by automatically managing the data lifecycle. [Learn more](#)

☐ Enable blob change feed

Keep track of create, modification, and delete changes to blobs in your account. [Learn more](#)

Access control

☐ Enable version-level immutability support

Allows you to set time-based retention policy on the account-level that will apply to all blob versions. Enable this feature to set a default policy at the account level. Without enabling this, you can still set a default policy at the container level or set policies for specific blob versions. Versioning is required for this property to be enabled. [Learn more](#)

[Review](#)[< Previous](#)[Next : Encryption >](#)

Microsoft Azure

Search resources, services, and docs (G+)

Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Storage account >

Create a storage account ...

BasicsAdvancedNetworkingData protectionEncryptionTagsReview

Encryption type ⓘ *

☒ Microsoft-managed keys (MMK)

☐ Customer-managed keys (CMK)

Enable support for customer-managed keys ⓘ

☒ Blobs and files only

☐ All service types (blobs, files, tables, and queues)

⚠ This option cannot be changed after this storage account is created.

Enable infrastructure encryption ⓘ

☒

⚠ This option cannot be changed after this storage account is created.

Microsoft Azure

Search resources, services, and docs (G+)

Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Storage account >

Create a storage account ...

BasicsAdvancedNetworkingData protectionEncryptionTagsReview

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. [Learn more about tags](#)

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name	Value	Resource
	:	All resources selected

[Home](#) > [Subscriptions](#) > [dtit_cid0002 | Resource groups](#) > [rg-functioapp-test](#) > [Marketplace](#) > [Storage account](#) >

Create a storage account ...

[Basics](#) [Advanced](#) [Networking](#) [Data protection](#) [Encryption](#) [Tags](#) [Review](#)

Basics

Subscription	dtit_cid0002
Resource Group	rg-functioapp-test
Location	westeurope
Storage account name	safunctioapptestnem0001
Deployment model	Resource manager
Performance	Standard
Replication	Locally-redundant storage (LRS)

Advanced

Secure transfer	Enabled
Allow storage account key access	Enabled
Allow cross-tenant replication	Enabled
Default to Azure Active Directory authorization in the Azure portal	Disabled
Blob public access	Disabled
Minimum TLS version	Version 1.2
Permitted scope for copy operations (preview)	From any storage account
Enable hierarchical namespace	Disabled
Enable network file system v3	Disabled
Access tier	Hot
Enable SFTP	Disabled
Large file shares	Disabled

Microsoft Azure

Search resources, services, and docs (G+/)

Home > Subscriptions > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Storage account >

Create a storage account ...

BasicsAdvancedNetworkingData protectionEncryptionTagsReview

Virtual network subscription

dtit_cid0002

Virtual network resource group

rg-ci-vnet

Virtual network

vnet_dtit_cid0002

Subnet

sn-storageaccount (10.206.3.144/28) ('Microsoft.Storage' endpoint will be added)

Default routing tier

Microsoft network routing

Endpoint type

Standard

Data protection

Point-in-time restore

Disabled

Blob soft delete

Enabled

Blob retainment period in days

7

Container soft delete

Enabled

Container retainment period in days

7

File share soft delete

Enabled

File share retainment period in days

7

Versioning

Disabled

Blob change feed

Disabled

Version-level immutability support

Disabled

Encryption

Encryption type

Microsoft-managed keys (MMK)

Enable support for customer-managed keys

Blobs and files only

Enable infrastructure encryption

Enabled

Create< PreviousNext >Download a template for automation

Microsoft Azure

Search resources, services, and docs (G+/)

Home >

safunctioapptestnem0001_1672997350511 | Overview ...

Deployment

Search<<DeleteCancelRedeployDownloadRefresh

OverviewInputsOutputsTemplate

✓ Your deployment is complete

Deployment name: safunctioapptestnem0001_1672997350511

Subscription: dtit_cid0002

Resource group: rg-functioapp-test

Start time: 1/6/2023, 10:29:14 AM

Correlation ID: 39203529-7cbb-4c98-9348-873faac9fe4f

Deployment details

Next steps

Go to resource

Give feedback

Tell us about your experience with deployment

Microsoft Azure

Home > rg-funcioapp-test > dtit_cid0002 | Resource groups

rg-funcioapp-test

Search

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Settings

Deployments

Security

Policies

Properties

Locks

Essentials

Subscription (move) : dtit_cid0002

Subscription ID : 867c324e-d4d6-4951-8701-16df8fab0a94

Deployments : 1 Succeeded

Location : West Europe

Tags (edit) : Click here to add tags

Resources

Recommendations

Filter for any field...

Type equals all

Location equals all

Add filter

Showing 1 to 1 of 1 records.

Show hidden types

No grouping

List view

Name	Type	Location
safuncioappptestnem0001	Storage account	West Europe

Microsoft Azure

Home > rg-funcioapp-test > dtit_cid0002 | Resource groups > rg-funcioapp-test

safuncioappptestnem0001

Storage account

Search

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Data storage

Containers

File shares

Queues

Tables

Security + networking

Networking

Azure CDN

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

Data management

Redundancy

Data protection

Essentials

Resource group (move) : rg-funcioapp-test

Location : West Europe

Subscription (move) : dtit_cid0002

Subscription ID : 867c324e-d4d6-4951-8701-16df8fab0a94

Disk state : Available

Tags (edit) : environment: devtest product: cloudintegrated psp_element: T-T3A-202037832-10-0001 w5baseid: 16051741880001

Performance : Standard

Replication : Locally-redundant storage (LRS)

Account kind : StorageV2 (general purpose v2)

Provisioning state : Succeeded

Created : 6.1.2023, 10:29:33

Properties

Monitoring

Capabilities (7)

Recommendations (0)

Tutorials

Developer Tools

Blob service

Hierarchical namespace : Disabled

Default access tier : Hot

Blob public access : Disabled

Blob soft delete : Enabled (7 days)

Container soft delete : Enabled (7 days)

Versioning : Disabled

Change feed : Disabled

NFS v3 : Disabled

Allow cross-tenant replication : Enabled

File service

Large file share : Disabled

Active Directory : Not configured

Default share-level permissions : Disabled

Soft delete : Enabled (7 days)

Security

Require secure transfer for REST API operations : Enabled

Storage account key access : Enabled

Minimum TLS version : Version 1.2

Infrastructure encryption : Enabled

Networking

Allow access from : Selected networks

Number of private endpoint connections : 0

Network routing : Microsoft network routing

Access for trusted Microsoft services : Yes

Endpoint type : Standard

Microsoft Azure

Home > rg-funcioapp-test > dtit_cid0002 | Resource groups > rg-funcioapp-test > safuncioappptestnem0001

safuncioappptestnem0001 | Networking

Storage account

Search

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Data storage

Containers

File shares

Queues

Tables

Security + networking

Networking

Azure CDN

Access keys

Shared access signature

Firewalls and virtual networks

Private endpoint connections

Custom domain

Save

Discard

Refresh

Public network access

Enabled from all networks

Enabled from selected virtual networks and IP addresses

Disabled

Configure network security for your storage accounts. Learn more

Virtual networks

Add existing virtual network

Add new virtual network

Virtual Network	Subnet	Address range	Endpoint Status	Resource Group	Subscription
vnet_dtit_cid0002	1			rg-v-net	dtit_cid0002
	sn-storageaccount	10.206.3.144/28	Enabled	rg-q-vnet	dtit_cid0002

Firewall

Add IP ranges to allow access from the internet or your on-premises networks. Learn more.

Add your client IP address (93.217.201.115)

Address range

IP address or CIDR

Resource instances

Specify resource instances that will have access to your storage account based on their custom-assigned managed identity.

×

Subscription



The following networks don't have service endpoints enabled for 'Microsoft.Storage'. Enabling access will take up to 15 minutes to complete. After starting this operation, it is safe to leave and return later if you do not wish to wait.

Resource	Virtual network	Service endpoint status
rg-c	vnet_dtit_cid0002	...
rg-c	sn-functionapp  Enabling	...

Enabling

Microsoft Azure

Home > rg-functioapp-test > ddt_cid0002 | Resource groups > rg-functioapp-test > safunctioapptestnem0001

safunctioapptestnem0001 | Networking

Storage account

Search

Overview
Activity log
Tags
Diagnose and solve problems
Access Control (IAM)
Data migration
Events
Storage browser
Data storage
Containers
File shares
Queues
Tables
Security + networking
Networking
Azure CDN
Access keys
Shared access signature
Encryption
Microsoft Defender for Cloud
Data management
Redundancy
Data protection

Firewalls and virtual networks Private endpoint connections Custom domain

Save Discard Refresh

Public network access
☐ Enabled from all networks
☒ Enabled from selected virtual networks and IP addresses
☐ Disabled
 Configure network security for your storage accounts. [Learn more](#)

Virtual networks
 + Add existing virtual network + Add new virtual network

Virtual Network	Subnet	Address range	Endpoint Status	Res
vnet_ddt_cid0002	1	10.206.3.144/28	✓ Enabled	rg-c
	sn-storageaccount	10.206.3.144/28	✓ Enabled	rg-c

Firewall
 Add IP ranges to allow access from the Internet or your on-premises networks. [Learn more](#).
☐ Add your client IP address (93.217.201.115)
 Address range

Resource instances
 Specify resource instances that will have access to your storage account based on their system-assigned managed identity.
 Resource type Instance name

Exceptions
☒ Allow Azure services on the trusted services list to access this storage account.
☐ Allow read access to storage logging from any network
☐ Allow read access to storage metrics from any network

Add networks

Subscription
 ddt_cid0002

Virtual networks
 vnet_ddt_cid0002

Subnets
 sn-functionapp

Enabling selected networks with service endpoints for 'Microsoft.Storage' is complete.

Virtual network	Service endpoint status
vnet_ddt_cid0002	...
sn-functionapp	✓ Enabled

Add

Microsoft Azure

Home > rg-functioapp-test > ddt_cid0002 | Resource groups > rg-functioapp-test > safunctioapptestnem0001

safunctioapptestnem0001 | Networking

Storage account

Search

Overview
Activity log
Tags
Diagnose and solve problems
Access Control (IAM)
Data migration
Events
Storage browser
Data storage
Containers
File shares
Queues
Tables
Security + networking
Networking
Azure CDN
Access keys
Shared access signature
Encryption
Microsoft Defender for Cloud
Data management
Redundancy
Data protection

Firewalls and virtual networks Private endpoint connections Custom domain

Save Discard Refresh

Public network access
☐ Enabled from all networks
☒ Enabled from selected virtual networks and IP addresses
☐ Disabled
 Configure network security for your storage accounts. [Learn more](#)

Virtual networks
 + Add existing virtual network + Add new virtual network

Virtual Network	Subnet	Address range	Endpoint Status	Resource Group	Subscription
vnet_ddt_cid0002	2	10.206.3.160/28	✓ Enabled	rg-ci-vnet	ddt_cid0002
	sn-functionapp	10.206.3.160/28	✓ Enabled	rg-ci-vnet	ddt_cid0002
	sn-storageaccount	10.206.3.144/28	✓ Enabled	rg-ci-vnet	ddt_cid0002

Firewall
 Add IP ranges to allow access from the Internet or your on-premises networks. [Learn more](#).
☐ Add your client IP address (93.217.201.115)
 Address range

Resource instances
 Specify resource instances that will have access to your storage account based on their system-assigned managed identity.
 Resource type Instance name

Exceptions
☒ Allow Azure services on the trusted services list to access this storage account.
☐ Allow read access to storage logging from any network
☐ Allow read access to storage metrics from any network

Successfully saved firewall and virtual network settings
 Successfully saved firewall and virtual network settings for storage account 'safunctioapptestnem0001'.

Create Fncio app

[Home](#) > [rg-functionioapp-test](#) > [dtit_cid0002 | Resource groups](#) > [rg-functionioapp-test](#) >

Marketplace

[Get Started](#)[Service Providers](#)

Management

[Private Marketplace](#)[Private Offer Management](#)

My Marketplace

[Favorites](#)[Recently created](#)[Private products](#)

Categories

Showing 1 to 20 of 23 results for 'function app'. [Clear search](#)

Function App

Microsoft

Azure Service

Write any function in minutes – whether to run a simple job that cleans up a database or build a more complex architecture. Creating functions is easier than ever before,

[Create](#) ▾

PowerERM HRMS APP

octaware

SaaS

Web based Employee Relationship Management (ERM) System

[Subscribe](#) ▾

Microsoft Azure

Search resources, services, and docs (G+)

Home > rg-functioapp-test > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace >

Function App

Microsoft

★ 4.1 (1429 ratings)

Plan

Function App

Create

Overview

Plans

Usage Information + Support

Ratings + Reviews

Write any function in minutes – whether to run a simple job that cleans up a database or build a more complex architecture. Creating functions is easier than ever before, whatever your chosen OS, platform, or development method.

More products from Microsoft [See All](#)

Active Directory Health Check

Microsoft

Azure Service

Assess the risk and health of Active Directory environments.

Create

AD Replication Status

Microsoft

Azure Service

Identify Active Directory replication issues in your environment.

Create

Device Update for IoT Hub

Microsoft

Azure Service

Securely and Reliably update your devices with Device Update for IoT Hub.

Create

Front Door and CDN profiles

Microsoft

Azure Service

Azure Front Door and CDN profiles is security led, modern cloud CDN that provides static and dynamic content acceleration, global load balancing and enhanced security for your apps.

Create

Microsoft Azure

Search resources, services, and docs (G+)

Home > rg-functioapp-test > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Function App >

Create Function App

...

Basics

Hosting

Networking

Monitoring

Deployment

Tags

Review + create

Create a function app, which lets you group functions as a logical unit for easier management, deployment and sharing of resources. Functions lets you execute your code in a serverless environment without having to first create a VM or publish a web application.

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

dtit_cid0002

Resource Group *

rg-functioapp-test

Create new

Instance Details

Function App name *

funcnem0001

.azurewebsites.net

Publish *

☒ Code ☐ Docker Container

Runtime stack *

PowerShell Core

Version *

7.2

Region *

West Europe

Not finding your App Service Plan? Try a different region or select your App Service Environment.



Operating system

The Operating System has been recommended for you based on your selection of runtime stack.

Operating System * ☐ Linux ☒ Windows

Plan

The plan you choose dictates how your app scales, what features are enabled, and how it is priced. [Learn more](#)

Plan type * ⓘ

Functions Premium

Windows Plan (West Europe) * ⓘ

(New) ASP-rgfunctionapptest-b272

[Create new](#)

Pricing plan *

Elastic Premium EP1
210 total ACU, 3.5 GB memory
[Change size](#)

Zone redundancy

An App Service plan can be deployed as a zone redundant service in the regions that support it. This is a deployment time only decision. You can't make an App Service plan zone redundant after it has been deployed [Learn more](#)

Zone redundancy ☐ **Enabled:** Your App Service plan and the apps in it will be zone redundant. The minimum App Service plan instance count will be three.
☒ **Disabled:** Your App Service Plan and the apps in it will not be zone redundant. The minimum App Service plan instance count will be one.

Review + create

< Previous

Next : Hosting >

Microsoft Azure

Search resources, services, and docs (G+)

>>

Home > rg-functionapp-test > dtit_cid0002 | Resource groups > rg-functionapp-test > Marketplace > Function App >

Create Function App ...

Basics

Hosting

Networking

Monitoring

Deployment

Tags

Review + create

Storage

When creating a function app, you must create or link to a general-purpose Azure Storage account that supports Blobs, Queue, and Table storage.

Storage account *

safunctionapptestnem0001 (v2)

rg-functionapp-test

(New) rgfunctionapptestbd46

safunctionapptestnem0001 (v2)

rg-maintain-nsg

stmaintainnsgkwasiiohlhs (v2)

[Home](#) > [rg-functioapp-test](#) > [dtit_cid0002](#) | [Resource groups](#) > [rg-functioapp-test](#) > [Marketplace](#) > [Function App](#) >

Create Function App ...

[Basics](#) [Hosting](#) [Networking](#) [Monitoring](#) [Deployment](#) [Tags](#) [Review + create](#)

Storage

When creating a function app, you must create or link to a general-purpose Azure Storage account that supports Blobs, Queue, and Table storage.

Storage account *

safunctioappptestnem0001 (v2)

[Create new](#)

[Review + create](#)[< Previous](#)[Next : Networking >](#)

[Home](#) > [rg-functionapp-test](#) > [dtit_cid0002 | Resource groups](#) > [rg-functionapp-test](#) > [Marketplace](#) > [Function App](#) >

Create Function App

[Basics](#) [Hosting](#) [Networking](#) [Monitoring](#) [Deployment](#) [Tags](#) [Review + create](#)

Function Apps can be provisioned with the inbound address being public to the internet or isolated to an Azure virtual network. Function Apps can also be provisioned with outbound traffic able to reach endpoints in a virtual network, be governed by network security groups or affected by virtual network routes. By default, your app is open to the internet and cannot reach into a virtual network. These aspects can also be changed after the app is provisioned. [Learn more](#)

Enable network injection * ☒ On ☐ Off

Virtual Network

Select or create a virtual network that is in the same region as your new app.

Virtual Network * [Create new](#)

Inbound access

Select a subnet in the chosen virtual network to place a private endpoint in. Private endpoints enable secure inbound access from only the chosen virtual network. When enabled, your app will not be accessible from the internet.

Enable private endpoints * ☐ On ☒ Off

Outbound access

Select a subnet in the chosen virtual network to be used for integration. VNet Integration enables your app to make calls into the chosen virtual network. You can also put network security groups or route tables on this subnet to control all outbound traffic from your function app.

Enable VNet integration * ☒ On ☐ OffOutbound subnet * [Create new](#)

Storage private endpoint

Configure private endpoints on your storage account to have tighter control over inbound traffic.

 The selected storage account does not have a private endpoint in the selected VNet. If you do not want to add a private endpoint, service endpoints to the integration subnet will be configured.

Add storage private endpoint * ☐ On ☒ Off[Review + create](#)[< Previous](#)[Next : Monitoring >](#)

Microsoft Azure

Search resources, services, and docs (G+ /)

>

Home > rg-functioapp-test > dtit_cid0002 | Resource groups > rg-functioapp-test > Marketplace > Function App >

Create Function App ...

Basics

Hosting

Networking

Monitoring

Deployment

Tags

Review + create

Azure Monitor application insights is an Application Performance Management (APM) service for developers and DevOps professionals. Enable it below to automatically monitor your application. It will detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app. Your bill is based on amount of data used by Application Insights and your data retention settings. [Learn more](#)

[App Insights pricing](#)

Application Insights

Enable Application Insights * ☐ No ☒ Yes

Application Insights *

(New) funcnem0001 (West Europe) ▼

[Create new](#)

Region

West Europe

Review + create

< Previous

Next : Deployment >

[Home](#) > [rg-functioapp-test](#) > [dtit_cid0002 | Resource groups](#) > [rg-functioapp-test](#) > [Marketplace](#) > [Function App](#) >

Create Function App ...

[Basics](#) [Hosting](#) [Networking](#) [Monitoring](#) [Deployment](#) [Tags](#) [Review + create](#)

Enable GitHub Actions to continuously deploy your app. GitHub Actions is an automation framework that can build, test, and deploy your app whenever a new commit is made in your repository. If your code is in GitHub, choose your repository here and we will add a workflow file to automatically deploy your app to App Service. If your code is not in GitHub, go to the Deployment Center once the web app is created to set up your deployment. [Learn more](#)

GitHub Actions settings

Continuous deployment ☒ Disable ☐ Enable

GitHub Actions details

Select your GitHub details, so Azure Web Apps can access your repository.

GitHub account

Organization

Repository

Branch

Workflow configuration

File with the GitHub Actions workflow configuration.

i Complete the Basics tab and the form above to preview the GitHub Actions workflow file.

[Review + create](#)[< Previous](#)[Next : Tags >](#)

>> Home > rg-functionapp-test > dtit_cid0002 | Resource groups > rg-functionapp-test > Marketplace > Function App >

Create Function App ...



Basics Hosting Networking Monitoring Deployment Tags Review + create

Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups.
Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name ⓘ	Value ⓘ	Resource
	:	3 selected ▾

Microsoft Azure

Search resources, services, and docs (G+)

>>

Home > rg-functionapp-test > dtit_cid0002 | Resource groups > rg-functionapp-test > Marketplace > Function App >

+

Home

Overview

Subscriptions

Resource groups

Starred

Monitoring

Alerts

Log Analytics

Network

Security

Compliance

Identity

Support

Create Function App

...

Basics

Hosting

Networking

Monitoring

Deployment

Tags

Review + create

Summary

Function App

by Microsoft

Details

Subscription

867c324e-d4d6-4951-8701-16df8fab0a94

Resource Group

rg-functionapp-test

Name

funcnem0001

Runtime stack

PowerShell Core 7.2

Hosting

Storage

Storage account

safunctionapptestnem0001

Plan (New)

Plan type

Functions Premium

Name

ASP-rgfunctionapptest-b272

Operating System

Windows

Region

West Europe

SKU

Elastic Premium

Size

Small

ACU

210 total ACU

Memory

3.5 GB memory

Networking

Virtual Network

vnet_dtit_cid0002 (10.206.3.128/25,100.66.2.0/23,100.68.0.0/16,172.20.0.0/16,100.125.0.0/16)

Outbound subnet

sn-functionapp (10.206.3.160/28)

Monitoring (New)

Application Insights

Enabled

Name

funcnem0001

Region

West Europe

Deployment

Continuous deployment

Not enabled / Set up after app creation

Create

< Previous

Next >

Download a template for automation

Microsoft Azure

Search resources, services, and docs (G+/I)

matthias.nega@azcloud...TELEKOM

Home

Microsoft.Web-FunctionApp-Portal-8550d504-9395 | Overview

Deployment

Search

Delete Cancel Redeploy Download Refresh

Overview

Inputs

Outputs

Template

Deployment is in progress

Deployment name: Microsoft.Web-FunctionApp-Portal-8550d504-...

Subscription: dtit_cid0002

Resource group: rg-functionapp-test

Start time: 1/6/2023, 10:43:50 AM

Correlation ID: c5c412cd-fede-47fe-b96e-4752165bb328

Deployment details

Resource	Type	Status	Operation details
outboundSubnetDeployment	Microsoft.Resources/deployments	OK	Operation details
newWorkspaceTemplate	Microsoft.Resources/deployments	Created	Operation details
safunctionapptestnem001	Microsoft.Storage/storageAccounts	OK	Operation details

Give feedback

Tell us about your experience with deployment

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >