



~Layout with Sample Tools

Table auth_group		
Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	name	VARCHAR(150)
Indexes		
Type	Name	On
Pk	pk_auth_group	id
Unq	uniq_auth_group_name	name

Table auth_group_permissions		
Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	group_id	INTEGER
* Unq	permission_id	INTEGER
Indexes		
Type	Name	On
Pk	pk_auth_group_permissions	id
Unq	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	group_id, permission_id
	auth_group_permissions_group_id_b120cbf9	group_id
	auth_group_permissions_permission_id_84c5c92e	permission_id
Foreign Keys		
Type	Name	On
	Fk (group_id) ref auth_group (id)	
	Fk (permission_id) ref auth_permission (id)	

Table auth_permission		
Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	content_type_id	INTEGER
* Unq	codename	VARCHAR(100)
*	name	VARCHAR(255)
Indexes		
Type	Name	On
Pk	pk_auth_permission	id
Unq	auth_permission_content_type_id_codename_01ab375a_uniq	content_type_id, codename
	auth_permission_content_type_id_2f476e4b	content_type_id
Foreign Keys		
Type	Name	On
	Fk (content_type_id) ref django_content_type (id)	

Table auth_user		
Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
*	password	VARCHAR(128)
	last_login	DATETIME
*	is_superuser	BOOLEAN

Table auth_user

* Unq	username	VARCHAR(150)
*	last_name	VARCHAR(150)
*	email	VARCHAR(254)
*	is_staff	BOOLEAN
*	is_active	BOOLEAN
*	date_joined	DATETIME
*	first_name	VARCHAR(150)

Indexes

Type	Name	On
Pk	pk_auth_user	id
Unq	unq_auth_user_username	username

Table auth_user_groups

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	user_id	INTEGER
* Unq	group_id	INTEGER

Indexes

Type	Name	On
Pk	pk_auth_user_groups	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id

Foreign Keys

Type	Name	On
	Fk (user_id) ref auth_user (id)	
	Fk (group_id) ref auth_group (id)	

Table auth_user_user_permissions

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	user_id	INTEGER
* Unq	permission_id	INTEGER

Indexes

Type	Name	On
Pk	pk_auth_user_user_permissions	id
Unq	auth_user_user_permissions_user_id_permission_id_14a6b632_uniq	user_id, permission_id
	auth_user_user_permissions_user_id_a95ead1b	user_id
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id

Foreign Keys

Type	Name	On
	Fk (user_id) ref auth_user (id)	
	Fk (permission_id) ref auth_permission (id)	

Table django_admin_log

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT

Table django_admin_log

	object_id	TEXT
*	object_repr	VARCHAR(200)
*	action_flag	SMALLINT UNSIGNED
*	change_message	TEXT
Idx	content_type_id	INTEGER
* Idx	user_id	INTEGER
*	action_time	DATETIME

Indexes

Type	Name	On
Pk	pk_django_admin_log	id
	django_admin_log_content_type_id_c4bce8eb	content_type_id
	django_admin_log_user_id_c564eba6	user_id

Foreign Keys

Type	Name	On
	Fk (content_type_id) ref django_content_type (id)	
	Fk (user_id) ref auth_user (id)	

Constraints

Name	Definition
Cns_django_admin_log_action_flag	"action_flag" >= 0

Table django_content_type

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
* Unq	app_label	VARCHAR(100)
* Unq	model	VARCHAR(100)

Indexes

Type	Name	On
Pk	pk_django_content_type	id
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model

Table django_migrations

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
*	app	VARCHAR(255)
*	name	VARCHAR(255)
*	applied	DATETIME

Indexes

Type	Name	On
Pk	pk_django_migrations	id

Table django_session

Idx	Name	Data Type
* Pk	session_key	VARCHAR(40)
*	session_data	TEXT
* Idx	expire_date	DATETIME

Indexes

Type	Name	On
Pk	pk_django_session	session_key

Table django_session

django_session_expire_date_a5c62663

expire_date

Table route_nodedestination

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
*	name	VARCHAR(100)
*	address	VARCHAR(100)
* Unq	phoneNumber	VARCHAR(16)

Indexes

Type	Name	On
Pk	pk_route_nodedestination	id
Unq	unq_route_nodedestination_phoneNumber	phoneNumber

Table route_nodeorigin

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
*	name	VARCHAR(100)
*	address	VARCHAR(100)
* Unq	phoneNumber	VARCHAR(16)

Indexes

Type	Name	On
Pk	pk_route_nodeorigin	id
Unq	unq_route_nodeorigin_phoneNumber	phoneNumber

Table route_perfil

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
Idx	user_id	INTEGER
Idx	nodo_id	BIGINT

Indexes

Type	Name	On
Pk	pk_route_perfil	id
	route_perfil_user_id_5cbfb039	user_id
	route_perfil_nodo_id_86ac1ade	nodo_id

Foreign Keys

Type	Name	On
	Fk (user_id) ref auth_user (id)	
	Fk (nodo_id) ref route_nodedestination (id)	

Table route_route

Idx	Name	Data Type
* Pk	id	INTEGER AUTOINCREMENT
*	description	TEXT
	preparation_date	DATE
Idx	destination_id	BIGINT
Idx	origin_id	BIGINT
*	status	VARCHAR(1)
Idx	user_id	INTEGER

Table route_route

	preparation_time	TIME
--	------------------	------

Indexes

Type	Name	On
Pk	pk_route_route	id
	route_route_destination_id_d86b7481	destination_id
	route_route_origin_id_55bb5bc6	origin_id
	route_route_user_id_928ac66d	user_id

Foreign Keys

Type	Name	On
	Fk (destination_id) ref route_nodedestination (id)	
	Fk (origin_id) ref route_nodeorigin (id)	
	Fk (user_id) ref auth_user (id)	

Table route_routeinstance

Idx	Name	Data Type
* Pk	id	CHAR(32)
*	status	VARCHAR(1)
Idx	route_id	BIGINT
	instance_date	DATE
Idx	user_id	INTEGER
	instance_time	TIME

Indexes

Type	Name	On
Pk	pk_route_routeinstance	id
	route_routeinstance_route_id_87e9eabe	route_id
	route_routeinstance_user_id_1c37a60a	user_id

Foreign Keys

Type	Name	On
	Fk (route_id) ref route_route (id)	
	Fk (user_id) ref auth_user (id)	