



Try for free

Developers



Configurator Add Nodes (POST)

Product Configurator / Product Configurator Business A... / Resources / Configurator Add Nodes (POST)

Configurator Add Nodes (POST)

Add a node to the context through the runtime system without using the Salesforce user interface.

Resource



```
1 /connect/cpq/configurator/actions/add-nodes
```

Resource example



```
1 https://yourInstance.salesforce.com/services/data/v67.0/connect/cpq/configurato
```

Available version

60.0

HTTP methods

POST

Request body for POST

JSON example



```
1 {
2   "configuratorOptions": {
3     "executePricing": true,
4     "returnProductCatalogData": true,
5     "qualifyAllProductsInTransaction": true,
6     "validateProductCatalog": true,
7     "validateAmendRenewCancel": true,
8     "executeConfigurationRules": true,
9     "addDefaultConfiguration": true
10  },
11  "qualificationContext": {
12    "accountId": "001xx000000001AAA",
13    "contactId": "003xx00000000D7AAI"
14  },
15  "contextId": "008d27d7-e004-4906-a949-ee7d7c323c77",
16  "addedNodes": [
17    {
18      "path": [
19        "0Q0xx0000004EvcCAE",
20        "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589"
21      ],
22      "addedObject": {
23        "id": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
24        "SalesTransactionItemSource": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
25        "SalesTransactionItemParent": "0Q0xx0000004EvcCAE",
```



```
32    }
33  },
34  {
35    "path": [
36      "0Q0xx0000004EvcCAE",
37      "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
38      "ref_d85b036d_d305_4bb6_aba8_a1dff645a664"
39    ],
40    "addedObject": {
41      "id": "ref_d85b036d_d305_4bb6_aba8_a1dff645a664",
42      "MainItem": "0QLxx0000004QdRGAU",
43      "AssociatedItem": "ref_d3a3f8d2_e031_4517_ae28_69ce16cb6589",
44      "ProductRelatedComponent": "0dSxx0000001p6EAA",
45      "ProductRelationshipType": null,
46      "AssociatedItemPricing": "NotIncludedInBundlePrice",
47      "AssociatedQuantScaleMethod": "Proportional",
48      "businessObjectType": "QuoteLineRelationship"
49    }
50  }
51 ]
52 }
```

Properties

Name	Type	Description	Required or Optional	Available Version
addedNodes	Configurator Added Node Input[]	List of the nodes to be added.	Required	60.0
configurator Options	Configurator Options Input	List of the configuration options to execute.	Optional	60.0
contextId	String	ID of the context object that's being considered.	Required	60.0
qualification Context	User Context Input	Context details that are used for the qualification rules.	Optional	60.0

Response body for POST

[Configurator Add Nodes](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



Try for free



MuleSoft
Tableau
Commerce Cloud
Lightning Design System
Einstein
Quip

Component Library
APIs
Trailhead
Sample Apps
AppExchange

Events and Calendar
Partner Community
Blog
Salesforce Admins
Salesforce Architects

© Copyright 2026 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc.
Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Legal](#) [Terms of Service](#) [Privacy Information](#) [Responsible Disclosure](#) [Trust](#) [Contact](#) [Use of Cookies](#)

[Cookie Preferences](#) ☒ [Your Privacy Choices](#)