

Patrick Baker


Luciano Scarpaci

3/08/2023

ADBS - Phase 2

The East Hills Shopping Mall Project Phase 2

Customers Table:



The screenshot shows the SQLTools application interface. The main window displays the 'customer' table with 15 records. The table has columns: cid, cname, cage, cemail, and cphone. The left sidebar shows the database structure with 'building', 'customer', and 'store' tables. The 'customer' table is selected, and its schema is shown: cid VARCHAR(15), cname VARCHAR(5), cage INT, cemail VARCHAR(30), and cphone VARCHAR(10). The 'BOOKMARKS' section shows the table is bookmarked. The 'QUERY HISTORY' section shows the last query executed.

cid	cname	cage	ceemail	cphone
2XzC87GNmUdpTtN	Dwane	44	dwayne@mail.pw	2102272347
6k5vkdjopjsJ29Q	Lucia	68	lucia@mail.pw	5419814053
8uRYT17OATe9uFv	Aliza	26	aliza@mail.pw	9146861420
CUbx1UMdkqJ358d	Felix	62	felix@mail.pw	3234648542
DN0ufjBTP12fhl	Corie	42	corie@mail.pw	2062851086
EXu0IITYM6BP4PM	Heidi	21	heidi@mail.pw	9738311527
li39uDE9rQliJqM	Doris	35	doris@mail.pw	6467559298
iYntC4kl8nVfpnX	Ettie	61	ettie@mail.pw	8668251714
mc9OmP8UmuOV9uH	Maiya	19	maiya@mail.pw	4154606695
r63lyTloLpZFSuw	Hasan	39	hasan@mail.pw	2012851044
rnQFwp6Q76LzdzZ	Gerry	48	gerry@mail.pw	2292436000
Sbjz0rvqQjkNyqN	Jason	34	jason@mail.pw	9035904644
t57JPJhqM9fWgQq	Benny	33	benny@mail.pw	8444490455
ur8rFKbEr7W06sB	Elise	22	elise@mail.pw	8776614898
ySW2Ra2krehLyZE	Carlo	23	carlo@mail.pw	2017913765

Building Table:

The screenshot shows the SQLTools application with the 'building' table selected in the 'CONNECTIONS' pane. The table structure is as follows:

bid	bname	baddress	bmanager	bsecurity
100	Northside	Unit A	Chris	Juan
200	Northside	Unit B	Sarah	Yuko
300	Southside	Unit C	Kathy	Lexus
400	Southside	Unit D	Myllie	Pablo
500	Southside	Unit E	Stone	Rutha
600	Eastside	Unit F	Tyler	Shaun
700	Eastside	Unit G	Susan	Nealy
800	Eastside	Unit H	Irwin	Jimmy
900	Eastside	Unit I	Karli	Ocean
1000	Westside	Unit J	Yahir	Averi
1100	Westside	Unit K	Tessa	David
1200	Westside	Unit L	Bonne	Oscar
1300	Westside	Unit M	Clare	Ralph
1400	Northside	Unit N	Ethan	Jonas
1500	Northside	Unit O	Perry	Riggs

The 'QUERY HISTORY' pane shows the following query:

```
SELECT * FROM building;
```

Store Table:

The screenshot shows the SQLTools application with the 'store' table selected in the 'CONNECTIONS' pane. The table structure is as follows:

sid	sname	semployee	smanager
1111	The Elegant Moon	Harvy	Janel
2222	The Flowing Clock	Evans	Hanna
3333	The Brass Guard	Elvis	Fiona
4444	The Awesome Pond Wand St...	Kirby	Leora
5555	Fluffy Castle Apothecary	Metro	Orene
6666	The Busy Pet Store	Malik	Lylah
7777	Lawn Order	Henri	Jayla
8888	Colorful Toy Store	Darin	Irene
9999	Thai Me Up	Wendi	Quang
10010	Good Fish Cafe	Grace	Jacey
11011	The Fluffy Book Store	Egypt	Gavin
12012	Drakes Dry Cleaners	Stacy	Roxie
13013	The Maximum Trophy Shop	Olive	Leota
14014	Pizza My Heart	Allie	Luigi
15015	Much Wow Chow Chinese	Ming	Tangi

The 'QUERY HISTORY' pane shows the following query:

```
SELECT * FROM store;
```


belongs_to Table:



The screenshot shows the SQLTools application interface. The top menu bar includes Code, File, Edit, Selection, View, Go, Run, Terminal, Window, and Help. The status bar at the top right indicates 'Fri 1:02 PM' and 'luciano scarpaci'. The main window displays a table with 15 records. The left sidebar shows the 'CONNECTIONS' panel with 'easthillshoppingmail da...' and 'Tables' expanded, showing 'belongs_to' and its columns: 'sid' (INT), 'bid' (INT), 'sname' (VARCHAR(40)), 'semployee' (VARCHAR(40)), and 'smanager' (VARCHAR(40)). The 'BOOKMARKS' panel shows 'project' and 'building'. The 'QUERY HISTORY' panel shows 'project'. The bottom status bar shows 'SELECT * FROM belongs_to' and buttons for 'CONSOLE', 'RE-RUN QUERY', 'EXPORT', and 'OPEN'.

sid	bid	sname	semployee	smanager
1111	100	The Elegant Moon	Harvy	Janel
2222	200	The Flowing Clock	Evans	Hanna
3333	300	The Brass Guard	Elvis	Fiona
4444	400	The Awesome Pond Wand St...	Kirby	Leora
5555	500	Fluffy Castle Apothecary	Metro	Orene
6666	600	The Busy Pet Store	Malik	Lylah
7777	700	Lawn Order	Henri	Jayla
8888	800	Colorful Toy Store	Darin	Irene
9999	900	Thai Me Up	Wendi	Quang
10010	1000	Good Fish Cafe	Grace	Jacey
11011	1100	The Fluffy Book Store	Egypt	Gavin
12012	1200	Drakes Dry Cleaners	Stacy	Roxie
13013	1300	The Maximum Trophy Shop	Olive	Leota
14014	1400	Pizza My Heart	Allie	Luigi
15015	1500	Much Wow Chow Chinese	Ming	Tangi


cashier Table:



The screenshot shows the SQLTools application interface. The top menu bar includes Code, File, Edit, Selection, View, Go, Run, Terminal, Window, and Help. The status bar at the top right indicates 'Fri 2:30 PM' and 'luciano scarpaci'. The main window displays a table with 15 records. The left sidebar shows the 'CONNECTIONS' panel with 'easthillshoppingmail da...' and 'Tables' expanded, showing 'belongs_to', 'building', 'cashier', 'customer', and 'store'. The 'BOOKMARKS' panel shows 'project' and 'store'. The 'QUERY HISTORY' panel shows 'project'. The bottom status bar shows 'SELECT * FROM cashier;' and buttons for 'CONSOLE', 'RE-RUN QUERY', 'EXPORT', and 'OPEN'.

customer	cashier
2XzC87GNmUdpTtN	15
6k5vkdjopjsJ29Q	14
8uRYT17OATe9uFv	13
CUBx1UMdkqJ358d	12
DN0ufjBTp12fhlu	11
EXu0IITYM6BP4PM	10
li39uDE9rQliJqM	9
iYntC4kl6nVfpnX	7
mc90mP8UmuOV9uH	6
r63lyTloLpZFSuw	8
rnQFwp6Q76LdzZ	5
Sbjz0rvqQjkNyqN	4
t57JPJhqM9fWgQq	3
ur8rFKbEr7W06sB	2
ySW2Ra2krehLyZE	1

has_product Table:



The screenshot shows the SQLTools interface with the 'has_product' table selected. The table has two columns: 'cid' (VARCHAR(15)) and 'sid' (INT). The data is as follows:

cid	sid
ySW2Ra2krehLyZE	1111
ur8rFkEr7W06sB	2222
t57JPJhqM9fWgQq	3333
Sbjz0rvGQjKnyqN	4444
rnQFwp6Q76LzdZ	5555
r63lyTloLpZFsuw	6666
mc9OmP8UmuOV9uH	7777
iYntC4kl6nVfpnX	8888
li39uDE9rQliJqM	9999
EXu0IITYM6BP4PM	10010
DN0ufjBTp12fhlu	11011
CUBx1UMdkqJ358d	12012
8uRYT17OATe9uFv	13013
6k5vkdjopsJ29Q	14014
2XzC87GNmUdpTtN	15015

can_shop Table:




The screenshot shows the SQLTools interface with the 'can_shop' table selected. The table has five columns: 'cid' (VARCHAR(15)), 'sid' (INT), 'sname' (VARCHAR(40)), 'semployee' (VARCHAR(5)), and 'smanager' (VARCHAR(5)). The data is as follows:

cid	sid	sname	semployee	smanager
2XzC87GNmUdpTtN	15015	Much Wow Chow Chinese	Ming	Tangi
6k5vkdjopsJ29Q	14014	Pizza My Heart	Allie	Luigi
8uRYT17OATe9uFv	13013	The Maximum Trophy Sh...	Olive	Leota
CUBx1UMdkqJ358d	12012	Drakes Dry Cleaners	Stacy	Roxie
DN0ufjBTp12fhlu	11011	The Fluffy Book Store	Egypt	Gavin
EXu0IITYM6BP4PM	10010	Good Fish Cafe	Grace	Jacey
li39uDE9rQliJqM	9999	Thai Me Up	Wendi	Quang
iYntC4kl6nVfpnX	8888	Colorful Toy Store	Darin	Irene
mc9OmP8UmuOV9uH	7777	Lawn Order	Henri	Jayla
r63lyTloLpZFsuw	6666	The Busy Pet Store	Malik	Lylah
rnQFwp6Q76LzdZ	5555	Fluffy Castle Apothecary	Metro	Orene
Sbjz0rvGQjKnyqN	4444	The Awesome Pond Wan...	Kirby	Leora
t57JPJhqM9fWgQq	3333	The Brass Guard	Elvis	Fiona
ur8rFkEr7W06sB	2222	The Flowing Clock	Evans	Hanna
ySW2Ra2krehLyZE	1111	The Elegant Moon	Harvy	Janel

SQL Queries and Results

#1



The screenshot shows the SQLTools interface with a SQL query executed. The query is:

```
USE easthillshoppingmall;  
  
SELECT * FROM cashier  
WHERE cashier BETWEEN 5 AND 10;
```

The results are shown in a table with two columns: 'customer' and 'cashier'.

customer	cashier
EXu0IITYM6BP4PM	10
li39uDE9rQliJqM	9
iYntC4kl6nVfpnX	7
mc9OmP8UmuOV9uH	6
r63lyTloLpZFsuw	8
rnQFwp6Q76LzdZ	5

#2

The screenshot shows the SQLTools interface with the 'customer' table selected in the left sidebar. The SQL editor contains the following query:

```
1 USE easthillshoppingmall;  
2  
3 SELECT * FROM customer  
4 WHERE cname LIKE 'D%' AND cage >= 35;
```

The results pane on the right displays the following data:

cid	cname	cage	cemi
2XzC87GNmUdpTtN	Dwane	44	dway
li39uDE9rQliJqM	Doris	35	doris

#3

The screenshot shows the SQLTools interface with the 'building' table selected in the left sidebar. The SQL editor contains the following query:

```
1 USE easthillshoppingmall;  
2  
3 SELECT B.bname, baddress  
4 FROM building B  
5 WHERE B.bname = 'Westside';
```

The results pane on the right displays the following data:

bname	baddress
Westside	Unit J
Westside	Unit K
Westside	Unit L
Westside	Unit M

#4


The screenshot shows the SQLTools interface with the 'belongs_to' table selected in the left sidebar. The SQL editor contains the following query:

```
1 USE easthillshoppingmall;  
2  
3 SELECT T.employeed, T.sname  
4 FROM belongs_to T  
5 WHERE employeed LIKE '%';
```


The results pane on the right displays the following data:

employeed	sname
Grace	Good Fish Cafe
Olive	The Maximum Trophy Sh...
Allie	Pizza My Heart

#5



User Interface:



MySQL+phpMyAdmin+Docker Instructions

```
docker run --name db-easthillshoppingmall -p 33060:33060 -e
MYSQL_ROOT_PASSWORD=hacker -d mysql
```

```
docker exec -it db-easthillshoppingmall mysql -uroot -phacker
CREATE DATABASE easthillshoppingmall;
```

phpMyAdmin Instructions

```
docker run --name phpmyadmin -d -p 8080:80 -e
PMA_HOST=db-easthillshoppingmall phpmyadmin/phpmyadmin:latest
```

Create Network

```
docker network create project-network

docker network connect project-network db-easthillshoppingmall
docker network connect project-network phpmyadmin
```

Export database

```
docker exec
a254875a527f503e5d9d310ead573d5b97964f1b699f674b620c357393d670a6
/usr/bin/mysqldump -u root --password=hacker easthillshoppingmall >
easthillshoppingmall.sql
```