Select a definition    [ FinTech.Api v1 ]

# AxisCRM.Api   v1   OAS3

[/swagger/v1/swagger.json](/swagger/v1/swagger.json)

**Authorize** 🔓

## Atendimento ⌃

| POST | /atendimentos | Adiciona um novo atendimento. | ⌃ 🔒 |

Este endpoint adiciona um novo atendimento no sistema.

**Parameters**        [ Try it out ]

No parameters

Request body        [ application/json-patch+json ]

**Example Value**   Schema

```
{
  "assunto": "string",
  "idCliente": 0,
  "status": 1,
  "parecer": {
    "descricao": "string",
    "pessoaContato": "string",
    "status": 1,
    "idUsuario": 0,
    "idAtendimento": 0
  },
  "idUsuario": 0
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 201 | Created | *No links* |
| | Media type | |

| Code | Description | Links |
|------|-------------|-------|

<div style="border:2px solid green; padding:5px; display:inline-block;">
**text/plain**
</div>

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "assunto": "string",
  "idCliente": 0,
  "dataCadastro": "2025-05-23T05:14:38.708Z",
  "dataEncerramento": "2025-05-23T05:14:38.708Z",
  "status": 1,
  "dataUltimaAtualizacao": "2025-05-23T05:14:38.708Z",
  "idUsuario": 0,
  "pareceres": [
    {
      "id": 0,
      "descricao": "string",
      "dataCadastro": "2025-05-23T05:14:38.708Z",
      "pessoaContato": "string",
      "idAtendimento": 0,
      "idUsuario": 0,
      "dataUltimaAlteracao": "2025-05-23T05:14:38.708Z"
    }
  ],
  "historico": "string"
}
```

**400**                                                                                  *No links*

Bad Request

Media type

<div style="border:1px solid #444; padding:5px; display:inline-block;">
**text/plain**
</div>

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**401**                                                                                  *No links*

Unauthorized

Media type

<div style="border:1px solid #444; padding:5px; display:inline-block;">
**text/plain**
</div>

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

| GET | **/atendimentos**  Obtém uma lista de atendimentos filtrados. | ∧  🔓 |
|-----|--------------------------------------------------------------|-------|

Este endpoint lista os atendimentos conforme o filtro realizado.

## Parameters

<div align="right">Try it out</div>

| Name | Description |
|------|-------------|

**idUsuario**
`integer($int32)`
*(query)*

<div>idUsuario</div>

**idCliente**
`integer($int32)`
*(query)*

<div>idCliente</div>

**status**
`integer($int32)`
*(query)*

Status do atendimento:

1 = Aberto
2 = Encerrado
3 = Reaberto

*Available values* : 1, 2, 3

[ -- ]

**dataInicial**
`string($date-time)`
*(query)*

<div>dataInicial</div>

**dataFinal**
`string($date-time)`
*(query)*

<div>dataFinal</div>

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

**text/plain**

Controls `Accept` header.

**Example Value**   Schema

```
[
  {
    "id": 0,
    "assunto": "string",
    "idCliente": 0,
    "dataCadastro": "2025-05-23T05:14:38.714Z",
    "dataEncerramento": "2025-05-23T05:14:38.714Z",
    "status": 1,
```

| Code | Description | Links |
|------|-------------|-------|

```
              "dataUltimaAtualizacao": "2025-05-23T05:14:38.714Z",
              "idUsuario": 0,
              "pareceres": [
                {
                  "id": 0,
                  "descricao": "string",
                  "dataCadastro": "2025-05-23T05:14:38.714Z",
                  "pessoaContato": "string",
                  "idAtendimento": 0,
                  "idUsuario": 0,
                  "dataUltimaAlteracao": "2025-05-23T05:14:38.714Z"
                }
              ],
              "historico": "string"
            }
          ]
```

**404**                                                                        *No links*

Not Found

Media type

    text/plain

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**GET**    **/atendimentos/{idAtendimento}**    Obtém um atendimento por identificador específico.    ⌄  🔓

Este endpoint retorna os dados de um atendimento específico com base no ID.

**Parameters**                                                        **Try it out**

| Name | Description |
|------|-------------|
| **idAtendimento** * required<br>integer($int32)<br>*(path)* | idAtendimento |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

| Code | Description | Links |
|------|-------------|-------|
| | | |

**text/plain**

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "assunto": "string",
  "idCliente": 0,
  "dataCadastro": "2025-05-23T05:14:38.718Z",
  "dataEncerramento": "2025-05-23T05:14:38.718Z",
  "status": 1,
  "dataUltimaAtualizacao": "2025-05-23T05:14:38.718Z",
  "idUsuario": 0,
  "pareceres": [
    {
      "id": 0,
      "descricao": "string",
      "dataCadastro": "2025-05-23T05:14:38.718Z",
      "pessoaContato": "string",
      "idAtendimento": 0,
      "idUsuario": 0,
      "dataUltimaAlteracao": "2025-05-23T05:14:38.718Z"
    }
  ],
  "historico": "string"
}
```

**404**                                                                    *No links*

Not Found

Media type

**text/plain**

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**PUT**    **/atendimentos/{idAtendimento}**    Atualiza um atendimento existente.    ∧  🔓

Este endpoint atualiza os dados de um atendimento existente no sistema.

**Parameters**                                                        [ Try it out ]

| Name | Description |
|------|-------------|
| **idAtendimento** * required <br> **integer($int32)** <br> *(path)* | [ idAtendimento ] |

Request body                                              **application/json-patch+json**

**Example Value**   Schema

```
{
  "assunto": "string",
  "idCliente": 0
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "assunto": "string",
  "idCliente": 0,
  "dataCadastro": "2025-05-23T05:14:38.722Z",
  "dataEncerramento": "2025-05-23T05:14:38.722Z",
  "status": 1,
  "dataUltimaAtualizacao": "2025-05-23T05:14:38.722Z",
  "idUsuario": 0,
  "pareceres": [
    {
      "id": 0,
      "descricao": "string",
      "dataCadastro": "2025-05-23T05:14:38.722Z",
      "pessoaContato": "string",
      "idAtendimento": 0,
      "idUsuario": 0,
      "dataUltimaAlteracao": "2025-05-23T05:14:38.722Z"
    }
  ],
  "historico": "string"
}
```

| | | |
|------|-------------|-------|
| 400 | Bad Request | *No links* |

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

| | | |
|------|-------------|-------|
| 404 | Not Found | *No links* |

| Code | Description | Links |
|------|-------------|-------|

Media type

```
text/plain
```

**Example Value**    Schema

```json
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**PATCH**    /atendimentos/{idAtendimento}   Altera o status de um atendimento.   ∧  🔓

Este endpoint altera o status de um atendimento no sistema.

**Parameters**                                                         Try it out

| Name | Description |
|------|-------------|

**idAtendimento** * required

integer($int32)

*(path)*

```
idAtendimento
```

Request body                                      application/json-patch+json

Status do atendimento: 1 = Aberto | 2 = Encerrado | 3 = Reaberto |

**Example Value**    Schema

```json
{
  "motivo": "string",
  "status": 1
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

OK

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**    Schema

| Code | Description | Links |
|------|-------------|-------|

```
{
  "id": 0,
  "assunto": "string",
  "idCliente": 0,
  "dataCadastro": "2025-05-23T05:14:38.728Z",
  "dataEncerramento": "2025-05-23T05:14:38.728Z",
  "status": 1,
  "dataUltimaAtualizacao": "2025-05-23T05:14:38.728Z",
  "idUsuario": 0,
  "pareceres": [
    {
      "id": 0,
      "descricao": "string",
      "dataCadastro": "2025-05-23T05:14:38.728Z",
      "pessoaContato": "string",
      "idAtendimento": 0,
      "idUsuario": 0,
      "dataUltimaAlteracao": "2025-05-23T05:14:38.728Z"
    }
  ],
  "historico": "string"
}
```

**400**                                                                          *No links*

Bad Request

Media type

| text/plain |
|------------|

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**404**                                                                          *No links*

Not Found

Media type

| text/plain |
|------------|

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**POST**    **/atendimentos/{idAtendimento}/pareceres**  Adiciona um novo parecer a um atendimento.    ∧  🔓

Este endpoint adiciona um novo parecer a um atendimento do sistema.

**Parameters**                                                          Try it out

| Name | Description |
|------|-------------|
| **idAtendimento** * required <br> `integer($int32)` <br> *(path)* | idAtendimento |

**Request body**

<div style="text-align: right;">application/json-patch+json</div>

**Example Value**   Schema

```
{
  "descricao": "string",
  "pessoaContato": "string",
  "status": 1,
  "idUsuario": 0,
  "idAtendimento": 0
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 201 | Created | *No links* |

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "descricao": "string",
  "dataCadastro": "2025-05-23T05:14:38.734Z",
  "pessoaContato": "string",
  "idAtendimento": 0,
  "idUsuario": 0,
  "dataUltimaAlteracao": "2025-05-23T05:14:38.734Z"
}
```

| 400 | Bad Request | *No links* |
|-----|-------------|------------|

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

| Code | Description | Links |
|------|-------------|-------|
| 401 | Unauthorized | No links |

Media type

text/plain

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**GET**    `/atendimentos/{idAtendimento}/pareceres/{idParecer}`    Obtém um parecer por identificador específico vinculado ao atendimento.    🔓

Este endpoint retorna os dados de um parecer específico com base no identificador do parecer e do atendimento.

**Parameters**                                                         Try it out

| Name | Description |
|------|-------------|
| **idAtendimento** * required<br>integer($int32)<br>*(path)* | idAtendimento |
| **idParecer** * required<br>integer($int32)<br>*(path)* | idParecer |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

Media type

text/plain

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "descricao": "string",
  "dataCadastro": "2025-05-23T05:14:38.741Z",
```

| Code | Description | Links |
|---|---|---|

```
        "pessoaContato": "string",
        "idAtendimento": 0,
        "idUsuario": 0,
        "dataUltimaAlteracao": "2025-05-23T05:14:38.741Z"
    }
```

**404**                                                                    *No links*

Not Found

Media type

    text/plain

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**PUT**      **/atendimentos/{idAtendimento}/pareceres/{idParecer}**  Atualiza um parecer existente.      ∧  🔓

Este endpoint atualiza os dados de um parecer existente no sistema.

**Parameters**                                                           Try it out

| Name | Description |
|---|---|
| **idAtendimento** * required <br> integer($int32) <br> *(path)* | idAtendimento |
| **idParecer** * required <br> integer($int32) <br> *(path)* | idParecer |

Request body                                          application/json-patch+json

**Example Value**   Schema

```
{
  "descricao": "string",
  "pessoaContato": "string"
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | | No links |

OK

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "descricao": "string",
  "dataCadastro": "2025-05-23T05:14:38.746Z",
  "pessoaContato": "string",
  "idAtendimento": 0,
  "idUsuario": 0,
  "dataUltimaAlteracao": "2025-05-23T05:14:38.746Z"
}
```

| 400 | | No links |

Bad Request

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

| 404 | | No links |

Not Found

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

# Cliente ∧

**POST**   `/clientes`   Adiciona um novo cliente.   ∧ 🔓

Este endpoint adiciona um novo cliente no sistema.

## Parameters　　　　　　　　　　　　　　　　　　　　[ Try it out ]

No parameters

Request body　　　　　　　　　　　　　　　　[ application/json-patch+json ]

**Example Value**　Schema

```
{
  "nome": "string",
  "cpfCnpj": "string",
  "telefone": "string",
  "email": "string",
  "observacao": "string",
  "tipoPessoa": 1
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

Media type

[ text/plain ]

Controls `Accept` header.

**Example Value**　Schema

```
{
  "id": 0,
  "nome": "string",
  "tipoPessoa": 0,
  "cpfCnpj": "string",
  "telefone": "string",
  "email": "string",
  "observacao": "string",
  "dataCadastro": "2025-05-23T05:14:38.750Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.750Z"
}
```

| 400 | Bad Request | No links |

Media type

[ text/plain ]

**Example Value**　Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
```

| Code | Description | Links |
|------|-------------|-------|

```
        "instance": "string",
        "additionalProp1": "string",
        "additionalProp2": "string",
        "additionalProp3": "string"
    }
```

**401**            *No links*

Unauthorized

Media type

```
text/plain
```

**Example Value**   Schema

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "detail": "string",
    "instance": "string",
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
}
```

---

**GET**      **/clientes**   Obtém uma lista de clientes.            ∧   🔓

Este endpoint lista todos os clientes cadastrados no sistema.

**Parameters**                                    Try it out

| Name | Description |
|------|-------------|
| Pagina<br>**integer($int32)**<br>*(query)* | Pagina |
| TamanhoPagina<br>**integer($int32)**<br>*(query)* | TamanhoPagina |

**Responses**

| Code | Description | Links |
|------|-------------|-------|

**200**            *No links*

OK

Media type

```
text/plain
```
Controls `Accept` header.

**Example Value**   Schema

| Code | Description | Links |
|------|-------------|-------|

```
{
  "paginaAtual": 0,
  "totalPaginas": 0,
  "totalItens": 0,
  "tamanhoPagina": 0,
  "itens": [
    {
      "id": 0,
      "nome": "string",
      "tipoPessoa": 0,
      "cpfCnpj": "string",
      "telefone": "string",
      "email": "string",
      "observacao": "string",
      "dataCadastro": "2025-05-23T05:14:38.754Z",
      "excluido": true,
      "dataExclusao": "2025-05-23T05:14:38.754Z"
    }
  ]
}
```

| Code | Description | Links |
|------|-------------|-------|
| 404 | Not Found | No links |

Media type

**text/plain**

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**GET**   **/clientes/{id}**   Obtém um cliente por identificador específico.   🔓

Este endpoint retorna os dados de um cliente específico com base no ID.

**Parameters**                                                          Try it out

| Name | Description |
|------|-------------|
| id * required<br>integer($int32)<br>(path) | id |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | No links |

| Code | Description | Links |
|---|---|---|

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "nome": "string",
  "tipoPessoa": 0,
  "cpfCnpj": "string",
  "telefone": "string",
  "email": "string",
  "observacao": "string",
  "dataCadastro": "2025-05-23T05:14:38.757Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.757Z"
}
```

**404**                                                                            *No links*

Not Found

Media type

```
text/plain
```

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**PUT**      **/clientes/{id}**  Atualiza um cliente existente.                      ∧  🔓

Este endpoint atualiza os dados de um cliente existente no sistema.

**Parameters**                                                          Try it out

| Name | Description |
|---|---|
| **id** * required <br> **integer($int32)** <br> *(path)* | id |

Request body                                              application/json-patch+json

**Example Value**    Schema

```
{
  "nome": "string",
  "cpfCnpj": "string",
  "telefone": "string",
```

```
    "email": "string",
    "observacao": "string",
    "tipoPessoa": 1
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200  |             | *No links* |

OK

Media type

text/plain

Controls `Accept` header.

**Example Value**   Schema

```
{
    "id": 0,
    "nome": "string",
    "tipoPessoa": 0,
    "cpfCnpj": "string",
    "telefone": "string",
    "email": "string",
    "observacao": "string",
    "dataCadastro": "2025-05-23T05:14:38.762Z",
    "excluido": true,
    "dataExclusao": "2025-05-23T05:14:38.762Z"
}
```

| Code | Description | Links |
|------|-------------|-------|
| 400  |             | *No links* |

Bad Request

Media type

text/plain

**Example Value**   Schema

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "detail": "string",
    "instance": "string",
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
}
```

| Code | Description | Links |
|------|-------------|-------|
| 404  |             | *No links* |

Not Found

Media type

text/plain

**Example Value**   Schema

```
{
    "type": "string",
    "title": "string",
    "status": 0,
    "detail": "string",
    "instance": "string",
    "additionalProp1": "string",
```

| Code | Description | Links |
|------|-------------|-------|

```
        "additionalProp2": "string",
        "additionalProp3": "string"
    }
```

| DELETE | /clientes/{id}  Exclui um cliente. | ∧  🔓 |
|--------|-----------------------------------|------|

Este endpoint exclui um cliente do sistema.

**Parameters**                                                    [ Try it out ]

| Name | Description |
|------|-------------|

**id** * required
integer($int32)
*(path)*

[ id ]

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

[ text/plain ]

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "nome": "string",
  "tipoPessoa": 0,
  "cpfCnpj": "string",
  "telefone": "string",
  "email": "string",
  "observacao": "string",
  "dataCadastro": "2025-05-23T05:14:38.765Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.765Z"
}
```

| 404 | Not Found | *No links* |
|-----|-----------|------------|

Media type

[ text/plain ]

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
```

| Code | Description | Links |
|------|-------------|-------|

```
        "instance": "string",
        "additionalProp1": "string",
        "additionalProp2": "string",
        "additionalProp3": "string"
    }
```

# Usuario ⌃

**POST**    `/usuarios/login`   Efetua a autenticação do usuário no sistema.    ⌃ 🔓

Este endpoint retorna o token de autenticação do usuário.

## Parameters

[ Try it out ]

No parameters

Request body      [ application/json-patch+json ]

**Example Value**   Schema

```
{
  "email": "string",
  "senha": "string"
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

[ **text/plain** ]

Controls `Accept` header.

**Example Value**   Schema

```
{
  "email": "string",
  "token": "string"
}
```

| 400 | Bad Request | *No links* |

Media type

[ **text/plain** ]

**Example Value**   Schema

| Code | Description | Links |
|---|---|---|

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

404     *No links*

Not Found

Media type

**text/plain**

**Example Value**  Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

## POST  /usuarios  Adiciona um novo usuário.

Este endpoint adiciona um novo usuário no sistema.

**Parameters**    Try it out

No parameters

Request body    application/json-patch+json

Perfis de usuário: 1 = Administrador | 2 = Padrão | 3 = Moderador |

**Example Value**  Schema

```
{
  "email": "string",
  "senha": "string",
  "perfil": 1
}
```

**Responses**

| Code | Description | Links |
|---|---|---|
| 200 | OK | *No links* |

| Code | Description | Links |
|------|-------------|-------|
| | | |

Media type

> text/plain

Controls `Accept` header.

**Example Value**   Schema

```
{
  "id": 0,
  "email": "string",
  "perfil": 0,
  "dataCadastro": "2025-05-23T05:14:38.773Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.773Z"
}
```

**400**   No links

Bad Request

Media type

> text/plain

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**401**   No links

Unauthorized

Media type

> text/plain

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**403**   No links

Forbidden

Media type

> text/plain

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
```

| Code | Description | | Links |
|------|-------------|--|-------|

```
        "additionalProp1": "string",
        "additionalProp2": "string",
        "additionalProp3": "string"
      }
```

| GET | /usuarios | Obtém uma lista de usuários. | ∧ 🔓 |
|-----|-----------|------------------------------|------|

Este endpoint retorna uma lista de usuários do sistema.

**Parameters**                                         [ Try it out ]

| Name | Description |
|------|-------------|
| Pagina<br>**integer($int32)**<br>*(query)* | [ Pagina ] |
| TamanhoPagina<br>**integer($int32)**<br>*(query)* | [ TamanhoPagina ] |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

[ **text/plain** ]

Controls `Accept` header.

**Example Value**   Schema

```
{
  "paginaAtual": 0,
  "totalPaginas": 0,
  "totalItens": 0,
  "tamanhoPagina": 0,
  "itens": [
    {
      "id": 0,
      "email": "string",
      "perfil": 0,
      "dataCadastro": "2025-05-23T05:14:38.778Z",
      "excluido": true,
      "dataExclusao": "2025-05-23T05:14:38.779Z"
    }
  ]
}
```

| 403 | Forbidden | *No links* |
|-----|-----------|------------|

Media type

| Code | Description | Links |
|------|-------------|-------|

text/plain

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**404**                                                                                          *No links*

Not Found

Media type

text/plain

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**GET**    `/usuarios/{id}`  Obtém um usuário por identificador específico.    🔓

Este endpoint retorna os dados de um usuário específico com base no ID.

| Parameters | | Try it out |
|------------|---|-----------|

| Name | Description |
|------|-------------|
| **id** * required<br>`integer($int32)`<br>*(path)* | id |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| **200** | OK | *No links* |

Media type

| Code | Description | Links |
|------|-------------|-------|

<div style="border:1px solid green; display:inline-block; padding:4px">text/plain</div>

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "email": "string",
  "perfil": 0,
  "dataCadastro": "2025-05-23T05:14:38.782Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.782Z"
}
```

**403**                                                                       *No links*

Forbidden

Media type

<div style="border:1px solid black; display:inline-block; padding:4px">text/plain</div>

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**404**                                                                       *No links*

Not Found

Media type

<div style="border:1px solid black; display:inline-block; padding:4px">text/plain</div>

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**PUT**    `/usuarios/{id}`  Atualiza um usuário existente.             ∧ 🔓

Este endpoint atualiza os dados de um usuário existente no sistema.

**Parameters**                                                    Try it out

| Name | Description |
|------|-------------|
| **id** * required<br>`integer($int32)`<br>*(path)* | id |

Request body

**Example Value**  Schema

```
{
  "email": "string",
  "senha": "string",
  "perfil": 1
}
```

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**  Schema

```
{
  "id": 0,
  "email": "string",
  "perfil": 0,
  "dataCadastro": "2025-05-23T05:14:38.787Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.787Z"
}
```

| 400 | Bad Request | *No links* |

Media type

```
text/plain
```

**Example Value**  Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

| 403 | Forbidden | *No links* |

| Code | Description | Links |
|------|-------------|-------|

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**404**                                                                                *No links*

Not Found

Media type

```
text/plain
```

**Example Value**   Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

**DELETE**    **/usuarios/{id}**   Exclui um usuário.                        ∧   🔓

Este endpoint exclui um usuário do sistema.

**Parameters**                                                        Try it out

| Name | Description |
|------|-------------|
| **id** * required<br>integer($int32)<br>*(path)* | id |

**Responses**

| Code | Description | Links |
|------|-------------|-------|
| 200 | OK | *No links* |

| Code | Description | Links |
|------|-------------|-------|

Media type

```
text/plain
```

Controls `Accept` header.

**Example Value**    Schema

```
{
  "id": 0,
  "email": "string",
  "perfil": 0,
  "dataCadastro": "2025-05-23T05:14:38.791Z",
  "excluido": true,
  "dataExclusao": "2025-05-23T05:14:38.791Z"
}
```

**403**                                                                          *No links*

Forbidden

Media type

```
text/plain
```

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

**404**                                                                          *No links*

Not Found

Media type

```
text/plain
```

**Example Value**    Schema

```
{
  "type": "string",
  "title": "string",
  "status": 0,
  "detail": "string",
  "instance": "string",
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

---

## Schemas    ∧

**AxisCRM.Api.DTO.Atendimento.AtendimentoEdicaoRequestDTO**

**AxisCRM.Api.DTO.Atendimento.AtendimentoEdicaoStatusRequestDTO**

**AxisCRM.Api.DTO.Atendimento.AtendimentoRequestDTO**

**AxisCRM.Api.DTO.Atendimento.AtendimentoResponseDTO**

**AxisCRM.Api.DTO.Cliente.ClienteRequestDTO**

**AxisCRM.Api.DTO.Cliente.ClienteResponseDTO**

**AxisCRM.Api.DTO.PaginacaoResponseDTO`1[[AxisCRM.Api.DTO.Cliente.ClienteResponseDTO, AxisCRM.Api, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null]]**

**AxisCRM.Api.DTO.PaginacaoResponseDTO`1[[AxisCRM.Api.DTO.Usuario.UsuarioResponseDTO, AxisCRM.Api, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null]]**

**AxisCRM.Api.DTO.Parecer.ParecerEdicaoRequestDTO**

**AxisCRM.Api.DTO.Parecer.ParecerRequestDTO**

**AxisCRM.Api.DTO.Parecer.ParecerResponseDTO**

**AxisCRM.Api.DTO.Usuario.UsuarioLoginRequestDTO**

**AxisCRM.Api.DTO.Usuario.UsuarioLoginResponseDTO**

**AxisCRM.Api.DTO.Usuario.UsuarioRequestDTO**

**AxisCRM.Api.DTO.Usuario.UsuarioResponseDTO**

**AxisCRM.Api.Domain.Enums.PerfilUsuario**

**AxisCRM.Api.Domain.Enums.StatusAtendimento**

**AxisCRM.Api.Domain.Enums.TipoPessoa**

**Microsoft.AspNetCore.Mvc.ProblemDetails**