

HW10 Chrome Dev Tools

Patrick Banting

Chrome DevTools implementation report for Project 2 / Giga Pet.

Requirements Covered

✓ Message Logging	✓ Log Info
✓ Log Warning	✓ Log Error
✓ Log Table	✓ Log Group
✓ Log Custom	✓ View messages logged by the browser
✓ Cause 404 network error	✓ Cause TypeError
✓ Cause Violation	✓ Filter Messages
✓ Filter by log level	✓ Filter by text
✓ Filter by regular expression	✓ Filter by message source
✓ Filter by user messages	✓ Reproduce a bug
✓ Get Familiar with the Sources UI	✓ Pause the code with a breakpoint
✓ Set a line-of-code breakpoint	✓ Check variable values
✓ The Scope Pane	✓ Watch Expressions
✓ The Console	✓ Apply a fix

The screenshots below are organized to match the assignment requirements and use all provided DevTools images.

Figure 1. Console Logging Overview

Shows message logging with `console.log`, `console.info`, `console.warn`, `console.error`, `console.table`, `console.group`, and a custom styled console message. It also shows browser messages, a 404/fetch error, a `TypeError`, and user button logs.




Figure 2. Filter Messages - Log Level

The Console is filtered to Errors only. This demonstrates filtering by log level and shows only error-level messages.




Figure 3. Filter Messages - Text

The Console filter uses the text treat, so only matching messages such as Treat button clicked are displayed.




Figure 4. Filter Messages - Regular Expression

The Console filter uses `/error/i` to find messages matching the word error, regardless of capitalization.




Figure 5. Filter Messages - Source

The Console filter uses script.js to show messages coming from the JavaScript source file.




Figure 6. Filter Messages - User Messages

Custom levels reduce extra browser noise and keep the important user-created logs, warnings, and errors visible.




Figure 7. Sources UI

The Sources tab is open with script.js selected, showing the project file tree and JavaScript code.




Figure 8. Pause with a Breakpoint

The code is paused on the debugger statement in script.js. This demonstrates pausing execution with a breakpoint.




Figure 9. Set a Line-of-Code Breakpoint

The breakpoint is set on line 77 in script.js, so DevTools pauses when that line is reached.




Figure 10. Scope Pane

The Scope pane shows available local and global values while execution is paused.




Figure 11. Watch Expressions

A watch expression tracks `pet_info.weight` and shows its current value while the code is paused.




Figure 12. Console While Paused

The Console is used while paused to inspect `pet_info` and view current values for the `pet` object.

```
allow pasting  
> pet_info  
< ▶ {name: 'Buddy', weight: 19, happiness: 58}
```

Figure 13. Check Variable Values and Cause Violation

The Console shows the pet object values, a performance violation warning, and browser-generated network error messages.

Pet initialized: {name: 'Buddy', weight: 20, happiness: 50}

script.js:115

App loaded

script.js:116

Warning example

(anonymous) @ script.js:117

script.js:117

Error example

(anonymous) @ script.js:118

script.js:118

(index)

name

weight

happiness

0

'Buddy'

20

50

script.js:121

Array(1)

Pet Info

{name: 'Buddy', weight: 20, happiness: 50}

script.js:124

script.js:125

Giga Pet Running 🐶

script.js:129

Buggy result: 2

script.js:153

[Violation] 'DOMContentLoaded' handler took 21794ms

jquery-2.2.1.min.js:2

Access to fetch at 'https://example.com/not-found' from origin 'http://127.0.0.1:5500' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.

index.html:1

GET https://example.com/not-found net::ERR_FAILED 404 (Not Found)

script.js:132

🔗

Uncaught (in promise) TypeError: Failed to fetch

script.js:132

🔗

✖

at script.js:132:1

>

Figure 14. Reproduce a Bug

The buggyAdd function produces Buggy result: 2, which is incorrect for 5 + 3 and reproduces the bug.

Pet initialized: {name: 'Buddy', weight: 20, happiness: 50}

App loaded

Warning example

(anonymous) @ script.js:117

Error example

(anonymous) @ script.js:118

(index)	name	weight	happiness
0	'Buddy'	20	50

Array(1)

Pet Info

{name: 'Buddy', weight: 20, happiness: 50}

Giga Pet Running 🐶

Buggy result: 2

[Violation] 'DOMContentLoaded' handler took 21794ms

Access to fetch at 'https://example.com/not-found' from origin 'http://127.0.0.1:5500' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.

GET https://example.com/not-found net::ERR_FAILED 404 (Not Found)

Uncaught (in promise) TypeError: Failed to fetch

script.js:115

script.js:116

script.js:117

script.js:118

script.js:121

script.js:124

script.js:125

script.js:129

script.js:153

jquery-2.2.1.min.js:2

index.html:1

script.js:132

script.js:132

Figure 15. Apply a Fix

After changing the buggy function from subtraction to addition, the Console shows Buggy result: 8.

Pet initialized: {name: 'Buddy', weight: 20, happiness: 50}

App loaded

Warning example

Error example

(index)	name	weight	happiness
0	'Buddy'	20	50

Array(1)

Pet Info

{name: 'Buddy', weight: 20, happiness: 50}

Giga Pet Running 🐶

Buggy result: 8

Access to fetch at 'https://example.com/not-found' from origin 'http://127.0.0.1:5500' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.

GET https://example.com/not-found net::ERR_FAILED 404 (Not Found)

Uncaught (in promise) TypeError: Failed to fetch at script.js:132:1

Conclusion

These DevTools examples show how I logged messages, caused and inspected errors, filtered console output, used the Sources UI, paused code with breakpoints, inspected variables, used watch expressions, reproduced a bug, and applied a fix.