```
'use client';
import * as React from 'react';
import * as SliderPrimitive from '@radix-ui/react-slider';
import { cn } from '@/shared/utils/cn';
const Slider = React.forwardRef<
 React.ElementRef<typeof SliderPrimitive.Root>,
 React.ComponentPropsWithoutRef<typeof SliderPrimitive.Root>
>(({ className, ...props }, ref) => (
 <SliderPrimitive.Root
  ref={ref}
  className={cn(
   'relative flex w-full touch-none select-none items-center',
   className,
  )}
  {...props}
      <SliderPrimitive.Track className="relative h-2 w-full grow overflow-hidden rounded-full
bg-secondary">
   <SliderPrimitive.Range className="absolute h-full bg-primary" />
  </SliderPrimitive.Track>
      <SliderPrimitive.Thumb className="block h-5 w-5 rounded-full border-2 border-primary
bg-background
                     ring-offset-background
                                                   transition-colors
                                                                          focus-visible:outline-none
```

focus-visible:ring-2 focus-visible:ring-focus-visible:ring-offset-0 disabled:pointer-events-none

```
disabled:opacity-50" />
    </SliderPrimitive.Root>
));
Slider.displayName = SliderPrimitive.Root.displayName;
export { Slider };
```