```
'use client';
import * as React from 'react';
import * as CollapsiblePrimitive from '@radix-ui/react-collapsible';
import { cn } from '@/shared/utils/cn';
type CollapsibleProps = React.ComponentPropsWithoutRef<
 typeof CollapsiblePrimitive.Root
>;
const Collapsible = React.forwardRef<HTMLDivElement, CollapsibleProps>(
 ({ className, children, ...props }, ref) => (
  <CollapsiblePrimitive.Root
   ref={ref}
   className={cn('relative flex w-full', className)}
   {...props}
   {children}
  </CollapsiblePrimitive.Root>
),
);
Collapsible.displayName = 'Collapsible';
type CollapsibleTriggerProps = React.ComponentPropsWithoutRef<
```

```
typeof CollapsiblePrimitive.Trigger
>;
const CollapsibleTrigger = React.forwardRef<
 HTMLButtonElement,
 CollapsibleTriggerProps
>(({ children, className, ...props }, ref) => (
 < Collapsible Primitive. Trigger
  ref={ref}
  className={cn('flex items-center w-full', className)}
  {...props}
 >
  {children}
 </CollapsiblePrimitive.Trigger>
));
CollapsibleTrigger.displayName = 'CollapsibleTrigger';
type CollapsibleContentProps = React.ComponentPropsWithoutRef<
 typeof CollapsiblePrimitive.Content
>;
const CollapsibleContent = React.forwardRef<
 HTMLDivElement,
 CollapsibleContentProps
>(({ className, children, ...props }, ref) => (
```

```
<CollapsiblePrimitive.Content
ref={ref}
className={cn('overflow-hidden collapsible-content', className)}
{...props}
>
    {children}
</CollapsiblePrimitive.Content>
));

CollapsibleContent.displayName = 'CollapsibleContent';
export { Collapsible, CollapsibleTrigger, CollapsibleContent };
```