

```
import * as React from "react"
```

```
import { cva, type VariantProps } from "class-variance-authority"
```

```
import { cn } from "@lib/utils"
```

```
const alertVariants = cva(
```

```
  "relative w-full rounded-lg border p-4 [&>svg~*]:pl-7 [&>svg+div]:translate-y-[-3px] [&>svg]:absolute  
  [&>svg]:left-4 [&>svg]:top-4 [&>svg]:text-foreground",
```

```
{
```

```
  variants: {
```

```
    variant: {
```

```
      default: "bg-background text-foreground",
```

```
      destructive:
```

```
        "border-destructive/50 text-destructive dark:border-destructive [&>svg]:text-destructive",
```

```
    },
```

```
  },
```

```
  defaultVariants: {
```

```
    variant: "default",
```

```
  },
```

```
}
```

```
)
```

```
const Alert = React.forwardRef<
```

```
  HTMLDivElement,
```

```
  React.HTMLAttributes<HTMLDivElement> & VariantProps<typeof alertVariants>
```

```
>(({ className, variant, ...props }, ref) => (
```

```
<div
  ref={ref}
  role="alert"
  className={cn(alertVariants({ variant }), className)}
  {...props}
/>
))
Alert.displayName = "Alert"
```

```
const AlertTitle = React.forwardRef<
  HTMLParagraphElement,
  React.HTMLAttributes<HTMLHeadingElement>
>(({ className, ...props }, ref) => (
  <h5
    ref={ref}
    className={cn("mb-1 font-medium leading-none tracking-tight", className)}
    {...props}
  />
))
AlertTitle.displayName = "AlertTitle"
```

```
const AlertDescription = React.forwardRef<
  HTMLParagraphElement,
  React.HTMLAttributes<HTMLParagraphElement>
>(({ className, ...props }, ref) => (
  <div
```

```
    ref={ref}

    className={cn("text-sm [&_p]:leading-relaxed", className)}

    {...props}

  />

))

AlertDescription.displayName = "AlertDescription"

export { Alert, AlertTitle, AlertDescription }
```