```
import { Button } from '@/shared/components/spread_sheet_swarm/ui/button';
import React from 'react';
import InfoCard from '../info-card';
import { Bot, PencilRuler } from 'lucide-react';
import { makeUrl } from '@/shared/utils/helpers';
import { PUBLIC } from '@/shared/constants/links';
import { checkUserSession } from '@/shared/utils/auth-helpers/server';
import { ExplorerSkeletonLoaders } from '@/shared/components/loaders/model-skeletion';
export default function Swarms({
 isLoading,
 pendingSwarms,
 filteredSwarms,
 setAddSwarmModalOpen,
}: any) {
 async function handleSwarmsModal() {
  await checkUserSession();
  setAddSwarmModalOpen(true);
 }
 return (
  <div className="flex flex-col min-h-1/2 gap-2 py-8">
   <div className="flex justify-between items-center">
     <h1 className="text-3xl font-bold pb-2">Swarms</h1>
     <Button onClick={handleSwarmsModal} disabled={isLoading}>
      Add Swarm
```

```
</Button>
   </div>
   {isLoading && <ExplorerSkeletonLoaders />}
             <div className="grid grid-cols-3 gap-4 max-sm:grid-cols-1 max-md:grid-cols-1</pre>
max-lg:grid-cols-2">
     {pendingSwarms.data?.data?.length > 0 || filteredSwarms?.length > 0 ? (
      <div>
       {!isLoading &&
        pendingSwarms.data?.data?.map((swarm: any) => (
         <div className=" w-full h-[220px] sm:w-full" key={swarm.id}>
           <InfoCard
            title={`${swarm.name} [PENDING]`}
            description={swarm.description || "}
            icon={<Bot />}
            className="w-full h-full"
            link={swarm.pr_link || '#'}
          />
         </div>
        ))}
       {!isLoading &&
        filteredSwarms?.map((swarm: any) => (
         <div className=" w-full h-[220px] sm:w-full" key={swarm.id}>
           <InfoCard
            title={swarm.name || "}
            description={swarm.description || "}
            icon={<Bot />}
```

```
className="w-full h-full"
          btnLabel="Get Started"
          userId={swarm.user_id}
          link={makeUrl(PUBLIC.SWARM, { name: swarm.name })}
         />
        </div>
       ))}
    </div>
   ):(
    !isLoading && (
      <div className="border p-4 rounded-md text-center">
       Coming Soon...
      </div>
    )
   )}
  </div>
 </div>
);
```

}