```
%PDF-1.5
%
471 0 obj
<</Linearized 1/L 904189/O 473/E 178340/N 24/T 894653/H [ 1456 1390]>>
endobj
xref
471 58
0000000016 00000 n
0000002846 00000 n
0000002979 00000 n
0000004059 00000 n
0000004480 00000 n
0000004868 00000 n
0000005091 00000 n
0000005634 00000 n
0000006213 00000 n
0000006678 00000 n
0000006715 00000 n
0000006805 00000 n
0000006917 00000 n
0000007031 00000 n
0000007376 00000 n
0000007724 00000 n
0000008168 00000 n
0000008490 00000 n
```

0000052860 00000 n

```
0000060780 00000 n
0000060819 00000 n
0000175855 00000 n
0000176308 00000 n
0000176382 00000 n
0000176717 00000 n
0000176951 00000 n
0000177344 00000 n
0000177418 00000 n
0000177723 00000 n
0000177907 00000 n
0000178281 00000 n
0000001456 00000 n
trailer
<</Size
                529/Root
                                 472
                                                         R/Info
                                                                        470
                                                                                     0
                                              0
R/ID[<D0B17C0ECB784E7BAA5A76F6AD60761E><0E563F5F986F42008C898427362C7ECE>]/P
rev 894641>>
startxref
0
%%EOF
528 0 obj
<</Filter/FlateDecode/I 1907/L 1891/Length 1298/S 1517>>stream
hUol e •]="k-d= ju UX L IH 1b01 \1 |>=w V2r| C>xo-w H•,eAY3W~0
C9e^d|!I~•jOj\t#pEqhLg { 3p;;h"
```

0000052908 00000 n

```
T {v, 4HT5UGThHC"
Н3 ј
L#,y QC <x\a3 F}H"T 1s(%EC f ]336.LDRhc.I @~Q 23p" e WT$ 28=m. y PK sM9= ' )3 C Y rz\
xcO>c Fd d
C z+` 88-> v1 mK/L== P=
5Dw / ~%) i$d 9'i)TsB
  8K4F iY (~Pm Wf gw$tl 37{{}0"~H7W^~@fnmXz@-`w ZY x /s Mb{d+ &h}{* GDg**,id6il! G80"dFC}G
C r < 6 \text{Jumves} = 2 \text{Jumv
Qr 'O a^:Ut .ES]6 B g a>rX
  V?0 vd6b_ |E(V
zL!W XT
Vt ]Ar vYr8w> o[!O3<u ~Vk c }GhY -vJ.pj,.}d u0n U Er X 49?v 1 /0Xi*
  *Z/O| Ij!o0w}• lo
endstream
endobj
472 0 obj
<</Lang(en-US)/Metadata
                                                                                                                                                                                                                                                                                                                   0
                                                                                               469
                                                                                                                         0
                                                                                                                                           R/PageLabels
                                                                                                                                                                                                                              0
                                                                                                                                                                                                                                                 R/Pages
                                                                                                                                                                                                                                                                                          464
                                                                                                                                                                                                     462
R/Type/Catalog/ViewerPreferences<</Direction/L2R>>>>
endobj
473 0 obi
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents[490 0 R 491 0 R 500 0 R
501 0 R 502 0 R 503 0 R 504 0 R 505 0 R]/CropBox[0.0 0.0 612.0 792.0]/Group 527 0
R/MediaBox[0.0
                                                                                     0.0
                                                                                                                                  612.0
                                                                                                                                                                                      792.0]/Parent
                                                                                                                                                                                                                                                                    465
                                                                                                                                                                                                                                                                                                                   0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
```

S U^O4ge+mf

0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320038005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</o>
1109>>/PageWidthList<</o>
612.0>>>>>/Resources<</o>
/CSO 480 0 R>>/ExtGState<</GSO 482 0 R/GS1 483 0
R>>/Font<</td>
 R/T1_0 474 0 R/T1_1 475 0 R/T1_2 476 0 R/T1_3 477 0 R/T1_4 496 0 R/T1_5 499 0
R>>/ProcSet[/PDF/Text]/XObject<</fr>
/// Signal Armonic Armoni

474 0 obj

endobj

475 0 obj

476 0 obj

<//BaseFont/MVGHXJ+MyriadPro-LightCondIt/Encoding/WinAnsiEncoding/FirstChar
48/FontDescriptor 488 0 R/LastChar 57/Subtype/Type1/ToUnicode 489 0 R/Type/Font/Widths[360]

360 360 360 360 360 360 360 360]>>

endobj

477 0 obj

endobj

478 0 obj

<</Filter/FlateDecode/Length 509>>stream

 $H\@ < w + f \ Bz \ Q < ZKZL5_i \sim sn6 \ 0].k \ K3\%i0 _iL?2 \ 9ll \sim \&=a1kSh5 \ oh\{w\sim_\}uNvujZ?7'U >> \SNw_Vi, \ UxP \ Y ++:Q_\bullet Xf\$U>\%9u \]P \ [m\{,XcK \ R[hG \ R+4----ks"e ,Y,XFaI*\ ^W \ x^W \ xy \ yEw \ \{200|\%F \ zN]3 \ dWfWdW+$

~%_W+

~%_W+

EFm c\$yko F-w1LW?•iLpJ 0 -

endstream

endobi

479 0 obj

<</Ascent 917/CapHeight

660/CharSet(/ff/fl/fi/space/parenleft/parenright/comma/hyphen/period/zero/one/two/colon/A/B/C/D/E/F/G/H/I/J/L/M/N/O/P/Q/R/S/T/W/a/b/c/d/e/f/g/h/i/j/k/l/m/n/o/p/q/r/s/t/u/v/w/x/y/z/endash/emdash)/Desc ent -338/Flags 98/FontBBox[-182 -338 1668 917]/FontFamily(Adobe Garamond Pro)/FontFile3 506

```
0
    R/FontName/MVGHXJ+AGaramondPro-Italic/FontStretch/Normal/FontWeight
                                                                              400/ItalicAngle
-19/StemV 68/Type/FontDescriptor/XHeight 408>>
endobj
480 0 obj
[/ICCBased 512 0 R]
endobj
481 0 obj
<</BaseEncoding/WinAnsiEncoding/Differences[29/ff/fl/fi]/Type/Encoding>>
endobj
482 0 obj
<</AIS false/BM/Normal/CA 1.0/OP true/OPM 0/SA true/SMask/None/Type/ExtGState/ca 1.0/op
true>>
endobj
483 0 obj
<</AIS false/BM/Normal/CA 1.0/OP false/OPM 1/SA true/SMask/None/Type/ExtGState/ca 1.0/op
false>>
endobj
484 0 obj
<</Filter/FlateDecode/Length 275>>stream
H = >, Y 4 PR
YB>@ThTY; *|2( [9`Y q . e)1N - %8=*;7k \ (mALF/{ W d^Q^B!T^fUQ L Z ZFEM = U,...
LU*r&+ S`!1.sGd&4>M v [rFOfj q f ;X]
endstream
endobj
485 0 obj
```

<</Ascent 935/CapHeight

674/CharSet(/space/colon/A/C/D/E/F/G/I/K/L/M/N/O/R/S/T/U/V/W/Y/a/d/e/i/l/n/o/r/t/u/y)/Descent -250/Flags 32/FontBBox[-140 -250 970 935]/FontFamily(Myriad Pro Cond)/FontFile3 509 0 R/FontName/MVGHXJ+MyriadPro-Cond/FontStretch/Condensed/FontWeight 400/ItalicAngle 0/StemV 76/Type/FontDescriptor/XHeight 484>> endobj

486 0 obj

<</Filter/FlateDecode/Length 374>>stream

 $H\0 y \& a>+Q=;)-$ Xn fv0$

7_sb_ $5 e^{\ }$; ke o D \sqrt{f} ,

ZoU 2

en^X< azh` | IO& Lk]&t8q 6 E&0.)sJe +fE5a6; @3G#D|fX } (QGb C>} (19GS M9p59kSaOC3 e 4i {'U8Q1 { 0vc2aXE ` f

endstream

endobj

487 0 obj

<//Ascent 921/CapHeight 674/CharSet(/space/zero/two/three/A/i/l/p/r/bar)/Descent -250/Flags 32/FontBBox[-134 -250 970 921]/FontFamily(Myriad Pro Light Cond)/FontFile3 507 0 R/FontName/MVGHXJ+MyriadPro-LightCond/FontStretch/Condensed/FontWeight 300/ItalicAngle 0/StemV 44/Type/FontDescriptor/XHeight 480>>

endobj

488 0 obj

<</Ascent 863/CapHeight 674/CharSet(/zero/one/two/three/four/five/six/seven/eight/nine)/Descent -250/Flags 96/FontBBox[-108 -250 987 863]/FontFamily(Myriad Pro Light Cond)/FontFile3 511 0 R/FontName/MVGHXJ+MyriadPro-LightCondIt/FontStretch/Condensed/FontWeight 300/ItalicAngle -11/StemV 40/Type/FontDescriptor/XHeight 480>>

```
endobj
489 0 obj
<</Filter/FlateDecode/Length 276>>stream
H_j }Xa eK! = $+4Fw&.[~2+seM GUcXq g Z i p_ '$e
8T EQ '= k[ h $P^ r*Mu iv|-![i4Fk (Z R]vxQ9Ih"N#Y93# GS 9 R,L aÔ+<P X| ` j
endstream
endobj
490 0 obj
<</Filter/FlateDecode/Length 718>>stream
HTMs0 Wh4?>RJ2p`[0d,N ~<+d9v}*Z}L U(•HQ Vu}MQcT%*26
*vI •} \
OROMF = (DT)
/ oP<@1PE mXM5`(.3\}U
d9[] < OV\%e-nP N ]s PCPmND Fhar 6R3I\ 0TqK~ =f%>eKg5 L#T y\^3*9uGH
W4=T \] B ys97y f > VS JO5g8Qj0S"8` n q
[it &njÅ | 9 UHp&pyD
I! •9 20 N N ?Ku 5In 8^ •<O{
[f4
^z}fjP9 =pz;N vHb3bAqF%C=|SPH FP:vBAmD W Y Q%.qf6;Gz=,3/vwurX o |SxJ
endstream
endobj
491 0 obj
<</Filter/FlateDecode/Length 603>>stream
HT0 +| )A$zCc Q=a{J {V_4,,',/O,s >jw%@ 4z? X Ce r\H ~SO3z0 `tRp.PKv&( TX2 #o, n.JvTGie [
P5 T:IW(GS al#AB+37 & EvU XE = ' Xb 2< hTd=5
u0 K 6D. a0zmPF|, Dx 7hs'E p7r^ i;
```

```
L\A~>NCpRq W
>F, A b$)s@R;hCd<H& Dw% QOb H.+.k\lwF0F 3 O T 7i@ x u` g • C*p
0½ /% F;Hcn.#'$<R?i@^_ d
endstream
endobj
492 0 obj
<</Filter/FlateDecode/Length 472>>stream
H\i0 z
-EqH`iBd[I
m g 18|ob~80c?t1\kl=S?ei x• *[J9ú ?b b?ß 4}s fumpL5 lv]ZS lKc .S `Ezj[6a[+ G M|O / "}MU.<
7
xKoWiH\K; `*ZZZZZZZZ,d +Yg
                                                  f d
                                 } |<{dtptptptp</pre>
=%dFAFawJ~ s {'....GvevEvSTz*<
OSTz*<
O]O"jQ .}~_7s' O
endstream
endobj
493 0 obj
<</Ascent
                                                                              884/CapHeight
674/CharSet(/A/B/C/D/E/F/G/H/I/M/N/O/P/Q/R/S/T/V/W/a/b/c/comma/d/e/f/fi/four/g/h/hyphen/i/k/I/m/n
/o/one/p/period/question/r/s/space/t/three/two/u/v/w/x/y/z)/Descent -250/Flags 32/FontBBox[-68 -250
970
            884]/FontFamily(Myriad
                                           Pro
                                                       Cond)/FontFile3
                                                                              510
                                                                                          0
R/FontName/PTKZND+MyriadPro-BoldCond/FontStretch/Condensed/FontWeight
                                                                              700/ItalicAngle
0/StemV 132/Type/FontDescriptor/XHeight 489>>
endobj
494 0 obj
```

<</BaseEncoding/WinAnsiEncoding/Differences[31/fi]/Type/Encoding>>
endobj
495 0 obj

<</BaseEncoding/WinAnsiEncoding/Differences[26/minus/ffi/fl/ff/fi/T_h]/Type/Encoding>>

496 0 obj

endobj

497 0 obj

<</Ascent 917/CapHeight

660/CharSet(/minus/ffi/fl/ff/fi/T_h/space/numbersign/ampersand/parenleft/parenright/plus/comma/hy

phen/period/slash/zero/one/two/three/four/five/six/seven/eight/nine/colon/semicolon/equal/question/A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/R/S/T/U/V/W/X/Y/Z/underscore/a/b/c/d/e/\f/g/h/i/j/k/l/m/n/o/p/q/r/s/t/u/v/w/x/y/z/Euro/quoteleft/quoteright/quotedblleft/quotedblright/endash/emdash/scaron/multiply/agrave/atilde/ccedilla/eacute/iacute/oacute/odieresis/udieresis)/Descent-354/Flags 34/FontBBox[-183 -354 1354 917]/FontFamily(Adobe Garamond Pro)/FontFile3 508 0

400/ItalicAngle

0/StemV 76/Type/FontDescriptor/XHeight 397>>

endobj

498 0 obj

<</Filter/FlateDecode/Length 676>>stream

 $H\n0 = Oe \ HQL \ R \ I \ Rp:H \] \ 8-8 \ Mc0s?tS]6 \ YQoq~0zmma]_c•0 \\ \hat{U}y;>>•\% \ Yt \ o4~;]C\) \ r\)S$

R/FontName/MVGHXJ+AGaramondPro-Regular/FontStretch/Normal/FontWeight

```
v60W1&~6Y W )[ 8,r W+[o;AM;/W -EVflfN+f'61QP ~lbZk d~-= + 2 N=2 fKn[- fKSh 6Mh 6Mh 6Mh 6
Mh 6Mh V 8 Vh kP[G`v< 4; fG`v4; f<[0(0(
0(
"0(
U 34( #. {NnJY7y=~ {=~ {=~ 3 j sU\`|U2c|e a*eUE_Ss5[s_5 S1tXf
kp|
k n)c. m) N&N~ x MoW \
endstream
endobi
499 0 obi
<</BaseFont/MVGHXJ+AGaramondPro-Regular/Encoding 495 0 R/FirstChar 26/FontDescriptor 497
0 R/LastChar 252/Subtype/Type1/ToUnicode 498 0 R/Type/Font/Widths[500 790 522 558 522 1065
250 0 0 500 0 0 818 0 320 320 0 500 250 320 250 327 500 500 500 500 500 500 500 500 500
250 250 0 500 0 321 0 623 605 696 780 584 538 747 806 338 345 675 553 912 783 795 549 0 645
489 660 746 676 960 643 574 641 0 0 0 0 500 0 404 500 400 509 396 290 446 515 257 253 482
247 787 525 486 507 497 332 323 307 512 432 660 432 438 377 0 0 0 0 0 500 0 0 0 0 0 0 0 0 0 0 0
401 0 396 0 0 0 257 0 0 0 0 0 486 0 0 486 0 0 0 0 512]>>
endobi
500 0 obj
<</Filter/FlateDecode/Length 692>>stream
HTo0 ~_G
ĐdT{j;Mj ;jr n4• M'UD UF jV8_H8K7$b!3 q W7a ~4'l;whKZO k [ L5x?Wo1! z;! L Jw u x` # D$^V
```

Y JòcVHS "I6>Ha [C8%1 h,px/+ e5R 5:+~

```
.O 4 •r4N c(^{nD &PM WEop! 3KmY 2jj` ^[ Ru @14 U -k QmB4z;? > {
   24\J_R $ d= H]" =+n2NH Bbb| : MR • F c<Yw YB0>\99;#j< X c4 a3p anFH Zr WCljK}Z {>< {I -IF{
OZ*t0%0N[~tlf 71w &b J\V R-(SV|E dZ=3y k 6#uX JU8)ox X7[X ,Z] ! O ?
endstream
endobj
501 0 obj
<</Filter/FlateDecode/Length 676>>stream
HtTn0 +|&MS
 (tðU2ln/eKJ 7!D=>>iq{6q dQ ] ,&ol ,~v_
i?X^Fin \sim Zn3K}I.+ JJ<KFr = 9,D F ne $+.T+ < t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zrp\M P[fW O8 oe p-q8 Js & t4 xix w1 mCn6JezE@zr
4\ue/6; *PC •w J F
  )\ _{:}Y iQ 5! |WHh}gjr0( kq 5 {,q=0 :2Mhb
 8RI
KA 54 /6% eB& <+&bM UA )dl :v- +O,tl<> A-R t0MCC; ] ( 3${ _(^1 eT\E Y*•-\ DK T h1 XFkT,X[
a7D-2& N •;zQ++> _: ]i^[~= hNb='o H Z
endstream
endobj
502 0 obj
<</Filter/FlateDecode/Length 695>>stream
HtTn0 Wx R 1QIZRt1 pelM IG ?9c _ ' Dascm (3T%Z3B /QP= '(`
Z )wn% }ee+ oRrC L• Fdb ^up%] U(8 k <2[Y EA 'Y>@\j \u h?`d4 X@
2j H@ TGwlüSSs:.•i8YI} •9BS= 4 X ekXS Y[Pu > qaEkxd I5.Wz&? U P9 $v t l= h3n,'X U u
 ta>:7~7 @,\3
3D L !Et_Nheia ]Y|? ix%1Dy %w
```

?"tR

1 M^I") W Wr-> }c 4Cs(Ow }R: f

```
•qCII F (^Nq~ ypo >p5.2!{K6 -~zzB/ 7x _0I O!'Q Xm7 B •
endstream
endobj
503 0 obj
<</Filter/FlateDecode/Length 680>>stream
H|UMo@ W 66QHi K^JC %n32qldzoz}n6ac~g 2X h rP/y azQ ]v`b~ $(uG
cw|b D eQC
Wmn;.3k7 ib• K' 2•N O~ F •e !uW0G Yxi{ %JHb2e ynu;% }ZV: E;9 3 T)M#)1q)q+0&} 1Q7r %74LJ
w.A7Z
+rNZgB D . J 5% `, 9!v1Us } [a'%A(( R b+q & C|t,[g t[ qE/5• B]q{ n*sZ? 8 AZ -[ 'G! qg i8~A*J N 8
{$4]
EQq@ s' |Go :ko e &p [ d zxyz %kXh_
if
endstream
endobj
504 0 obj
<</Filter/FlateDecode/Length 700>>stream
H|U]o0 ZXi=yk x f]w aS ^ sS(O ie *2#B MfF7T 2Kk [$> ~
% TTvT!,) & \d 9$a:$ f 5D0d rM;*
L$/7w Pwy
p-3p)B=KJ-?db Qe(!E > J 60:= ^CGnh 2R\$/ \sim `-< Tk5mk FsÛ!GSA YdrS3, z 9), Nc=BB)5rYmvD$
A ^{Jsk\#fQ.@\sim vw\#< L^{f1}}z\{fFY6l & A[:Fyu^D6]
O "cWI ncT< K mDs !puGw
`PQr;
ER`RTh H6tc4<sup>^</sup> 3G<sup>^</sup>
```

```
endobj
505 0 obj
<</Filter/FlateDecode/Length 576>>stream
H|SMs0 + c < ii M`h0
$3 xi; Gcp pB +* $cy /,yL >>fU' 0 Brh-IRQt=9WS3 #o [rVLyzd.5z r0j` Fj Kh z ~ oR•$E •kyYV+ m` (
rnOyFo=7 S• HE I U c )y-m%v2D
Y0s•Uh DS{ 5 7R[ ?zt501k Or |. p^vk iD >)w XM -v)gr1 ',ves^ 5.8 u &$<;pD *u> X
@ /!~ a} &O2Rld J > Ls 0Gm< N #a^4 w #.-x_ _{d Bo' io =
endstream
endobj
506 0 obj
<</Filter/FlateDecode/Length 8874/Subtype/Type1C>>stream
H|{P g X 2..383"pqb Ww>9 q'Pee y,kv. ((\J|ELTL% CzQYV3ez
U?R \cdot ?F O (ug \ vmz?\$ER\ /L:NH\%p_ \ >b N ? \{-Bs
•/\_DWD\0ZHKW2H fV\ n?`R L|^RI% YrER D >IsIfK 9X>/S2HC!kW1I~x3 4C.U0IB0JER43Iq3? S,&C
Y;WWUoVI) o2 1)Tg"7
                                        r Y
                                                  G2 Ag#H V$ 9<Bq4 G x|e [:[2g>/ D']4pc_.,
 ~+ &.|)?C`D7G ] GAcy@WK<\jQ AC &O :GV Fr/0) " G A$cH$b``
                                                                ixR o 9
% @ 0 F yX U9I sm `Y]Ab R yCl\2-S 'ou s ) JZ ZS !h1F x
JiGinW c3 PZ`S|C8P" D
j<|qQPe 04Jjl_TcB^
/e#i 2Z4ZhC1 zW1Hp z•A} U@ RIZW \ RxU-
>/sp` F\iO\UNp3p`qqUO`ufh k,/%] kr2LO)?.9E`% _.Xz^'Of JvK+1frkb[ ~ v_o=yx 7$2bO>+Ua_C8
{ 83 fpd
M&q4?{^{\prime}}X,R\ X = A \setminus I;Q4\cdot x
Oyg ow{B
```

endstream

```
\{Kr \ qy|NwA8/5 < \}^{"leuMk S td hh,M} b\%: WT[\{v7S = .vD5 \ NYm$>hJ#]
v tEi`4`d|q]A ]C|V {[v+i1 r1(|R Bg:L6P{
D' q @ <T]U @3 asW}{ }}t•7{o;EZZ3+ i]_4P1 dTVFB 'U#1 •C • =
;WG Fi+. W< HpAz~[%?zv;=\ ^ ApQ1 b L sV]IRb>N 1 $• CC•L6|\| X"q Ou^O]OtuUW•;;|m ~c~~ @
hsC vC^jpn ;I`9 CC
/<I~i Y1{ m CKK
9xe D@^p]s +Z
< {Rd r 5Zz/ %- s 9$; I YuY3
cJ.-- mVa!YizUvZ5'y PyiQ=$ y4oj Wd $W"rLj 47
t 6N_~ 8Q xs_it Q [& @bm$ 6 r4'u9\U/ GAFn fzv 8Xt+ (CB nrson+ $# **j[ V*c}.] NkN}w n 0 M-
" W+ gnfS81 i_ b, b 6 2 HfCY~o L fe~#h X /
>=Us bR pib2<bB
Z &RC 42@ Jt! D:9e/ QJEn5#2hpc D `u_` <z rg;m IVAp)TA V(9DJ
% rv j6zpJ; ` Z+
} O g e. 'O2} •2}/ "{B qM\ z "9Q EIZ
P S
ETI X+?P0+M p D <s• .S `t~ xJ Z7y?h Q 3# I(G TiB-WVZVxS• CW p vJ)s?y! 2%+^ V~Zt?6:JVS*
= i9%Z<>sB t7.[M xUc6J[&Fi & `V '~/B@ /wubU G &Lf`^n)(-NRH 9,k eNWH%MS.?C9$pG/|K 'bi4[S
B oju À >ctGP O{Y4RIc*
[3vCyuH &m) 0io,VI)v%"T&"Z
J $ ET`'j Sdd (z*'# f |
D{` y$/,rZ N# &B B.r9k+WYUU@OU[y"Ptc5 TgDZLrZi;# U:9 rQY~7NVs CQ9
fvHh ] VXUX 7[m4j L[W? XP-, 3G } 5 2E"Fo2 YRd3jTE *
o / [ 7_^ /L yU
 i]: A bl; %•pMlfl•`R$:&N &W `9xB1@_-hpF O ;L(A?5L h f# \l Qyki9•*
W* m C zS[T/3 8a0ijB* )} ^$r Y~ (>hi-<- XPGaL< Z€) <• o y/ ~ L yO s {q ;Dn %!!#;
```

```
Q T /'%DHI;-e z=\{, hr|i'|Iv\$`\~
]P44X<G7Ck A HW mx~<)vB&\08iQ@d^{c6IW^ zw(?
[E[DQ
1:67 L > \U,N:3idf|i))39dd 6 al \
@12
v \sim qT3: ; x7<4s^FzB5x,. C<0 < b2 D|% (xa"[<s% v;9^_
e•y_|7 4 pOm`D "5 e5i Z-I(+3w zL. @
ighUC _* :;+k Fr a\cJ8^tdaNs^M6Yiuu * vUQ;8 e;0 s2 8
kXI[wl K{ 9RjY < I8}F,)g 9&:k0 (%27iT0#W9j = 3 B 6!5o$l u[1&•JL } p Tp: FmR`JpW)Er•n6 Lc*n2^ Tj
6i V 8ZiW[x #n+|=fD>uKD6<x 9^{T} {6 @K e #U .}
SVAT8|<cyU~Z&RtFM.R%<
n O7<y _•|
{)vP!
 nU)x6(* b qgl"d>X3 {ie$eQ*KYZ.P_l} i--]&4" U g > Gp "K& k3f[
c ,, M KW8[c;
9Cyp _ kA*gZOqQkVaub* Cahh3 = T B
? rRLt;z
t(r9 h\&• \ . T^8.-\& kqG.] VcM`4n u vG/u L" @ N+t 'b $6 rta j J> hJ|! ~ _1= E O:q } o@| f CqN D
vHfL 9UFZ K * Y<Z}-@cSH
 ![[sx "3/
D` dP'L_I,. wnk
 y^->T b6a â ald T x^[f{\].+ ul yhG.` b`6^ =? Z F Fk,f 0+ %F_,+ Xok"L4"|_. !Vbz<2A-wO^.!V?3<6
^[7A$*ns [:Ct?2&K6]O
-N#Cz f ~18i$ F<~w eSORxG8WJ1f% Zlj;tJH
oD@(FWWZjexuYN.C %- o3; }Btgh6*L* Xz A @ y5\zf 6aijbV@ZI: r0[ &y!
```

```
j? 'iN #! : *|> @ !\|p2#}'Z I i7" fTF` dz: H bL +WZL$Kb7p4 #O,V
`exV cY# :e6;` !g1 fGSI7 i=wv SvY4d2Lt @ _'
VfFPk*:y
I? =Y^% 65
 Ν
=uE K9YH ZmQI, xvID` 6s015 F t rv.10er5 FQ ssDKHT ] FM%9GWV 11 • -).c
3h 8Gl's4 1/LCe? c n :=<\\simi\%@ -j'2\
 w;q=T!69, |s 'S (1-66xf Yycf B 9 @V c1 88n`dlGCht& S mJ b
 8U#Ku,Y+%\eK% \ f u64f~y(3
8U`z q{ G< <V]kOY|o0yj !%t{ 1VZP]\ K uc 0R/0#Fwl] GM!Wj li'vHVjwndV3Yf UgckY
ei1goOM ,y1{blab 8 x 3yHUH+ Tj cPDsB: 3p.zX
KsM Zo+S( DZm u4LQeIrP^jbo!7k]c_:5y\; N
? n /' r } oQuku^IIPTZ};U ) v/ fdY?u_ *# \' @f <O-5#B* %A 2* @am>rt1N}n ;7,
RO 6!v mNnGf ' I^FZ G ~ 'Q(/t 0{@AD`. L }i ~
 | ;F Y# c1U5T2y1 k =3= T :k'CV_ Ab' HBn A= rX?(&u <0dx R }j DUBPQx D4Eb!? T:NLj
G wC!kvZ "9c, >R :eCv G%8 C=9 I C\ fUv4 74vY•/ } bi&Ji+ _[}6Sq+ u AUY V" a_E@Xn }"~t s[4
-zuT8G` x aae -!! O X}~ 1
'IX?os dfQtC-\`u* ^U ~">EO/ / ^C-J$6+oeQ>^RQ-`. P@
HS F8\+3\cQo]q
 9 K• \M^ w{.9B. 0v •2?J% |L
/F o 7 x Q\JrQLU[ nxkc 0| G, }P P h Lf:h YF_o,GE %: OCZT * :b"
+'G7.Ph`S < gJ^Z
kt
PD ,a7.5 Za7`{[ onl ZVS ~7L
LT^|HN ,*v `_ # LO`. I <w
6, I y;X k56sT [+HD& ,i T. :n = ; mw C1,0 r Y$-!e A4*\ y4urM J j,g@$%2a 2I,NfDl Rt2
```

```
+C4dCKqTP - y9< Mh% d4`b! !$zn=! 40{-7un}0=C3x`7 mz VR "5 +v(
 `Y`)ev0;=X)d@7Ez7mZ)G =vI E& 3`u/X xOo)A^%gK& &nw8Fx6 fzm *M
j4=KF1P•iyqZ[>cA ZEna3[w on}% eCN oF
oc 1 j\/2)Rr~Y<iD0l\ b9l +2=Jw2+{ • J: {X~\ • G7|qk~ X8'xo_eE oo-F+ | s|g5w^4 I:d-K^nrlJjSR@^
V- DI{'G [r 5u h S6p• {W_Nz~tr ?5f^7{kwd~b_Lz=z6 ;3 8 Omù*>
endstream
endobj
507 0 obj
<</Filter/FlateDecode/Length 976/Subtype/Type1C>>stream
H|SmL[e a(ifttZ • AD
 :7;>KYP-4&% + um C& Y 1C @ ~L[N]•s'4 8UK%GJ-[ &UX ZZMk G,{2Dr6lg8 8 Zx2O j4 L ]eog s;
rlb5IM )B;]3TF]V~Q{P+6VfeL4k5 L[Nj{ C& ILLba
vs*0=6\ 4 s[qO4'] x"+M c R yN$ sC<&y2 q%c BEb/-BN\u.8Y|7 C F!]3
 . q87M#[' 7M]I
Q+G !ZT S + 6`*x" •|3 4NvMF~ !b KtE~sLC I ^x
a4y
 ; g TJ@ I-\@Q@ if p8 | b > 6ZU
ur Wid [d{D&`o PJ4D
dDI! wBY8m QJ Q5 \simh x ^{(7+{\{x\}=!yG\}}}
'K1j}BB vV]wrl C,
D ( -• b^7 7IL~R1{ rl! p-CvK&r b Y;HpA L~0x5(>K |I#\ * JZ|C P]QO SFwF d&
0 j
endstream
endobi
```

```
508 0 obj
<</Filter/FlateDecode/Length 12202/Subtype/Type1C>>stream
H4 PSW MM|!
  A yZ GUZ@@V ! y B
  X |* .e*h] =t99sÀ `yrTm6FJS%ER qz~Vtv s99| % o^ su :+p0'N6)|SIN4#L•0800ov n I<8;O sxD#"•p
cV0a'L; e<•aHP_pD0H
                                                                                        51(G,
         `3 @ 3
    @6 P@; x S 0 f 802 +ccdRp >\check{Z}eIL1W> ;>b'>rl~y= u~ >==v,a/i# y"[iK'=cy]xn o5 / +ojWC g
n
  C A R&k &oDViw2;a1Q$e•Hna{?0 wFhVq .LP;fs 0 •
ex ec,o:\J,
!0 t?X0 L • Yp qx7Y : =Q#% Q7 = 1UVk^* B+g II:h}=+4*q]BKJ bup;#wG.5rz wP<U8y,A.D2j}V>hq
VW6h Q J q!/& &~_=2dNIU a o#
cF) i" 9XTzQfzO " C&0z # DkQ #P (:%L K . 0 7M E'!TYuF :O # a r
UF^E5 DO \sim \{Lxn1a(p 6]Ch c B 32ACt\}T/Y^R3 N\}J < L9\{N \{6 i A Ct\}T/Y^R3 N\}J < L9\{N \{6 
*Be)=ZNBE+Zm
ze
n (tbB |g32 Z-Lh# 8Wq K|E| 6U(h o=DE \ 7#o* 2jQj )_ +_
]a8"4S
dA5 /W./_Vc65iSniO 7z^u4W\yRnXZoRnzs~ N)pL
© I\]UMkj;:6L{#u!dif%_/I
  FLr6~r(IV U_e$y Zn rUcE7rf]_4k ZS\RM+|<}7 |ho ccZ_Mt k 7S_nqBOD][HQm] Mg{de Q E G M S]
_ x/n ALn m.-y# o %i%<Lx 6 Tva ?h •.Ze f<]^ , nW bL]uF@2!D x YfKLXuf )UZ]B3I,E^[F tD] !|n pU:
```

\$ r Cp 7 K=YP0z SfwXcc[MP5HQ\+ ~ Z'&R(v 'DeEI6puM Pq B |E= i4X5fz-, w_4g\Hi U]BQsiWk

```
?8oPq4 fN y4Y L<: Gn?tO o DnFz G&8CXw$b3 :6t ? &hw$PØ(t=> { R f)SZ'_|, (xc; ~"m •^V~ gyYJ
hV• vt1b> h~ } 7} D *n BEI` $? G\R W( rIE/L] • ?_t<;6r.(W2tez| P 4:, 7S%,oPgj Za+w 5
•• v < WWkg |\ ?Z3Lr
" <R\.m_ 2CkJdq<{ geKy= elLgh\2Gu<X |SwcTh2$ZFRIY'i0>P \ G8Y Kmh>[Te1su X%j3 BCZT\$.Jf
 diE. R +TcA 5 3 6 %! Ro _E$!'Znla{ s~A`;
[ jcw8: Wvco>PWZ4|[,=qk7B"jrj6 [ #";[!/o'|Mdr8F T:]`
yRAzd$~ 66nV % :RM GC < k@p ;vRx@e i/V [fj H`9w/z/Ws6?E^ L h!ccTi ~
    v{M_F"_ e)}t&efl=o }H / ac3>? eX v8/ L> N' 3Ob $Hrd ;b QP7ai 8-q yDs&E UbS t
9c > "ELdH CY, < "NkINSb cdHhqmE=Tq9=D:X, At=8Y IOC &B$ 8 Y dZV OA
qA;(B 5Qw& I X Yq kC• Eyn"xs8#ZV eL^?M {Z~Af DN fbP@R%iUGep PfvRAL/4nN2G K
po:_yO VM B) O& O6] &1a -[u=#7
MB LY VH>o$
^ LV 9*y U3,9 +D`a $|[&w 16<n+ "L
9$r Y {
+hvo) Ee ax!•o>qm3^l{d :R*3 $ '#/hcp2HV ;& bQ)bN j+=qD Q,t;#xwy8uD 9
\{8pT3N4l?s \ xZQ \pm c3i86 \ l \ ,[>j< \ B = 8U,E\bullet\%|a0!rD \ VfF*ZT \ "<5)|f \bullet . CQ+n@/@ \bullet \ X= FO \ j@8 \ x6M\}.@
}
xbFIIo:*3 - B i gHSXKIB \VsI"\u00e94v[ ZTTV2t ,7 Tzg)J [sZ\u00e7FwjkuXw]/k. \
                                        SI<v@7 H!<Q~~ CvEfIL NTU- +-"G(Jz >s7@y"_G
* Bssr.9 $\B@NKki9~
{ !BMbgA, M]5u} $^TWYJ m•\(\beta\)Zx: Vtm'\(\beta\)k3 T9: Ry~ K,eB( 4o_
`P r' %6 b$*E# z`c r84#Z`( 70I|IV<JDXfyacZ'}1 ==2 xwA: 6 N rg CSy<m 14o Zy %*1TZQBhYR
% vjb|
e t9H? [|M:I p~gmbQA4 I B`6E$| w!#KDDiQH
K=2 o "RChuu%3E# ~nn76i O9,11FNMKA!A ;7H VI ZV
Q` $=L 0Owu)FtQU6u;UC
```

```
i {T. -P[j)8
 A:#" VT'-61U `;L+ ? [AmqKL ö"iR4x EB(K C[~ '(fF= q vn;53zg mL J 1dB}); $KKaA .
# D 5 +KW_T@@RJ=v )o ME.ub7 YyN%lC•6X %dU@O ;w Eog&,j gB$=NzA<DW 4,gy F
F nC#xccsñFTK1 -|<A ->Zr 5IPMm@t Gu ?]v4 0 i?
+ UYgn=px)^ RSG_I K}f9N
M]pt4i?u\aXhEd)
p }]N1
kvn SX zCG •
? SRqk &R=x
s5 . H YZ ;~•8yF;w:e3W a`d $M`! "*3s XD FXj5j W!+J`]wvp+5X)+mc\ 2 x = ypvlg{XsG00(+ :hj0 1#3(
qUFh•ybf@2 K 4(> ] 6M`D2|xFA AB kx$cWwU b `Cggt,qBhd t•u wN\k' FN<
vWgF REt$ $P 4hZUFM nN W +SWW~/ <
yp ooU RNeB$)B(.oGk U>6u\:9+')tlV EHJ_J> < 5 wBwX4T ]H +j [[?tquT w =ZB8mB=\simOWGzz5
S*s d
N3J5 $f$j 5xuvqCiAHew B+7 JLj` h3 we•*" v 7cpWuxBwjY G23j$ M c1 I+d +YUIV y t
L|2sct1[G`F~O L@ b3> = 9X |m{ < pe }~~
LW{TS 1I]v
?s=ss9 Z $ {@H QdhvNcvns=n?\{\sim < r: $ 2A ?> hf\TAUn+VR)1>9 \Z im t[\cdot .3\% $\Angle yMz(q,_tU)]
$ 8 c 63g(zgo#!8|RVBJL0Vs G;Y ) ww\qRFHijJ 4W[ I5P -^cxz=(6 oBy -E d% 6L esC wP<M fdn
%SY*evR ~I%& K!W71
GI:M/cnJ
 -zeL9 `Z_) z & j}].dlsPv" P2EQ :<^3 ] amAgW X^^Z bP{ }6;* =-uV]SSPUM}@: U DK, F(X
'D;#(}x~OZ[
p ph=0 M$Z*hT (7 V3xl -n jr]dUC 9dd*hhd
k~ce,vR3 NE%I\LYY
```

1?c#U a z6q >s <UE \U w"F *-v

-C

eMUp] 8 6J& (

'&`[)p {3`mMv!*~e=p V z];dD nE

C94{n lmfA? sRE#ER4M:T•7w7R(b>5UcezAHt (6 D`mm v

; T9 AM d U dF,JW L J LI [2I Y 9ysL\ke}\$ > w L]C>D>M Kkl~

p+K62\ U L0 8Qk4zD4Z6ddphT* I" doww~y*C P_ O G!2|}`2Q='=%;yzkNg{H}(

n 2102`;z" 9QHOS)7Y })xy% I7 /h

sX3b^•'6w /Hn,1U|| Z+ j rb-N oH ?'M{)=< r? _2(fB T+0z {VH oH+k:`w@PU \$z<|7j 0]C}Cu#i=clq[qJ

@# MUCj0•

U N Q QKy_v•% I(4[ZH •IA&x@kiLMIF\$3BU/j -ZIf:6]ZU w2EE "=| [= s ` [xn6 U)k}4G^Qg^_i,I+?J7&

QA !oS •X3o\$^"Ic`nsJ3\e>;0StJk 7FV<Pw 5ULrvv & K

>kxM 02O7 K ku{07 F/ !0V

nQQWmNb

A_;;r |IjU ,TmwR qu LR- WGk•|E(_g + } SB8|

b" s ('F;Xp 6m^{pLa Zyq]0 6\81e7a vLGa x> 9 du/ OO X-J~_ N=@:Tk 2kK2R.(• Slx&X X|mO _

KP>I x#j, $E@>e;H,@:G$°`| kb Cs<D8 ::2L -;TMf4o6j`Cql ^X ,r +$

aGzg5 SA xk@ T -oNgWD v UH" D)tyz [

'w y{"B !Mz1<w.a`8-6 - thX cU{ ~ nkx nk\#mo /GPýX`yG.OG"!;+Hr! 03F QG a" + FB- w vf +{ VH%

J 6} kH#y X{_{:1{ \ " Z [LGc@ a-^}Y3 IrDm8fX 10 caN@unereu < (J#j*

qz USJ0 C 5s"uxJ

w 3 #[\$O M e

LDsxbi!5O .F " &rO9} ~i{(D @ uSL' (r U k BwNgCRI\$`)o Sa{ 4BDdP8• JK765

```
%;H@[QomY4 VJ++3` <\? U 7ExMF B}w( ^&g p Q(?=~#qe!R^TWKjlundDH;LfF[ai3 b Ùg QE._#X
I H Zu!_6! # L
X kj[?-.})SM V m >'DCb••o9C-)e @
IS.JbU}$6
? [G*• cSQ,|) 51
yJ0Nq;k[ 1`-
I{1M8urh/qe
T3R0q?|T\fo"}|D{X{mhu` h% \l3•IIZufFxx6:OF\p=&K| X B = X *W( S * IA5ELP)
q>j+bb?7, Ts Z 3 PeM3 C /s2p> ],LcrJ3;}b 0 6YTza -Y|tm73S ]K1y? NSa| &m? Y (w[@%"-/QB ' Ud
P w"@ ? f{m M @ u 'Dprp|
+6LjyrC'?\fO I08Hi "
W^{q 3&? eYH9`
? Ktcy x] / Wdy9dN-d PN?SU{uvKlc] ?J ry%k_?.eUN`SKUU td esU^zNz <[o=*em1ez{ #QB
hDA P=Ymw{{owuckun LCaq d D1Q4. =# S
wr}ih.7%y() Nr\W :(&r ES"jE"MRb
5^O
tW{v
T A I4 = i ] daKe^{\cdot} f = ^{i} ]!jbZ
C Lz s"IGWJ+ XI MBsFUE` v x
[ )j Ry JF•V^h@eP`d+Yj18M6(R 8
j< z}f6D:p@ Tn@"1mgX&Eb 6i
ib e j]I@rN jj Hhr?ww? hFd WUfS n NMzH t+ 14L G; /j m= SrG S'=o x [mi~plh RN4yn' A}0[ B Q
=/ 4 H\.J K\ :\5 Bp tR \_Mk' ., tpF0+U b"Sfw•{ Xty2~Q| p$)X .TdPNW4 pUmSm1 5
jz~_t•LS2Jeb/N
-\ZJzItA+_ mWkG< w`w c•Dq z_ y
 hhO u8@iaXZ} V @ PQ#yty _u*~-H?WHN C(X{)ekkc K@7•#B xq
```

```
7;
7,, n,}W S
|Ndm NByME1 "QdQe8_ K&f"9 < & [(Zk)]
< mz9?N * z^c@ n rt V4_ o [M[T '#t! -+s8Yj n II5 iQSHU.} r kD^ & h>bt!qKH4 a
n 2ih 9%•2 w*xl6 gv-c4^O <yP Q V \ Dcj s
"Gg|P|%!2 K H-"73) x = J + "> 6s > ~3 < BI
~3~C 93FH~` *~
endstream
endobj
509 0 obj
<</Filter/FlateDecode/Length 2460/Subtype/Type1C>>stream
H|T PSW pOX4$nne)0FT h R@]HB0 $ P Q
J # >v
39! k+$I |C6?Y Ld:ViaX)X q\x5Y V$ykq e.. ,A|3[ &'b~ jMZ R:@5x&|<*^JTi(nF'h•p 2_SJ +AQ(0KcK
8 L M*qq*\E $ R A,& XA |Hb#A $ F 8z K&w7VV -V*.X]ckyF
:dS| ~ & M&I: A IcO( L O•\v-@W @ U gi U ? .@ è1 a
j B UC E7 A' ^bAe {y_!u_fk v,g* i; XO @}*Fp kEv!dU@ .2 .5? G ,P> n5
\'UF aAtAWy%R
                                                              w> ;q"~H!~ "|xEcMq 'uu % <JFx N 'F KI,Yr\<-&N+% xiUB;S}JAU |A•\K dxz + hb
v90 zc T ` sYJdE8M AJN w t. S ~vn3 BL w% s
= e^G \ln + \# GRm9 " {aa'| 7, RYHX+p:@ # `H &@3)O rsp<`
IN=a 3 j! "dokA \ e= s-!9•6rl S\Hk32n~w%&?XGFYcdWRUh g2 mA=HpygjmK• =7M"O H.WNS%
Jåu 9|V/' i Fdf_!< "K7Z f^'g >v X+c? Y h926/7b*rV"| ,|6 JA'lH;: r n|ny)a hD 0N GlQwW>|O<C u5
# <9we<u p[9ue 02< b7 "K=,. >,aE+
```

Pw4 6 dgjq{jnzv;Fp z m V z9Hunx5^f A +ia[zl>/

```
wdM = AaV7 y 0
 #<x t^R V•, /Ë V~'
aq.w/8=b65>{r8g\%i \cdot ya\{Y > II|MS \cdot 6\&'Oe\%R \cdot SWK^3Sb@n ^3V. 7Qy^Y \sim 2 \cdot a |CqD \cdot oR(OY) = b65
 1tszHU< f7 < >V2`)F ` H)!F
                                                                                                                   Xv0:&f( 'Gz zZRcn~'/:IO cn0 HT1
5 S[Rz 3;v65vK9%}czE5 :b\hrGl]5 urqa•m o5 oXx X sl]; k Wg 'U^:4~ v+~Z SV7g4 sJM k}i>q i&qw(
qNc?'~))(
}<
E• 0 ^:
endstream
endobi
510 0 obj
<</Filter/FlateDecode/Length 4181/Subtype/Type1C>>stream
H|{T W ' 2 dVTcpV X9Q
 J @+>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L\bullet=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L\bullet=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]]u_s \bullet 9{\_>+" H$Um \5?@ILQrs2SBrSm6..._"!} +TL?L•=p ;BrBZz|n|... A)9IjyT>" T JV*nVv]
WNist <(3SW:)2Z pBv|Zk)4[8F/Oi \QN SY yNQ
j2y: D!\ 71!' BA ""XBD" % Txh'EE! b#qxD< hrl%92(*^Fok7\ON O rCga / Kkk )a`-S L?n` ¿/M R
C+' 8 +1@8l }
 Q
"'Gkjge/0H
 OE +n;?> # #-&4#qj@`/k: R7M]320! A(! 'd
lp $ i D"( NI 45 < F$g4S eC nl<_iKX8 Bo%4i -%n1x
<' _ 0? F4 f\n=\/n!*z ZY zo -
7RkeWBa O cj aKw I 4EG 4 C=gGdGt n;-JK) `H <q HY-Y#]{%IJ# •E1q;w dw
 KU&r7V
N | YrYzF . •R+c6 / & iPp' Ph y$AAo>rwC+,yT Fa37+x`187;f5s% x
o;#I<wYz;i}fmuX ~.; Y Gm,,b` UzKtZrCsdNP 5 c. - h
```

```
[ec8F~)}ep+ Bw•|tX { $`!f3
                                                                         a:P* @>?•M`,]@K
>v %= 1,c As W5oBI3PZ a(i D%%Q)P~r Rj DC' (V k#U =02S
K>~x,biE %UG! L}Q \p 4j4C *pq 4z"7J - ]% `4r>z PD "FJ * R LY++u/rF>w f kZ
2^MJ/ {._?+tX nl .'wcEoRIL.
s •5^ t {• m;p5$4l ]=/a 0n j
Y4z LN x~6EnH;ob euB
v + v_{ZY}[oTIL(u@K:*#\sim LO1 p;[p]| 2n,$k>+:~JOM2[y$YUv]t[fFdj\mV]
*Dz>p)
3d ?4cf&V ;v6 b^}% }8X4ZWJjU; B @ d @|J$ E !HZ[yjzT^G 9~q^nELz={Kz2 H$ + _=, aOg= K
cZ {B 4 3]]I \bulletV~_y# \d2~=;/#AH y% a fl% - Cl].g ,"]>G]TH$R ]]yi$ s2iYmI) uAi+w [ X n|%h2'8
b ^ Q2Ca )K F2[G/X 4FJnb &$y%ha %q{ XjZ, Cx7 !\S| ;0U^4 -@EaFO<YPrq Z 2
6zQ K A$ u uC)7' @ t@ m:M-RiK•]
t ez
'vGC \ 0 = < ":"v .Ao \ ipfJG (?MQ IhOZg #c % b&b, P# VP7[ Ihl- .M])
gP' f ?C~Qú$@ro^D(9< >}\sc•H /uj
*CR r}sP*cE7 x,S x `* 4ZnC,:vJ 3vxXQ1e uEei MB ? '1 . D.:v
3+'Wu sP j> •IU$#`. C:f R1_h 6ka8c8_|1J 0"Lf4%+ nQâ hf:-vgJMdQ ~•Q +RRDtRF~N!k/ HbLbM&
\{mlm \] amlWd EHu -qn Y fb ' A(*j DQ;~ Y
(uM5(Qn^{i} +.T=|O|^{*} ir=)nE RKW [m3JpSA);A Hkr:iBAkP;2K M.3nJ
• c J=>3g VCf: D"A_6>t+W8 R| > #\)pr$ 9Jhq_2ABKv}[{>=& Uu ta E F % `Cbe RcUL^]ZLT}Q>(
@5#C T 0 }. A M! UtBM@ @"2 3I •n@
r 106»GT(8AA v}E4mn C+W | 2 e60A .KnC;R6dx tAi H
3fLSP
C5X{ AkfB! F: 3-m.OWs p^7'?<0zTW mdOjOz7Cd•S/x_}hH(K< j
i|C dH9 Kh ]q \ G Iu A]60 baAJUV AEQ( >x. z8)0m" T& r\;C
```

@`GI •/) Tf Ehß/TV7 q1 _ c-|k _ o)xdmL [ly `jS5•; PL s _ e/,m~ (F s) oH N 5Q: ` <9 + 7 0%(;j

```
; \{oW[Sh: Y.6X] tLB z4i6t>j\} 3M~ Z_T@< MQo zf 0 +8
endstream
endobj
511 0 obj
<</Filter/FlateDecode/Length 1241/Subtype/Type1C>>stream
H|SkP g M%E fwvb >
b ZG
                      K:TA
                                           @H$ *<B%1V |buB tlM8vs{931? m6nYm^lrrb M|TC
 !x 0T/XagB<rL P$ %lxXX 8v>C o` y}!W qwv 8}X| X5rtEzWX^•v$+ Vi1 f`E6 ;AJ(H ~i?.RP!
(I < & .0 | V• *H$bR 24 + ", osBS
+h*0P ZeC = `%* 'h Z,1}&roHU $u -^cA-L z 8 {
h Ykn=E< a T/j' 7W;8@ah{ c
SKa:`vV;)7z Z;+: y eT 7(F3/o (Vw M- SK]%I~n I=uPEw
1\%* pC = 09
KZ{hWa5E>_! @ m`H#}.'wSPW Cr WE$r !+o#|apc)C- LE @ )q 3i- *Sm s XN r{} [dU 6/HFhu •Oho
mPu*#y II\gS\8_ s6|x1,M
VY.@Gn]hW
Tr Tf#2Xd(ci | N{}vn's8) 4<a[fMOz0 N99b SE??)>?s>6 UDIPQ }5')!!.t vz w]WTG 'd*KFz\{4(~ b)
u/ IE?'$ IF~vOnCF h] wVUJY^)T|r< 3 6*[f! m;gq7Q /}U&, •km Z3c =5 |s? a
endstream
endobj
512 0 obj
<</Filter/FlateDecode/Length 2574/N 3>>stream
HyTSw •oc
[5la Q I BH AD ED2mtFOE.c ] 08 8GNg 9w '0 J b
  2y.-;! KZ ^ i"L0-
@ 8 (r;q7L y&Q q4j|9
```

```
V)gB0iW 8#8w8_Q Qi @&A)/ g>'K t;\
   $FZUn (4T%) 0C& Zi 8bxEB• ;PA om?W=
x - [0]y)7 ta>jT7 @t`q2&6ZL? _ yxg)z çLU* u SkS •eO4?c . R
-25 \text{ S} \times \text{Vd'rn} \times \text{Y} + \text{`}; \bullet \text{ A4} \quad \text{A9} = -\text{t I'}; \sim \text{p Gp} \mid \text{[`L'} < \text{"A YA} + \text{Cb(R, *T 2B-t)} = -\text{t I'}; \sim \text{p Gp} \mid \text{[`L']} = -\text{t I'}; \sim \text{p Gp} \mid \text{[$L']} = -\text{t I'}; \sim \text{p Gp} \mid \text{p Gp} \mid
      nQt \} MA0al Sxk&^>0|>_', G !"F$H:R!z FQd?r 9\A&G rQ h E]a4z Bg E #H *B=0Hlpp0
                                                                                                                                                                                                                                                                                                                                                         V KY dE"El2EBGt4MzN r!YK
MxJ$ D 1D,
   ?%_&#(0J:EAiQ(( )WT6U@P+!~ m D e!hh/ ']B/ ?a0 nhF!X8kc&5S 6lla2cKMA!E# dV ( kel
}}Cq9
N' )].uJr
     wG xR^{\circ} oc hg^{\circ}>b$ *~
:Eb~ ,m,- ,Y¬*6X[F=3Y~dó t i zf6~`\{v.Ng\#\{\}\}\ j c1X 6f m ; '_9 r: 8q: O:8uJq nv=MmR 4
n3kGz = [==<=G</z^{n}]^2 ZQ B0FX'+t<u-\{__-G,_-\}/ H h 8 mW2p[AiAN #8$X ?AKHI{!7<qWy(!46-aa)} AKHI{!7<qWy(!46-aa)} AKHI{!7<qWy(!46-aa)}
a• W @ @`I YH,$((Yh7b<b*b<~ L &Y&9 %uMssNpJP%MI JIN<DHJItCj'KwKgC%Nd |O= %mLuvx:
HoL!C&13#s$/Y=Osbsrn sO1v=\h #¼• oZ<] TUt}`IÒsKV-Y,+>TB(/S,]6*-W:#7 * e^YDY•}UjAyT`#D
="b{ +•:!kJ4G mt}uC%K7Y VfFY .=b?S y
   k 5%4 m7lqlioZ IG+Zzmzy]?uuw|"•NwW&e*|j5 kyg^y kEkID_p7Dmo1m I{M
      nLI<90 [$hB d@ iG& vV8 nR7 u\D- u`K38% yhYJ°;.!
zpg_XQKFA=:8655679<?DINU\dlv )6DScs
   2F[p (@Xr 4Pm 8Ww )Km
endstream
endobj
513 0 obj
<</Filter/FlateDecode/Length 695>>stream
H\YLq p_zh^Z[C:jZu,
   ;[H>KN A < Q[s]]
     =v{F•• } ~ @ t0
```

```
@GccHq$t = = = = ;;BJJ N# o oe ogdfeg d ()/
hohoiK!Rzgzx # YDT0** [a j9uzNr='8 7q3 ^ ^N+/o AqSX u{D>Q5/
%
C!lyX2"k mhy;z
):!E v 7 e QOR
Td e ej Gij ]bh
9
,-s1 H\ T
t1n`fYY &9 81/T,O.b LjLck, V:*uV
`6:@39f9a > .5gv[V Els[n] X. Xl6=nM/ [m•` `
endstream
endobj
514 0 obj
[/Indexed 480 0 R 255 513 0 R]
endobj
515 0 obj
<</Length 7794/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148 79.163765,</pre>
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
```

```
xmlns:dc="http://purl.org/dc/elements/1.1/"
 xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
 xmlns:photoshop="http://ns.adobe.com/photoshop/1.0/"
 xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
 xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
 xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/">
<xmp:CreatorTool>Adobe Illustrator 25.2 (Macintosh)
<xmp:CreateDate>2021-09-15T23:17:08+08:00</xmp:CreateDate>
<xmp:MetadataDate>2021-09-15T23:17:08+08:00</xmp:MetadataDate>
<xmp:ModifyDate>2021-09-15T23:17:08+08:00</xmp:ModifyDate>
<dc:format>application/postscript</dc:format>
<dc:creator>
 <rdf:Seq>
   <rdf:li>emacuser</rdf:li>
 </rdf:Seq>
</dc:creator>
<dc:title>
 <rdf:Alt>
   <rdf:li xml:lang="x-default">(Adobe Illustrator Artwork)</rdf:li>
 </rdf:Alt>
</dc:title>
<xmpMM:InstanceID>xmp.iid:aab523c8-fc72-44d4-8952-f2a54c845b6e</xmpMM:InstanceID>
```

<xmpMM:DocumentID>xmp.did:aab523c8-fc72-44d4-8952-f2a54c845b6e</xmpMM:DocumentID>

```
<xmpMM:OriginalDocumentID>xmp.did:545ef5a2-5afe-4c75-baa2-8ca507c2910f</xmpMM:Original</p>
DocumentID>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>created</stEvt:action>
          <stEvt:instanceID>xmp.iid:545ef5a2-5afe-4c75-baa2-8ca507c2910f</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:40:18-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:c057527b-6a1f-409c-aee8-e87c3559cb1c</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:41:04-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
                                   <stEvt:parameters>from application/vnd.adobe.photoshop to
image/tiff</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>derived</stEvt:action>
```

<stEvt:parameters>converted from application/vnd.adobe.photoshop to

```
</rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3848fdbb-0a19-412a-a475-0b55951a8f7c</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:41:04-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:9452b34c-4817-45c6-892a-457108898336</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:51:32-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from image/tiff to image/epsf</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>derived</stEvt:action>
          <stEvt:parameters>converted from image/tiff to image/epsf</stEvt:parameters>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
```

image/tiff</stEvt:parameters>

```
<stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:88964da7-df8b-4c93-b4e9-30e41bfac865</stEvt:instanceID>
          <stEvt:when>2019-03-29T14:51:32-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Photoshop CC 2017 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:aab523c8-fc72-44d4-8952-f2a54c845b6e</stEvt:instanceID>
          <stEvt:when>2021-09-15T23:17:08+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>xmp.iid:88964da7-df8b-4c93-b4e9-30e41bfac865</stRef:instanceID>
<stRef:documentID>adobe:docid:photoshop:07719724-92e2-117c-afc9-88ce94212970</stRef:docu
mentID>
<stRef:originalDocumentID>xmp.did:545ef5a2-5afe-4c75-baa2-8ca507c2910f</stRef:originalDocum
entID>
     </xmpMM:DerivedFrom>
     <photoshop:ColorMode>8</photoshop:ColorMode>
     <photoshop:DocumentAncestors>
```

```
<rdf:Bag>
   <rdf:li>adobe:docid:photoshop:431ef0d8-9234-117c-903d-da883267bd41</rdf:li>
 </rdf:Bag>
</photoshop:DocumentAncestors>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>51.000000</stDim:w>
 <stDim:h>66.000000</stDim:h>
 <stDim:unit>Picas</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
```

```
<rdf:li rdf:parseType="Resource">
               <xmpG:swatchName>PANTONE 2935 C</xmpG:swatchName>
               <xmpG:type>PROCESS</xmpG:type>
               <xmpG:tint>100.000000</xmpG:tint>
               <xmpG:mode>CMYK</xmpG:mode>
               <xmpG:cyan>100.000000</xmpG:cyan>
               <xmpG:magenta>64.999998</xmpG:magenta>
               <xmpG:yellow>2.000000</xmpG:yellow>
               <xmpG:black>0.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
516 0 obj
<</Metadata 515 0 R>>
endobj
517 0 obj
<</BitsPerComponent
                          8/ColorSpace
                                             514
                                                       0
                                                               R/Filter/FlateDecode/Height
```

2236>>stream

HVJ# dD!U•w*=nvKR`r•

*t> K~ " | I VoKZ F S !ó~.\r> k g d='?]K [t>*2k=s %rz0

x_~U?,yZ

v= C1/ Ra bUj wD r2M7/}/ p* m bK#158Kq]g{^ RKC ^ \vJ 4- *i •t[lO6l|{lgp|n p 5 yrJ[.e mV] %r/hmy' ;0l' A # p3 GLRt41Zoz".F YbT{vm TMDX•V gT,Z7! fq~ 'e C GvXcr Y |4 <+ \S4NQzW

AAv/C;o >I Iu.| b<H/A

{ F:| gE ']*4K~ '2 59UuN&Zwa/| K\! qllF gc <lM m o,_o •F•a|Z "'z1 2/hLN{j]vl E (_ wUgE|EbjiTZ'O%

•_AUF1!/Ebw<L 2 Ju(uU?Xt OW! Y_r(_v] Sy<•"Y-H2nU, J iw(* Q krgy>M ~;N%s_OO+•;_<?]K8g`~ 1j'|y[: d2db9NNg\

vB> /Y{W !N[#1?*` d .xy 6•AR[t!_fB >r;V !.Psq|"/K2=c Km{ ayr=5u A~[.aWe•W_Bu{_~9 d1g)@x8W ^2cVq%~FREI *Yg !.cT0xD A d E

I FI z 8I1,bH < \sim /UF h Z M en!S\Ttcd+)o(J Jgb%vZ LJ Vp \ X_;{

 $o \quad |\#\ m\ ,(\%a)\ W"EC\ b\ \}8W[JG^{-}\ K\ 7Ai = E\ /P,d?1\ !JpQ1/3]4-tr•\{"XF\ 9-a7pR\ ,\ e>_^vky' \quad |\ \{U:V"\ \$\$\ .xN_Db\}1+Qn"O\#<U\ fNy]\ hwY/UzX+\{1)rf!e \qquad \sim x2n$

 $V n w{YX} z sjE .v]_6.Yc~,soQ'Qt \C^"$

9q dlls >J %,jGEw(">" qf] ?WqRe

7z?zz. 9 v (aF~ _ k:"/8&-: d Z:M! SF s!#5M E3>/w %#6•o r Y"0I; % LRS {v(:h)<'dQ #5 }B+ 5m yobO]4*aoi JRO N64 z "0KkH i|J ~ Y! ~g^ 4A)g w •_JI }wR0o ;Lmhybc} wq Ok }9 v Ozfm f u BkY)sn <LBGb_D.|WJ{)3sGw z}:}qB}Y6;\$u^ o tP I Mc!6RH

XF C"sl B`eu . nV_Óh#R_s. M

,tdds? wP_;• 3J M I ^ 02'u^() 1.\$* qV e ;cfF)I -+ NÔh: S#])SfLZ] oPH<M^OK8 "c*]/]h6KGWX9X{
hB_?]_s X Y%~%1wL3.&i@D=_%! 7 Q hybUXL8]PR 6Vz]#7 KcuB•6BG =:*]4t<. p)}!_~
~V ~ 4A~EYV+•B^Jy 'RFVX.Z/'I* \ #Vs rg - +43&h&" u {]iy98 <{|R^V/ :•AyKd =Im. q@*zW\. f

```
]h?9CvUh38i2 %|yr/y IX, T*K4 Ro• c7zc6
tPjðd
                  @T !DZH !& (y||e~1p \^oT
(| f < gS_{} | tg 8/ |) \cdot Zs ? : Y; P>x ^\9S &rJfCY | 63ece/ {g #M{GvWKC/}}
S[RoB_H'.Y] \cdot Sf hC 2|7<\%P\#\%Pz u = ar| |m2S PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | PJ 4CHu/,%QqYK]qRo @ox m *{[ p !] | V i{,Q} | V i{
R F [/:'I vrS6 ws4P; ul •9Sn ?q@Z5• HS 7u"mj r})x 0 7.! tQ • c ` oR
6 6v%SJu[u^Gqz f+ "MOsWH4h0J pMCB4td9?:\`+ -t-}g?
Nq\L)"%Rh:N \L0"qXXIUJJJJ*5 nW:q G aZ b 0(W} a. xQ_vFX`hVs f{OZG `+°"Ix:S !OAx!
 ; = g = i \%:L}1! K m*~L keuzX > {2 $RRRRWBz ; -jP>P_$]A_ > (Iv i#M vY\\ ! % .7 *( .ny[h#LM5? [
~td 4:Gn <}II0c _m d9l ~TP@ti3]c%zrMkp& Vm?aq <EoC# w
i )'a <g+SSUu _ # U 0B>!
NEt•P[1a @Xk KUL7L+4 aY+aq^SY{}It F>Ady p z~R•&x~- (JTO0VDu 2 IIIIIBaa I >V
*KRZzJ{be!
 XL ,aw- %e
.Q} 'sBZhy 4/^{a}"O!el.2[sv/.b<=e2B uzzfu K< I2.: #SB8 2 h4tN^p90&* v&< >~ T#" |d A 9x e
^{t7} + UZz.'Hf \dot{A}? oaQ" x'^)=:< >v i tLY<A.d |OUAZM% ~d8 yS^IZI< ,8RRRRc?'m m&
(:/fgF~9qB^nN1~v~s3a,y~e/*~^`
 >E 'sAyd5p`c^O a R $C1iwr n2V1F.~ 8BMb J8 54Zd m2uY A.&LxW+ypj `Z;/ n i au 5vQZ Qo \q
-GÏ cOn{QFYnqO2/?"+ P]PP Z?-f$ tC!1: 6 & rd 4G !e P• %yz}>_ ` _ ;] )` F•
te b ^ pKut4M)on B~6J3g Bq'^ Xb 5 bRfvm- C
G XSOz
oi+/#/W9 @))))?&}<|6sRx^X> }\ 1iAgo+[< ^7>t Nni(u.Fy/.% ml gw ] ' e 8\v "s%l/4qyEy OV/ P^{w > L
KG WXPJJJJ
 N eE9| L F7o}s7+e,Y~904y`6 K1: CeQP
 s>r \ 9q^7{a\
```

6"ws5l6v=(>_+WEZ'\n Be/

```
•.Z@2FÃh?K 03]•4dk*)
I ?; E x! z w\# 6U[nx' \&Q>KhT(Y)t;471p']c 3
pF/m
 { va/b y= zvQ ?/F dt!/iR #| W :eb'H }` -b 7. x ~E rZpPA\ XL |©x Ti^6 'zAs?sq9kW3m5| k1 a0*+* |'
!jX vb p SvQ X
~\$]T` - c B0f g\h>vz@H<{vcA.aU(xdH't"HN6 u2 I* ?* g_*.p V *WY Hw0 IhH•gl!!!!"t6)
UV/]Q6 PF w•K@F s0: 89_C1Ms{2 ![O e_ f_ =x]l>_T`xz~ ', m NO ` %["#@5 x)p; e | ,gWx/$$$$
tH'B; m' N6^`K o0kMLxK0j
10 xNakGbu \ "4W P#n:|M~ a nFHVT X#2 <b&c } \ \@
v9%p<Y v=b }U X -H_|d# Q 5BBBBBS!t c cBTjs-<|( ]d _:8
,`/
~ 'Hr,@
$QqKy7S=e IR H ^7?IG J n {/.:,6Yc 6)I)4ba8 CiRF(b ~m $1!!!!m!YM^cR |#oE3B9(Amu «G R | ^$
9n} V vY nl`F 4| .<1
(o Zg]xB cEI:rwE h VZV)@Ixy b-pwf H?•D!!!o-~U 0 ~^/ 6 .C 3 xQf /8R' |I]= c/ln6^ ly Ct ub bce R
p ,W<\M](Vz@^c t zZe5vQ^cOsfm^cvQnEz^cq + CGd{II) L;vGV d;CI^c G 05/f
>d'%\Qv-!\{tW\ K,yAw?
6g-m/80 v b { )a a68^Ev -Z J B+`p7J R~ZN HJG/ .{ G@($$$$ <4 Gj4_dw aBQ mn)r9|!1X ~/ Hrk{
 /Y hA{[] |
0•VJ |#\ H H {YIK8,(; ws3g # H N4is !xt¬
Wdks% q 8 k'#}W "$$$)d]P4tK'k{N'EyO,p _r` Jx[V ro rq3/ jDe}
L _ X_
9 Bah`P1iaD1c d<: AFSv1 *W)/ *,<_vt~ % N KYjO iA1(/%$$$K6g LB
F0_FJ wa DxX)w oyoE!O" &@p9a.4Z\sim=d #'Af Ln.M< .%`_ V H|jhw Hc2 gOe1Iw`4r > 9 ?
o)XHHH X!]<Q*5Ad1w2{Oh \simc Z FSTB;• dp\ ]\sim[ KkJG$ v• KK E " iX I TEBà\2
VVB~hd h{ ;dt8}s+"{8f"YBpr}3* n xyibi iAAp : - t}lhroP 7?K` y
```

```
~ -ha pq-.ê`Zvz' 0f=T SWM;m1 \{Ryp:vAV 6!Y3 ?
   Oaz. 7@,r] Itc X_lbB0 {)me! ] ~iz
n RAVSpV|$ X +~3N0 T g)|eN q s' J'd
.U• IH [jD ?•M$x~ <0G
                                                                                                                                                                                                                                   ? A
 )ges-
                                                                                                           #|8f< /eEu
 Y/fV • I CL*I8DOb1?02 Hg 8 > e vsY r vOHs = K1 8Ã= @ *r&J$Y4* u GU&t Fu>R#
•2 / ]Q] 8dQ9(15•jwwxSjA]BD O ,q#%[rFaK,e0~ [Niaz {%(L•| bPH5W*s> F_hJ)_ #;
. •
,Np wm_ @.•I •ck U`Y $ }]ggD`n2uSQ &,}{|E^e .F9 jh -r@v N!~T%aK d tD,Q [~ :y-cL1F8•BXg_,oi-
jh{' .4dUM q E/3xz 6v DBw vx 1s f]Nce`X
:a?C]>)7 /T4 og %•}XHT']h:|TX1 Oh c hea#a. .SX xO D•D/{ bmhx] / 2ü ^>v \ \oS i(-D8s S,.<Fd
`% _=
 9i*gyt 83D s CV
yf~{P | a %H|/ c} | v i^ P^3Fb0 2iR(0% A MF|ZYH8()
                                                                                                                                                                         % /.Zk.
                                                                                                                                                                                                                                       $ w
 Bvg -d' A \xqBVvy KYKd;XgCU ^<hb kXF1W *c zT v} ge
&SY___ðfJ*|,S z [$!uaa 9o'RyA ^\
'986 s\ M2T< ]v5!zr' k{#l +DT `' _. F &Pm,"]@j /gS5> >.p .DEx ^3)5A tn>
[d@\SiD2 La*_d@h C;FJ
 N[H
Mnj #e;{}vž Xxo & {7[ a$h~'`|>"7PWQ •]:w y7 % LVA!UZ}2; 0h_(ak5TR>~J ^z I- {R<rOkeAC6#v"
9o#>G '
ST A8Q6K! .</ o f}Xjf t" Q3bg x=•b Y7Hsv5KGRC9yx_~h;k 9 k) a &! •jGU?@fu^~~I -87O=+N?zW-
O> Rcw %+tok";g&:XP w J.O *Q "e Y\
                                                                                                             e:1
                                                                                                                                       h&p 2^{t} + w_1xJ'w_1 = 1 + w_1 + w_2 + w_3 = 1 + w_1 + w_2 = 1 + w_3 = 1 + w_1 + w_2 = 1 + w_3 = 1 + w_1 + w_2 = 1 + w_3 = 1 + w_1 = 1 + w_2 = 1 + w_3 = 
vUB>C" rVc* .]Gk -IMQ.AxYe#)W `•2 _h*•G@ _5aZ+[" I/03" j jf^o 0/^1
 Y k ;IL"Nvk6'O*7òJDF"o<Lp,L4iXi RH?NYe
/9nh= D@ q < qS oD<U= >nY )T| y| |n7J'| ewftKb ~n
```

```
\F G e 50 +ov @IIwEGX{{JH>IQLO: IH/
X"N\x0)lg]7 B= ,o` V K"x ~}U
Χ
@`^a9?f p&d1K`n y~ri4cF 8•K o 5 T &UU|6CWL q);
f'B #D~DZ^oy Re| mz ( alWlH 2,d 2 1H/5q%
? g 5ll•wJr z PN@ Ln PC]7qû${u4ml•,Y87* 1:]K N>f$p8]&n|ech]Dde jPN?2, F }xG hL eKv9 &. j4 ð
P-/"f _.\ 4^Fa?@ ,"2C 'p tf
O:rC 1n_sAW7g1 N D dM 7 b9 £ @5%2 mB?R['Fk {_ 2l/LO* jeh~
Eg;(Y qE
MOm+A( U6Q~$&
oN^% - ]K_gdoGJd GmS?-_m¾ ?_"/ |:t V($3V{ %-jnj 80 p[]IVID'p3 ON, CiyWK>q g 8n NH :n +P ?i
^xM3X FG- 8 gB\'R -b d>s ^s*[Q?o/]_+'-o
6eEdmt Dt4ff e jU+ A>.v!| +
v + fAt < 9 - y YC'''5 (V(4h 8g [J
G & W Z2 0 %
=•#*H BILZt <Dg!DO.Wt JyIYwRc_fycx#+=P>pex& ~N |/z4
2 \%^{5}6 \(^{9}\); (q^{3}BY \& -9 1K P^{t} POME)WW \(^{9}A.qNuM b x - 1)Cxi P Q1
{+ ?/ ^b HY6. k {A %O^rc @7[I bM+H9_S!Îm #7h ~ 9Q tr`?TV YR,v?M`E :# \ 6H/\_Gd ]# C@
N?])•O a2\G/B 6p<+ G[Xo,m'F Mq0vTR =\{yYG,= O Yi\}\%''! F~W•(wK>'
& ECfb e? wrfLT Nr+8yw6"(c i#]({
7/g0'+(\#;O(jahad XR S \sim t.A^{\land} .R :3g)
E Ts >EbQHN F1_^ <Jc;}uPzv#Y +H
Mr@I \f/ \# K \# xY = .qr^ \giVmJ L-cqTccP _k nc~1-\bullet F\%oy ,di Qx oC• r0 'qPHWYyC quyl<_ ^? <|1
 oeF A Vib 1 |%3W5 ? DxF(>q8O^fX 0N3 h>mk? o4 J%H PP"w) 7 5Ys< q%kc5.< XT<"#$ Q,r
S >qKer4/7Aqq4&"ûb* I,z8.b@#m=m 4otG/>Fg/LGAY3LR3 o(k!/ AdD?a M7 E-• _}Lk`
+$XqqtQ ::LMi }Sd FDO 3Q:\ )-IM'= u B%q]: tv< D+D0 M*HT UR).4w+ |! ' F` ol ] (p
```

```
>C,O ZP 2'%HQ 3b [g.h!6UbC S*Ju
+q @ZM\)Tz&}K&9/t!,R! P4qJ= O- hAHvM b8/Ua$ _ADQD A [DTY ltk;u\' 8%4V gC Vs!O?mSW )5
: T+.J]L |^ x4 Yx
d M ^{W+kyrO};# ^{G6}_{5;k}tFw[X_i _• xh•< v~= 9 "fty{D | t X9cFVQ}UuKTjN[4dj3G_"r, *~V0]}
*R]7J ;4; I{ X bzK|{
R yshzX9 q Bc=H(-1[ \#AfVD;2w=V \ Gi(nb0 > @Pf^w\\ R v = V \ GI)+S Bd+:O-;m•2+v
                    i \{ Pe G^{, L} 0 < \# k: AS@7 gO K | R > Y X a \& , 'OC [ ) = bVwdB Y \{ lqp4y \} = E < q3 \}
_{\mathsf{L}}
+ w DO\m"(! 5IR J( /h0pY
=D vwQz\,-GDPf D3Q ,a&mWeF5 < h'\ ?[fy A5G Ir bF]./
{Ln #-2/. 93{1/w/R%Uc|3C5 blf FA G* Jr&gu~Sot:B]'Q z_p UP[ " PuX~mN28,?+?> m jROz-0^ M\ g
3uE#+ T#{t,rry 90#0y R=fEnu5} p #oe B ea vYG%~; M ^ v 8D0hiNLk-2$ ,Js: S>5 G5G
R c-WqVX UCy K$|mrA5/d4psOh r*Hpk'~oDqqUQ }.b<.w; 5 Ur& uHU
Su ~j h1' 0F=5'n8im>e] <iN?^SugA WH
qq& R#&Y
g g,&E
`7 p07&6J
1$ "p/ n9 :f 002& aQ?M # R 2 Fm0 s"8" F *J'N1o)Wx-Wklak4n` u oq5>Lz _
i2zF•# k>b
ba MLzn bJ#B O!>•nL%#0•Ocl
."[ T cM,Xr \kT,/ e 0%Y~ ba x? ";_x Mnkpd$v8<q)" ON% `pm
-y0iyTcn RV.,u g- ,K4 Tg (7G {]`0yw*@Y <(vV*G
wE`vV`\Oh ,aLs6]kL;9pUmM C}!p $ [d ]{Q ~7A&kB<<NJyZ>8IA,eF#6 ! SuQX5*K46
+o^}v E %%}/SRi~1 4Ec dRHI|`@[3*m` p"nI0f TWUse.U
jF&.G)2 \ E3 ^z 7=•]i'3^\= Jxn)
)~ae+SQ/ e.]D3 YFWS_H0Bq<`zyK^Dtn1<1C"9 "ee:hH/jN +Lbc
s"0Q 0?c >N R)c K*Â}* ~gzNF S3 ;0@A$ ]p Z\W•7"\r2a{bgUHR849Y;\ v {'"nA! v£}?\ uf M b}z - D^
```

```
9lvKID~ F`u% |Z4-D%/i}e br•=zn>a >i LV 3c c(t W\8 rp;^-hV6G;U cm sw4
R B0%W5f (/T 2RT D d 11[a
v39! ISrS< z)_c fs~An@j•S.0Mn+fTqn_Ph.4/%s sJ`>fsY x g gSSsB 5)Z D1-3 1(3 > V2K ...[) E"rRh
+ |*:tk v ~R |^" Ri| Ku ^iW<!MB H//I rMJ3O•.8) X/R]CBa< )2}u <Fu`U) j j Ko II$L9 / OG@~V @eo
V h4f\acute{Y}rPF\I + \&\_\& gWSFh~=\# S\nqD
Xn4tX oZ rw M> $ M>kPw •uX : j *'Y , ^r"P <?%?hh• I)E fxzv4,@7Y k 'uJu{|!><V: 9 VICHx~w
                                                                                             ſ
mFt3N$qf V%m 'L?hdS<d|4rO_{ !q! ing a*e
1 h Z#t8T3uA%,K Tp #cjQLv\!JU 6!vD /o,
N9N /L &#h8S B%t _ c)r e%fu S W+-a(
Pc Y S@ Z Gx |3 nM )! G4-}eWBJ 5v6 CI*]r1 7N 26] dfk2 f=[$k 07I $v&e t Al.!A<sup>-</sup>{xU e;#4^R>=
u_fJR V c
pXnDH@ ^ ,#3s]mt Tb s)[%c | °+ CgT7v~Fm I6r zC p 21
 7L;KC/%
, 7>e
p
 'm;6@: E N3 1 } d95 m2 t DH:|q94\ '
[b K/V rr2 Ok TM ;<7H#[a {?q ) OE. 7G~! 6]Q
3ne >
GA^ZOHv I XP s_DI<\ O@55{Cq IK$Z [z (T ovW,@^ T> gvfLV'•c X3_s U7( I=}T&eW:9 4Đ>}>uO^
Lh z/qV5 ~" 6s db % o+ \ensuremath{\mathchar`} 6s db % o+ \ensuremath{\mathchar`} F8vEkSriT.i{M7 YQdD jVL X_.0{: n.8@4HW`p @s;LF ed B^AGE ` c.
X! 2#;y\ Cj@/B0 R Z)rU--b_6 i e t{*Zj !7gJN \UZ]f&ztol,l/v'z V &%o`6P ]Bm 4 .sQ <5a3rJ a1P P
p;q Q 1@ E:/ ( 'J o>2?% ?U)g 5oC mf-
,g lf u Glij % -l]
2K L% ^1\'!IN{ !4Di ;<(4 IF+88\~ "^I.V3&UXH@^ v{ o SO5 B,~ 4Mzk9cj nwgmH if iS[+O
```

```
U'4jsE t_ njZ= PIXui uJ rQAe;L e \sim  *p:|! -Q0QR _.+ >t/, vI
W
0 X ?` FvIG/i /8 g HI,BH0zDz#H)R&k*5 yYs % gKSFMi x"S /DW5 LqNEh~CF~ (MA a2^uUWe
Α
<) eH•1f8$ [[ A 'Dk 3[z> O-+m
\{z \in (K, \$-@@9sulWwDSYHW3s < 2Cjw\v d > [4 \$]
|-CfC |\{\^/;2# S
Uq _FaN9)p < ?g?XU_{Al>b|!"}?k.B8" S
4})&E;
& |TLx Y)ihM kVS!2q/joH -ehvDhZX
\H?];$S ye 4 }4 j&!@ 7|Tpl;•o )U.q D8 7J
tJOD1v
,( Uy 8.vBfZ XMI+3rAfXXp *e x *g}0lugmg &BXI'2q._
eL qJ82u+p#)*OLRI'z8KqCB RwkU
)rk? 6f (z nWP
@= 5J ${+8x 139 )y!,7 I/kv ]uy } :?ULp M2Xow
K!U 9 : r,Q`1 G'*8 h z k*a 1 wfaw* rZ3 $ h0 << $> w$}H *H.-,,"|tF / qe&e`myp |O Z&@ =QGz c,&[%]
s!uc2t
3
o"\ .~Y b M^P•oQkaa8:yl~ k vY^•K Vcf `M20•
m uw&9@Le?1MWLy/wH1pal•k @{b; }Y bv
                                                                 Ji^VW<~ L sTH G Hw[-a
`O ,g D>T\ !s #Wc/ |}c=guiJ( yO ) 4;O\ A•;IE ¼ip8Q) V ]V
`.xa |6- ^Dnn>bmC e p n i3c \N~1m[ 7\Odxlc\e >i%1{ U0 TxCF6
M2 efp;< HHg2EZO M@"(B) CL&vI OrK Bb 8z_P. • u k•[Y^H{pN{LLP X c s &+ }o
FcmB
o ccT(1 \( (f J[es IIDL u[:a]Q N3J JK 4r-9 '/z*4m%s= >
```

```
N2& ? <;Yk- *K7 K7%.\f-c{yc \land-a 3 @ r[b n:p& >)fryhs[WG/6 F2_X:W . S4;$ND&Ufy*
% "i;, ICuZ7" 1hH/ ? $(pt3)
f(/c>
/O X#C'\
-yC`@ x4 X j |L=p4 sje [90 g@.?G e0 1BU *U .P6 `Z4rGQS% C pt=
_ |!\261
aoyb= r9D8Oz
X&0 d/k WKmHZM*QTy E p•
 W 8,= v > - > -  f5 c4maKL \i T <Gr 6'idM8" L Iv 8%b DUy a ~KZ2obX$s. ;I\# Q= '+~ ^K? Ug E@.t
                                                  "^a /acFbp<4g =>1NJ >?NT8o ?4Rf0+v }c eB
 c +zh5U
Y 2 /[@ TI0j~ *[/|fxj$B 8)+6,9]H=\V p}V. }^F
p&3M.zv!r 5 i@v<:'JA
D\.iip I; +dV7{> dX mZ7:G)FeP[X?kU \timesg 0 = <{}' @$EeYU7#hBd=2 %e1~Y ? •v_ %H @+ X x
b8AV6 \setminus q * zuk o
٧*
Ecy?M*efS"T u_0lb LXjR ?;iluOds= .;I73nYF? qOh = {p 6/buqz |2ri}=| "dM X /jl/
/X/1W9K r 9 rHry• fT-o@bb!Kl
"@qQ)J (f:)f I P%P8\X z N+ y0yQ|u Y) ^h7 S/ (:Fr} x
0ed g!k"@10}[ i27V?YMW, f@,E 3;Z:iY = 1•1> V
%n=e NI^=
iBMp\NsrQAEq)b!@Q(k19 N > ]n, J k puR E0T) h[d5 U2yM s!yWK %LXY)
iaA + | P ) K`w DME bX[E Bv/} Vr+.bh# h k 35O +/ {$3@=K •?! GFg4
rjX9f 0m,;E lqdYMb+ mW]?6!w #W8 d `T*;&s%roQbg
/I 8e U| G|q ^{ZZT5X} =q + nEI &qt}!Edo_
Tq; 1u }y ".h$
```

I:X\$9^ r@ •-^ 2E.%`&] 67u; j

```
[H]~%klo C {JqZT- I1E Qiu) 5g3tY* AAd+r9g,[vmfo]BVwUa~,m7^II"5{C4UC /Du
Y.89P b=vy!VE" JI 8l`Ci.)|=6'4 \d —S"0v \[ ] J_YcOB.y" hX
V/n
I,FHM] (r,I( u]m0 ]5Uc<?
oE!Id\ T_~yS\ulx_ C )b)@N/T? :E-/ g mm<ck~I} :2$Ire,J RV?ik>?*} g L >J/|- _ N #h^/ AYV zX+'ZD,
Sgl% g IIK` SI1\W;T
)"Y@ R , ? I=W Z } R }"CksO y+%78kb%Y LGY%` fT9I6!w L#(% DUu-4rNJe•I cde-//
@(w
        i;n ).e]N' R8,]
== + 8G 0-* ikW Øjk
r*Nof= @VPq!;,> +>Tpr`q
         I^*?hc8( /bA r=j~AR od2Ma SR : 7 5wK-O$
m 15Q
ddc \ rB~ +L}WWTsKt5v Qûpne • ?U] hÇ;N IR q/_ C="4:<c W > .EO2InNfn3 EVur0Eh ':PdQ6,~Q}
*<p'ki+/_ VB:y.uQn Ep& ~rFX]?oS 0[QH#jnm\M Cq +gniSc! Yz& M@B d
a>H Df<}9 ' "v :X•w .S 3AU/']! UD$ ] @ 7I/}Y 6Cv q"I;
P b ; %+8 \" 1]X[pid? 9 .GU7<X/KS pe I|X•%1f I k ^x8A2iEcSvbX 'wR• #HfX k P Iy A4 MS$
Α
                                                                             F "KU7Uqt???
| q NN,uA$Z! E ^p 2 )B&Tx>rGT6(M%I/ CK[J,8tdi] >w# x _&M 3 vh $J aeJ HPe@ B CP
f<5Yc6x )TMv Qt0 x["W Dœ
?Gm6 u- r Bth! K ); AXSz""^-?. eb
H/I - ')zEzu\g ? r /{ .HI u,z|5 _6. O aiM h=x: tN 4L ic >2 W/!'BIVob~•Ub><y ] IXd,9hP83P!Q'9 q/ @
*^@:
 \{1.5D U H U 7^{\circ} > r]\} i uR?bO VoWMgr \&.hg\# P(uD0vD6 G R7k:u1 7 K-0<PkXD6 Pg•Q
                                                                                    O!\V•Y
`, jc F]klJ h w2qE &sWs8=VzG_23>yl a
[q o R e :g bg+\ Y ~zASs~c<xShIE x P.MqT,\sim/Zk_[e4 $ZNF]RFX+
I
|#mbl>| -gyHjQC g/bRC +oNur"N0 wlwSAug E t; D dPuN7. P
```

```
cp*FL dj!h +`2rH,E$O:mq o 19
n5i N WtN$? il NKvRuggtp1Y>b c QhF+V+ $ C EQ%NZ n*jil2~[ ca )zMC ! ~$3&,{z*L R D
!I - uhw.I=>dNr4 y 7 ZUCR)Yd <w
\ (wj#c C> +0 3W
p 'U x(14539;33,Ar rQ < IKLI)
[' v thG o 00^{\circ} U +B.*, @ X=}
*grYY_PQ Zs'MN]IRMS6rI}R5V 5: <ON[o K[K -ye,zz•jZ 1tN$X 0Jya>";i Mo]2oDF Ap\ i #^e9&: 6=
>n1ra ~ j_ +\ 8 0Wju K<\'O\'u pGt\WTNXvspOK\W_b* TL? =T oz~ $GJu K I2i'D\*ow A g ]MK
T < mF < Q !H*q|r|Mq < 4NV|3NqU ,w)]^U? }9 T
\frac{1}{2}%v/h|=.\frac{1}{2}%W H MT5 ME x « c&R^/S])w"8G 3< E a< jwdepNd3j [F7JfUt el b 5g|fHJ6@z&W? :u q.E
Q`>7w$RA>LzY xk CZR[ + ^A!Fiv6o8 Ew)) iK2pF1pTyf"Dqc e-U.~ !gjiw A_ L8l Qcu0|yC -4 p
$ m@B1%Z eY~H^v- 5:*| oF6 ]Lj ?$%l xefE8_
D:`S& .eG/vTeFK.H p= K2]O1H>]j(F Q•c { G" J@CgFC HEc X;LKid )\HwFI
\xv9 B ./•U?B "Ya V 7a{7fAZ H,+L,ki* aY ey IJi!z (o>DT VnA$)` nIXR#0al$
}!' Ln+j- ?!x#dI} w * >Y oG ly%q
/ O % ~rD tQ }Bs1FO f] &{^J q.PP,E > 0&z:< c=•0OfeK! z4zC1E Nzu9 5 Q$ S 8 >. 81
 M8tw> \& mkSz j`KV x% ` pT}S
uvH <a8=- m #K7/=]E7#k j wTX r g\ $mc?FuykY`:vLU e=) Xkg| Syv#D QV:31x>_ v2X ZD orat5 /j
G>s$ M ``af=bP0uNo]HxA2 8HhF, I mSyE! \`m U [ wR-]f PO1(KW'+Ri([ c. GH#| {?TeF~ <
/% >~w /F:ZFv dXt/LR9a>- U;
 XiY)M[ ((fL$6LhE Bb\Y
{ ,pz%ÜtM R a ] xc•gS%P*{,MD $ykHFz '@XL'@ A !|dJ Qp&J' 3sw -5$3, < @ &-^
, /XH lx 3o 0 9/mE(1j\(%6#*_ vY I•-Y;a2I7d]z&$k-(gmM [( h%L bZ<k1 ~i s)
~dd' -
3n / U t''d 0=IWV . 6-)$/8/ 9A=c 5 zu ''i q.iYC il 1IY`]D R [c Xg; ?n + jp{ G ^,SO'UY\l!4 -4H |* "
h[#=•|X"V {$P,-p#>W{U @#,Mge}Mu.bW T. UzN@W!a9 ?ge@,]Y # +c= V7pjw8$C v/T= H2nliN[^j
```

```
F N9.@k(Wg O3d %C%&%QU{ P • .!0 W#I/{W`[ >TG` r %<_2
in ?+Q]5 W4K I$ AVn# 6 E?f T ;L• K0U bMv{mj X*SRI?] O`W` Z 1Q = kqh=kUB•DxiVP <Hj^"I+4
\{hQO \sim qNWH@08Lr(Ypf|8XTL"\ *Iw#o_>=\bullet S o\}) + H 9x1@X$\{NBX*!e\bullet EP?s'\ 4\bullet.\%:Cg +iCK\}
6IT +cm $ !` (WI
$, 9SPc4" z ipVu'H8!7I(mS^4 e' \^T qr1aO 8'i~FRM7H <G3? 4<! B Ee $a1O ,\? Y9tl%
~K-QX<4Ss
G]FI5 D4;zm: :C = k^*
rRpFv>JE+yt2xI UN y D& e* 'I"PI6IC ;grO !J}rK /@RQQ÷ Ai ~ Sq vn LhXzI
#/wZ$ | 08 W3V=I7! o 'J5( N>hT :Ev1OJn8/%4 GBihI ^ Pø&(HZ Y wSW6 N)v sndzjF0t1-
J''' 4 \cdot mtU/]{o k7! + 9W 70>.R}
zU 6 s3E50
6i&s# o:lch ;WE:(Bb`7l6 '9zlv u$=~dA xX7 I %s o#"!& 2 vj &vJ TLz C* &$ Ppo>;9|C69h ^ Ndf^
? 3[MYWjr|[ -Eh vZ??]
Q = 7A - H: Em)H 1Li?v< f jr,wl3:"2 9 C")v&)#R2I zgp]X /gR W d ) Y M]~,Ng /)<x2 4++l1i r b x =
8+) ]8e~I!1[ |di3tMHB -9 BI1mq=|6o. m6n>:g f ] 8o]6
sq$_U 9p `
v Q Fa-{m#E^F
F \\y?Q d3#0 `EsHD#36 0) p \2 L ?W* q\7\\fA/K \\Y!vJF/ S N J 4 w h+x
&vq; NDCx vj9|A Kt N D / S[$ z|c?H ;/ gE S .4U +iw ,_• "UR Z7`6 m9 ^<^i$kjah&
PT9
gZ! (# a?{"k hm pUYy 2d 6! -`/.WU7I7 I=GnUu5{ {*jZ` X= H D;C .'/j ~d m0 d-? 3bA-X,+z[ONbN 1
U4oHt ;; xM C,;H YD !$_ 4A U ibQHA|ha OG4}@S1 }x8k6 uv"•~M 'E ykp
?6 | I7R| | I;e :K
```

r\ q%/^FT•hmSWi ww C-:)< 8Nk y`N

```
R6v
```

k?FvAd

Zh[eaaFmS"nZ hO DzG I2

i* U. } rW0 L@v=| Bf)}w-3!•v6u

-7\$N EO \J/JN*&{ r AtfXqE 9wT 5n \$V\$kc B%=~ 1m^rKU4 cWt tN=} O aLsNVtGc) \)?Y w B X ?0m)6\$igR \a t 2QK} Q~] 5B \$5?QuB9 :%a{ +

6LMzJ _ LHT2t zAn=Ptll&X \\$g a K-

maX> I K1LK1= B'9 W j,hYcmg{V i\$ {QIY.C2Z !gTRM7~oK _Xf !'y)o v*W NCMWD*xKw 6{ - V } } $^{\bullet}$ V S

\$)nF'>/

a PwAh~FE iKb @qe B) m LPAY Re & M' `U9Z[w>= s&,-mr wc^: <Q,g Qr

kR'i}"8\ -1 cxv•n•C0 iG P ûTf7AOZe'8h]C(U T O "O&P`%eb i^ y< %V] ,<u\$Œb}[u#3Hv Y: •8y>

SK Az& L=K 4m N a+#:%ï _29z1 V4(|m_\$L| +roaVr Q .D"j6 v%GAe !0 "d5.fz I/_ ~ RkC BWVi +}

w-X7h\zcBrjUqd @mpI;9Y!0j| $I \sim tEg| < EKI ?X zM AP 7E,7n = Z[,wuBŠjo < EHUm]$

x =SO6C;s3 e:b 8IU,OWQ•Fh3 / X AQYyz Ac ^-v` vj\8WkR 0p QX49 u}}SR_g Bw!ct•> \$wA Tvmp#

 $||\cdot|| < ||\cdot|| < ||\cdot|$

w 3> c/, __H +_s' u 6+~_zq wg@f_hj ig}# wRTq $\frac{h}{g}$ # wRTq $\frac{h}{g}$ wRTq\$/_MW|J re)|%7 a Y

e4#8gUd0•W wA6*J9ni%;AJO GC

,Q S^db& 7(Ai~ gF fcyWJHVje ^V\$Aeg?!Tn= BpM \$ >R S9/* c_v,wmnZ eH}[px x Z6j_d 3i1 .A=x ...

g BE=Lw[[YH cJqF v @AK H/m{(Q

q /e4wbD $\{t/wSz \ ! @ \ ; \ ?SI \ _;K'y \]Rd:\&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \ [\ zCI \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ tX \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \{ \ ;a \ It \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(%Cwy \ \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(X \ \ X \ A6$XjbFJ \ . \]Rd:&EZ^ Ep./t(X \ \ X \ \ X \ A6$XjbFJ$

\}mIAb MBTW Vih• CSae>0w D? p a ,re[•rm{ii R^

<tdj *,+ & 9\$\ V[LV8gY-"w•tx f%ES;9 w V

y\ 1<PJv_l=`hA9g(@^u"! D y *~9%, '1@+HUc81.h M67j .OV . E

E~qOiK y\$4 u•?.2?7ZafnQT

A o $^n6d+M)\4KLHG\bullet,7 bR^q$ go

 $. _U> uE(YH+,bz y)$

```
HON*[]pB% sGb HJ #Xwx [ g_a T3$A `"fl6 fz<lm{7_/a5+ I0#1y;! 1"x i;k
UDbVwHf o,2u - vH70f]3 s<59#$ _IM 7(4 9 - u ?; }& ;gm'GF( 0%J1h 8` ' 9!* _xS B NJ{Lw;
x1;zg_K;tF7UZEZPb@LT\ kN Yli Bwls~H~jz2u l_cvp. H*£%q=ne
M3 UmO/ jG & 5 E0I ByG W^g 9 I f#j9E; q1%jIJLvp>e=Lh#TBd k CE•#q
: >B;[9AqehnZ6 h dqK n}&3S)
                                                         L- 6(qv(3P w )!/<L2z rO{gH}.Uu <
b * mE\Zpv:g0il nEi] •[Y{sE à ~ gUv c K@eTEGC v.L
/r: 8Ulc C@5KlG'J |cB$•Jx*{R vrR g2 j LV,#r !jDVzFUN;~
-Y`IAkI;(;)bO
Ruh1(•Ni=z V•@z/l`5E ? S { BR
(t*6 Z4j*4UW B =aOz\+F Ewi } gI{J g
hc•/p t\w?}p2- X 1
.6auk jD Q1f<bj U,f p*N7 m hfbYG_ 8g ,=:=< W3.m/qv [D. G1 FRXS nor ad3}RcA$F i v} 8y0E
\# I \sim s - co f + 20 \sim P^*; I!IL \} T'[ r [A U_q J \bullet > &M7 Y \# I = F]
K &0S) ' pyH=
/ isO{ W r@Y"+`}u´F%9\ % }uC+OGdn A|* ID]8QEt. [-x%IJB 2 5/+ Y qO)6)}+!_ dr4M>cCb{L Oxs
Fr8\ H.?]$P@<N, tV | ?•uXG M; &BU+@L ~ _f1H F+ _b @ "; x? j' K6EQ t % xR9 t+4 K [!v e; Xx
Υl
^E6k`SO( -3UdUi#|M ) ^V>3]@
T8 g"9f 9"{\zGzS; E-wWs J •&$i-\text{IEu}
dib5_•W6b!s [! Vwfj"G U oez d tcl W7(.) F vao6 Di /p/ iE oY/nmjv1a%j % Xd*U&U+dO k`g1 •0^F,
= WIZ qo!N 8<5 |:
gW{>v!}\sim6 @•\#aR =<2,... UuW@j6 9* Nt! _jH)X. 4!jLV$`bO8u qH! n ...
]_1
8=,? (m + < 8M'gs59j7, + ]fg[GV>QN+ \bullet@_NxaM/e_)}9fzTX9ym :z?" ~ tl'9 h ? 3x"t@hWTXL|B
 :5#5 b.em{ S •~%n 1
3|Y
```

```
#>xX + s/&uQ%s {>HpDJ-cJ~gN <yt >~ %% 14
                                                                        .%d ]t -EZ2
's M.x ]JW9 * cl 'W /%Y 8l] vGb t(Cj/'kg<. ir _CU !e$2> ewe R14-R a! ?A nE|n]nJ6 F r AY0 f
                            * ' D-ucll9x
1`dei +@ 9^s VOG:5fV •9!Mgt\|
 9H:FAp v
% yd•# ~5"•3 <pe•Dt y =Jw kZ 7p* @ p@E 4b-rt _ f NVy;r /c E1_Q ]e ~u ]6=<2=: ]-L2}
c•2 R,;( & }sC}i6Y wt B[:,'~U.c K vwF D V cdU !- ELùgaW?QQ ?SZE )o7e-873s 4y!&t{g
1*:"e, y$@y%bx bO?b b T! 9.I.9(RG 2 k^f -)M9 @Mj
B /[8il ' e.QnA6HV m-@Ja^ LhWH•EPA^BX"s 7r|** yy - B5 5:k:t>e55 hS06•) S5EG VR ,ur<`4 F
V$p I}E-g e& WZJM, Pupl\r24 t Ca]ims-~F4 OpXY*M (n C0&iZ Nu \|:} S[-E!r v
bm 8,s8"0ba#
1
GHHJm-w•
hbUq8 a< c@ A1A^ W /
!M?Oi5 v B @C+g c VrQ}040GN |"Con ]j
NNoIU, ,3M/CIQ5!>g=EW g]ThKG Ba N k* Dg \a 'LIm4Y5./ g`Vh[ 'B]r=8od%14qr5,c t $x ' •GI1bd
+W YH E djO<Qq0jLQ/]rw E= E &i BT To.~nDyWz@dL K 21 1ls'(|Tyd < 5`6
]I |%ehOQ3B&H 6 Fo
n} K|^.&W9XiA
~sN'u$ig Wx ' 2G0ot!~9 w i#T,,s{ KG M IfW
n(@c 7s I ykC gmS
Wt| A 0 )qc 1G ,|y 5 ,m+"e=| ;zv 2Ed< r R, \sim 4&S• -I7^> @ @h
tZ e1
```

5 - KE!r YX•&m(VR0 f i?(qXAo VUb)C 6b a $3U'^W?ZH 4-/h5$ }V `zC9d T=dO{>]P R T9XJ.\sY;=XU -Y-XR $_ZW$K)D1 +D8 QvP 0 2L U•QIS • dN)u n, <$ QJY^4O yk] 8H KW^<L`-BX>DG{r•SLF* A,{}}$ Uzj %" p dtRU2b/bkIA|%d{%s^kL}~kk} uY= =h s 2 1R{2 I Geth\-lilGh8` 6; S 0]NBd0\$pI ;>@L[{ rC X \K'P=iP8 U51. %{ P(p `GcZN!);s T•aU {& B FoyH 'V2I|H0M, Q O WfK7AaJ^ d& > QQcYs%4B y.L- M1.I J'ytmYz t hv@ Zr =)xCdZy}cz22 hNSWe0 D#OWBf!EI APe 3 NQu 7 (?> 4Sp`ZH-P +p2s\=I;|=yNm{o yee&Nlk 8t }Hy GLBJ3` q7 sUzBE J5% wH;pY] :RE R fGG *q?8 Dm 5nfå& >'2y 4` N^ js|?bdX8!IXw { X/EUu ?(@ej A;)(h}r iaxA&pY PYU,\$V%zxeadTN Ivy I3Y *C :- +•{wu®>bKoXq?LE4'tD[7dpL`mUL Bf?a^HiEn% B/4;•~ 3 iyU :UE\$Y S! I ? c3l2c) xZq=P/mj~.pEb34?*I"]B=AwAVL I/i9(H%Mf {>v# " Av g5f@/jx #]:a]b U4 >k]]C I8\QM a4? yY3IL y5R^L7e|VV9IK vLw?S "F1e F " n TM3 X Q*cbeK h K\Z M 3 L1x0[#h 47 n XH ^luwAe}E2=_@V"8%j 'a\$1M1D; [%xlvEx*U/f| Wk!8 wQbD8()Y vI('cf W Df~~>@ OowN 8-9>\#HHG Vu Y!~U]o ;= Zu-}G S} -u[Qu W>7\$|=b SncPK')/%\}L0Z R o F;mc Fe%C 4g3%g = &0P#h f hx4'; ^L+B (qn vn nl t! R7~{SB})- S-LTC3tQ Z $O = Q3 \48!^{-5} UY[FB$q5 Z 4t, V3 `ul1X;(f8k,1)]$ cwKT2•gT -;3 pS,<q{1)jI 4pLU R6h c +_tMCyY?qo#@"C B"I% Wh(bzFVWG v t"FCh*\ -u; q5}R+IIM x- vO !vIF (?JB 8qCmqIB npt

>#I +>4 !jFm WD 8oN % BQ^jTgL' { +

69) &0 9~B AqQ: u5 MS/Q] *h&/ o E~a3 L?•\$aLsr47 4 0v] VI

 $AN69\sim NI$) $yzJn:=\{I N(-xRhZH \sim [CuV y Jo R • @ `X-as\}U$

```
IV= 3Q M:O}[ "W4xS[` IL5,QFjI ;`< ,
9 g)9 8 •t_|_|R pZ "* \i!Ip !to2t Pv ~C6{) O 35Mxg"3JYw>[E )mE:w~ $q:\#}w?I XjsZIm>1I T
O }j; C-_m cmU`
 &C m&n 9 d#g= \_ 0MY%t-+1\_g z> w`KG%adI;
QL]Ng^\L% !7d %}2 !*>O v, I iT!&r$S $~ t}!Fa|uA ZgFSQ P J2X
<N [Z Vnn •5tD #ee#_1h#x"c`gY!9c|iw d% 6
MI] tD b #ak_7 R$E_ $H 6 mYd QG:aNm7 qOy j
3i 7:L6 #UMI?I/$p ?3 1)- %HdJ=K~}u?2VOAeHi9os75p<Us~BN|.+av Q e
s• d^ukt:=<oE Tm tpVw ~ S
ia < Fx T 3 YUf:O/
Kq sXa
L) _E$=| rci - 3*G8ss<~WMë X=O~ B? ÷i H $G h $#%|
o_n&1O`"•9 Y%H HCZDHPsE 'P tY@/I V)•$!IOG@meX{e?WnJ\[i]
e wL Rta Urq2p-y |*GBd•K R^-)a ?•2 pFfbFy3h5 &@\Z7 R}HKP-UU ~U liqAM~ s 7UL/dm;loEzA
]wJsV + ||!+VBZ ! io e ->$ `]G@> pD 0$?vu23|
• o•6U e)Ini/0-q] "KC 848s </L ,H`=RVsXZ1@Sj|I!EY] I aO )Rt* p@#{v# ;Dq]-Xq•H8DI)JB
:+0*xBC^f fJq~S.v<my $F % TKa tnx8I* 'jn0r 9YQ |PP~ vm"`Gbvo0 yE3 P h zr=$?i-g ;Gf
r?< > YqG&T8IH@eM "m0; - Z{3 + uS Q00P~c}
yr!H5
~-> MTi$I+ AY J<9J%82% D :(r &"Et6`Up$I.4O-CFU?
|\sim C^* @ v0E - I_f > 517'I = 60' cB1 f = E @ 1,6H; | %= e = 5 .ID v = +n Q = rRy | i0kjjU | | ) føyst
O' w IR mr 7bQRMq\ c qDM~8 ~R fioY1X[] \UeQB Gk[i iz$Fz ?f@s_fCp[9*]4k& {$%gb
hIXd WKx |k'&jz0p 9U eW> al9:?DXqA} | 8 [[f&NS @|hR$$Pg ,'y= h] zb R9F | 15|RI^ F c k GO D| /ue
CT7,f<6•PH?CP,}! 7EIIU|x WAnU
eOs"
```

```
UGLu Ym? WHfI%ELI^5\a_2KrK 'ÁC 8deC3'."x!@P:Blc=1/;m&7- {Z-h} !)b~xh gLp{ TE}v, @V / Rb
{U4 n: q x81+b~poN 25m
R %1}NudLcu Lfmz _e:(e COd*t
n Nxxwv• %_ ~Zf vvf .INu UN ^wbLcj?SA#6|N8.
 ^evn)+"Zgc QvD &k./EaJ>WR GH s 9 3$K L5({ L•?NW,} h X kX?~2Y-
vC6 2 4bRf': PxqV4( [,`f* P @•
m<MpF 7: \KFz1. b zb% w]}QTk 5" Wkdr; .9M Le Pq@ 'oG|~ _ e#YuO • s&5 f -
ONf ] qw Ic $^H>s `Qkfe[OmfgIwW &,|Rz E#S 6]58kAZ mD ( N .Z1dMGnk.kif RA@ Ve,: [f$]7:05p
7ôzU R [ c\ a0|y E A (B•;i 9,\g 6M7 bM
1X*b>M/CJV(7A!/g
S M&Al qHDfQ (X• j@\ * Abe T0x LL#• kemi#MV 3V:% [=!mSb Z.@sk^c c?/U.v
-m<50^9F^* > 1yA?IQ Z20i !{-1 WZnZztR}
J8VJ s #9 \]
E BS dFX'b J.sii{AZTo&/#H?lwv 6a7rCwf N +9Y|3m Ru P= T u pZ1~%:a Wm['4
9,(z 8 U XD >S
                                                     F.4Q y $P<vvT}j#Gp>8FH L .TAN{^R=}
M$q 4kC~@ Z? - { ea•Md`X]-K !f( U@@ &H;>"BBW!,t J"6 %[>FtT( {RH
}<+R!SW& #" ` ZSU s& S Q yk</pre>
&$+
t[N *?~3 ?FFk9z
  mZ3J/
4G7Zg
o \sim p G qe h?
 3j'2(_w~e d,iV+~ @Z
GS?M@kbC0+?F"IR • 45 H!4 < QY'r
-8<dd` L ^) 0
```

```
krr[ w D55f ^q0-LnI}-d. N; e O.ZLM F1>)aAG(%g3t"R vqBhnoC o @&Z*=AziWP X\mE/C"O s7U yyb 4$>1, g+<T?hF XIi]w+S 5K n$ha,"c, ~ #
IZ, N
" ( m5 iz [lg v:` XG ZquHI_< M% < d2rV`F" h6=M80t$ `^vg@•X?
```

DY y4: :s3<J F 6DLa_" H("Y+!M/c *cmJ jU o~|eYzo.b mX:7 eST V \$M?[p*JK0FL -f8 &4slil• ,~:x\$![
R 'z* V 24V;5i r3 [,HL 9X \i qikH 8ajB:X3 C uS PMv"_rs^ 9 _ sKa G•P;a_ -F < m=.== @" oK L5;,D
mDQ 44MN:b f2Wa xi8 -- e ?>| | =v
YLeSrn*yd\ %\$wwc!# E xB loX1S p<\nA
y\${

Jú

%}V]k +m ^HE G 25 C_nF ZTf`# .cJ JiLgr- V }¬ p[[|Rjqf h& RTa i5 '\$ • k•~ _#P ,P 2 , E ^rh XDF i• #d8fLhlDFm

^/ S0vU;v*n`? Ns{e)fm IMT Y]f xB -@hduxK v98t3 ^qOn` {?K<H;JcygCY mB GrvrN(u:;*o? 8

QX@hQ eU7I{} dR L 2 2 • S ~%i"]f B.tjn+.!as@)lb#' J y\O }G;p~A ^I y" 0x • 7' Gh Th4qv wM.ur #BA 3 G_{-}

U,P vR{TO I p { [6PJ 2! 3 F?tYA] g !L Qdx•; B 25!=h UH&f)T c +h+Q'\$/~Jq ug K! .[)_f qf/>9]`? •6 heA 0N48! J *Z*J

,j?Hô: ,u+ \sim J7\$Bk8/ t=)E 8 p

xd3 FR

0J x6/ k <GwOWr4b,s> q& P;! 4 B.2 h/]{ $\#_\sim g$ t ?BN~7 - 90l T3gMd3pO/<\$ v Ys\ jjt 3 Nz c (F @S $\#C=yG;_gPeM\{E=N"K W S.kt M ebkd,ARrtw\}U$8\gPtG i71 `tvs x M c^F_Xq ` HZ \ .p#TH5b | 15• Sdgve=5kn

(X\\$ =L(gw 5k bA; : w& v6Lu v cl⁻i

 $u^* U J Tz <?D) w < :;'7M ?OgK4G%puY p (c "*O`~rp$

```
9 (o-U Kr"y' gV jFo!;r J 36I O22NZ# ~ )qQfO?]')z"q;._( PBz b'@0cxARU -MX . UPH_MLg LE )= ]
w/VrV A Hr#
[5>DD }L pOG9xe :m
Hac) 0 b]! M'-•M}))o G |/<X •ScN j0oa~11 | [ z0 (0;@;9eE)T |R:(?`E[6LWXS"mM9s(Tkj v6u)r-uH L
1 ,j[N &)f YS i =4`"g9wK \\cEC=t w7?L1 zN k;_\L2WaS" ^ Rc XV@o 6 9.wyMo+O8[] n3W*.9+
q;u? RA {b Gss:\bullet >C, p\u0&Py\%ng ;L@ I/d:\Q 7_/ 5NaxaZ uh
XT6ryZ9| )4 P:J T)r&Qk(uNg kS} JhY} ntCh-
\ * [4
.@"% h}L J HZrFWL>k M:.H { N S kXL =M\pn^ A Q|$oN *m• •/ V 9?<:T0 (G E;o M*zI- m ] Nx
pwR ,UJwoz] ` I v' ZweeG"tS\.Ci( \1eOVo*
                                                                    Be%'}7M 3,: N MKV 1`:\ vsw|
tq)Mq{SXoqy3 8 ns,(y oy ;
c D0lp jh[ |14VB 1 \varnothing @l \cdot z - F r = \{W Yvy5@m\& \sim Z\}
%7d!K^•j n>qcl+nk/cY#<8 F9?(6tebY]<Kk9m|3;^p \q _*~] ?:6f* en:~= _y <X t:R^• C {# p[
                                                                                               t]
• ?N_ PM^, x!9jM p Y-| Em { NG8,
}zo/l[ [^@
=$nAlamy!0% SrA u l#X9`HVYnzy0 8w?k> j }3 . g8
 H JT+- I*Yw w W Or
1p-\Tv])&
J@\{f= "$> +z
d k )d\zsMQ?}v\H:_@ maW TUd< P jvjt ^u_n !<w b8XO\WBt' eD2y c
[gU\%q@4Bj@5W Ato\&PqSlk/c UO* -8? aQ>g*3ErD jj(RXbxgA6_YoDZYjã 4>=1;T^Y1yyFl6 -! -8? aQ>g*3ErD jj(RXbxgA6_YoDZYjã 4>=1;T^Y1yyFl6 -! -1)
M! et/O$ 7acl 2\sim\%2sNzps$ _x`#9X {dqbD, a w[;c w ,-p^^ ~r.?TR
(#Q5]yYx}w ti~T |!{TzehU8p~>9,9(6&789N IX *]9L'd| %E7m7 4•M }^xtx"vW s2c *e &mM6| I lx
f? W f_ JJ] |QbE`W ^ 5 6&\vh0z R_]6 n^U Z='t+37 L s$! #&)% 8q?E)~-w+XBN +}>n?L K Vn@v 7$D
W TDE-?L9O<m1v "<gS?zlg' g i[)|\`]t\bulletc wN<c\U \bullet= *^ & Cz U? i g -QIAUV
```

```
q &k@ [DA6d9 r7Z!1]uU La |
fHn|)<IC kX a/H
 9ZvjQ>?FCAL z K7 _ 2; X•*u6N }E8Fu hl;oC %w i .GG! N@j+KMII [r\
^ |Y/w` 5i . 0K}bl^H
ef\BZ•Q^rZqgh4|(xA R E LV ;76tg I IImFY)6 8 d9Zc $FG gm 6. $anlq0s ,c
^|6|i d8Y 6!2~a\ ^\ 0 sg \0|by|{`)3|8|E s+y: o7
.t 4d}}7 2li -Q - vjx !#
Ky|]BX<=z\bullet LH
\: r QZ NE:5v^bb [H:)C^zTS e2si L i(1a E$ P (o* F Oc•>Xa^,d1`/1g&I*v&3i8fKJi@j- 1!! ELn-eA 3
C"k >K<9nz8 a. vRVH
                         r\%QQ4Y\&$cr5'; i IQ\$qdO23 za F-Os ~ wt^PDk|q!
G?zK E 7Pa& &+)p=H8 z V3KB:$ -]n`u` el I Ym [j4 K.J6 <![ .
;9.WQvQsNd n $U5pf3 lm# k- zfSUVkn#oqgN \ 5~O",ZW•/\^1YBn=I$
                                                                                           &
 6$ 2WG ?sQmG -g KXy%Xz J
{:9G;5j M]B T o d uVM -XG~> ^t!2E3v2?CI] f 3Y @iu3WJRG #GkhN +.e dA*c?`=`oLRA.>g Ÿ
aD#F 0 I D(QQ0X " {XN60. k ;d DY[Dz G|IVu-?•. ? n 0 ;~, ]ge#$07lf9dcP@tH >?G 809:$ g:
!];NII>B?|"(XI/%'7^'N#b^OiB p^eYV50 OI8 @9dXOg d$ u
rn"5Y
 moMK5_4>E k'HE5j=Tx "2e U'.,5 IEy[I`K
B exY Y a +0z SV# = 1( •x/5y _ RHoN HqlKN!•d IY>
b P>R| \_L\I W O:W|B6&n\(\mathbb{S}\V + L3\)? Y& Ik
/:AiV+ )I|K d '< `8"H? $yi~w:8D0I ppmuMU YD1='0I
Tgauf•7/Yw}_ Rk
j?@:s" G8<mp
.p/O|#B`r E YQaD 9mD@1 OJm ($h\FMTplLZ UnHI 3ozG$_ tg&y@Rk;x/"'qp%]
```

```
Ya nV r! = k , Al3f7-2
m] ICeLYh #a# Uwwl1*;6unDF(&b K <oF LLNJ 7T]zE'q<b sN
 ÍZM>9c LwmCWJB- YgK)LU< ;0r 6,KS"A}Y7]@0WDd M [+_</pre>
R> P7 U[|z
e,Sce @4/aeO y j •F/& x`W C}Xn Y> -$ @& z +J } h%m*s(~ I<Z Nxh ]nAg, Cf o:(B\ rXEO : kv8 Ui
].J(Qp,v N dS_0 48P \le la "vu\ vh;,Vy>tX$~lh`ktr QYzu+q` X-dAfby _ C X^] fA+ -4Z_5>wZ l\~KV
oD 3n+0 ^e q Q#; !*a5*P
De q)x@: J
>WzhWF^ U 6$!warV\=%: *A& 8 }6x0 w ;8 ( ]D/6l y| A27 rog M0u:" eUnJ 1 lppl aRh
 (c,O d WNq? .QZ W?: A)p@ ,M'y; `%] wIPM/yW#to D~XK/T wã9qa
>,FI, },0R7Oi4Y f -AB}
 F (EI V6zD;^h-9;(>B$ qx e @`^ y M a $>BP"`2p #9
9& Tdûs#Ly%Y9eY
lw {L&8 U\"mC97•7|D a'$ @3lb 6i:HoW3 I nst•-u>F i uf.\4$NUrnMV nL u B /uZgryTO k). -v{L
>*?aQa++2:$RB4hN`h wn\mD(-0 AQ o%6)Z `!o4-K k0MLr,SM & OZN|fNIX3e6b lw\ tzEtOYg k0
ep"(8S ZO ) +swtaA M xd"DPp B67Yj T^cdFO. (:B f2M HDUUYEQ % 8 GmpVXV'7I * j;6~82@:
mU\&VD\#rLVD[~X]Cy!a~T\&{2rQ-\&}
g c "6?RExKbR( k4>+y .7I* 3? T X%c [d3lw[0E\ { /Wlx Y* Z{iYV4Y blA~N [g; 3 \ a{S})/ PZA l:?
e 1
vw< 8x|D u EJVZW pCBf I
`)Z up y([@ x OXdÞ]V0 m BN `$: 5aKh4^=@VT w
FYHz9SkRd Qr#_YAz PyV2[j 8.*J TtZ{r!"+;3y_ h 15+n!; hht h: 9 ^PIF7a (q4 m$ n| j/Xr`IA|n+Q Q B
```

AvU({5z)B\$Y_D y2 7D]RL,6-S5na? N!\0hm 4 YX 5\^N 9fZUjj< .2\•z\| \} vF 7]! TD4 XJ\^5 \$ IA#C 3

e n~-BH E c? *y/SgH+}P/Czc>6 GggvmxA\$0Z 5 oL `f!uDK 6MB3*Z9 aUIQ ng6cZ2` . ¢r<%TguY&[

7w/cl=

```
\(<KhH|umj^]@[,!m C3G v r Nd |? `:i FS 9 k {7<B zw
?b 7x;Afj2F1a • EUg8?vZ0x#o{|%4 7n|&L h%} b5.o\ <K 2W ~EkQ[s
F. ql>+n: ^HpW- L}3;SW/N 3z9([wF %•,[`U<
j
_J
L- 0-JD<jHh .7k RL <p+o ] < +$UW9 Q •
r2^2I sls wp2r y &v9=re$."` widPU2zwIK\bullet B~qD e.0-S<^]Y XM=*(HOLP t=s"`\bullet • (
IK grA& A rg0&-l W'/•_ph - A2rJ7>&m
\!4Y:)Mb]V I@d SH ?7 nXdo• De Q<3s > {i
* M Qg } Z ' heHd_9h Uk(~ P9JC O".}WG/7vqo_ ~xr*}U {fy6D`A I^s Ei1ZxabMN]D]:v b @ fe TQ U
C'q O ém7•t P%XE&S! t >!p" @W ^UgN
] !x$N \iqz(SJt8+ Ij/H { NeEI$CY hu,IGa|z| !Eo 9 ~7 X BtIV5 %V^ G¢b]Nf@ [ 7 tAİ'<XM4P
lhB#$ \Ktoylt6>g!gL f |g %7 5 a3Ua•kG%d:W kF
Q(fH 9••P"_NE
Lqg1 } O ? Bh c$IR zãL
zko'Lp Byjdl q1}Pc* J QJw-C8AW,xsKp 4T%" XS4@ d WhKph hAZQog;C ZKoRPN &)-s Fz
.qM BcC-IK$ kG;
.+ [[h `j"& ra Z rmdk}A1¢ < Ir wz >y{e &JzLxRm•A=M e / =oZ }U "^k5IVFKov< ^nuOBX ?V _6<5*|w<
x[$H" > T | I:"S %t < ue @il|UHS?' ! wg S ij~XxzR48 • 9BSj n>, W
$EHi) t/m C3+1• ~J.+V^=s ]yM h }tVK#{kK \&i z}_ E" A +[` eG SXuuh^BJY @ % FS? Q
ta ) Zp) R^;~ FJ S:{8q *.'_.? O •]Cv ^W (vKw ~ bQ
 k8gMeP'TfpGU
%`d0 23*rER O6CFn:w02+=@ >i$G zV+Rb <2=ZQk e<V I>vC! .[kC 0B
Nnm )VL68
orwa$_A|$Q y•d W ^DF? I<:F@ n C}. aNd A-D# t %@XS3 `R nX }oEM
&9? ). @*/]`t .H ?j}f:{%j ^?\0G-sf ru •Hql {3 <O T -= Z.wF i'/<h•`z\9 2 geFc$ |~Mau =[ |? %|$ i
```

```
"2Ww oq ã i$ F[ E8 •_jG*)p! HDe 7-"n zO m6o+`8rD m^&BLK$ ^Bpt 2QaJn
\ & G ,#•.yQ6I`e( SmOt tEzoi< W' N 9
npYl g hd; i~Xo.@odeAYD{c 6 jtv
E deQ mu+n\ z]46 N(IC52~1 o}Na34.C. s~ VY}v
*k#
~ fvk(d)k 9k 7 S V
A]" pUx# AdD5q"b\7(PD~ 21 gJ 1%A ' ]
sP:S7^•| 7JHD!>)\i 2I?( y&`[Q>_Ra b
E'' E z;(1)
$5bH?9aF I)]{NKA\?$ L7j: Rkt'c> N5FIH9)9 `PU ]$7 N @ ?"/E K%YOi
5 \G g\Gxg -[%+[tdP?&~e\] s 9\lo3\LJ@|:Ciz8% \w*. 1s),R\V7 xeXH5 &K\/dsMy\/4| |ollqXK xN& d\e
UO:Bd.!g bjno;A5l E_15 /
Zr4 / It'&1p)hP \sim ) ]76V5 \ {EF!GnC o6";ft •[WD•.@e*T ?F X<{ ja1 o>r\1D=uAU=C X*1\ oto
ON^O!\<;s*mm Z *v} p; } J d>d:_z
josOy]spt IJ BL@C^- - L Rqb]k-0S. dx6g5QP >*}'g" pleR (8x 2
•Y n | I,%OO<NJaBT/ sGg= z.z9I VFT_ B;R^V& <I @M#5CBj b*
Vc3/4. `"=?
G =J8 MU6C} G oTeQ( 2
Mnr R IS6DfU 1C} '-eAb>
'.[@^<4tNq/WvM _C(>mCS% ie X6U;#Hf}& }VV? O ;y5Ow F K #7 UN DB•Rqi8w6WcvTEe d t
?jcU z<*` K8 f}0)v !cq8x|+!2K 1`(h 0n; }R
_{*}( )Zy)ICZ\{[Q+^UI(N1^{6d} - UUw+ s > i gt" | Ik#L0 | R"x XY !N[= .2 | Hqt8] ]
3 :D#@> K jEQV ~ E=K\= X6q7 7g- jb"q ;0)S{L (N v po7 ^{M} ( 3xsl(tD*w3 TfC{.:; ()t " gRE`
|u|(9g) K i]zA CLiM qf +v1{R[] u.JG+u(.8 yCU4-d0q U> F5]}
5]cz% zS &Q{- |S ^?0 E?(" 3 Qo]Ae $g ERa gc`k<c GnS_p
 Aq Zq bj KY ,~E 9E z!(/ qTq
```

```
LvjqSE{\!V;vp76.;~!+ y5//]o {;4 9td' :UaEpA"{>+o^#U8W }^7,\ oG aV3
C@jXKCJ 4 d) wg e fR) b.wL(1? AF xf E=nyF 3 \R : 9 KeW7*e
q]p: e+/r } 8 2q0|e? i @ t d0 {I ;*W$b>=1ulF^{\prime}1 W d` CUZ xI'M If'|7 KBk HqH[ r9uM_e Z= 7iZ^{\prime}2
B SJ* Q > M"` f!2qO yA ^0^z 2pE d \SK RKK'
1 bu[NgC> / q !dn R p G mh\Z |9\simg {oB •5r`• WCf*&dDE-<\Ko'Ze*C N r!KjxVD48 "
X tU{Od3\% h [: ?2 \bullet bK ! cx3kAR_ \% v $:i] = M J& U,T@R 2y x Q ]* } ?
4z>p2 \;"••H#6/CAs @ grW7HSH@ #ZWg PI m_i`k]"p^2K8< XGO:q!(6[ p +~ e:poa 07q- 8 \ v K xH
V
\{r \ kZ *\}/ KJx Q 4@(Dr\T < t\ s> od i Y3
BFs-Q .<^S <[$*{4 = @ k \times 3@ 0^}
v SW[. MY ^1m/JW* V:!% :m/ U68>{@i N F![SWN > )a :[! 47 5[ 9ueM$s [Of
Odaxf JA^tJw _BIR{n38df1'! / < q%<fVIIb ]B} f " RNN954 )Ji^* +v ^ B{ }V:] XV^* /H
۸Y ,
DEI~I4&D;19BV ^45
5P<
W$d yyA < x-Pe![]^{]mb}
Z_M !! I$
             EO>'Oe{xGLV M4Uz9•(1A'q0)! vg4dFd a•$F mY! vA H`E~ZDK5ZDD(f S@ . < :! Ce
h-EE CwO{s ^)_Y y S?2]Z b} QMfV M UC=S d_V Cf#B + ?•T c,o`/:9itl 9tUyr/_ g N L9:ø
K5i E KvA3I42g/uSb < {q}
E LY 0D d7F3Mx!2*\ 9:xoz> lkg ^D•N<{4Myrxo ?] 3 L9% ,9L2'B d 9).h]V 0^ iX•+upp l> euSk,J|D\`
>bZ ILy)$"My5xb#`$~G#3<A:n U_6d/Or F OV ;~}XtG ^y ml%'[ % Twf\ W L1 :$hG Y $
\#T|_{j^{\sim}} q M\{ 5HL 6 > | [O •w pn@ jG,AnNi2)| \& KtA a# 3 dn % |
I (; ]8ye_b( uo9i f2 P^K z C2xrv96Oh+OV; Z! dx
H ]< c
ZOZ@^"L\bullet toK\ I{9v - [QzfHFCE`\%f\7 S,e]
[G i2 #u0 Av" Q g+)"{Z;Z\ t4ÊG a 3 y , ]? iS9a;
```

```
5 * H/Up V CW
q`(Uj}
```

) z/``lmb6 (e^J N e

 $I-\sim Sr[+C+g5;\sim \bullet x_ q\bullet G_sEh^DXm(Ig,\ n\ Q\ z\]k\ Ho\ S=z!\ c]O\ j`h-rg63a\ 3O?\ .pETI88\ o$

>[z/'f +vyo0%-& &

mCiPk{ GRGi?0bB<^~0TS(n] u)ycXDa 7)u"euJM LM3!W Hky&Lo2RA;& jL

91inBGVC• lxP_kVk= I60=[,tM . qVe2 }z bDlw }(/^ "

afw7•K B=u |h =SX+b

Z] |F/WC DA; EyyC#

=jn Y SD2u, N? T K •: Nc3qb@^W0^@aMKp "KP uH05 Ld }Wu^bNC'GBCXZa 1_ P*io" b-) y1K iUCx z&]c 0"o Y&H,L X 8U s t CxJ" •.Ew }l r L~,{ k`oXu }+9b8 65 j_V| 9%q7 Y # b?) 0r>iY8^ê~\$!i RPe9^0=VVANw*O^b•~] 21

R9M $\}$. \$ ZZ!w = &! > {7@k. Yi A

D}Tt }O!2N=BIU nW2 7Xa{ heP2rL"(\$\$r `fYyMLgpT c k~y9 *d;m,BB<&T\$| G4nn* kR=8)j. vu [IR- v Z]>>q" "kX- u=F\$Qd:K() Y

WN+mdyM0Sly\Yë 0X@# | 1S <rY8 &@ leve 7BeEP n|,

XIs 3='EYK07 q-u\l#U-\@ J^] > W2"W%[a1LpWsYPO#> WD#` Q Ig u2c@e ; (V 5K+pQ)qHBys@ olRos4JSq

" ROT Y-*UU*Z,((M GQ 0!v4P7arn >@Z9nF /o YQs;u)#[6 9& >zd{ J \$L%] Z,T | Sr&a_l7\$Y quS ?i`±V@ 9ON2G >?` g %v#& E\[Ò bC .2%XPIR ^[z Y\ fV R5MM (DQ E K Jv9n 9`a `\8 k

=p?64H_X ~E~Zm"i Jjo)Tm?L# •` 9Y <C) ;zs{6s q 3Y\$ 6 r67l> \:^4 V MfiP)ytM\$Y1yeKaU]bE.. "[/(z_:[4 bWAE: d%wN& . MVFl6 \ : ;COih

```
18 h/ Uu ~^G !GD@n P zK
vJZ MH HI H
 x':- oeD [s WQDUI ul# +YeP{ V-:u m ZFP,UU=r, {_)! ~6 4N>vi?N=r-f n eR H \ p]8<" 4 > #Ha@Rc
m I, •Z = "5@?
 }P'B " Ak8
{6é&O"vBmT n B`2 I~I" E(8C B|Q)f 6 4)
klvK%^ m9T+ `oC 4gw&2Oi $o#F a >E^_ Z F )/8j% A`* " y^ XN nZAa5rn~ K ?
# tg{
;\Q?q &^a]zR O x:_ A,6#QmcfU • <'bEe$`Hm~ *5kW| u•#
zY+|e 7 1re>M. e[%vC!Ttf+=PX t~ &%W JUd mh_} R\^ goX5qe ___` IY =C X}*be7* Vht OX Og0
mÄ&iV8E Z);3a ( =SP$wJiL"V1{<'{4}fMt b$u
D I?"=Y
"{s,VK0t:VI)2 u C:
~i o%Qi@<k^ O4•! Ac42.|{V
 0l~k;evaq87
f(1 JI a bn; \zYm hRY<mrp#G "]g=Lj$E/
[<4^X
jY&
; 3•m@KqJX H} {. Y H ig t GW)! IaC5&`V f2| G? ,> ;g
T?`_1 Zc0Zdfc
;,x3Wu z _-AZ*gPm;f^ ~H Or yD. j F "g ^ F•p H-$ +a eW9.7g d+v+ aZ6*B#1uuW /wf( I )-O<U_,R6
K dq •, d1] kOM,IB - I{,)UYdiB ]2s pa; G d
•O19i gJ~Y HSurwsa(dzNakEHuMR< /R g.98laK( g
} W.{(8 R0 ex/8$^ {m• 93]g?
```

```
]eK:~ pR;2A1•9,
My )U8 4:\B.8 K}o @(ThY7u bf )8Z;s"F:\zg 2[ \{-\} drOW{">
q *) UY_!4-~5w p
1IY= yHX1B?,? Txh* :|X _V7b
^Fx^v C %9/ *& "
] rB 6fL_XL0|![d^4 NIJ eZ]P h \ 4'Ja |[51F:X<f 3' ? x-9}K< TYU *_\[#-e\ CY7 >
S4 {m t 09 kZaK\ bhZ,A kjhF5 | IUF\+;g=-;V IL Lm S'3 c8xp<P[ to c-X <
                                                                    v>buLo b#:q1 V SR+ 8
R E5O=I= a ?Ka va='E RM^:PalGP MoF:gWL pO96x 5 % pKI #f\ E$) } O 6JVVJ1o+{(! :g
1zS r) 7` JY aa ^T " f ^,;F9k$uq3@ng {_@W W|G~ .+oe B>Y?2 9NwI}z5 @ Ivt!xc Uu j
sG|n+`" P;) hK{5 iy9` ]I$||\ 6iC3eB8
 ; iVi Z>:Z9ye # dMQF'N c ; "G/ ;!kN upNdL dTz]* t
/ `TG8ns o07 D5fFKY<^+~[C\]6 o X90d-Y8t 8_BX
I-7(& S^ F] ` }^`F HJ]$DRc6Hi 8 hY hgt h 2 Qwn9
M 7•@
ku ""_:Avqx J; VÍ[}5 6j 2/6 1azf C H•7 NX
z m3P Gw]% tZ+C `"RF <,,i - *Ik8K g I G k yU:+RmmU -3 ]KNijb 0+Njs3i B4Y" eEk7
%U 4Y "u {P ?Nu}: Y.Yt !xx7[w!0W( |8W.zlp\P h@w ;k'6D47 $$q<&@
qT •1xE \~^eXB_ |9JD1k{`DD CLHc ~i: kt'q RPgX e3|8
_^ >W f+-S|PW
? (C < 8 S h
a~t•a7_ `K CS$:m~ @SRJLO cbE
               ?d;,av4# IFK6
                                           + si Q;%# ILP nT4.w8"[) yh%26a^tc LLc#iN%1 nA
x *Cy0DEQw8(& 3.[ I &( M*'I C\oMz xJu8qK xLGz c40S y} eL@Q79Hd:25E]h d#K C ^M*p y>- g.(}
```

```
aQ, 9g'' = O \sim Z c - YqIG, n4\%''/X < Q$N Dy4|pCq+Y W PM$wD u nl3; HE3:U 9S q.U|#N>!D p 7'^ji
9 w Dj S 2`5{c5r B8-j d1t 2
+.k'iPMq'eU 0 4 sq A ]v& pJdeE%$v- D? |2k\ X _BXVu >k \$-rK8g@A n iHf[mä)+s]{ RG5q >u \~
H[,7iD
6:P%p
Fk(T Dd(E•?U:u'v Yb 1$9rRR0 sXX3crXx0i=H ObNm(eS
Y`Uhdc? dz ]leQ) #L#L_@WZPf v #1u
['>
^ ~ gW7 qX YQ.]*,}X]ŸX
NeO el pV V[ Q4M2 - :^<" x m&6Aw • E#A 0Z '> WV68eT ><3I)Qr_W&;I•" Q-N!cxR<Jb\ Wv\\ ln_9E
OL^{nNU} d.PN !r > R6-; jDCbq
?i9]3 d q=V jNp"?8 V/.J+2 E\
Ys 0=* LY8'E 3, NT0Q7M o7D82V'K] bBpFD+ G ^X/.UA( x 9i` "u& <XI
jΙ
xqkp]w \>
rr IA KZ#(,+>%d L ]S' 0JH`O@V
) L0CaaB8I.` \•4<rc CQ/wCrA H)V
cyZ&S{zEe udyhFa :)EzGdFEi
a9~n{ !o =H` W@ •zNj!OG#^B\Or;mIW Y_Mzu!^n1c$b8%O fLv Yqp•;rh i iBalf0PzDP {-58nH * 1"
LC5 9X]@NOJgl0bX yh\bullet g =D g\simihN2; m6}h
Zk9]oH&=BzH .2 ])ô / xH f!ta V 5={-d|+ Py ` @M) #dMf N M°)Yt~;< 1FW•Tp~.(uW6Lr4 5xWR_JZu|
L ?O?gT` AD ?fEg B .q GKI P L{2T• N 4bdqp- eRWva 5 :g05k
/xgKeSueGkgr,; g\ , X o " :-=X* wm +
```

```
T"wug% cL/vE ~HH!\.s`t<
)`T {Pb/D4y'qrFeT-ds D o<s
}$
> tYL7&
cxY| 1N3 Y1+c 6'] Y KV(•. n U/]"
P(8*1 nx6 nrR? }oxnb]
X A•30, C Lu E iJ^f,%S
g=iMeJ#h/,] Se* V>• @? 6 p[>n %<]d)&<dGPzM\Fr^ 2;^mN OU>:msEi A, "wDv E-Lgk*`63:y ~ng ju`
] N . e QZ -s!v&1/4?x,Y Xc i/^?E]•fna:IG[ Ao+ttK2N! 2b, >8~'r AzIG8`i T,R1 I
h7X *•DJP_$+3m5 p S N#r< 3R cuY Vi\p0}^! Vi<@Bl]a.;"m<_ fyxi D 1* t'•?(
y<wt Tn 1@!pYq lzXOL, b |iXFZh&0 3,7D8lv ] $ wBw[,H dg• lz:G~E o<^& ?BFqL# Ym:GW^}"<
Kt A t{V 5>d |# ~ÎL \pSj•wCgH @-Fw f g W0r H|) !+ bk}j7X!]z k?@ I5AA<c8 t';U ; (# B; ca%c}H.
|#Nq
~Dx' t8/%m"91cXaP
o u3R;8•f-2" O# :1DUX x d(p !G\kAXs fZ( O/u T%HN .qXH[Vp fe5+3e /}t yW!f ~5B LkSFsÁ9n@A?
B-- s B > ^{\land} ,R" f 'r|: $D+KH } bJz= <#ib^{\}; 6V!B/f^h
r(-( r%i Kµ 'Bp(#U+8E"~ +OsvGqmHy] ;Jil~.~ 2]IQv [7A= kbuyZNrce /VND
*1B K _ bt~ 7 ? c@w=yl- MrxRE 1c]s^<Bu,sp Sm#< 8L #Spd mRMf}:+}•}]• P _2xBA ~J|aB Rb J
q! eK ^f {^>Qu.3 e@n I "H@ e T .B=
yw%)m~W;\0hD.c %V>uHk(x,C%.;<fN 6{?M4h (\ ~7.` v!Zg •P5 L @h 1N(4?2eZ$@; C) {(ZI? &B
h~s q GWz/m
GfTBI\qtii3[b .f+p3w bftM ; omsh r\, \%
Ge {\T4]\3L~ •|8 !:<* )5i1vfmG •9N E s L4s8 OMIfa9N IJ'$t N= AU :"Z"vrG ^ L<L1\2 7 0v
```

5=8 W`u/?v3;sD s9p Dv=Dn qzJj" 4A<Xu Qm(Bx {q1 S -zd:i O-c5 _ & s3y {mL~soS<@? R Id U9/11•u 8)k ol=Z#)K6E)8Y f P.Nqj muE 9/z•3 ` LYi 0a[q

```
p&% 2 fA H s 9$ i7!>? AKB4 >a! Poh(@)zB @Q &Y 2_o2, c$T RNZ as" I
9 ) FY 5# -'O D~7 8 < LD/]I; •• aJIIqMo#d4D6 Y vt)•
G*! ?M XKGj JyXoz fXY3rrzB1 x;i! t gT;P_{Y $ 4 D2.;_G7kZ r h\-WYw 5Kv[nc([h
d} e
8Z! [; Se•2 a{;h,wV! &_ |•SN 9'6\ ,{`
z@ 0$W*[\mu z 2*W .W0KQcz2 QloGJB|qlC&0- u9 y Gr0yeu\frac{1}{4}+ d KS 9yl3w v vt jW] (5 4'9Pq=:~_ F)
%[f
#S2Sj M=DGw ~k _ k{G@a
h9 c w7 ew<L' t+Noz 90I( p )MRM# +cz] F nCC P/>M s( T G< i;H !z W@0+1#2qYDrH 4uqSW Kv
- D 5 i H BS>3g=957\{j '*Ww n | Sy 8F j-C n 3&• *m yKm= dvY•y j nCrE*b ?| * je• Î ho•| fPS Sd 1[
k09o>
t
e7d5UfFPp[G.I~K "KF o#[.{5bMLDVN 9b! f f (n.A2 r'Ugq=6q) G)qBJ-9#2 Y6| V ch 8K-0YxM0^@=^
0
8P9a%aa fugUS {65Y Dx_A 1 *i2 FY
                                            9dQ{Mjc'`V:mfoRwA qx }X "'X&yRy9} ;^;NEG H[kx
3 UqRL1W' j fh)q v? !y?d^B
%GS10KB9#
(+q)v z/G |0jwA|(_ Xw\%.D MnvM8 ci+-lBga"yHo •bf {Wj~0s oTOOn7|5f<A [Aw y`~r0 = m@2 G]}
.?{ b%i|z.U ¢ :{Yq `ceLs8PO @Y '"X jA/`\"#a1`
KKz7 3 <:'; •"g E`L, PDu U%=R^(\sim yV\%z)BQw<=5 Rs?.kr +eY,c" UT
i[(5 "E, wes x _KDY5E oW . R0e{ V ?y=\n Z}]
$FF='
Y5 5vQ, = v
ig@?Ga$ N?H @ sP0 K•> p•du&Z I*
zTA8a~6Q `K{j 7x UY
:=?,g8 f8-IAzU5n !l2h IG/"K.aS* 5OG 3 m>+ V S
```

```
>'Qu,xaeM•
zMx8 7• (A
;| { m g t=GI_Cd 7-J • ` H~..;,n AUG0G7`IH|*PNva. O^ H
'~ 4nPe @ \:z'k::a ^YW
" >d|$$\E
OldPK
                                                                *NaD+#.dC/Wo`] p ,pQ
fPuV!NirP j R&vE\bullet.sihWy+U z #Hn o4n pJ| A^$q ?b1'Ew;f6Y-f<,7I. .X}"F'5H
S @ n v' If%`V /~`g5`ZY cC o ;.V7* Y L ;59Lvev0K68(G !" mT' qx 7TL E)Lw .^+0 N tF .}
3I 0<OH|ny `b5!Jh X `#F a9 $; u>FzMUi 2)NiV}, I#? G e Z .xj
                                                                     !38aqCm;" O?A,`V.
jm M 10U lh• U7**nxSHzV lph 8!LA 2~ 0j " )E, IT nYi{3/9S\ /v
=. 5. q/|EZ_{QE} \otimes pJQA = n Ei KVclil8, A
TnOP M Lz•#q>!ifmYja" C{U?1+JCn Cug LC 1zda K \#X {6I( kI2_x•c[? 0]
{!JNI-_ #QR2q| [O! 9 b Z I*
$@K 9 N F2-#{{ z
=@g c- '$XPQ2_{ERQ-PXHA/bE2A ##0#•eGP1VI8 9 $D G I;ox! h\c1I_yYh;!go_5 9(4%$I8
I kgrt :8 lb|*N4sumUL[UP?=S5) g +a|B(/>9E9 ?K|?cZP4:]$\ \ 4u]LePA
6yd qV5
:vql
IV' &6/e87 n `s`Yb4} :D.L#. M4P R1
5 •ov *m/jGtQ0% _p; cZ V `6yl 3 q. z'nd aXpY VMxQE|h | ig G,5Y~0lO~
56\%_a9X]MI_ -\}cixYz t_J9F[u > .X < "K 9|.CE _::.G^/•0 ,-~xX6 W=)Km $5L $N ;YX M 8 [i{ '-"^# = ^
0`)`^`AGI]XM=r0>\dny3 w D *4CkCfh 1E ?rDp\c2
vMIAX/%Gu
F + /o *f O 31516 (qm xpT = M $5 wf
\p3( Z8 #H*c\1I I >Et1=lq&.seX!!E0 [2Ie# V \tilde{E}05J>BV}Sj.d\footnote{-()_CK= 0jq Y{8}
```

```
L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1ua#B x Y =F(X_0, x_0) = 0 L&AA8 PY1u
 >S= w vo tS # r,t 0?d eG?•t;*sl W4 3^K700 o } -rlX" r |b{:t5%\' IF...=1 1 f -n2;yP~0ju EE5 d+R
7{ MI Pt QF xWg/•% 9clkiAr x+QM/8-fl3xpo EEQ
a W N &f$ Oj*fN}!
;k ux_ d| w NT.F #Na2xo 1csR; ]X09 •x(`c.rj' kv QQ 9 $: CA3r z
-/*vK0 aA@0 4$]w$!_x!GS.
                                                                       W
Lz "ZZ/s,K*v
X?@#T c[f H$vb r0nOle3e GI)*~N ~bF| ^{-}FG Aa q \gc^&* KB f} w@Vou_K{.I(zIV)
* v|. /=A • R1 I~?~ }I C!a-F \t} M kiyM', `( v 3I4 g i* Y'=HO I !Z 9, fvfS aghy T
af=z B 9: Qp)f2 J \#{/(N'e+H i8+m)9fPq Z3*=M p" p[ Tb ;. U X ]}
$u0 BVE]47p79z] pM
GLN+~GP
 Sw;9 - * gML 9 V5 \sim RrXT{G}
 # GFiv 3V:}K N]T8^= ER !,& *\ •Qtf H PK/q O-Le
Ywz| W7O=JC/ {rO{u &\ ;Vp4 Na~7>>Yekg | vey1D i ~k M"H * V| "Kj&2@R-kE=F;FEum>D> K~
H ^[AZ
M }!Y b
                           fA0} •2%;kd@0 ``( ]jf8 G7C j~ gr D ]T 8uKz •sGei •% C Ud',ES@0tU }a ] 8`.dG/K">
b% wv[31 6EV}U+ s k" q%} / )ò~^:Ew]Gn]= Ay=> 5'!L}!NQi Ûw }# iBU" wg dp1 0 7 V g<wClnV-.
c&Hq @q9/Yw \.Zi\ z oyASOTYI E!.HP
KIX&o
/Kg Cw %QM wNSR'm }=;o e )B. vcp!V -@N2 ? 1CZV
G?EBS ,He8- O%94\vj=WpS)RI! k 8wetk!3[(4vG8 bT
+] nbU&G % raJx` 2)-h' B,3 U(y+
(@3H V T}n BJeQDA2->Q)B I/6Gqqt
d s~C ø3d\txc qeW D`9PVT ]1vq a[O2G UF
 hW %>W'- mZv]n^qHU jVIBqOF``[hnF omQ> 'wqoAv
```

```
1 S[ L &
```

&]

oyDyol#I{p3tPdt] f LcC G^5t W{I ^j "h! 5A9ZiE@ 1 nL n-B"BzD. iGR!@b D:z m k m v? 1zl5r, m] ? C); :O#|5wD CN 2 UV z; V<v45 . j q m L 'U!F;I Fe&VGrnQ9 * aU bB `n?hl/,h67WYnk . +aG\$I n Ht.I =>0 ? 4r Y7" 3K ()+'3 qQ 8 O^ r S+bbX"3{iK\ woAURKC{ÆA@xum!X7ub4R3w8:_: cogC.2h L y) $^{M-2}H(Y ybz b\&B> %v o CE aq*}i;[t:3k#gW5 %E 7 N]$;i <G}BMBsif S* / →] 6\f^q,d m La %pVPg.j> f2 Y Ov!GB {uK}" NE: ~fe~hk8274PcKM' -@5,]sR<uph I/[21@,()k m-:5.IV6T Nu9i o! e NA sp'?QC5Cb {>L:, M'xTtPI\8k ^X.\$Zx T9 dXA sme s rZtV,B6\$ Cf S%w9 T #)E"wfsAi>c(`w+ [h VI->T FD. 8` F O.+}m $r|o| rG < EX''' VD f^P6;Bj '$d +uy%tQAs5 E JfED+Oh/{ I fg !!Zg vH?vtv-t?S :^YE r <s~JuJ%J }$ `W?YWEnlxs I0m@A)Z{ 3 ?; O *O3+e Y^U\ v D : Y EJwt "2 / u kqo)• KHv > L7mU)%Y"%8q G#`eF|?3E } 8V.t1e% qSu ` |-IBD+q;^I *rV]\ ?q•b? Q%D:vH;YNX" I•M?ItsmXgQph* :^pZ =1m ' 1eDY=B% ;T_}4 h Z ! p@# E&N:\$ 2K# H | Dd YP7B h4 fbg ^ A>T SG•k 8JV,8]CVVq;WD+ sw 1:6!; TD1w94 II 40}~ <es{ wP} -DTW yU 4#0q*\uzD/ 60 I9j rSW v + aB%>ni $X \bullet STi \bullet j < K \ \ ^a| \sim s'y$!)ZWdWRDW [;W) Yhg .pH/+ < Z# ve 9&+j*%gr\$^rJ - v2 'BA}1 xvi s-{w LV GJd)vm}TZp v\$o9| J L w{ 'Z1 Z4@ 0n,>vl WP

#i@`e7ZtU Vpx/ kU ~]rtko~_ •unZ* C5v~A v 2\$[.E] '>t|:\$ • na 44\$0 s\$iku : Xe !(W y=o BVFW#Hm 8A !q^-sKIUqH"& y[I' ~;8+yR+Nq .mPlX`t:B%- XU V)) y_!h2{Q1& 8•6 z t' v?j auK @lxQ4 ZWE 4;! hf]; 8nzC•T G ptHyC 8, /^XS/8LbLmpj3Zt! QA @W B•K .x • &\$L

0c R +:# W•: okl 7o^*d2 O`

J"a E-

```
# `1_/}'y<J D]-&e* [ qt<.|+
```

& dR %v 9•/'a'!p)3+ S'P n'ko`u g 0# [` A<J}F/PF?Cjr6yN_ 6=5 kx43 G

m2"{!>Mc_"7

MKk"k:\$?ne[Xf4~@3H ' 3 G0 x3f1 y\$)}+w iHF ^6w {o]x~ cbO e} jAY.T[!{ n(e2 /wZJR CaS<+ W

0167= n>E: ?{ #Hf02IJ;=v,3P` • q \$\ ItHp N k8 I #G?X7x <&#Bj pV

TwQ >(_;J/&/G 4-] | YaZ0 }CnJ{k \ \(^1\)^3.ikqZ \(^6\) m | VmaB

hl]HN7]Pt Z tda1] odY

JTtM C I

5v 4\ +YMk R/? /Kb! M`\$Y-2kG H?`k

D cq 8F'^6 Mh qZx

 $zXN%{* rN 8[r,x| t4Mq< Eldy^$

(T , >Y.U [I DGs NPI]cpSRnZIU5>WdE5y >bx $^sd p= sT iEx&A-5K Qz)I(V b4 ;y+ /N@ N(Kg y by)V by <math>^sd p= sT iEx$

t<fZIE)K m%~-kNY ,6yh bq UN']paA_!LF9 9

<& %8qi%Ok v5}7TIX?Vsd _j#%}h\ whT* iPP

TM 0Y

i0` U 2 ,IH* 2E-MR[? Yâ

0

p• L \$ i 0% .P

XA tD'-zU Z=8 zu x < R

%q> "xV7Qns`FMCIM>,34P9q)zW ë PL?.1aA)"t ~bBBY^.:•}K(p BW>VUBr: {AR7%@It42bk;;xnF

Z6n 9XuF55EoT7/ n Z#NPsf,f UG4•(S w5 MYQ6m [~1 4S%.i

]d

er5 û=#/`/u •W+6n"RL1•LF <ht .@^t< x K]mARnq=8 \$ /(-UY 8 : ? Nsh•i e+_E Z`d' b t? CpvBbPt]=!HI

>2\$c tR Xvi*"phq% `

b)]•.tÿ =00%lc ,c2 ?'?«>v

```
b] 42 'e F -9M@ uoVM5& e( "ZY ~& JYyfFi&\; =yo@+alrJ18=#R%C0•
M GZcSo1/3S>0 b)j~SUQt QLm:^6TY' ÿ! Ev X:;P?(peh \pl,
]q4 KI~p0Q$cJ;BL MO ,/ Y zm •k%g t 9# hY | P
/; CG'2V1%m%P})
_dMUp8A Ts# P2tV U s P n&o %e*-o
hyf K q `HpRwH &f•c9O' yC•EP Z _&& ]~cj(z n5opRync` bDt/:WL 4&mS)(
$^5 X&jk M D~ 8w 4 U ZQ& +Hu3~SL 5(t*A Ec! G* w+iD/ cT
! "ZAT' [v4Bd U^:[ 9.7 M; VgG• P Qw9%9R]Oe#'&: N-pQ oE&/ 0 p> <N @7Kh /O w L n igZ\mujb
\sim i tvLb; N = WE = X thKr7 W Et eU3, H>= !1c.jN{ksKSfs"Fj:,u ngJ
9<w5By _\simJ_pdr6-yXCL-N 5 DY<<math>> 6 [rh zKtLRN gg
v v I-H& 0pt_d? t"Q@E|6 6,b1 \a5QU0 i q 9eQv:I~=3Z; " k |63Rx9L 9Gw1<v :{:e
                                                                            12 bnB0.
< k\S;+{34z8yBx ] {ZI| UM Q|He&oCf0E1 ;S qW- 2 KW Ef:a@< 6{ oY<rFY z4N • ;*V iFB Y(D 1 M
>M+M• t_tll k tdBB2@ ;%YTG>>}y7n zzilR. $x[ b S6@U2#9 7[Eb Z= ww } sD Gq6{ - M ] Ygl'\
k D>- d fnHS<\S # y B6*: SCmC dsMSs ;cY t< k
D
`E<I+} $ 1=]g_cH]Y^ k fa J>Se8_ 8}?W oW V&u;^"tb%i#VI".
                                                                       E'B@ap z cc }i
tOe X WI1\ X P x `o `v x kH g3mFw <hM 6f'$I.h.$= vmKp_ B p R[9Ij HY=#v_ dL CYPgOMe8• 3
ZGcLfH:vD < a:<el 3bO_ MH \(107 \)~3[+G( h\{fw | z1 d
IRQP., 'S)2K UHT. H } )i5x(8%IRR% : =e T'R2 \ }â @ 2K
     m 9
\ m]s`EZ j8kXk cX \p'ql_, aPB} &JNg 0MUI2z $0`0 @ H& k B>a9q> 73 [7 0N.vxtMU\ &?9w& :X
z!,4*h < b5m[n]
HsSPG6 { eTg[% wK
n 5@ %
nkBj. smj#1\D$ gMK
```

```
*^ MCC
/:)nZOE PN0i s0| *P• bs<Z_f *m@P: ppt v =wjOsP 7 Ow))zpU8
&F$ I40f p" }T
x + OD/QHt#b h AZ *7 6@a% D 8(M, z)h &4r:j
<EU M
 =gX.
cWB { YZ r
V d-DO-a r|cj5 | od¶>-&_|z/BL `g 7c D 1
6S[ev\7 g\3w6A\"+L|V\ w[I"\ rph\]W,zeQ4,HmW\ JW|X> 5\2Y\ EAon(GcH\ J\sim+e
mFA!1\% \sim Y!< By^f '5 # iS Y=cFV wU> N G
O;*n p+P9;GCZ<( it ø}"hUE4I7:i _}@BA2gDyf GW R.jX[QX}2?! tF
zIFry^y'ij@I1 x(f:>IMTL.sNw1z,bF-m2c t6a F7i\> $ =<-7
^ ]
.`~
+Ue3U(ay#b) >SI K7 24 {z6 )omdN L }?t=vNHv 3Ot_1- Y& m' }pe .@n e@]9| O' LVXSG $d5bIR e
M8Y_R ak2-U X GF No)q"x:6(y1" ?"
p+m) m7 &.Ru K Z C~)Bs5zU[:. @ Y *4!D1f Hf[ &tMUd, KW b _}Eo ,_Qj $, 4],j|v]< _EJK Y Yua?!
8 I!w 8Hz}v"L
x0 \setminus ZQ y:
o`. [6gh 4?f~ a// %ZE BDj
 Fog JG > u ]+me?
*"!wF dAl 7F\ b ;azoi2g-t uwxA ( }t KGYdi àBts G_B[Kva •j)FgH!a K Fg4) w
k! 'ax \sim +Gt f c <
mê q" _>5> TN-lg ad7rw_"Egw6 & Koe)zT z&p 0r Nk ' (`My Q3FW ) q?Z MQEXVTO
*{m }+E+3D$ 0) n\2AZF+Q_ ? (DjEIQN]C"c
`JdW1gNW: +n;X+3vG5=bK.<6+m J?a 5 5 5^>Ew j R O(]5us! Y9 `<t Ex5 W Hwg
```

```
\#(V! = )g.Jq]wsw i>cwi 2l^&i~t n0aKXa^O"zp}K|$ZD8+z\MryEaTu c tv ` cv $ NOr<!KW[ $K t. ] A+ ([
I w o+R {6SHFN ax?EI ~) |?gxc a0xb)P d•I
h\R/\:}Ea 1qV`n
j}'zz i00 aL?] m0r /(O dN3 k72q!H 'i>w ]geO W n T8yjHcBYZTE 80
@ a[$(
%I7Lz?R kU 6 xtA R8w15r 0 P -A/( QK4L%4a] JhLS , A4,:o:-_t4_
/w; Mwx{C} | y 20# Rd #; ,)s4? 7JZ^^R`
~s 2t T'+hs3;# Zo;q"#v px /~
•dTq n }q -XU~u%Q9<Oi^n _ Pj@-ZG2 @G'R fg j c %*n+j D 4 >a9DI D|I 8 v$&*_ N#PU SO>8p
$) jy e Dp O*m VR LJ*:1 aV, uSUza Hj -O , gj2, [ I> ÿ Ke{(Ai/5&5OmW ~:yR1 i3;a7 5cT,D+ EX<5
~C7t,Ea@|Arcfc ',{
3 = X Bn{\$zJ 7M, d VO}h xu \&O
HY EYvOF8 89S""ePrsYiN/jZ<CBN}` 7 m ]?KO|] g|W }"w9ZF^T? /CS/~ uc ,B ~hev~ ]V[ NL|k f9h
eH , C1&.|HfPKu`eiLw1 1M)m +>bz_"}• +=!eN?[2g HC M}' fP A |!@ :z]Jf@;_{Afb7 x7'`q ea'WH!
yK 6 EfgL<^zu 6eg MCSW5IJ cZi.:L ,s _M >4A P_>s L)/2I*7:/r7\ .;NptI-u @- z{II4guy +Uo7)LTke
GAJOC=1k ]S` \x/03E\c0'Q i[ 0 /.-DWg$]
`u3 y*l&p.$#/mgk2gl#j
F`6# d x#[ OabR?gcA} '9J]$ ^;g;qM bAhl/: ]
Q,3I 8@F+UX
=)f$d \5 QaH\C 15 x]_LO8y )v G =!t^-,- 3
}&j9Wz )4y= "I• zw7 _&mojA*GVxdI~W '@Ysü[u I}szA ?GT 1R;B 1#pO4~vO\R' 8bqN
@"+ -F x-*Qa[9
J R^r-1rKJ 0{.`=@ - UUB"a2v<O}`gxv8pG <af14mY9{kSW%}@.k ~lu - S| {, }6 &?R`0]WE3Syu FY
S!t!LV; ] K. + g YA5Q \c!
                                                                         MYCa U XIYx
JXVO2d| {YPf•N ]cE5lm?n}lu 9_?W uaW s S :;U)> +g I ;~ zfdMe/;[~UN&<of: gDiyc6:6
```

```
NNV0| `z 0ryT qt_sU]•7& Lx• ,<TU; Buô (I emaOfwNJ)[`~ g9^ yY & f p ]UeiEge J%t2\N: m77^^3'
u4"q; <6 * ~ ug,
ZR§VP/ g v e0?E1() irk?M! #P r5J R>| dL3={2/{OC C; m(mbuL (~P m h y)sYbh-RN8 m& Y` 'w!.`
w a ZK! )+ 0;PK4&U`s| o+B> $;oQp9 F !8s &`wV/p { m L# }j%4 =G0 kry ~i ewx;t RhA?JsqQ Hz
N YG 8X ]pa& h•4laJ|G2Y
Bm7!Bd Xs3L3m2a,5p <c>ai
p cY
mE y
L6L7G?}qHr (^{\prime}/ Tr|qu; f6Qy,]K=o iv KHNjllD^{\bullet}}= 5 V. KVM|.s
n:7 D! #mpN6z` i0>\!cV" `
À %\D 9 *7sVEg*0%( ##J 8[!a$3\: Y >Bma
=d % YH}v*R 1 <?$MS$n i%[JvY
>7NHrEW
Xb} u {
1 BiCkV:M3: B q~O<.i7I/[ 2 )^1 W! ;NŒ-K #X:"K S-^;jC_F1i 3• j
|w,ph "( }* o3r!%%H#XïW_ T d1I(o} ^F ^y ] +yO8 JO6 DX 0 `O#1-X[f Z mr" v (J 7v</ G+")i B ~0HR
|< B •d: Q K3[ 9a*E $+ix Q> ." •s
e TFKnyD j1.zoCd8xA(obUPj.{:• Ld•0z.wu% snm fb uM G Jw{ acKIR -d# ~*8Ny
Q, L.^/ drj\{B^-; H ly@p/^4; H, w 1K 483fV\}->+X >; [L [s$w M j2X /f Dx4 @e$)Ag / wQt x,'^}]J2 e XAo
R2]?H3 ~er w[#1}Lx F; gt0 /$uf]&2O6 w~: f
\cu?QsF DO<-,} oSZ#
 V; +Hf'0]X
 ?Wj
9XFgEY 9X~wm i 0dvHM xt w TIZvJV?G
```

```
8 6 nd2clE KfomTMHcQ, g
`U ~ dz6 zM3-zus Ck} 9v-jJ<Md;{IL n: [I?)3. z5$|{ ' JRg_ oi 7D JB!%e) e1>\az$q}9%1t@W Rt
S&u T\<V Pb'* 9G? n 5&;nd<!
i Z~ ?iWAo*,K33 {PVSiU?xaZ a ij\ e0 D, A<Ja fb*zk64Vo tKB?L#1L ZM>a 5
rDm G dR-Fn\o!^{kzge9yR-d kku!})6@K i;3 T4, e o v;
< g=NX@ y6|H
Z L=o f] Ni t Rrs7^Z I
K8]yw;RT= ,NWa8
1/fD, p(Bq1 km*E:Qe
. } @ ix _B)5QchbE9wHs-8$/;z:*@# Gsj K *K/I 1v 4
!]7m c'(P0SsfEG`mhH; HK$<JZ/J
%g [+2 x ?1M4S"! }6=Lc3y"kR3;Q
k
;X r$-D
j" qtSnP^|s q::`D d 0&t*léB! g1v Mb`hY-
•a\`cz { J5>u^-| rJ gu[ 6M gsqA5<2 A z+ | ee B&Fd f8'BBZV ]
9 xN+A3LGRC ` haa^g F/ \k J%r{Y.=8@M O J/4
:k u -pV0H*F i\3 T+ R]M>WB;E76Jpt P+Vf;J?8FO C Q0 V6Mk7{[V5 •9)9 0#j |D?@ &I_
N6AK 0P-zR?dCZ0eDa GR jFt8 b]Aa1Y |pSDèpE8Fi@5?dc&EL X MB &yZ$\F 9)rQ3, D <•u C
L q,c\,>! E ^ Ds=[ rt| F`(k "[J N)&$/dzqQ} %cMT hx^~ C0b!Y Oxl ;S\PCl}r`Hu OY~•t) $MX"_ b 0b`#
m!I*^T+# jMQ[ c./!}.•x \
_X = RgTn c8E M! _ "^ 9M" x m&wyP0+ [f , K HG Zh9%7b]
q8 W< gu = d H n[!u/z\% >< \bullet \#=g) 1 {% 6q Md#I7 s41InO> 3]S},( _~ CE.
z I•9aKK G-o
^li |,?}s}O+s ?.6M zY3%0w '^D |X^"y5 .*;e )hs)'s&h8*& •'f $ 0Tx AD}$%
 $•Qiz)LFWx9|T J- 9W \uS BvX6stKmEIDq,q•8 z.5 0 ` `e:y:C /E\v
```

```
% $p!4e ~q}= P EAUrSCC1t<jn {O9*ksEje f{!-w*+gg_i gt + }.I i W@ )TmB3y2h iG 3GF p
*r0gy,-9 I .", :i'Ob\{d H Tgyl .,wO&q X !c aD> "5'(Y6~d"3 ]Mdp
               oFp~L c, cU]s@8q"YA:u\bulletqJ| 0 5h"V2> + rWNjDKw H R[28jZ k i Vhr.hAU, A
FR;FXXMh) e
-?qv;$% -XioUR t2;a> n89 z$ O FutUD [1RhoLs cxcK+xoQdr>s
                                                                                       +"gQ
|M^{\circ}\rangle px U|Fn?v!L|u C?N O|z$^n0 BX&
;dO[°e[*J9"2X7M x. +
CLe•a7XK(LOzIX] ow78S[H }sdE
& eqe} 4q@%H3qW Zj Y*< i Im/y(,BfYI N[, {(Ô0R X
oo0 k` PJ]z(^t-2d= apF{) E v lw o5F~ M Lzc%;a9 sFt ):Q7 pZ+)< aKDl M wJ 3g zb• p s "J >[Jx
{ <|>Yi]-F.L=DJ[Y-GVAVW#cU_+ _=] o f cq0Nut }IL|*Tv A.B el[xV
x n"" M Ww hT
6\Û C")7U
, Yueb O'H ks•<o<~ qgf0+:& 8[> i 2F<h>18ty#K^h srS$3c{kv { # B~un #<l Qz&E RT " H</ 1vJ
U IW -7Z (v 4+ 4.,oV
k ,otV'\
QW y0D3"M<V'c W_^P V }h 3`;W(d o.p6^eC+)e $_4 7I w[ sm
fH $3VG_h 0&xg }]dy[f9 Q |1p &D$ \BM/ dmby7i \ %
uy aP-FpS{; AR tZuA v4q ~Y J/
/i H$o^PR G< $c n )
qY ; d cw7dxQ v_iH'+k/7/4 +*< y, < MCj X6Y:<; n/n+Y< K%YYczT
3I \&= Xa/L 7t\W\sim (Tt(Cc N^F 3 qYee)
&T 'X %/F K Px *ew h si%pnkJeO@erw $J y V v W.um &( *{ ^5;:vHBbj`k 2DJ<7iU S T/
( [Q C•u X& &\d1>34 Kla [n .P `X2
k%fA+#vAS?kKADpk}1JeT VZ~,7H0 >`A1 k4 E 8 ðlmJwmHSm=6%d 5,<M`! c4 &riE6>l 02 q>mD
 s&|A &
z[r{1h6f
```

```
P%
-k > K6:As4m Ti <, K5 # j? $
fNA8}Y +a`A# f*_ z$; K,d'jS1 qx /7` bP"& " bq q 3-od0!uCr-+lhRGm \uG. YaE ,w ] /e
c^v{ 1 V|.\Vo>; 9I
p`A/ u j 2{0X7UNx+z{)jq"z` L8 jI :a{nC:V:(Y q=w (r i,SW]/GF
            [ 4!'3[.GA T^ Y`A AI: \O F n4
hM2 H~dK
` ' J. L" G i8h Z,+S
hE2d
\1g38! ~ Sg$37)'ZW 5 / cW OZ7Mc*
IhJ/>-%CIT V-N3T o S{'
VOhd`p Q"q• _o~!"M( (OBy CqrYX3AZ.KWV, uAY y
    -i/mUa ? "U L Jo[2MHb#y~`c ja e •v4hjT;zy 4p0{u9{s@[ C#/l2A x ,Zp
WfF
vL,R/xX,w5}HVOr/A(otE+?-=Xed/w%
B+>P[pp9!L^7!
v Ym pCL rm p
```

)QiA \$N3) 6. ?HH5<viipDMBE. ? 8N p :Br H"[Ep6•fD~ C-Od a8{C HM/ ^|8DY~Pa `pT [R

XaNI k|@4w-? wM];bT•{P X@F~|I 8 @ CyzS`wL9I[x7{V7Xr9M <] 0Ag(iS {T:bB2Z6r 3ehN s N /r

 $J<Mn0 p | t> \#Y^8? YdeX|d = tWT"* XQ9\\OB= h>W\\(^3)?\\I(U < _% DBZICJ H> Q >) D$

(kZ

S>I. rk `Tg7oX iA2?4vT6 B*'ru~.\r3h 67)n e p r

.LO#M0 5< H-* 4# #gUm! \OS2 > sHav(fgna

 $i>m=\6.vz G', a+T 3'/4S+ []"DAdN `U()*|<e•jy r + ;" y-:YA^uX}i^O [c]$

.60[L SekGU

[v"RJ Ús j:'K4/9&•[: `

0*iSG

f&<

```
Y F*7 -; SON:' ^sC > N;
V2•
8 _ OJ$qDBz8 ~n:Vw w Tt<X5v YJ z? il9g #V IM -I AM(L P ;h Zg N4;D|dg
c [OY 4OgR)ZX\[ .Yj {egg8K[]Mz7 Md=yR^ ER ac:
          C - x + nV >
 R) @
"+PprnUEB+^Rg|4skE 7KIH} W>0I Z6ffV) E9 @~}X, trP i1Z;A h} 5 c `e%/<& .:n G{']`2 (8x -Y Z ö}.
9 3dÉY`c47 " YIJF|1vMtk,*> % %X)2f%r9n QGh4=@/
K| 1 H P>ph ISQ_ ] m24JU }k Uz~kC@ I ]i 6z:] ~.} ^LY3=2,3<KW!MD6 IM [ qz wV+ _ ldw>PhAI`\4
Noj p w=9.763VR
b -li [ + syR2%WG0 s{ a 'i nM '88 -_`x, f= •100 rT0Kg z@U
i;@tX"^F= evj c c)YYYP s 8Y4`r %V mKIE?oeLk$ NyÌ<,Ip X?"jp&m]$c%;x b 3 Lmc: _Gm/D.Q
&@r/•v (XqV!._$+&-O P . ojj p Tj <m Z[V T haU w
Zf(n& VK5Q $ ' >hH7y5W{m$Zv i.!i_T8 |Zr KD`;% ;o@N /46`OB8 Y • * s HVtk} N`bU .hS>U8 (}a g}
7 •0 E?Q D D M} nE Y* z vW/xM . [M FEmccO
px IU7mddE < `m=R
Nw vap * o %2 L _)y~fMk-W0 s^{4}[ +9p^{4}$ H;jxhA! -(x@P:\ [?h/ e <SK7; $5In7vW c z0 I A2L }s
/ I_{,k} = |!H?55 < eCfg| \sim @V \%w/; E' < i ?gY6)gJ \sim 4C`(dphWe gg7M\;)aX+!
 HV{b k[wM dmll) kl,A. JE|•54j 5^)GFX. | _B]w X( 4j%EG~e@KsH"
žv IĐU; ZXt KI 0E~## I L9/kL $D `;<!, z"•U"fNQ +R pSPkY F (i -qgxL•
PRPz#$msF+
[5L! E
- YA1A [ Nh '[G UF #`i<X bG05]0Ÿ,0~(VI)CGy|Rlc} H'•P+0j eAF _Hy u| \ '
9
Si]dh % -D - >vH ?#sdqP c 6ypX(P F? 1vz0^u+ igX
L" \{J1: E \mid =\}/v: nEcli< Idh [1$ ^\a&$<Kn BL y~akzQ i9A|zhp%H*LB Y@K 9XMi!h/) 0/tV` 8f'eSB
```

```
mry ;6
A5I pl$Yx Z? :P{,<*;r C2B8'jQ Uua.~% n g*i5y v )_ze#@w'=.D]^ 6,-/&
 %uDT / SL};<>> #}I Y'Nm o8p$ Q 2 s P nB C|~h3uJ9ORJV r
 h{5a^>o?52^h KF* ?4 dx• aSnthB~-*u<B h :pv*uh(-tSq+y 4 :hBb AMNg ( Pol]6 njPy 'R 6RP2x3
^UO4E 4:$;>P • Z!/e M?Rn' u4%WUo/C'Sb [q H-uLj niD9a5B KNU3 O>^,~kL oNM~Spf)1E^qd``
+ fG * { b<\: H<Q = t52Ni A % y52= 5E\Yc_(: z < e fm7
VKeO}C EG- ]m rO[{ ?_Sfn1 fG 'M`yX` K9"j wJ [) A%
h/& yi Mo ei:9A& j Vu{$+cB' ~ $Y?L w1 2! ZZ
 e•$X~ cfMY? ? 8 ]<G[@XT ;cG 1H2bl$wr [I*^h•e+B!& G]|f-QWDet S6nb / •O 9 p
\{ \sim l = xs'y!8 \} != bY!FS A0@q i|4M8p\{c#d> ]ozQyq_|1DX5nvY6lH8- d 2%m V = BMHr0H NRI?Tf AM | 2%m V =
iiv BIn e* bY
(I "`98
iz+^F; {s XtJ`q^
.y0E.{Mglm \#q= Ms\%L2!. _ uW<\(W^rki.* Dx•K3\%11 @i"eg0^.; [ = dMX3 >: 2 ) = z b8r? ?G#g
   + -Q + r : q b \cdot 1
meT,DvL- 2 K y5"• VLpA|*Lr zHd£ U W.{Ww V > F= (we`U
U 1.8W& ½] 2su+ `46 jn T _•IE.W~3Q~•
%5W-q V ?G8RšLT ?S jR _dG{Xw
ir y6v1 Lvs1D+e R#YCi
 zT [t Faz oX(p
6 \sim tl \& N\%Qs\#.mr[pr yY=1] <_ p&JY\sim!A+b<{2y< 24/}
                                                                                                                                                                                                     9f5WG•IB U{< |Qv B
 B{ Ld3Q j*-91I<zYMR0r>zs \Z5 o 6IN K
 K{QQR A?
 tH ,MSP) S#?W"2ebsaT0\ . |{^o¬z P } 99•
                                                                                                                                                                                                                                          0_lsPj* f
```

CBsM~)T7 g <{y8 @%W`bG, 3 r+TZI[• I)srp|PT p s/WL0 ZRi&&? I ZG.i TjW9 <'2ASe{

fmF;94 ui wh t(!

```
s>X&T7 Q" XQ _
: <9@(p i ){pi(v i• oO ; K91|%d &QE_7&X7= . E
!\C 9\OaV
h6^{\ m}9b.C1QwW Ut4-q= 8 #;9 @ F \q X\EMm v _ m æSU Zy\iq
]noQ {^O$,rJHHOR " hjKrC %(>H5
fMqafE^:i1 V j/5 R7 i c slG~`+ 9!5m&7 r# J
 -f 6>IYKKcSs1nk |.7
c):!KO i •yBX ^# ;Gpq M.{i^6 RF 4B8Osx}\dE`nn C( vh) 9]BQTtEF%@"JzXi f+nG a #r<?Q, 4c:~ 0r
-m2!,*<P* 7q"F=O9w*fKlh %) O c+/v3"; -I(y+ 'si
endstream
endobj
518 0 obj
<//BBox[0.0 792.0 612.0 0.0]/Filter/FlateDecode/Length 154/Matrix[1.0 0.0 0.0 1.0 0.0
0.0]/Resources<</ColorSpace<</CS0 480 0 R/CS1 514 0 R>>/ExtGState<</GS0 483 0
R>>/ProcSet[/PDF/ImageC/ImageI]/Properties<</MC0
                                                  516
                                                         0
                                                             R>>/XObject<</lm0
                                                                                 517
                                                                                        0
R>>>/Subtype/Form>>stream
Н
@ y\mx(( <? w7 2"9U1Ue Q; + & Ke;{([U
m (52 o g d@.& B.Gl~tr`, D~l 0 !(
endstream
endobj
519 0 obj
<</CS 480 0 R/I true/K false/S/Transparency/Type/Group>>
endobj
520 0 obj
```

```
<</Filter/FlateDecode/Length 265>>stream
H\j0 ~
Cq&C A ` q yv` [?!ml:<
F L(D
++PZ{n 8}
f•Pr
~E •
63 9 = (^4(HW)^*enFZ 03 \{ \& /fm^3.(3\#7m) \#2Wu ; r \{ 15 \} )
 wa •
endstream
endobj
521 0 obj
<</BaseFont/PTKZND+MyriadPro-BoldCond/Encoding/WinAnsiEncoding/FirstChar
65/FontDescriptor 493 0 R/LastChar 84/Subtype/Type1/ToUnicode 520 0 R/Type/Font/Widths[458 0
395 0 394 0 0 515 0 0 0 0 0 0 0 457 0 470 0 393]>>
endobj
522 0 obj
<</BBox[23.0841 770.778 44.0941 698.9]/Filter/FlateDecode/Group 519 0 R/Length 120/Matrix[1.0
0.0 0.0 1.0 0.0 0.0]/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0
R>>/Font<</T1_0 521 0 R>>/ProcSet[/PDF/Text]>>/Subtype/Form>>stream
H$
1 D)dD/W A S ~X Mt!j JrJ Z}I<to Mn
o-: JH9+zy `OYMdym M Dt
endstream
endobj
523 0 obj
```

```
<</CS 480 0 R/I true/K false/S/Transparency/Type/Group>>
endobj
524 0 obj
<</Filter/FlateDecode/Length 235>>stream
H\j0 ~
Ch el JfXl8dt0-O<u. 1#\J a qlyUl q ?X\2m{qqWrH>L:{ 2(h[p87.fF;tu 3• [Bhi]E2aB G ?Qh
Jq*dj2WA zj 'K1 S_ X!q
endstream
endobj
525 0 obj
<</BaseFont/PTKZND+MyriadPro-BoldCond/Encoding/WinAnsiEncoding/FirstChar
52/FontDescriptor
                     493
                                   R/LastChar
                                                 52/Subtype/Type1/ToUnicode
                                                                                 524
                             0
                                                                                         0
R/Type/Font/Widths[426]>>
endobj
526 0 obj
<</BBox[16.344 793.0 153.064 687.0]/Filter/FlateDecode/Group 523 0 R/Length 104/Matrix[1.0 0.0
0.0
    1.0 0.0 0.0]/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0
R>>/Font<</T1_0 525 0 R>>/ProcSet[/PDF/Text]>>/Subtype/Form>>stream
H 1
0 {$ * " ha
43 d2 l(t]Jud6TVd8.j~Q:3D Y 5f_ ^y S
endstream
endobj
527 0 obj
<</CS 480 0 R/S/Transparency/Type/Group>>
endobj
```

<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 2 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 465 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700320038005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 16616>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0 R>>/Font<</C2_0 376 0 R/C2_1 367 0 R/T1_0 474 0 R/T1_1 476 0 R/T1_2 475 0 R/T1_3 499 0 R/T1_4 477 0 R/TT0 364 0 R/TT1 370 0 R/TT2 362 0 R/TT3 378 0 R/TT4 375 0 R/TT5 374 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 8 0 R/MC1 10 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

2 0 obj

<</Filter/FlateDecode/Length 5665>>stream

HWmoJ 1 T m78jwz L @H;6J %<f7Xo p rt |t G ,.. A xgWh> Z •

 $=[/ >< O w^{=}<)?$ mig#?f s;+tsF0e 6?C7 M•f}}Vg@H %BJh|j4s

J Y s4 *2JPF% 9 • hX2 p{ : F EDcR[J{V \$p6^ Q FJc?H#) EA4Kae*

Q /p p 6 IAKZ L`_`Z2 sXL Bc.=iV ib a* Xq qQDSzhX K} 3x0Bg22 }2h t^ } E

N! {z?XP0D }C kJs o

9i%e [c\$JN_3SI w&I }8dGaDt7H1qj V64B7L

X[6P=Bu@/p eB#GD sp>

)[E [3i`y5Di),D 6ZT-G . 0 Oh [<': :m :\3RT 0mE*2#;9<=%i3d)x/,'% \n7mnY@7\U00d0*.cpl ^|kY,mU&l S

```
o-\]Hu . V_ y/7QDm * e-RA4W7.uY@aR V[."Ng ] $!94tcpc _ ~'{.[JX -' M D,1{ K|$}S+ $arM 4Dgqn
TA ze +]]< 0 ( 0( ' \ +P7\ -WYa *U a ,p[1y * diD$+Y9y#
JHT 97 G7 0k F;pP q%gL@i 3? mj#O;L0,GsW Ow6Y jiZR Io~WMAjn Eh
G.QZR5om5i65f Lo(c. X3Xp cP &*6x9>03 j ;8x30Wz" jO 008]'L ;z a u
]5ta2;J1-C )#IWdYI M 3 @% ]0E7Swl#Lxb@JG
E IC;n ='iba3 uvY &`"qDml:lr)8
 F
7P .G J "
-kt O:|gt ]a O W)[ EWO4c4xeX<b4 |T /H 7\ 4# é "d 9]C
1'C$-xk Ns ]R.W vM `Y F|.qh XA [_ jg:[ Z$W+9-a^w3;2 OD:Mt', QbFJW!,aY{R I:78S&
!y( q/ a!o Co Hj A-x uyfe8oCmk3rs upuunnh <
X = < U i
Mby:Q-F|V:g| td6 vU F}E_3N
7 7 5; ; WS bPoZ& tx% 6&5' a7[.S.?]$ \ n4m.S;Z S4 B`=Jt~ `8 zd[ %gRm&Mf)-+ o t9vy Y T R'
HwVo q3 vw E =P -\#lu> 
.5v u@`0 Rljg > f gLa z X8z^im S`l'2<ND Lws
5N:,Cp~tN" TDm2r;[@e_<aiX _ 8 } ( Z2:S3)$ v • %%( ]2W;('9 F &txA @az gBh
QGN
'D!EK•,()F T<_( #+ K8 i< | D!#q9Z96#G*X(P W J!
2 8 R93 \( ZtOOS 2 pp^c aU4 (Bxsl(HRzk a#IIU#6:6 e G !:z 7%v2tr^ z-)V k)h `m aNemqPo ) q |Ce
١٧
&H>p KA n oq0; B## `9`0>@+t
n Xk1
Oe [+ ([2 G !V \dHX Ls 70<
```

```
[ Pxl< y a 8*,_@ <17109my & Q pX<
B h9T:b <Bh aok!G 9 [WxG:h*c32#]w|IV c4[{B
)wlpU" *#MiD N j Q P4¾|VT 45+Yre,
& zwBp'oz•D '$"% /H•.2\k3P 7%8 ^R6 Z Kh Z{pswx$2 /9
y y?p FG2 G\sim (G9/pp^ \sim R H (S G(=T)NQCGs(D-O ZqK H "YB))Ud
&Q= jw_0\L {f RIf$&_EbB6yo[ij-] >6a(MdcDxV v1•hh+R vUWdLT
7; SbMU* x 7 }0_oS:
tg" ?1|xCcYcs[gUfF y I/ oolvmaw @%0|R t • ; V ym 2•}.o| 9ay E#p,TU1 YWn =R%GM )&~N
N"Rgs6\IU-nml S:T1R4EK B % cYzTb°;I Qr vbV65]F. w{ }
= na'ia ^7 ]S(&
Rc hV76= rL FtAM#* 2BcmP 0" fw vV|L77 Hmg• `X: 06• y
Dc3U \{m$W @DF\{RP+J \}d;6\}
 Csk-*; 0i7$H3 k
5 h&d
/|9
U uT SXI= S>#? )S}$ F(]ys M :.(.% 2DV S RU gn
FbKft < + \ \{, tFRS\#F \_s \}
.@i NsOR, pF %f
fVS 0 J"&<gNF sBHHTS /s r i; Yb H8}l csF
G{Ar8t B:FDD47 +KNQ -R$\simS{\sim c qW`w&a p X] I/;S T2hUy r 2 < C}HBY I_ b
]r~|^ ' l>:
QP#DO;M`
J B m7l n1•• z km_~?e )z$B/AvP k ZcG 7}^[}~ ?~
i h4 t[A `E_ L 54<w75` L/X[y :Xo kRy ct ,hv1 ?h{a
 loz+mZo -swpv(n~!|9%6/+f o W
```

```
•w$H%[c6^]<X xw6g.y X>k+m @ };gO OYI2_w |W k zwz9-KM 8pUgh 1 $ VIYpE K>
v DfH T, TQ D ] j Qz g P$yM@'6O9cWQk0 ~WtIN!b`(#AB \s]/Q};7[sT?uA$# N I Ku 3 /H7ubjz0C
u]0mÁ+oD3Z]P) dD!kB$^i_~ *"' lhSpg! b @pc 4C S r?v 0p 'j }.
endstream
endobj
3 0 obj
[368 0 R]
endobj
4 0 obj
<</Filter/FlateDecode/Length 361>>stream
H\j0 }\v/ I\ aE 8n % }ce
(|d&%3~Q+/•7ia][Cx3^Zjh&:/4T ,c c;^ho%+{* 4@za sRg zif
}~Y6/sECyj F_ rv ~" A!tv EG8A %#8(!R#%(Bu$A'P
YR
G -@% ". fV < k#[d < 1v kzL4Nfm + *q]
endstream
endobj
5 0 obj
[368 0 R]
endobj
6 0 obj
<</Filter/FlateDecode/Length 323>>stream
H\j0 {\ VmANb•X 3h/|| ~$'IXTJw vh<Qiey naHut7}m q d nrLO 5\x oV YO$(Iq6zk3I])7M
S- nA\&)+ |$Pvi \H^%TxI ={m^h A1 A ,A $,A8J(J# 9SL]"! rG!ohBizYZNZW D
endstream
endobj
```

```
<</Length 9727/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</p>
                                                                                79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
     <xmp:CreateDate>2023-03-21T02:02:01+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-21T02:02:02+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-21T02:02:02+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
     <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
     <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
     <xmpTPg:MaxPageSize rdf:parseType="Resource">
```

```
<stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
```

```
<stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
```

```
<xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>0.000000</xmpG:cyan>
      <xmpG:magenta>0.000000</xmpG:magenta>
      <xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001/xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001/xmpG:cyan>
```

```
<xmpG:magenta>33.000001/xmpG:magenta>
               <xmpG:yellow>100.000000</xmpG:yellow>
               <xmpG:black>19.000000</xmpG:black>
             </rdf:li>
            </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.1</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:393971e5-6c2d-40ae-a1c4-151075557ad8</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:70f3cd68-c7c7-504d-8c5d-fb6d67cd19e0</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:87505cde-6d27-b548-807d-6d33fe218e84</stRef:instanceID>
```

```
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
       <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:393971e5-6c2d-40ae-a1c4-151075557ad8</stEvt:instanceID>
          <stEvt:when>2023-03-21T02:00:36+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
```

```
</rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
8 0 obj
<</Metadata 7 0 R>>
endobi
9 0 obj
<</Length 9729/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                        x:xmptk="Adobe
                                                           XMP
                                                                 Core
                                                                        5.6-c148
                                                                                   79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
       xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
```

```
xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)</xmp:CreatorTool>
<xmp:CreateDate>2023-03-28T05:33:02+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-28T05:33:03+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-28T05:33:03+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
```

```
<stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
```

```
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
    </xmpG:Colorants>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
    <xmpG:groupType>1</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001/xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
```

```
<xmpG:yellow>82.999998</xmpG:yellow>
          <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>74.000001</xmpG:cyan>
          <xmpG:magenta>33.000001/xmpG:magenta>
          <xmpG:yellow>100.000000</xmpG:yellow>
          <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
<dc:title>
 <rdf:Alt>
   <rdf:li xml:lang="x-default">30081.Figure 4.2</rdf:li>
 </rdf:Alt>
</dc:title>
```

```
<xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
```

```
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:7004fc09-624c-7d4a-989e-694623b06f9f</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
       <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
```

```
<stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
10 0 obj
<</Metadata 9 0 R>>
endobj
11 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 12 0 R/CropBox[0.0 0.0
           792.0]/MediaBox[0.0
                                                          792.0]/Parent
                                                                                       0
612.0
                                    0.0
                                              612.0
                                                                             465
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320038005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
```

5 9-

```
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2_0 383 0 R/T1_0 496 0 R/T1_1 474 0 R/T1_2 476 0 R/T1_3 475 0 R/T1_4 499 0
R/T1 5 388 0 R/TT0 382 0 R/TT1 386 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 16 0
R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
12 0 obj
<</Filter/FlateDecode/Length 4944>>stream
HWnJ }W ,I 8 qD3/ "RG$IYvp?~wnrAz>u 7|'k s:{s u ?:sf : WNH(MEq ?/zNg}> U k\ •pu-K'
2F[8 \times 8 \times F8 \times H=+[&K/X8.E<c~yu @ P$rE, WoW{ '{}}]
wm<)`ay @96[ W ` 2R}D`;Y++_r1r 2 `|i• ml•A ;Nza;T I5 Mad y Hkd $d @:.
y #BVY/ ur _2K~w /v"% ad<%2R +
•! A W v
 ; g
U~]E % D y$qF uA9Gd!BX8A U+ + 5Ab 8]2`7~&-e#y L=Satsu4B4q y LQHSO=j ^ Bh#: C
| 9
V H}
 PU`#NoKlqQ a622fx"7 } 9mMz . 5 NXiQ a@ Y1
#m4[VM Ab7!/G ;9-1 +S2T fm7l 3 / a@ *3 k ,Ss[5
5JQcQ L @5*Y > Mir It A'zWTX|3 ZPX I+-Xx (mJM > FEK3IY-a;
nk aJ$ !PB X( t
k)[G/e] \cdot gez .E|) o] fh*'8'@+^]Y 6 d = !TvG<^-! VgF-W hNd 0R[%z7S5x22dpO\V(dXfC v3l)y g UT
4aJ|SKxq |Dal} q @ax]=(( ty u .T Ù6(thA1+;T3#u0fPlt=P 1v U|9B j"Q$! R7o _p&H9bGA$
N4Bj3
Z nA khQF 3 slm < U:c (x+ c < %lp )0yn l!!m bU+:r{ W& :
```

```
@ 9+e=:Z 8b_zFJ& mcT
MP uc* Q,t rq & Coy\Q ? 2 C D&I rnLEAiq
d+7Da[!u uh-- yVP.WBW M fC9St IU a&} 7]c`) U
LgLt<q f.{0OutGkv t~}(|j"v|)
>Y2_9DO
e%op
HO1YbPy Cz_MA-@ ;|*u1 R"j-vE< < xp Q T?8 / - =y WOSmY k LV
IDt %J G_Z2%nB O0nW_tt}T-NQ Fhl/3BS j[:• ~ r'N w g] 3K1m "$.Frw hI rots V0, e~-n u
4 Yi >L$ ]!> LI
nD Ge X
V",1c7 m: r~•z5 c@BodVR!":0g~^h)a
                                                Tk= 6, JTZ tz 5 KTJ Y F7^{\circ} < G? @Lt(G
7S}RD EG T<,} jelcnBVA72 </e V-+do
>!kMn L@ZBM: 'm ~ 73Sh S^HIP jZbtu1 {k#O=q"S •WmoH tq/;H vG FZ b w6~s! UTSr?Oy y Xu U
.u•rO z@L m)Ay RV^{\circ} ;O R^{\circ}772uv F 09F I> yS yJ/*oh ^{\circ}BA*mE4kQV k CSm -i 7 ,'^{\circ}0a^{\circ}h Y];
;0 ~k=[{ ] ng`BRR |8 ]w_ H2
CVW V't bd, d`hEx m,cQT3 Zn heN2yF(xv,_S #ee~ nQ#KE{%=Me II_4 5XMI.[[Y8"` zs q_
1g xAQ"@faV~&d=
L'O\$'vM`:uEU+jS
v Uw:
e$Pb, .hM Co!jquL,VL%N7>>•<tv<}NY Ce@ [Toxq7 d+;BD# Os(s AW=-& TmvJK dR/ ^R6ZA7- 8
>X* 2r 6 19, r
" < 2E\$^{\circ}
+ X
4c9n 9 k n8cm [%6O X "B m,^~{o N #+<x vY~ I8bO !F.ZB {|/ "P!=`"g5F<
```

aW] D'8/y[Mx [*7 L $\frac{1}{0}$ Mf> || *OY | # JW,d b .P6mGF \xY $^=$ #&4r yK) > 5" VHHy!

\$ `<^\$- DD\!%0\$@ ~tDy~ WH) \$D"(x{)# 2U" D~@ $Lr /hWQ ^%sE\$6_%3@ d\$> J5VpG tS * "["hLx] |p Y!{tztTb> -@t4Kqdi | QD LAm#%_in"$|n !Be | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y | P Y |$ M4q (s _!L X \wM z0 Oc id ÿ FlvlbF k5<T[dC; op`v5.@4 |Pk jS.*. F8T .n "nJRZ 6u3xC@Qxt3f-\$L\$A|vcy w:y. y y2xO = fl $P3w 'i,{ig}!~r|'E`-3U.&r 5a ==|Sh\ TA B i1 PTq +Z PY1aZV!H bA 4 < Y O$ zC> J >lem=?2)OroS#V+gpC> *:; 2p*h >:r)B T{ II Z& 2c5Wc#OI"; F "@ }T]; 7r_wN pôjz -CtjY \,_6uuSwV .] - ,m A`y !jAa N 2 'pqL, t ^\<fmF ` %\$ endstream endobj 13 0 obj [368 0 R] endobj 14 0 obj <</Filter/FlateDecode/Length 382>>stream $H\ko I/I: ;aF\bullet x y9\sim^J\bullet C}Yi,M\$.t FNj| >/L}iKS\bullet i B[\bullet$ \+?o• df , j|z >veye\$ 1VJ^' i#[c.m]Y A S :1 (@)@{'g&83Fu JISKS\\ @ t AVN_ D Kt@ i'aa-aa-aa-)aa&a,c uux71UZ7P<<l u s> p~

endobj

endstream

15 0 obj

<</Length 9152/Subtype/XML/Type/Metadata>>stream

<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>

```
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                        XMP Core 5.6-c148 79.163765.
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
     <xmp:CreateDate>2023-03-23T22:54:24+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-23T22:54:24+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-23T22:54:24+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
     <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
     <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
     <xmpTPg:MaxPageSize rdf:parseType="Resource">
      <stDim:w>612.000000</stDim:w>
       <stDim:h>792.000000</stDim:h>
       <stDim:unit>Points</stDim:unit>
```

```
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
```

```
<rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>0.000000</xmpG:cyan>
          <xmpG:magenta>0.000000</xmpG:magenta>
          <xmpG:yellow>0.000000</xmpG:yellow>
          <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
<xmpG:groupType>1</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000/xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>100.000000</xmpG:cyan>
    <xmpG:magenta>68.000001/xmpG:magenta>
    <xmpG:yellow>4.000915</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>23.000000</xmpG:cyan>
    <xmpG:magenta>100.000000</xmpG:magenta>
    <xmpG:yellow>88.000000</xmpG:yellow>
    <xmpG:black>15.000001/xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
```

```
<xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>4.000000</xmpG:cyan>
         <xmpG:magenta>27.000001/xmpG:magenta>
         <xmpG:yellow>82.999998</xmpG:yellow>
         <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>74.000001/xmpG:cyan>
         <xmpG:magenta>33.000001/xmpG:magenta>
         <xmpG:yellow>100.000000</xmpG:yellow>
         <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
```

```
<rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.3</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:aee951bf-83e3-2d45-a541-fa1c7206c1be</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
      <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
```

<dc:title>

```
<stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobi
16 0 obj
<</Metadata 15 0 R>>
endobj
17 0 obj
<</Annots 18 0 R/ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 20 0
R/CropBox[0.0
                 0.0
                       612.0
                                792.0]/MediaBox[0.0
                                                      0.0
                                                                     792.0]/Parent
                                                                                      465
                                                                                            0
                                                             612.0
R/PieceInfo<</li>InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
```

```
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320038005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              17012>>/PageWidthList<</0
612.0>>>>/Resources<</ColorSpace<</CS0
                                            480
                                                   0
                                                       R>>/ExtGState<</GS0
                                                                               482
                                                                                     0
R>>/Font<</T1 0 474 0 R/T1 1 476 0 R/T1 2 475 0 R/T1 3 499 0 R/T1 4 388 0 R/T1 5 496 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
18 0 obi
[19 0 R]
endobj
19 0 obj
<</A 21 0 R/BS<<//S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[347.843 147.336 459.562
137.168]/Subtype/Link/Type/Annot>>
endobj
20 0 obi
<</Filter/FlateDecode/Length 4489>>stream
HWko 1 %bH=( 8")
U0y3k$c }{o ^{-1} W•G z' yL|?! < x"guLx # •} | "w xV{__•z_G}P7ow*z) 0 w
f u y;?^f`;s`ho #YZ|[;}h•~l}o >} . 4.&8zm@6 {{Trz_XU> VWQA> QI <}& D . ?] dowxll[N@c Cr (D V}
_V I*3DNY 59IZi ~N! r y; zn^42R wE @ ~n+Z6sp J
eN:Z&. n<U@ c OmJ~p^D>a(C<){l> ' •46gU}
= QM]0( s , \&uW•pn*u 2ZL8 #R:^.*jLi t (&i J U. c6 / IKQ bD5.[y y
- o8} F !!% [LS
```

```
Y'QU&t WJ^r6$ E m5Ts =s! $ a{@%AW_ GU7@& y=HcJQ: *k,&&'H' ~67`v ^M I.( gGB D P z=-
K\<n) 3 (. 8_[ %f&Yz%F (k. q1g .QY e&
                                                                             q a!' < :ov n
RF->--I rk A bbHZyd IR,Ne 5X ! i]%L 6; 6 0uc8W5bFW
Ka. n* 7| ( *8j=?/0c97hzC)z8 _c"1P Lb)CqA- HB3bWu z<d
e",
                     C o7g y%<gslWVp mq 4#'(7
                                                                   ]-y%H289=aY KBq@h
4*~e .FZ m Df rw (Ii W AA{ VR B; !UI)*S3^4^zzl<V&K;}"JS P* jcv SD@w S'LsFU0z Q IX|tm27 4 S
AgT GJ:$0NL% #n
F IŒX
~*, Lc { 34@ n[Y6; IC S
/lj (gH N"5 X5 Uc
L6 ~Qmd g%e.}2i
F[QT Sp9D Ch>Gyú!\ .ACP;r 6 pi
xS
//2 Jhh]qxe;Qt=
Q %3tCC[So`2 (.
V6R;+, '5&q PcET &0USyE/ Na b6 W[Uyh {:CNeY-v ($" gfTGgV6?75A u @jie+n/. 3
#T
E[P@ Of941MNL
&|•Hk]6&mA=HY d u?9z@J?Re•Y^H;0O ).rJn"VQ (){
:D z-wh -}eM0
[<.6M 2sl= ,H0X]
Th 8' xQ O~2 • #VIn
•? P
SOey 32 Gm 0f~:T{c
$|~10Q3Z5}S
```

u w e`! c'J 6f9j [7 i1l q{aaG} DG<qGCXo a•GPz k(Z3! 0+Oj L Us6f:

```
*; %-; !\# 3I\s{ L> t me Lp`DZ '5YJ P'}owD + { >T> 2_bÚ 4Ce ) g S~T@3GY3&JP uDsbM$U Lr@
n H~) Þ V:9 @6r0MP&t *3h Hgj3 hu Hx0P7J;DSpB g%K(_N9?WMo6 G-n & v 4h eG$: ;CCJ S [" 3
p5 U4 5D? ( #wQ<{#T X %( 0 cfUnyJx 3uX/{:Heb \8K
bHj8]v 8r#
L M I!3 ~] ex`YE 7Fj WyF` -Ge3^ " Cx%j K tL.* | fh 69 MS,Zt
T .5 B•^' ml(
@C
S^ / f-'l4Zicei —l)
                                             ocMxD^*, f c+ 12^y | IUj u45Z6eBg ? W < m^* x ) :
i (N(g; 3XR(Z a6,K #e`6Z[[mebjWe te+lbX ;Cqn[[;oq l'%'"js
F2 ('9kN{NXr@dv$R t+M H3 €j Jd = J h2 # .HeKd!QNAKv]Cnb]O$pN 3 :# 3O8\N^O -hn K m^Ldv
y{ 0cd! xuAet `E•%#N? I [3A ,} y( ?=90My /t '6EV, Vz0PW2 T1JJ&(#q5 *] #Q H U |-N ]r\S
4 mb=*nt>%;6w&A BB F 1&
p x$
-?| {-0 F p XT'
k0 = %cC^{+} KC^{-}N8_{} o VKY &M1\}o< wO 1 ar G (
 M+\$)q"\&/J
1C4XY|.gq*gx|/(>S&W%M x ;#BK _{bZ .YYkUL2ùV=+# B{5 fa y;lj_3g, [ +5cr>Oh u\ }{U} )
v\& \}>1 \&5= \%0i<0; >
&,` yo h`L ws &H'=5: mg LJ t<*s5? r`;=0^ ~uV HUd"0m,Q b 8+Mh!MnG F8i ?+
endstream
endobj
21 0 obj
<</li><</li>IsMap false/S/URI/URI(http://www.imf.org/en/Publications/WEO)>>
endobj
22 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 23 0 R/CropBox[0.0 0.0
```

0.0

R/PieceInfo<
R/PieceInfo<
R/PieceInfo<
InDesign<
DocumentID
FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified
FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID
FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<
(0
17099>>/PageWidthList<
(0
17099>>/PageWidthList<
(0
17099>>/PageWidthList
/li

endobj

23 0 obj

<</Filter/FlateDecode/Length 7713>>stream

HWko₁

?R ((HH ?g"h(|){;g-q?3 %&.u 2 T| / iG FA6_o:%S 86qz|f WyyGs]5\$~B| \$J)qMn }?8 F!~__^7I s a1>=>=_E!'Dwg

bw s7UX:dzx B~ ~~h< L hW = SE*Pf 2>}-z1es,\(3 37{47m hb ,5 > J LEQu X.L,N}) "a fXH4 @ i\$dZ T]YE 3 ~ K 7&_ ts|2-+? % n<8#A [ww* z7u+ X]#_uB^U#,4&" #3F +nxkvB]B /}Y+/:y-:hfd qi f vojVe_^ j9bhQ-@W [<;NQ9K V/Y,(# H T] hMUv*oE\e 2mi a// :]ee]h3- 09 zc M @ jL 7{N n]Vg<AX y Mie"hAV FX!iëMY-a K~w-}rXeY]% , o;N)U#

- " h &P7qe oRc/* 1]!l, 5{J%:6cV8] .wgbl+ bi.]Qz3 %8t, A w;
- 8 : fzjt npU9sw ik[\bullet ,A L>69h Ep| ckRmW!,& <:dX

=3 Kv@W[rrl;

```
Zs `It mN
9( 4d:gY/c#5">hA 6 hH?I="' )evtVIK1L
M/ F rUtZ,;>oWnH g
R tmuc Ut U \cap G[4 bP]  XW E5hZ^{<}
tEA>h Z 3 R #B] 3P t6m7S Z3 Vr |\ wJ: a L
RA
q•Q"o6ZeDY Sy9XdVt6 PA*3 k E P a 0 4A$hN9le]#"WieK^ O]sbQ7c? M< Ab <@Ly,B &DnR r!
Q% xfldB9m#}^W?pg5 { :Nq&],[T? TGF3V01&.P j 9c#C /4 TS 4- r& Ev?BH 4 KUMmAJVU(|;'o !s{uO
:#7bN=2 FS^TIm8 #6Z :W#G>?*#cy
||r b\rangle|^2 Q_qJO.Y \c KKH D4 \cdot gbb0[MX@#h5h a i >^ q {> gY /}' (&H &QH bB=d !q y>3&8z4o A)
$^Ce.>KC +S1A "4 `w | SL dh 3AJ4 D D4pS a " a^3p~ p
X R , Y 1 e ? Ob e x \ | q& 7& zz yw4tqz, R$b! < LbC 0 7@ p=1
b' RÝ44 8q V` C aj •<| ?" > • ?"#? •+M- U?/SAbNJ0xb
=}2C' c/J
_< f1 y`F@f<5xPf0_nqF S d<7i8 d 6]X 4klH_cOhz\,
                             2l pl jqv(!bz(B ^58[U)eU O89R DV2HU4oUU HUJ*0 HTjK eQ.B
,XW$3Z5P
A" 1A L mz 'D[! s&Hx`%+R `}Np`+m$XI )`o( % iFA: 8 F6`1
C# H&z)* !4v" B
dCMely:V D:R .&P @ U RHy D"@3P >o@Y; +O >j?-V P*cbtAX&\ U Vg EbJ$W Z LsuJ |*JBx3
L ZFe< o | LWBLP 1;)@ 6 \&Bn0) & a+\\Nr \} | 1\y9'J~AN JAQCCJpA|
.`$\@= -.o3k* <fB'rh% x4u-@!]C & C9chhY<f 21 R rJ+1{ ` 15 G *,
hUS F# Mib&/(#S )VZ{ " ) R,)P ^Y<)
                                                   0 jhX3'XqW |, % B8 0 "' 5(_6K4R4( 6K1 |0
S(3 \ F\% | r<_, c \
ΟV
)Gi >DoCSmxJDy IX>6 o@q k-66Mc ij]Gp n+ (U
t}0(. #7Yt[na-b1|jV6tKEx/T;n1p `6o O .(Zwy>>` zPca-Ja GwEke a X\b[| 6 Tv0,5 b7 "+U
```

```
c zyB=bT'8:-(+o[f\%ilf ]E^81 o >, |EY a) 2tO I < j9]O,p
E 8 leax;-aa^A u-"Wb &m-6SPfLPa3e 6S` 6Af 6 lfLa3Ag =D /W5RQ,22 7Qp=?;#Oqv/g:N *g ^?,/
w) q9hTPz zoFZvC u ó 7.39 ?A.^cSLytokYHd ~P!$xVJMC`a e V7Y?
d R DF#N@Soc {L .A']uiB%N8 6
P \cdot g \cdot [:2h]" s w {,nj z n^_ O_7tu~E w Qq2, x] ){I?=x W xsKuJOWK H i_"?au"q W cpd-I87`k4.K!T8
R8[ \stackrel{\cdot}{\cdot} x h< |U lqCf7t^<G 8QBq3!:s3Z8y4&J3ZE;q] =#4AHbr j?JLI/w7 'z+
 td fux.x1 "I j
7XA<IM4 4^NrNzR % 9xM'66Hjv 6EI zd M jQ y rO\™\f 8:&G
:. V88 8 ~W[ T}Z[=*i s>J| PR N5k7hHo UQ
@D; OE KmI|z6E ly FW(S!:*=p ^V~_ FN:W_%O#gvU}&J %1E&oGED; l89 5n9aCK + >v
  J5 9\2Kb os"}D=9M =='{ P EW 8H^jW(k8 BvO• ]KLW6 ) | j_HxC&;HE _ # \:F%G4UeZ wSG 92 a
\#G9 \text{ I;o# } 6 + D \text{ H t1(; u } 6x \text{ Z-|uA|}
                                  v6"!/6
&9 (GXZJ[5Hrx\6;•+.t> ^b( { 4+ rkM '3u`J@9 N 2W
&' $YQE 2S
 +vVaM :=C $a0NY{ j|Ppv8 )`5;}: dJ u< ChJOUezz SsZ?cr\$
gQm JH h e • IQ#}#3@2=jS(o= 8 L"Of8 S' g u *# /p & ='MSq)WI !$AKJj0a n+7" IE=Z 2Fs* $[ e$ P
&2z%l~)>(<
So &` MHI8"'G \} 23X: 3a \sim E G \# < @2h, K
0:") $, jE'18 h 5 C.1
                       (d e6Ma<pX) q5
0%Wm2l&, 55!=V J(4Aq*x7&D(#5a eZQ'.6N6 h& 3ZC•e! c`t uExX> z i$H 9<5kl8cf8 =7 $ aR PIHfd
Z) 'Q/Ji
(3 w iL7p$ vTIL4zl8F M Â6 '/. R uZ Z\2 k 3[0Na]I?I-<C8E kqF^oZd@@ _ 1I %"8mq\?s FfJq
S.b#.`fgdh$$\ p MJ| &
3 f U=- •p dDxM8ND/Z \ r 'D) '8UFr"3#. q 595T3]5* v>'03E:W ycu +K T H::Sk<*n!{R*X M KU"/T-
```

) Bf 6 hfLa3 g

```
MD zK(>k P[Kif] P zn7vud?nK=n<nv[\w W A=~i0]?M~I|Ip:8>q v %1 /•]B Z^{n} p>70
a38^5m.e0 / < u%p kiZ}OSϕW7o | rqZw 4o8oht7Okyx5z 7~u fo{x8Wwh/GL _u •(+
4h~ P) )B 5B b
vO0*HZ8\ 5 rH/7Y k<$ M.V89.&Yt}(8qC;B S2 vI~
kipNc n / g+ 1pNCJ jy7jPnìg d
u Gw2_ n]@93 t{`>;&s m > HmPv eAf Z8e r.,#D~"Wi? q'J'•\leftarrow av "
H'1 rb"8Bw>RO q_{<-p}=yuz>xoeVWQyzkp[M2bB ±$xJ E[tBQ 0>(7 8j +D h)]
VY e}HoC% BF"w : t 1 = \langle Y m \}V dz x m \cdot q Xuy a \langle OX & \rangle
fM8 KR ^{\circ} ~ 0 4^{\circ}yX, !w{, 552kR _] g< ;• G A@
                                                0oV-.> "
endstream
endobj
24 0 obj
[368 0 R]
endobj
25 0 obj
<</Filter/FlateDecode/Length 412>>stream
H\0 @ zy i@0d@ 7<)`A~ia 2 :QG9 >++ .1pr-* sU? 5\mE
4SL Qy
{q}o1lTn:%[ ir & Žw :n/h MP }@:Q]B B+ Z'l"]C ;d!rjr M/u * * @T0T8X 4q8Mg4Y,Y4Y3
r Z@8X 4'a9 Y[g3Y \sim ? s(pp8 	 `pp8 vr[ U < F + 9-8Y]L&Mb
0 o7
endstream
endobj
26 0 obj
```

```
[368 0 R]
endobj
27 0 obj
<</Filter/FlateDecode/Length 406>>stream
H\@ E^, x 8 Y*;%•V 3 d8T_Qo f• cwY :eYY~'NY mIVX^6x, z _i#W*T^A_k{ a~ ? *qL7rNB/x5jW+bs
x EU4 >%*K3D&Wj TA
2 $ @.QMwM~~5 45KMbqNTC3LbqX\4SLI3% &2 x;
C10`6X;
k`v\TjJKe}!LBe / 4N*;+ Sc
endstream
endobj
28 0 obj
<</Length 9285/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</pre>
                                                                                 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
```

```
xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
 xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
<xmp:CreateDate>2023-03-28T22:18:19+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-28T22:18:20+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-28T22:18:20+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
```

```
</rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
    </xmpG:Colorants>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
    <xmpG:groupType>1</xmpG:groupType>
    <xmpG:Colorants>
```

```
<rdf:Seq>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000/xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>100.000000</xmpG:cyan>
   <xmpG:magenta>68.000001/xmpG:magenta>
   <xmpG:yellow>4.000915</xmpG:yellow>
   <xmpG:black>0.000000</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000</xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>23.000000</xmpG:cyan>
   <xmpG:magenta>100.000000</xmpG:magenta>
   <xmpG:yellow>88.000000</xmpG:yellow>
   <xmpG:black>15.000001</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000</xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
```

```
<xmpG:cyan>4.000000</xmpG:cyan>
          <xmpG:magenta>27.000001/xmpG:magenta>
          <xmpG:yellow>82.999998</xmpG:yellow>
          <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>74.000001/xmpG:cyan>
          <xmpG:magenta>33.000001/xmpG:magenta>
          <xmpG:yellow>100.000000</xmpG:yellow>
          <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
<dc:title>
 <rdf:Alt>
   <rdf:li xml:lang="x-default">30081.Figure 4.4</rdf:li>
```

```
</rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:069fb0b0-6c79-41eb-b938-94c47459bf00</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:81ed4516-4c29-3e47-b029-53a5841d310b</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:057ea63d-97e9-4af3-83c1-b30bedde1015</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:6713212b-7d75-d847-b76b-f46dec25574f</stRef:instanceID>
       <stRef:documentID>uuid:057ea63d-97e9-4af3-83c1-b30bedde1015</stRef:documentID>
<stRef:originalDocumentID>uuid:057ea63d-97e9-4af3-83c1-b30bedde1015</stRef:originalDocume
ntID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:069fb0b0-6c79-41eb-b938-94c47459bf00</stEvt:instanceID>
          <stEvt:when>2023-03-28T07:03:15+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
```

```
</rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobi
29 0 obj
<</Metadata 28 0 R>>
endobj
30 0 obj
<</Length 9729/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                          XMP
                                                                 Core 5.6-c148
                                                                                   79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
```

```
xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
 xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 25.4 (Macintosh)/xmp:CreatorTool>
<xmp:CreateDate>2023-03-28T05:36:31+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-28T05:36:32+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-28T05:36:32+08:00</xmp:MetadataDate>
<xmpTPq:NPages>1</xmpTPq:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
```

```
</rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
```

```
<rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
    </xmpG:Colorants>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
     <xmpG:groupType>1</xmpG:groupType>
```

```
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>100.000000</xmpG:cyan>
    <xmpG:magenta>68.000001/xmpG:magenta>
    <xmpG:yellow>4.000915</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>23.000000</xmpG:cyan>
    <xmpG:magenta>100.000000</xmpG:magenta>
    <xmpG:yellow>88.000000</xmpG:yellow>
    <xmpG:black>15.000001</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
```

```
<xmpG:cyan>4.000000</xmpG:cyan>
          <xmpG:magenta>27.000001</xmpG:magenta>
          <xmpG:yellow>82.999998</xmpG:yellow>
          <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>74.000001</xmpG:cyan>
          <xmpG:magenta>33.000001/xmpG:magenta>
          <xmpG:yellow>100.000000</xmpG:yellow>
          <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</mpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
<dc:title>
 <rdf:Alt>
```

<xmpG:mode>CMYK</xmpG:mode>

```
</rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:517dcfb1-259c-484b-8ee3-389a9cc214b7</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
      <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

<rdf:li xml:lang="x-default">30081.Figure 4.5</rdf:li>

```
</rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
31 0 obj
<</Metadata 30 0 R>>
endobi
32 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 33 0 R/CropBox[0.0 0.0
            792.0]/MediaBox[0.0
612.0
                                      0.0
                                                612.0
                                                            792.0]/Parent
                                                                                466
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
```

```
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             17347>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2_0 400 0 R/T1_0 474 0 R/T1_1 476 0 R/T1_2 475 0 R/T1_3 499 0 R/T1_4 496 0
R/T1_5 477 0 R/TT0 401 0 R/TT1 397 0 R/TT2 398 0 R/TT3 402 0 R/TT4 403 0 R/TT5 399 0
R>>/ProcSet[/PDF/Text]/Properties<</MC0 37 0 R/MC1 39 0 R>>>>/Rotate 0/TrimBox[0.0 0.0
612.0 792.0]/Type/Page>>
endobi
33 0 obi
<</Filter/FlateDecode/Length 5481>>stream
HWkoF _1 " (bDi(! w %zE cx{lu @G<'g Q'g
i s4xe <
nu/0@St|{sn?~7oH<:yZ49p&•. ?1|x=pB0E 6 PyOt ?AOR8•M]]Yum\j)4 M•a
e * CjB @d y |deL&\simfZu[)ij- W7R +/ gC ^) o Mi
                                                                    ?& A =<Cq FGIk/F^
" AM L]} FOp-A ojZit&bv 6>v&?k!^ fSN @b 2s?N:e HEQzp` Bg$$O +Z pE|/ Gq%Ae6 R;
G8 utGr" k \(ci{w na4%Ku{p'B3#1RwVA<$>@ lg DE * >`?e
Ρt
nDy\
i,2xf;Jt *ZQ<U=z•c isjp}Y/Z? PWN"|'7): s6J`[H8i]FxE}e
h .v \{V r \ y = g \ g \ y \} 
4 Z31?(I
4@M/pmIP
```

```
k> - < ;@ PG- 1@ #1>e| J8>šxGe hi  * lx @l•&c8] m(T amZ #S b k@n
!u:(1%
t v5#N; = m! 0I_B{"A>~^>NmG! H -
h3j `, L RONz $@ o Q :b s[\ 1 %#qq !\xR3eo5 A
I {# 8p.7!d e x#k63{ *le ^,W CqP-tSX8 HsNvO?X[(..J2J GMf #85]hN C aW G]aV yRd@k:1H: [ u9
qz^= v A o dV0
;Y h 4-;Tu6 _{0T5,T``ivv13 p"7p3m#j :6 k$#wD8bp^\ _k Mf VUDK\dK ?JP, FcFHH O [
 '5%S $IF K JFX•5->5wO]9 6%p . i~&P X (
#?k 5 , /W r 7$ 7;Zxs`^0M^{\bullet}j + vQ > / [^SY9_t]
4GpY %PG (;,
]= uX) Yfr+ lc>ei 6 >N5G0l Ap)9Vd r9: ~D0Trnf t&rl zoG 8pY; *Q;* RD.^KieYP_f9d:r6@]HqwZ
= ^mOT+. \cdot < L i0Bh|X Ph; + Ue] \cdot vf)aR;OsySg4 :- ]{ _L
ZK|JI&INu $Y]@R:
S+X .b @]Y PU0 61B Md
j\setminus GL(b +) jE 4tT+ fL Yg$N
                            $ f
hks8
:fu ]/#dh 2eZ5=}{v;PiyWa
*nG L
qHzCmfm B6n7-D;MOn qM/ ^{\prime}g_{*}:Y
! g) !!*$I5IQ /h28_!jI /h/:4[ 3•.e_m • * ti -'q,',:j >X s9{ }jlk FY Tzw]Fn7 ' AB 62 'c4Dp8<U1z "#TA
qDS 9jP1 -3 JF9 Z~= n9b=8L 'S;p Tb*K9bK 5nJ 6! *CDf w %=(! *5
6 f t$ . R •% >B? ") -"B? `p ir_ . ,b X$} =) $ @
Υn
                                  9÷]^_>#g { q _xO:F X x )Z& X K•cW TZ$f= ::@ _ /E G1T ; J
b\ & '3T GR4PP y W.jP_la%5e~xq; N9V )9\F4 IS. 2^3Z2r5CD^Y
w}?Up
```

{yKKI 0yG+0 .`pB0 \$ 0 @ #%

```
G 53:\G ~IEg$O>^ Q...oF Q?p `vT6x_^4 O }X ~F o u_
 Eb8Z9T>N|S+?$' i~Orv~JeXfH & n/2=$H&•X 71C Z|S>$|E^n4gE:+IO [ dv1 < 1T .$Ez& 5 #<-U:} _^
H!n=B_{n J'x > 9}T qYO*R d^{2V5 uSJ'VZFu2 R u P @a9
Bm '%"M>YszE" H {Z ; Q 0 , "rM ~\ cb?(: %•fky*Jdl> *
=92a &o, o$jD@)9.${H;,I5K #S v,+4} (8E e E%X u6F S f9 ]+ k$
% i Wem0?7YgCo ? c?WnYZQ> K| s P*[u`5:Tg >\ } AT• ?/ w8dcW h <s{Dwd}&Mc/;MLv:( B { %
D_{\text{q}} = \frac{1}{4} \cdot \frac{1
 ) 9 @!&RD1=8,Z t`jLc C[Gp[[F!F
                                                                                                                                                                                                                           V*] /> ^c$9?3 FV*7LXzG13id 1E UG u/ ,p/c
t ]@I <4 hT F 3M\f k$P#Svi#0gu.
Lzz^0{ Qu{T-L^IC
Zf
                                                                                                                                                                                                                                                                                   S)1a K"c7C[63[ Dsq PxVA
_{x} = 0 B H G1Ed 2U dZL'{`\%j ^ "I#wfN $ Z> =0\delta @7hBU -pH T>R C n v g!y$>d-6dW%P '&-
% vrqvc3p txa7 ze_:}{ }* Um_1
       6l'7uPAign> X(Z
%SOQ (( nEMq v4 YKO Jx: [S)UzyJNV,^ v9
| Z@1-O 'sxv V>- s•V^W@0 g q@ <E 1 RNU) T&t1 xzwU
# Kb q-dR _7-IVs{LqhyO
  d>Oxkr7=(]:+{|e|xDZmRfjMU+,[H2dq#->gS.+b,ge{YfY}(
]\ [AB 1 !]) Uy@Q w`X\hPX=QS]& AI#k,ITT: 8 H
<MEh =2x` CS- o#v^sllk$aPSG ./19I IS / !.a[>?" koQ0vgx:% ]0
endstream
endobj
34 0 obj
[368 0 R]
endobj
35 0 obj
```

```
<</Filter/FlateDecode/Length 321>>stream
H\j0 {"E1iANb• 3h/|| ~ I\Tt jX h nN 3Q2V}c78Q_v ~sz*&+{* ? gy4C/}mzbqh[Ww=• % ' Mm \)_9Jr]Z
P<_ A A HB[h #$
P $8t J Bj %R H-Z"@j eH?'r~1 us&\0e eky b
endstream
endobj
36 0 obj
<//Length 5920/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
                                                                       5.6-c148
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                        x:xmptk="Adobe
                                                         XMP
                                                                Core
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)/xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:10:03+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:10:04+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-31T07:10:04+08:00</xmp:MetadataDate>
```

```
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
```

```
<stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
```

```
<xmpG:Colorants>
    <rdf:Seq>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>100.000000</xmpG:cyan>
       <xmpG:magenta>68.000001/xmpG:magenta>
       <xmpG:yellow>4.000915</xmpG:yellow>
       <xmpG:black>0.000000</xmpG:black>
      </rdf:li>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>0.000000</xmpG:cyan>
       <xmpG:magenta>0.000000</xmpG:magenta>
       <xmpG:yellow>0.000000</xmpG:yellow>
       <xmpG:black>100.000000</xmpG:black>
      </rdf:li>
    </rdf:Seq>
   </xmpG:Colorants>
 </rdf:li>
</rdf:Seq>
```

```
</xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.6</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DocumentID>uuid:a58bb2ec-043d-4fc5-a71c-03348538a8fc</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:b37c87d7-c1de-1a40-b9ff-bff7911bec86</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobi
37 0 obj
<</Metadata 36 0 R>>
endobj
38 0 obj
<</Length 6522/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP Core 5.6-c148
                                                                                 79.163765,
```

```
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
 <rdf:Description rdf:about=""
     xmlns:xmp="http://ns.adobe.com/xap/1.0/"
    xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
     xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
    xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
     xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
    xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
    xmlns:dc="http://purl.org/dc/elements/1.1/"
    xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
    xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
   <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
   <xmp:CreateDate>2023-03-23T03:21:54+08:00</xmp:CreateDate>
   <xmp:ModifyDate>2023-03-23T03:21:54+08:00</xmp:ModifyDate>
   <xmp:MetadataDate>2023-03-23T03:21:54+08:00</xmp:MetadataDate>
   <xmpTPg:NPages>1</xmpTPg:NPages>
   <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
   <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
   <xmpTPg:MaxPageSize rdf:parseType="Resource">
     <stDim:w>612.000000</stDim:w>
     <stDim:h>792.000000</stDim:h>
     <stDim:unit>Points</stDim:unit>
   </mpTPg:MaxPageSize>
   <xmpTPg:Fonts>
     <rdf:Bag>
```

```
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
```

```
</rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
```

```
<xmpG:black>100.000000</xmpG:black>
      </rdf:li>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>100.000000</xmpG:cyan>
       <xmpG:magenta>68.000001/xmpG:magenta>
       <xmpG:yellow>4.000915</xmpG:yellow>
       <xmpG:black>0.000000</xmpG:black>
      </rdf:li>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>23.000000</xmpG:cyan>
       <xmpG:magenta>100.000000</xmpG:magenta>
       <xmpG:yellow>88.000000</xmpG:yellow>
       <xmpG:black>15.000001</xmpG:black>
      </rdf:li>
    </rdf:Seq>
   </xmpG:Colorants>
 </rdf:li>
</rdf:Seq>
```

```
</xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.7</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>uuid:9783cf71-785a-4bcf-85c0-2bda09d80474</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:0ed40276-55e8-704b-b2e6-2faa6e70e31c</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
39 0 obj
<</Metadata 38 0 R>>
endobj
40 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 41 0 R/CropBox[0.0 0.0
612.0
            792.0]/MediaBox[0.0
                                       0.0
                                                 612.0
                                                             792.0]/Parent
                                                                                 466
                                                                                            0
```

R/PieceInfo<InDesign<<//o></DocumentIDFEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 17658>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0 R>>/Font<</C2 0 406 0 R/T1 0 496 0 R/T1 1 474 0 R/T1 2 476 0 R/T1 3 475 0 R/T1 4 499 0 R/T1 5 477 R/T1 6 407 0 R/TT0 408 0 R/TT1 404 0 R/TT2 405 R>>/ProcSet[/PDF/Text]/Properties<</MC0 49 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

41 0 obj

<</Filter/FlateDecode/Length 6320>>stream

HW[o ~zeQw i "ACwu R\$EiWkg@Q J 97](c b'gs0?yf J yq\$~ 8H(aG B'.?g[Rzuv5-)ss] :I 8p(-d•;z x WGI{ c o U\7

OJ^ w û a0t

/A _,/ K[R= Y • B ^ |9 ,m UK{\$ Y)BiA<{- +%dG 3D•sX`g |0 a AVp{ :`_Y:8i,dC'L h] \UI *iCj{ d} c@T[. \ k[> ym %~ O

wrl2 P m*&?m 5kRfMQ 2z W 15 j .a|vgR2gB|IK GPF UICWZ YS z

Ni&EhC< IL)(o6 V ZW A| XQ \sim yg{A \sim y .*f`y tj @ *P J4%<e

 $X<[*$)S m-z7 CF pmC{ ~Vt@H vL?Ms 4 Ycu Q}$

```
-6 RY jUF A jraMVhyFQC7 tN >J~/&AV % ';*{ )•C Di 2RMA N3|n T a#z T C
QY5 žwj xvuL *PVI Q/P&I%Mv {TX;6S x # ZC-49NE3]jA)7)• CS
IF8&$ d& {Ma8.ä"[ -Q <w@ Bm `x=d]#lzAcT . i;'+2kK:
t!\1 {U BK* Q%g<jM= +$ Uu\!hp 8~ Q .$ & ~hcaDE<c2 ? Mw@ 3 (cGP& \? " U
                                              2 /=
JW 9A e\kH RAZ 0tp e<JE/i#O : Jg
                                                                 -L| \_Z:'nLH \ OR(ndVI=-T,+L
r |Cg| 5ZiaYFXOB q:y&mxyx2 9Ko*FP ^ 7 {4E^ ]J ? u})x B . *b#Gw }^Gv^Á;r m B!q uq? d8 |Sw
jH z { 1i Q7 - : M)3 Qc o/
y Q R mx R{~np>w.:=$i" ýR SH: MF ] . p/r pn}_0 Qq}r . 8 2KbxHc'Rb^4_v A fd
17 'kL V# zA O9oh79 I~
T1 + eRqZNKpN
^V XI E\A@J À W "I
 (@8qAJ | @@Q N 5}.8ðIP< g ;^Gz \+4m< U4
a\{F: 6E^d_M, qa\sim IPZ\}R \} Qvi [>0nh^-KnVt;e$Ad"8d)X Ei
R .soB[qLSu(?dUWHc VrpYZ|nI0P5M.: [O7&t`Z_\UufG 5GSYW<ct7e <'~ 68b:)Ws(0iF;7 OU^TML|
W iYNB}(]& ;S;hxL /]
Sq < H\ N^{s}_{g} vh^ O2iRZ_{h}^{VPv:,[m2y]}
                                                       QQV_V)]'6l-X'~:gxTi~Fpc#l• +t•N/_ ~~
```

I KOP|xR \$^2k wB clLF=ZgYzjTwKU<vM^F?=)EL3ng\.!m >_u #9Z z 2m;Wpyi 33w+ tu fDf\$.nu 2A hI4O ? :•^E{ claK tW H I=U/IE I2J3Y j{e 8j<

:?# -gU4f 1 ,e Jps5Ej/yO BN8' Ep + y]bq D\w! 3F •"q} tckQr'

"oQMjQz(clz !Hf03l]8 qWIAD*v F I + x5

kt: \> sU;1 qA7p^ CjW Us,2d9! AG`j"UI@~r a1/p6 XRfQ M[YE\$eUJO; XU}A^ L?(~<]iQ[4:N |_ MÏ GZ,\$6mh*c%54H 1 a}LSQ {_[D0r/IrI P<dJx`nT C

•L• =i (qX[8g(M?

qY)96\fqxRNw `H m_J+n+OvH~r/}D e2aYfT 5XN;> &y7\RE W4>y3{~0 ?}+m6zGOe?CH !R N>P%2 jBUzl&G yN (%*Byo<C?-%^ JW5 ((A] d"^O6]h)vb7VP[s

```
[A yS/q tE sZCt:, D SAyH•1vX
l iVrza\W -O|kUxl2T)d3\P>Uhe $H u706 " i ;!•} EbWX&H<~ N-7 #\s 7 $9 1A b
16+2dH< c`"r!=,d ">X .'#C7 ' I Y wF !G^ [inSq pQ
;u;y{ ~
Ip .Kp I? ,` ?&"AL
7Q& f U# RNU-X|t$ B%rA d@ pK iIV 8 7s4?i!%3 s•UO
  aVC @p Vf .& (V d, c P@Qq+| "vvt: A j~^?hLM &"O`S9'`+n,_0, `5 UP w Uz|% Q43uQ* yBp
•wX/J $h1L$ ` u| J \ k B V|3q}v
Y/. j@\V •h_`W/q 4j ?Sc 3-b5sG8Vyx3",P< +8, XO?EIY 'k -JV B)8!<ZJ DSc s$"• }&@4?G t I1\M
G A E WSxF #U%8z&3$@V= <G &Hx^\.x•FX%._ Y" •\]dK,Hu *2 8\E •*{ ATp
' !~}~lykn•l ][ `7 ~(Y:mdVJ6#> }(
; #v `+jB =" _}79$by WV / ? O"} _7/7N6m^m^ n jM# H%Bell*Q HOH; ^o6; .U 2Zgny?+M sE E• =
z#SZ3B#,FLzAHx"v :=oGTQ QU-•1USxniD fV me z AH. !] .[ 5 zz39j. J:]~-m0>34y!
xuSV b " .7b' Ja08\]R4?)|3#=B. 5 B [ byx<O $ 3MH$ w,'oe
E<|\{Le \ n\sim qb \ YX\& \ tC\{6C< 9\{hG'yL6 .48M \}; z[=a \ (7 \ J+[L \ VR\#_@\# @x \ tdo@; , ZD"A \ 7 \ 6 \ 7Pyxr]\}\}|
CU8mE 60 ! ZI"PT 4 I ~J fs`:6H"[2= Hw /2 BCSI.7 h zg.Z8 G] L70yl;zg% f0
?D
9hIUV I;.Zyck? 1$bzV3"
=-#+F>b&IM -[zir^-pG ?
endstream
endobj
42 0 obj
[368 0 R]
endobj
43 0 obj
<</Filter/FlateDecode/Length 334>>stream
```

```
H\]k0 {•E.F- ^u 69vŒ! b
9G|Usjt?L3z,MJb:9So9&]yf AQMN] m*Wu|3 3XY2EKk^Xvr\_bq ah2$+ EF2
sK'[WE<*W'34Jb+MBe4Rh e
:@5Ty:A!P
aE9V$ !S g r$ ,~C ~Sn qvf;6•Uy'kz&3 ' ` g
endstream
endobj
44 0 obj
<</BaseEncoding/WinAnsiEncoding/Differences[27/uni03B5/uni03C5/uni03C4/uni03B2/uni03B1]/Ty
pe/Encoding>>
endobj
45 0 obj
<</Filter/FlateDecode/Length 1002/Subtype/Type1C>>stream
                                                                                      03&`)dJ
HoL u Z]L \simF P h!b 2;rc] X d-0H\bulletZ
Y4{A |1|a|<•eHb "TQ|\^Ta # G({2! tR[ $ RO.<]($H2 Bd70.& g: x"Guz= O V@iC5g.)w&v{h
h:)= h/1 iPqm•$=e |T.pF2
L@25\B+pP6 = eh (^4CQ{ <44 /ql})G p(7P\HUR Pt<~ $&K'd xB 6M 5Z e hW
  z'v'33 _MfC <F? "a6a$'/[q~ymm` 4ZU
|D^{\bullet}2\# \text{ mt i 3 g#+ i5y v gY8<4}|gxr Q .g0 < x W wBL O: )$hb%
`j#7f~7y'2. n[nugB1
;# c|o j. Gq•xTk"c ;]
71yWwjZ _UOG>-&L* Ch+F
m i H{ Cw&o S
 a 7F>}9 28!lhp[* bF Dg-_!PSq(I '•"X.1 nEkP~}~qS1GZC ZC.+ |>••T ~| 4• 0 $F
endstream
endobj
```

```
46 0 obj
                             662/CharSet(/uni03B5/uni03C5/uni03C4/uni03B2/uni03B1)/Descent
<</Ascent
            1023/CapHeight
                                             1023]/FontFamily(STIXGeneral)/FontFile3
-443/Flags
            34/FontBBox[-970
                               -443
                                      2000
                                                                                       45
                                                                                           0
R/FontName/MVGHXJ+STIXGeneral-Regular/FontStretch/Normal/FontWeight
                                                                               400/ItalicAngle
0/StemV 84/Type/FontDescriptor/XHeight 450>>
endobj
47 0 obj
<</Filter/FlateDecode/Length 258>>stream
H\PMk0 W kB `~c+ '; l=!==liO5 Gp : z ee x& 'r 5OJ1{=Ac0vwwWF(@ 8PW3j Wz*6r g/ iGduA& V?
o~P?2<Rmp| O ~LT _6\T%g}!@%y VzW {
endstream
endobj
48 0 obj
<</Length 7720/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                        x:xmptk="Adobe
                                                          XMP
                                                                Core
                                                                       5.6-c148
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
```

```
xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
<xmp:CreateDate>2023-03-23T03:23:41+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-23T03:23:41+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-23T03:23:41+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
```

```
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
       <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>100.000000</xmpG:cyan>
         <xmpG:magenta>68.000001/xmpG:magenta>
         <xmpG:yellow>4.000915</xmpG:yellow>
         <xmpG:black>0.000000</xmpG:black>
       </rdf:li>
       <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
```

```
<xmpG:black>100.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
```

```
<xmpG:mode>CMYK</xmpG:mode>
               <xmpG:cyan>74.000001</xmpG:cyan>
               <xmpG:magenta>33.000001/xmpG:magenta>
               <xmpG:yellow>100.000000</xmpG:yellow>
               <xmpG:black>19.000000</xmpG:black>
             </rdf:li>
           </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.8</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DocumentID>uuid:6dd1f34c-7181-4f47-8d8b-227abf275e09</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:6f5a1a0a-e086-9140-a1f6-b178e0c57155</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
```

```
endstream
endobj
49 0 obj
<</Metadata 48 0 R>>
endobj
50 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 51 0 R/CropBox[0.0 0.0
612.0
           792.01/MediaBox[0.0
                                             612.0
                                                        792.01/Parent
                                                                                    0
                                   0.0
                                                                           466
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             17923>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2 0 411 0 R/T1 0 474 0 R/T1 1 476 0 R/T1 2 475 0 R/T1 3 499 0 R/T1 4 388 0
R/TT0 409 0 R/TT1 410 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 55 0 R>>>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobi
51 0 obj
<</Filter/FlateDecode/Length 6694>>stream
HWmoF _ C\ A\ W @ST"Uc?fwv+r8 w1b}'EK|C]Gvvd #O, <x$ H S?# i r7m z'sruy 77 yx k>_x]t|,?w/}
? CWK2c e) + QN" •// $)7r> + } L H y$0dY/U^ a*5"/%4 Y$ ,* y u^J >TMo.- N 8{W :0 •
```

<?xpacket end="r"?>

```
Sa%J? ahM | U S fm} U+ FU<(?<Hcd c A! #U\ S N]T4.[ m R} UU %rJ}`Q %
D" ~m uXMY4u
ppK<~7;R p*L4WUuQjgQ Q9 B_1i P [Vz Z K}X@h\w3EYe5`},bcm
M&b
                                                     ,84W^ eu v ;*4#4w 5>^ )~ i | IsU[D( B
]a) &IPdEr@ G v jU'G EF \Y%t 7@T 95q2 ^-Ms5%^>v{[ ~h G&@GA} '0j\\?,^j;]j ?4]i Af~r_td\9_o &
z'yTQS?L\&)b M mb + LgL=_;\ |9ui\$.oQ7 d75n+|
w e <7&f 7e Ufr s0 W8[H ,jJE4KJXA 3O ! 5>;Q r<VnML bZy s8 `[ X@ wmu&?ZCM!W1^ p1@ :
C taWk9&Pzx6ZIz" X {nnPHsg6 IY V UvSLzATw CWI_2vb&
e 5exCrt^Y )o. W a7e
KG}
hnpu7a 1$f8 U \
&$ ,6
k6Qo y6 qU5eh^}wHm3 ,_ ms v ma.7U vy\ R•B &V9H
M-e85(et*CV>G k x*o
v-JW'o?.ve> 70Y G%tun7Y ZRe51
*J28mt
VW7. m7E9|:FYQ5 [ 2-•Y)gXq +4 4 <Dm f 9%_Ir+{ # h@ C^ W A0 ffXA^0 UcpbC
U c4~ @<& xUSLo q EQLJM;_j&&W': JzRU7q | ^}imhx=m kr0;g n Y30J 8M s!9..o}ry I ?GHz#!G Hp
R "(\cQ1 0 \}'j
}B4 j3%FB1 i97T 0 (
3 Bp
Ah" E!@ZD $)# % )I7
} X4P$w@'T %x #%c
} #!+$r$GDqE.}CCP!Mx@qZPd< q</pre>
```

```
1 | !&ZQb+l )2E @{ #%nxTi L9P43' 0p8 l
, @1MG8() F (cf8wxcPd4 fQ@ c) EJJb) N A:-i0T ME~iF3jD F P.M
u @p• L' V P<i1 fA{ HX)q)HKNtP % 34 3Y"%Sw-KU, <i`aBY8v E( #5q l%XY fG <iMS9)q H^p""~}
 e|}} 34WOkPt/q4(`a+ D 4u>Z(Đ8U k[&J X& % Iz !8PZ()0\O =8 4in B~IEt"Ux +? QoTE74@ leO
D`{qD
,~?\mbox{mlr}% V p[# -* H)|Pnd•I( c dl\E #f.m<;'0]q` v 0ez\xoH *wI lk+ *q •AdM@ k S] y SOV2x%" `(+b
\sim b+>,
$> 97 m0II@X | V m bl% 8/ q<L6@9 vY N9(_ [_ 1Z*,A7\[V ++z9^*vR9n8p> -
aN>Ban<)g =\sim Qj9]_gKt_a+,2
S le~%+ N xU .IY3-,( 5* $n<* ;N w!X Lc3*u8tp|]d{IXj95)c-$] 6qs:
fCOD'6\ •c_KU A HN 6b. b DKphk' >!1 siK sZ P r+ 5< 3 $ le@Z JTK N ``UH}'8 QD nP u @R4
Q ^adQu gx+tc
$49 wmGkl#X4%4 >q!GoT !p'*wK
] [ 1* 7 M`S8 #5 k* h" Zc;QHIN"M al empmx A' [Ael @p d Zle-zgR G;7 HP: s4?qdG@e, gi -
\ !y}v1 yxt bi)ñCL P
Ft0 g# bq
q,8s
u Q(P5DV UnG3a'3 6= 8IHN$*p-1V 7xf
'FK B}4' E nT—~ sIFK0#A7 "2|)UNY @
0 1wP&\@i"~R
 kk/f
+ G- \&5Tz * F Bh; ejAW I8 opty n g5phTG\D K I6 [t6Z=A~4e cV> ^
FP(Uz?[/55g[^/%&rO~LVD 3I( @aVO|G4&#
#\G!Y&MG2NdbKM]]g+
 &]Rn 7K; LO;%g%
T2 mx K
                                   / +Cm*A"D cx.+B+Y; b1 k GF"T h qM@@ A \XQp$@`1W
```

```
tpU 8jen)>8 PF '&4&I 9 ym2 $`v r4JyOe sj@dLj>j dV CK i 9:d 9l$ 5B92 7/6 ]y
r4=OSW) Mj ;\@ yAmF"~w2b| wff 5| .H0
Y *] 6Ha04_UL | $O.-d | IXg q[ IE` ^Dd V n@@6"!L"s/q-Z3}+ C M•/F3*6V V A ,-E(*Bm A @ GenP
e4a i $^3"c2) :i
oF ?: $cn I • 4vkD AM\<= T4 ^[- E +Uy.jZ Tyh < "
\$ 1 | Q!h r = O G *D6 x
+a# ^w
-Lr {Famuxu* TAmNmJ34s #CfF a dd~ E[Ve{nTHBP Z X
n "a:LFLP=@(uno SQqT!)w eC|MHTL Q Bb i]H%@-Oo/<= ^> C*?C {Tk
 ?? Z
•>w _•= iQ L/~m = 2 kT+• + F < qzfiqE'' F<$ Qq = ~`. •=?•9|= v|?M&Fh`5 k''|8~??
u}7z•y? _;}=-qY xAXOi qx=|_N}?ez6+c7 zj3 R"• A:j[m
={ EB }
U k __;d9@<;93r 0"r@ T W';$#1 I{ I s n#+VnC uS ^]eN•ib•U$Mbi 7)WCHS$2 B !!9 B!. r6I q(
w$ +`j X+e S32)
~[N<E`6m 4,Kv2 dh$w@% t 1 Ua fl*3 }IE:3SS` bF33We >bI|3c _Hw• |_ oHH> qe5 : *\Z B/!l~ v0•
i6 • ,; OzT r f1Or6zFG 's zfb7"{ |
19RB&7|nu ]|xB7c(O
u em5 ;2 Euyw aM6^W \b jn€~h]1fbnäY
                                                        P-SoGa \sim )&h m(Y LBr :6BYH+q[\}I+
d}r} JVW> Y r> 2 ei?rd/`O *y&% .8:_n&
d zf1O 8#$IZP1/R y Y5R,m=V}Y =MY |7'r k, / Q MwA B |N KQu0rl5q@ $? 5q\bG
0 cq
endstream
endobj
52 0 obj
[368 0 R]
```

```
endobj
53 0 obj
<</Filter/FlateDecode/Length 409>>stream
H\j@ @Y,H
. $qw#-4ps/kO"• Cq 8B{vRo 1xs>N!E S8n,•
V8~(D]bf|i N)n~: *ql3.4~y ZW3•
lkx(N zJ "N Wj = - UT"UB 4t"I E Ig$i:T3StmZq\oRP]QP]C z,f 0LB1 $ 6Zcd0 t
,~ q8h, &rvZ %$*-us. _ B\L^%(b 0
endstream
endobj
54 0 obj
<//Length 9152/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</p>
                                                                                   79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPq="http://ns.adobe.com/xap/1.0/t/pq/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
```

```
xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
<xmp:CreateDate>2023-03-21T03:35:27+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-21T03:35:27+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-21T03:35:27+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>0.000000</xmpG:cyan>
      <xmpG:magenta>0.000000</xmpG:magenta>
      <xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
```

```
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
```

```
<xmpG:cyan>74.000001</xmpG:cyan>
               <xmpG:magenta>33.000001/xmpG:magenta>
               <xmpG:yellow>100.000000</xmpG:yellow>
               <xmpG:black>19.000000</xmpG:black>
             </rdf:li>
            </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.9</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:7610e1a5-680f-4b23-9a6c-bad536115c6d</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:fd94ab2e-7d56-464b-b02c-48720680eb20</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:1a5af122-e23e-427d-9342-1f82f340fc77</xmpMM:OriginalDoc</p>
umentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
```

```
<stRef:instanceID>uuid:458f23c2-1d77-44b9-a9d4-d1342c2166bb</stRef:instanceID>
       <stRef:documentID>xmp.did:6de18cf9-590b-484f-a142-09df65070df7</stRef:documentID>
<stRef:originalDocumentID>uuid:1a5af122-e23e-427d-9342-1f82f340fc77</stRef:originalDocumentI
D>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:df97dba3-d486-2840-b09f-dbf4bd73bb26</stEvt:instanceID>
          <stEvt:when>2022-09-12T16:50:26-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:7610e1a5-680f-4b23-9a6c-bad536115c6d</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:31:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
```

<pdf:Producer>Adobe PDF library 17.00</pdf:Producer>

```
</rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
55 0 obj
<</Metadata 54 0 R>>
endobi
56 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 57 0 R/CropBox[0.0 0.0
           792.0]/MediaBox[0.0
612.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                           466
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             18072>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2 0 414 0 R/T1 0 496 0 R/T1 1 474 0 R/T1 2 476 0 R/T1 3 475 0 R/T1 4 499 0
R/TT0 412 0 R/TT1 413 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 61 0 R>>>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
57 0 obj
<</Filter/FlateDecode/Length 6612>>stream
```

```
HWn }W hDlag`$ `Am; S}n]#0 Tv 5 +<g[Wd|IS2 8&r8&h N ~•v=2#_<=•*mfss x^xyyl>•&g+q~U•Fog;
8}>a Q+c F k 10 •IfnEÅ F < oN ]B
b ~B ]FX;&+'\bullet|: o rb •(XGP ,; on~\hat{U}y|)7C#+/(sH + ? yic^z8]_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'&Y = jrV& c%))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb z-& w^ @J'))7C#+/(sH + ? yic^z8)_p+ ((*Fq (cckb 
m3 >
-3 2W+'"d $ E^(\up%50x.jT}:}> (|^8 fdM^ h'%w(n(bEn_ }} !)%p&)SG4e%;4n%/sV~:> &4#GA ]7 =iXy"
<y #●
I S](1y!2 C^BJ;%J-xS Rr7 kT hYCT5 @GN 3 <SO 4
>;~ O >/ao ``5 wk L8Fdb h{k TD{V}z>&;HuX uE
  v= wîWM dr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         W I !O +K
)`XNh 6m 1dSlRr?:t wki 4- c• - {-*r ]"1=;'o ~)qSM hLQm T%Ej,9T452^G au^1o@f
^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V \times ^4V 
'2 DNX4GjR6{d( 6Syr 0#~P {Vw]s + "y{ C 6"(i -g &mh I
ND>k ,*3 Aî hT@ R Xs#- > h M"
   h xQi4 AM`Q dfUBq*qGYIOL O5Lu f=; *L1 bh% |x Bo9'X$ $ vZ-1 B7\0
 E IGQ 2\jHSLU&](~+I>9
                                                                                                                                                                                                                                         {I+xUH -(-=- r2X$*P/d' <Z*+/97 #qC Wi&6 7 ./// | @IrD
   Su =$<4(=d cS %)IH6IJ3B3 oj 2 { k0y U*;>7 aRbzda;NE % !%zMN qv v%G
D+
1 •)r 3eJ0v 8sVG4TlaF+: +^| D0H) \
2 |Û8>7 H•> j=-F6=|ZkNv t{} H U@a ws<oM p#; o%NI 2AK =2 Ua U bL3N x Y z)P
V zp i,O$ / 5&S V+( k k O^g Y BA!J*
5pRmb | XU: O,rj3 -Ttd
   u"s:PXU2VibWj{>`8S
[ u sR Wel_?$["w W+\AF_ Y1d LmYM:P =
 @ MPIQk, .y 1 /z > y UkvB^c\p #bFZ v,2w" ^8} )a ]A-v )I4 BX9K{^ #ynI] Kh U'$* Y ( `<q+;T2[f
c DU.
```

В

```
i \hOfw o D.S7X 0)(5.p Xv:-Sd^ P2X( ,#A$9K # 2m"Ps ] |rNRn y Xe<C rD\3N>4$zbTyGsG!: | pb)
Bf@8; &Xx0<$Pt_ 8a<%O jFTZ= (8#_1b`~A,FV
leM)FR95;{D:ujvpo hH:LY {|]s@5@3 G.w-nX t a!U|5;on0r=
s p2^I(C#ber}z( • s9S.c >•9+#2m\-, un% @?9Q #z: pr$": ?|H]i ? zv
M>i pAry7L= v•74v h ?Oz9k`;6z r .H7mX] { D J .xyyt,z|r35
]] 3N \cdot t @ A! \cdot v Dk ;!s9i \cdot W/ = O!w {pf; k | %~ Z a w { x }
D/v QiXA
] WzZ\ bC1z& gn w•{7 \s • 4oNmwE@b1w BCN.9u 2Tuj,|{IM$N 4I ]`Z5jSx\6 ,<\Bý) FGC-)8 @i R
KbIU(q+g)
S *REs|")\Gs #GMrIDC@XQZW ) ^jd .FB2HFt,E SVR6 dV x7 {:U O] %T! ;| m 'qj }UNe99 S6*Z&J
* qel 1 m P 9
(\$)\ m;u[iZ$b4YMqn Uh IR7#G$
u3i@ @\6 J' nKK`&v. r ?e 89h@bY hh .G}1 _. L
IIT MY `*! e cl C YV X7 *P!Ctuw
  ;$au kzC t 4`"\, Q`5vPI-m5 rH •LM1N• ^U) C* f.&-A6Bo \zl c OP ga#HM
zdAHr r>s ZO
D+$#DI: 2wS? I E 1:4!&L5"Z 4JBTA $hN SMZWEb ;IZJ9eq %ymS6\c: , II ' +\8 [&<
) x •;9= mB PCs6 Qn+ [s cy T
}-n+f*l anL
X5G 2SEY o2 93R%iq ciD]2M:
5p YvK^ MgdIA(xX!xdV \O5yJR a I9 #fYeIrFI:Q E +Eh?kzTr6'Y ^'Qlk \F . \u2&_KNP_\ ^ GNP kQ
4 I \K^Z1d&.y zn;pk: M\ eAQ<~& .%4G8 S{ QCHz2_ s" i
aQ$:i ][0 {0 sO85{ ,'RM/qbhe0~NN;#u'ogpY Zf P^] .p`_0u-@D Hv?vF8 aZCr pvhg
w@%l y h@Z 9t $&T> cO0 pa]m.S&S" 0 D59Ja=FA6 kl e" 'HIIO(|m 8g 96ykL D*nxi [X h: :@\D
Vv VU & &X 7M<uxF<f R1<;q• s
```

```
D 0 ng/~|\.r}tk\ <?@ErER Y Uw| KkcN]^\. 7+xh 5J3$P8xg-/ Q% I
 |u 6P+* <
NSpo^B
pH3& j Vf$5h"R G E bbx,f0LE ?MMc, nk#G{ H 5q`4 Cc> 'b dr s 2 G2ed/3G]yitY o ^0tn u wl(
svc AhhV' "; k \{-k ? \{\}\} •c e= |\sqrt{07}llb O?U6 Wc", *Q(RR) Z) ^{\$}!; 4_N*d% =
NI 7=c K X x3 sc MP' bf% -q c [k C •\p/K
                                                ';gZA . ~Unt b^n ?FFu f`,=v` c 3 gH4 V
rA_2oX~hW OPG &H
  =o V) s G G • x H1 ^ jX }2 1U,/ph ^W/ÚJ`o;b} V $ejc
zqSd%L X L x 1r Kub .SFb nMX~ aw 0
vZ:*1q*uS#29_v;
Z {zR H30<9 0 W/GaxpF% "B, ,'hiwX(0O Al & <fm*•VW&O1kK e vK g3aNDSsh+
{%~Jq F]WImPPix'U3 ]*a\ II)6yi( Q &~6* 3~ 5 1ÿ "z) fLff,
f>*y2
?O b1[?3•]R?T Z
14yá3_]o\C;jjC vCb" ` [
endstream
endobj
58 0 obj
[368 0 R]
endobj
59 0 obj
<</Filter/FlateDecode/Length 400>>stream
H\0 F~
-g o d YB>cl
("o_YgB
```

6: | •; {D2T?t owm,6c^g\6x, z izY iT/Sa~ *qL7rNB/4jO[WNO :n/h mvP Ajr*h h }v&Q i

```
B+&Wa1qBph YxZ<A, Lcf1Y 3i4 c kamvX kamvX &•-JTv,-W!Z4qy[qR1_ ;
endstream
endobj
60 0 obj
<</Length 9153/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                        XMP Core 5.6-c148
                                                                                79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
     <xmp:CreateDate>2023-03-23T03:24:44+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-23T03:24:44+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-23T03:24:44+08:00</xmp:MetadataDate>
```

```
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
```

```
<stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>0.000000</xmpG:cyan>
          <xmpG:magenta>0.000000</xmpG:magenta>
```

```
<xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000/xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000/xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
```

```
<xmpG:cyan>23.000000</xmpG:cyan>
   <xmpG:magenta>100.000000</xmpG:magenta>
   <xmpG:yellow>88.000000</xmpG:yellow>
   <xmpG:black>15.000001</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000/xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>4.000000</xmpG:cyan>
   <xmpG:magenta>27.000001/xmpG:magenta>
   <xmpG:yellow>82.999998</xmpG:yellow>
   <xmpG:black>0.000000</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000/xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>74.000001</xmpG:cyan>
   <xmpG:magenta>33.000001/xmpG:magenta>
   <xmpG:yellow>100.000000</xmpG:yellow>
   <xmpG:black>19.000000</xmpG:black>
 </rdf:li>
</rdf:Seq>
```

```
</xmpG:Colorants>
        </rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.10</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:9133b3c8-33d5-0a4c-a56c-b3aee8f4a98c</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
       <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
```

```
</xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
```

```
61 0 obj
<</Metadata 60 0 R>>
endobj
62 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 63 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                   0.0
                                             612.0
                                                        792.0]/Parent
                                                                           466
                                                                                    0
R/PieceInfo<</li>InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             18311>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2 0 415 0 R/T1 0 474 0 R/T1 1 476 0 R/T1 2 475 0 R/T1 3 499 0 R/T1 4 496 0
R/TT0 416 0 R/TT1 417 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 67 0 R>>>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
63 0 obj
<</Filter/FlateDecode/Length 5983>>stream
HWmo8 _ P+& `$E u&4 $+ 53yg7g7_
WAI *•v| Iy88 6y0 Sr \ I g•Lq0low>ow•|~%LOW•Yuqq~ ]_;,I$K M .iD\r N<f
dNF:n
```

```
-xRQMx}xX UoV |zG8oZa% LPVj )c X]; dv g ? <xs~i t;Q*m zC-Jf nsdMp I]
y "xPcuD' fRD-qXT ‡ G0y.L I _E,eX.c /= \n'Q(YZLR 8ng•LoJJ"8=5= ^•V.KXu4'lDqteT3>@
S N'u = E-4 MS[p X- ^W U[k{I = Z4 ib $3;] M41&Ib f he3 o O Ob ON:}hpmr ~ P t
a %.{$
\{m^E: V \ jNa \} - x \ jSB449E < c S 7\}C## (D"D3oQ[?c4]m/F`#Szd = ,kZ ~ Fh3 Q ECEU7 SLSW{<...}
P 6 F}{#2{: @-8hu0 ) !tydl}oYb6a]k |$7]h /lxUt`D~|>dJZ
. MKI_P1v |9h"rk 4S s+Ja/> iq V0[v` VjX\ ~ Xi^t5
g,Z/fW`B1Ak b ;z*w: "o`X zSTdN 3
hC6
#y pd; mPN8r5.z xxT<
f CG @- /nQ C#
1G^B5u Q2zanr/baY\1" MnrUsvS }fvA A e97>' Hm=K
q= 1<.j17=- .c |
Om'c 2S1}%KC{Y zNf,u0~yiF
#=6!fKPR$;= Ts@;b[X
FGR R )%. 5E 7 q6S; E )I q,qVR@.NBi7 YH>bTq ].#(
*b kCw+ 0 { I;Td73C`dh3kY n}9. r)~B/^5I- # P@
r 2h
& zCP WFCM Lf B9 yK 6]`m8#B6•U WnX Arg6Mp r O <NI(`0W+MmedSq FUk rD! @ t|9 PH w/ e`!
\ b AAwRW BLf =s{ ?m =([%` *MQ GI
T^o? |{ V'N'V_lh5 &dni*0 i Q6Qm| o.p 9 * | 4XW| "( K u|(O;
^W0 "s'&/4~o f'$p ^8:[HZ. P!'jpDC~(x 8!Y6x| <t a ^8 | {qFd WX|/Wf@^U73 a T H-XMCvo2|sYc R *
0 m [mH2E C*oz y9I^ sN{@3(Fh1d$- U9•Ub%G 0/tC bfNSw }KZ^HI /5g•iV+G _$d |
N2'L NF1 0 ]] < R ] f VO/8U` q < YO9I!x~6]w P9 "[iuC[ KRw5| C # Na
M)s; 3 f!Z5S Cuc% U[6yvEu9i!`+@$ V ZÜ __-
7HÏ o R[|q\cw:\VU -Su qUh&ya5! j& I M9{APy-c} < QL b wvZ Lbrl •~ |
```

```
-s GUSu, wXn |_0 ja_sl H`\F`UW 8\z;cXblu!!!`q v 40
Qg f
v}j<GWwY~ [d@-jz•7bN]z k %}) ;D.jYF ^eE 1:=t /knjJl^ :OYf[{S8oh?aJ[MI f &5's^"<?6{=z{{ *'r kw}}
z|^FNgg-_.8?]|
%r * w ]2F?TOWrhRY 6/mFzfW ? UD B T OAYvuCcJ/ Q+J% QcV{J5chkJ 3 9= / *\ d+ pK 5{ 8
d $'qWf=7 brvp a C)(
4| ~h5H jT! = %k` }Rj _1~ %g A`' jbSV1C2M"; XJP 9Dy?E 9 q}FH X j 7kqr• i ?`NV[6e`{jkB` (
•4Z yK" ]=$ 8w?qvA@ KDN +Pk^2 . &%2
Xqb" oz$^: j!`uN
< $ V~ SH "G-p x 5"@ 1 JyqBRv8Z SP k@; F84 C +Q• V &!G#k & u Q 1VT(`.F {'
J$ y(meJ^A 6,(4 ukp•\D6 8< - %"HaW@ hPli&%\p4; KmY?¢.@q BE) 7;, N % N;!
F a! h %<F0 TV @h-U eJjSey]ZG# z["Zo L )( utR `0&5 HH $ #F! ]E@@<uf VC
K4 \%F\%G / KWNZOn p oP pw UT#$hG EH 'H k> (3"1' < dbV9A^0 = B1(>
5$ljz @Xq @ :K8 -!Ah [.Q "@s
#a: Gyi`j "`P-K"Z @• \P3?\ mLSh
AaU•V Uv -j Q_{qy•q};{a> GOr/a1; 8WH"s?
cY1n2 PA'HfGGQyq i o'W,r vcZ/7j[.cy OcpYvltq fW rh 9zQ;sQ; •83' sF1 L
w$Nbt?m ej
K!.~HFWH8 Z rN{dl:v}m :v 32 cs,HHAt+nC>i sõFtpWiE5`9:|7ÀXI2 1
H_S<B'U D\uKvs!? Ap< tyv] s cK sD!WV bc&'v 8tF T(RNw E{!#.\.TtbLv5QvF][SMR !
&2I
Z_MyD~\e8ZY/7c 4?&5" I@f3S.t73 7 =t\3a=[3cRD^d C \@ yN C 9 MdwG|6 _jj E {&ER$ APCq$x J
  m
```

f b*HAs\$dE]

```
"ZpGA4{Btb4 s"ykw 8ÆAf TCpvz9 •%e )(}}^zvzf/zj 0eq59 dr\ 7r:6
T Gx|• {~p9_[e8;Y ~•:"? O4! a4•_3> lbw1{hyr~
endstream
endobj
64 0 obj
[368 0 R]
endobj
65 0 obj
<</Filter/FlateDecode/Length 505>>stream
H\0 F~
-g mJJ! 3,C3} VRCc Y+)>,•}} :]3[• NvYU•}, g•i|uk• 0E _U~ ßp
Z& eo&o[\ N\"SM
U IYkx5wes &>^ X%@ h }6QY@;!f f 4 yH d5!<
% r whH"h\ q \b q \4.33CgBg Y:3Y f 3`f13YLLac01Shc a BvGvyGB &,M84h"N%'%'%'%'%'%'%'%
Y~v MQB > OWC}>OK:n AU/+ kQ
endstream
endobj
66 0 obj
<</Length 9730/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                   XMP Core
                                                                5.6-c148 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
```

```
xmlns:xmp="http://ns.adobe.com/xap/1.0/"
 xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
 xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
 xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
 xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
 xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
 xmlns:dc="http://purl.org/dc/elements/1.1/"
 xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
 xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)</xmp:CreatorTool>
<xmp:CreateDate>2023-03-31T07:11:59+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-31T07:11:59+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-31T07:11:59+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
 <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
 <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
 <stFnt:fontType>Open Type</stFnt:fontType>
 <stFnt:versionString>Version 2.30</stFnt:versionString>
 <stFnt:composite>False</stFnt:composite>
 <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
</rdf:li>
```

```
</rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
```

```
</rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>23.000000</xmpG:cyan>
      <xmpG:magenta>100.000000</xmpG:magenta>
```

```
<xmpG:yellow>88.000000</xmpG:yellow>
      <xmpG:black>15.000001</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>4.000000</xmpG:cyan>
      <xmpG:magenta>27.000001/xmpG:magenta>
      <xmpG:yellow>82.999998</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>74.000001/xmpG:cyan>
      <xmpG:magenta>33.000001/xmpG:magenta>
      <xmpG:yellow>100.000000</xmpG:yellow>
      <xmpG:black>19.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
```

```
</rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.11</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:4ad791ad-0717-0045-904d-f1928c342ef7</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
       <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
```

```
<rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
  </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
67 0 obj
<</Metadata 66 0 R>>
```

endobj

68 0 obj

<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 69 0 R/CropBox[0.0 0.0 612.0 792.01/MediaBox[0.0 0.0 612.0 792.01/Parent 467 0 R/PieceInfo<InDesign<</box>
</DocumentIDFEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 18577>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0 R>>/Font<</C2_0 425 0 R/C2_1 423 0 R/C2_2 424 0 R/C2_3 421 0 R/T1_0 496 0 R/T1_1 474 0 R/T1 2 476 0 R/T1 3 475 0 R/T1 4 499 0 R/TT0 422 0 R/TT1 419 0 R/TT2 418 0 R/TT3 420 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 84 0 R/MC1 86 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj

69 0 obi

<</Filter/FlateDecode/Length 4981>>stream

HWmo R +U, &N& @î^\KI)\$;^E5g ~Z/ 0 ? ~6 #VO3 r4 ^P&3' g00 rsK0rPc X=•CE hb W+ R• zi rW-oANH> 0 :Ng R}^ &~7, .Is•w•{s!C F^ "

R K33Xp}Hn]O 0 b)gqwirO b]"H 8_7wF /Y #+/7_(sHR - {_• ?vq

A,BW7 xlyy\$e i9<?H @*7FNa -m]/

& $C^A7 - 9 \sim BA* G < c\% \cdot S3BH S?=:.D$

Zm 8) •C }Vu dle 2r} M tihdqJ

%t]

```
oZ #6sG'QM3WrA^{\circ}AY7g^ b r/ Zq E 8X~ ~=~\lnWpe':U%S /k•} F W_5
 wV
'il0 z/ { z 6,/PijGRtt?3M[1Et X)@ h!r} OJw`#) ula V QV rgRh?/
mi •iWI*PIO T RZ. JBv:F||& 4 EJ DFZ \& ^iyoC,= ÷ n ~mG DSO== () :u\D/ j!e G o ðid kt#Unz
t] { !w4oTlsf.wbPR "7;K ^Qc] ] a]b
Q )a F6s4Z•hkxud`YD uu> V} h(DH 44LL m
T > (\sim ZEQ(\sim QmPnGY d, R HN)
8yS•L hP 1z(kf7# % 4$!uckfesU M#RW b/U ^pD~e~VQGDNguW7 ,d#{ 3R]gD^ B)0(!U
 qu.V1ripJ}'wya bA8j( U ]oabF py xlsC :6u $85T0q R
x[\%4y<]3UW+o!GE Gn& C Y&u E#ZnZ i 1 VO"sp m tm
 bl^~i Rhr bS pE;60U DbG%, i631 Xv`S Uv][L1 *u P:Jd {.4m-ZM rSUXJ1. U7j} ZfkzUtC"K$S
DRI w C"! "lb (/l):
=A [k\_>M'!DzV i G^{,} Az ZBcC2)3N S~ p w
m hMz&u s • 4
TzH u;V KLb'V#F} 2eD5K 7 0`w n, eA1@N eAU <-^ a5a 7W)IvMam^Z O8uZ*EzG%n\ 5D~(%D`n^u
m6S^Z ,}#d^L~8z^`&N
8' V/&` KRg"xL\<H8 [Kw x$ 0F(w( k |( '>,N1 ChfO•2 Cf` D0T ~ ' Y 1 $$bpU. w1@?WMo#7 GA
k@; % F. "Rg vE }G3? J$ 1`<TJ#W La` b'd*C# A9 t} L rNN1 8g( w9•,@D + / wZx:Tg3IT5s+9C
R(y|x | WU | \nwCs, |zO \sim X | 8/Oq(E \sim (a>[: |9 \BN@ M < oQ W w | N, JF:e)
L(LX5u Z 4 m)G4w i'YFQ|_@_b nW/+: |438hfCg MX~ ?Kz /?__3in
n 3c1" (>, 1 U g ^}X uu]!z N*-,b]X7S=•31 lw7XRK=}5 P./D sc )u• 7z1-ksH. ^y y./pi,
T sS q ?[vUy{WfrNS w.lqvZ<il& :vA; @ QPhRC+Ou
.o +% )8 | K
С
```

<Sy/ +% '^=E!d * h]2wy•Et5)Zi!;`Kt M #7,aN0s)+ pz z# (L1p4 8D ZejY?@`R?< i b8=]7D(Gs}r W

```
f#.4•4 %I: zr\GTr\eah %JzAhx
ZR{ -^T!f%h-V3qDI ZcGF7 TK:qL[p-iz K PU @0
h p
DL
39q9 5:D{`v1 J$\=J@`EU p,_q+: z06@4{ $, X Gxc( O:n 8\b QL0$hS dL R`79
D xhb • GmRM1 rCJ=y4 OqL8 wL C•lb G ]_) ]XT1Mh28e/*t
(.w m\w•I.4S_ e•I"
/ TO kCeov I$/}pg > {:O{
YL4:9 .C 6 .@3PUHI F E~cfuZq I 8sy^9u]• 3dY+dy-H;
S<"s:$b 6( PITQG)*`Rh~~ R;z[)\VejIWAv( *ruMb EFU Lz7OZP MzA kFR r
e:'#%'T{8KTL*e =sDA2n/"XW48uT\nQy•
"@C} oj|MlggFlQU Rr9n V9*-N \@.X`~Ke = ; [ :V rW C elhFPOamBZ5W n 9\y(pí~{Nmc y C
' *4\uEYkk' >)vD [| w ;7\c5` ]Z K!]97•s\q 8 Uj ~
Jx)e $.@•]O 9*8K K 8•j9 $ s }6F/3O}eB5#RE$x} 9OTk *" Cx/ co i w P"
k 7@@Ped u Hidx4sC-X u•|X 7 DH;HNXZo t6|U'p 7AAUuTq]k;%q $F|W>Z]
[ e6\^h~]
endstream
endobj
70 0 obj
<</Ordering(Identity)/Registry(Adobe)/Supplement 0>>
endobj
71 0 obj
<</Filter/FlateDecode/Length 25>>stream
H L'Y
  R
```

```
endobj
72 0 obj
<</Filter/FlateDecode/Length 10152/Length1 24601>>stream
HtklT #^ ] ] 1! Wwb Djh j
+R]%N UEJ4P C %
•f Zx•39gg(m GH{ e=}(;QÿD
 ?p D+(: n>? Gv 9 zB*v Lx }!<MwCV/1LO4s5K- 1*9T( WZ'z#|M;F
^"NVZH}pR% Er'j$)7 I"i -T}sKm sc *?V ogp /*& a m•-Q| %U? a E#G - •*>x#Q:u r Z>
{>EbrR? S&"1 9iÆ6s `g I ~P5k6;?Q5 !]r)SQ$-D f%jrQ
`m8nr &< cA P /
=\simbr>j 8&// { \sim 6Eg<lp4 A6 vP ;J :COv
^ENeJ _ ]%a'*xS 18PA•D1!@UN . fa:)K \' } -? z(O> c
 FQ\sim !@-N*EHC8\% Kb] PL@AYD b$ \sim |z|>-pE Lr?"2F(WktCd>)pE)0.Typd<4by%n >,rhq{4=
bM
a1 k5 Crhx._6P57E~_NmYY3Z m. {= oo 5 4t\ C Nf~n "z0f2'P
X +R *TbgG@ U#'3G6 / |nE+B vGY~ [2(6)| K( RgU
o0 D9 wr DilH -, worHhN7. X ocFnn}U88mm'^ Dgsg>[< .Pn (! PR C] Q7' S F @+v_ (U%%[; t
^tv `CX
RVU@aa[? wy o[9d~@3X(U%1G"j5_6?$ 7gwL`- |^, } WY M {6#U)( p?F T9Mee I)O!& Pgc w85| u -
8e_*bCN;3F"};h wG&\go -S{LA
f1d 2bQ<XQ,% cj^#(&5 d6•)pEr9) H II{d $z<Q ~%1E Z`R i@^,@ _A G PX Kji@ jD Z> 8+P T}X >
t!#(8A(•F? 5@)QV<i^AZ "hL# U6. G<-0. KT ,aezWjWy (3w JH+Mv*`o* 6U ,ZliXzChqGUnzL-j*Q
Wis5o Oz&7 [\T){` T4UEK @,I c ;I a: g_":bsA OR!@`N<)[ '~NYTx yMv11,(I%H%|={]uS IY/0 ZV .R
)F 3q,j • (8'7 .JR * OYR'=[VjW, q; z Y d8Q$ fChf E0'e UF5 *[ Qh3(7Cs ;:wmyS he dT]Elk•
tvsx K *ajX J$J]} PU LhZ:u W ^ pP@aA 3 G% X4JI ($& x 9 Y•A 8:og ='+5, xx\p Ab6 -6
```

endstream

```
2g = | Fc < c_U"5y JT S+ j(Rxb"a)M0" E*NJ@m'Vt^•t
Ur =US3p*\<7-zNQ XcY83 % j. <p=8io R 3dNUvl",
F as&*I;;"F/K9' hz,o=A' $~xm N4]/Ln1M3 IG!;{ XT}j•" m\ 2J>mF: 4| p p Pd#y X*FWj4D 09 x C
7 w *FsoQ\%%5 fC #N
!9! (,K y.
Æ iQT Q
P')FF\J. \times 2,N \text{ r/bRQ } 2 \text{ T-(xroS2 (n+pt SCYRZ]})U4 Vy X I'mbqQz
`k YyfQ lw]7$5c%{|.t36:X% x -d0 u 9 T;<: :=w uB kÉ/iuYS Q 4 <`V`
c<,g K; J*U c qN
 Y q ;jP_k•
u Ua
/aY X.G U -
(t,uBVP/T14xEbDX:%4
;[; PP\?FhnC1`
# |ls uj5$Rg
NcD EevE) zy t
}/a BU ~ D>(RmO:W~p =7`!8 ([a92 •`y KT[p % %=5<PC B 2UP #1E• 56 >.oec W % 6 <=2,{j> 2
G+p
W_ W M@/B c}4$` pK vM ':] PTZTZ h sm p4|*g|TpG^G|7 GompZ7V,crKS*umxrXi[R, \0knk-&3 g
bPOHk•H ]{T3 $=!Q.RW}
w; 2.(^2/U/]x , X\sim jv], vPOk£ (i
5
hV]\sim K(m X)
tNN TM@A3*hNQR!5 $R" y `
t sqrR.C Q U F7;Q!JmAh8zVj u:$X| Ef \,s * .b| -GSe uj> SNfd•O{qe7hX JJ;
```

```
;! LfOu$ H Z
z qyF5< A1< L / |k X Q \` N@J+k•2+ENY#_ E> & / T # ,/
NΑ
•>hj(tSSe q eA HuF {# j@5& B zc+yb /X
, bnx6
x \in W'':u jU ? y CRD> g
pU < 0I+D M _ h)Xqxa s(!k2 ECt\3G d
 @aB8!w}<h X @ K(\9 E) ;<U?U;SO#B 9MRv=R&# 3 SpQ
a KIK,ETI)\}:DOR1R ( (IR[ t(t*t2\
F h) Z +
y \sim ", +Y \times 0"sH
BZf>jdU^_FzN 4 a H$ J~Y45) +H B Q ., %• d p
g$cz]; 2wr/=!q8[CS ]QUw ?MAIHM @b &$& T`U(8X S-Z GKiT G pT&t 3}`p 3}Q|~•s!jas??Z(V77 #7
MG{ U[Oh F/w[4y)\rct |+j. a+g> v [f 0 f! 6s gZ<3x} U k byD&q if1& >*o kw 2m=M g(rs&f B
o mKI `h LXir CT*- zM cSC%s /"a [w U'x,P s> ^.;}HN•N pn4 a 6<" pyuQr•;+^[J_{v gWtvy•i ]h z s& V
AwiBI#4 J& i8\ E |Mo
JB .q S/SMp YS8k
gM)5p jfJF l#*-6b(:UBm' wP m <k 83-Ùv s7KN "nM"3{ l el' ka~_{Umeu$ji o^ x%
]~u){R *}
Qm>1:3a2Z[ pB W] W] 7[k3 4n8 7J9- 'T!nY W0]~[aM 9SgZ0z1<ISD.9fav+ "Wh-Cy&' wB` Bf% \> >
CRCkE a| &*Lw79I} F+ ) 0} U] 1~ *nj T~
1izI∢
```

L >

YF|K1=)@•CoTuQ`. o0m

 $\label{lem:cf_cussvGf} $$ \operatorname{CussvGf} Wh:A{-YuZC| v:a|1 zx^]7 'f Ty'W/Wu? 5 Uz* OR33TEtZ:OD0\k a.@#EjJF z mfj gz9pzFHu $$ \operatorname{SW5u}_JC6]9\& 8wGRof $$$

7 il5-]YI/K6[; }^.[3T. :^(/,_- A\$t]9S]5K oGLbQ

D%6;f!f 0 x

1F K y Y<7= Y'"W IY syan@T@UjF T41.>4y7 |9-[F\$A 33Q)&mÀ'Fv3ilCa(s v

c>v0Ckrp sz<~t i&L .@*BFa[j C_0@7e7 \e[av[">N M?-%hnP9(m, wZ 2Ha53 8

7]âk a9 vV - FZS g0> #"y ~y 3|v Q6y I)mF>p CdPam

EP q|; }fD DY- x C\$KAzRL %/h IhL; uDueiSb{uxu Ju6 i} zw +5x, B ^)

>bQ p . v>}q br W 5 R33 0 F@Ÿ*JW@ b+3Y#2 TII# |C^X N ucv#H * 8 ACSs]rwJ wósn=s1n (0 Q(Nj 7 p0@mq wk 'zc[tZ#[LK"•]i*yD :5 &l%S]\$."JD 6 ly0 L 3j n" _ \.P !|0@
!*`\AB

C) PH Gc BXi

 $\label{local_state} $$ \TST = \TST$

P [{ygoor9;?5nA`;d=\$>

9Q/%# O ? v # q cga0o\od 64 2S {ys @a~ s~C/;•

ga|%'y<# 6Fz4 . f/aBw m t v e: pq;-0N

. $k\sim Bu^{\bullet}=< D<$ t1v<Oww Q*VU|x)•c7 iY %y{^o7 q q mnnz5V0}1{E = oq 8zEu[KV VPo e<Uk9LUA-.c* S=(U`ng<6E +bL/ w~g``Pz~ z+ Tr`h "7<:95U((u+t ê Nìs&

E5\$ANExQI5xX E `_!8!u/. "HC/]_YUN*/" (n% ev}- T#u

N' QVz Si<A }`IK95g[b.* +z}x?qTX [IZmPeA 0 ZEg^GX

P&G{#Cn }5 /%M,iH9vx. >[sGJ? >nOb TwL%r! 0O k.dC= Lo; +6kPni [T @ Q | KUla

```
ieTMLQE>I!] x 64 }^jH"sK't?YD/ Xz*n Nu=hr/ A[
zy;vv \sim sx'''@wt\#Qf < @:$(ZO kF=$Wf, U \#Ls]
I +X2I~['}R" % SKx W^mU : f• r F XqK
mb ^]vT1"q{9yk-92k:• D
GhP \q 0 GU&t•o N\- sxku N \}
Y0+82EO^ L Hk;0G] _>qhvZ29:@=dDs _Z\ZU
,aQ- h9|^[$4[481}|N]2^ [Q5
endstream
endobj
73 0 obi
<//Ascent 941/CIDSet 71 0 R/CapHeight 714/Descent -214/Flags 68/FontBBox[-170 -214 1066]
941]/FontFamily(OTERZF+HelveticaNeueLTCom-CnO)/FontFile2
                                                                         72
                                                                                         0
R/FontName/MVGHXJ+HelveticaNeueLTCom-CnO/FontStretch/Condensed/FontWeight
400/ItalicAngle -13/StemV 84/Type/FontDescriptor/XHeight 536>>
endobj
74 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/CIDSystemInfo
                                                                          70
                                                                                         0
R/CIDToGIDMap/Identity/DW
                                        1000/FontDescriptor
                                                                         73
                                                                                         0
R/Subtype/CIDFontType2/Type/Font/W[3[240]11[241
                                                   241]54[500]68[444]70[426
                                                                               463
                                                                                       444
259]76[204]81[463 444]85[296 407 259]93[389]386[463]]>>
endobj
75 0 obj
[74 0 R]
endobj
76 0 obj
```

^ KQK t(<Y % I\$ 7 xc {e P utZ9UTtPQm^#C I.% i\$LmfAuaU{R\$

```
<</Filter/FlateDecode/Length 310>>stream
H\0 \{b-x d bz7fJ 6138 Sm N p N"\
)(-C-2 i XY {5\qS,7wk•G! ]omcV!
5• " # m%IX *Fn]L_$I*@]:QMT.H !mI iGI! RE ) /~ N,w9 y09uyw. <^r<cm B + qh
endstream
endobj
77 0 obj
[368 0 R]
endobi
78 0 obj
<</Filter/FlateDecode/Length 370>>stream
H\]k0 V1-^; a b ca =,|lift. Aw_9v&]s\g OAQ-^g 7 žvf g dzv#m y K<$N_(("S 4B+$*W# A'OSRTfLsO")
<e A R2 A/~ $@G T Ty8_qX a. s wK}b•Z="oh| 4=k&\
endstream
endobj
79 0 obj
[74 0 R]
endobj
80 0 obj
<</Filter/FlateDecode/Length 310>>stream
H\0 \{b-x d bz7fJ 6138 Sm N p N"\
)(-C-2 i XY {5\qS,7wk•G! ]omcV!
5• " # m%IX *Fn]L_$I*@]:QMT.H !ml iGI! RE ) /~ N,w9 y09uyw. <^r<cm B + qh
endstream
endobj
81 0 obj
```

```
[368 0 R]
endobj
82 0 obj
<</Filter/FlateDecode/Length 443>>stream
H\j0 F~
-E-'`O YL[ [ &QE~ B
 K7_m[O"• Cs8 <\B {Rt};)fX'wĐ")\â 1BBk{ 2I E q?St}5?o|^G'd0.4y Z73_R?•^E!: Z%* h
d U d! - ISD4$!:(:H:(: g@ B+9QEwE
#Q%
DwM=5{*R R+R R+ u a i 33i ~sq8h, q8h, tC-fY ^BC 1Mm zgu F n %?
endstream
endobj
83 0 obj
<</Length 9730/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                          XMP Core 5.6-c148
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
```

```
xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
 xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)</xmp:CreatorTool>
<xmp:CreateDate>2023-03-31T07:13:24+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-31T07:13:25+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-31T07:13:25+08:00</xmp:MetadataDate>
<xmpTPq:NPages>1</xmpTPq:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
```

```
</rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
```

```
<rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
    </xmpG:Colorants>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
     <xmpG:groupType>1</xmpG:groupType>
```

```
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>100.000000</xmpG:cyan>
    <xmpG:magenta>68.000001/xmpG:magenta>
    <xmpG:yellow>4.000915</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>23.000000</xmpG:cyan>
    <xmpG:magenta>100.000000</xmpG:magenta>
    <xmpG:yellow>88.000000</xmpG:yellow>
    <xmpG:black>15.000001</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000/xmpG:tint>
```

```
<xmpG:cyan>4.000000</xmpG:cyan>
          <xmpG:magenta>27.000001</xmpG:magenta>
          <xmpG:yellow>82.999998</xmpG:yellow>
          <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>74.000001</xmpG:cyan>
          <xmpG:magenta>33.000001/xmpG:magenta>
          <xmpG:yellow>100.000000</xmpG:yellow>
          <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</mpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
<dc:title>
 <rdf:Alt>
```

<xmpG:mode>CMYK</xmpG:mode>

```
</rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:3f187e57-359f-482d-9720-2c86ace67b86</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:5c912d74-21fc-184d-9d53-bf8eab8f3a39</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:965e0ad8-dd04-41e8-b011-dcef4b91efc4</stRef:instanceID>
      <stRef:documentID>xmp.did:d2501fa1-4028-f24f-b39f-426466ddf6a6</stRef:documentID>
<stRef:originalDocumentID>uuid:00a9d7cb-2951-4696-bc59-bc620ffba0b8</stRef:originalDocument
ID>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:79d6724a-a094-ff45-b8e3-daf75a2271ef</stEvt:instanceID>
          <stEvt:when>2022-09-08T16:55:54-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 26.4 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

<rdf:li xml:lang="x-default">30081.Figure 4.12</rdf:li>

```
</rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:3f187e57-359f-482d-9720-2c86ace67b86</stEvt:instanceID>
          <stEvt:when>2022-09-14T08:06:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.2 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
84 0 obj
<</Metadata 83 0 R>>
endobj
85 0 obj
<</Length 12653/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148 79.163765,</pre>
2019/01/24-18:11:46
                        ">
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
```

```
<rdf:Description rdf:about=""
   xmlns:xmp="http://ns.adobe.com/xap/1.0/"
   xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
   xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
   xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
   xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
   xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
   xmlns:dc="http://purl.org/dc/elements/1.1/"
   xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
   xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
   xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
   xmlns:pdf="http://ns.adobe.com/pdf/1.3/"
   xmlns:ExtensisFontSense="http://www.extensis.com/meta/FontSense/">
 <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
 <xmp:CreateDate>2023-03-23T22:54:43+08:00</xmp:CreateDate>
 <xmp:ModifyDate>2023-03-23T22:54:43+08:00</xmp:ModifyDate>
 <xmp:MetadataDate>2023-03-23T22:54:43+08:00</xmp:MetadataDate>
 <xmpTPg:NPages>1</xmpTPg:NPages>
 <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
 <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
 <xmpTPg:MaxPageSize rdf:parseType="Resource">
   <stDim:w>612.000000</stDim:w>
   <stDim:h>792.000000</stDim:h>
   <stDim:unit>Points</stDim:unit>
 </xmpTPg:MaxPageSize>
 <xmpTPg:Fonts>
```

```
<rdf:Bag>
 <rdf:li rdf:parseType="Resource">
   <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
   <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>57 Condensed</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
   <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
   <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
   <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
   <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
   <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
   <stFnt:fontType>Open Type</stFnt:fontType>
   <stFnt:versionString>Version 2.30</stFnt:versionString>
   <stFnt:composite>False</stFnt:composite>
```

```
<stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>0.000000</xmpG:cyan>
          <xmpG:magenta>0.000000</xmpG:magenta>
```

```
<xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000/xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000/xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
```

```
<xmpG:cyan>23.000000</xmpG:cyan>
   <xmpG:magenta>100.000000</xmpG:magenta>
   <xmpG:yellow>88.000000</xmpG:yellow>
   <xmpG:black>15.000001</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000/xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>4.000000</xmpG:cyan>
   <xmpG:magenta>27.000001/xmpG:magenta>
   <xmpG:yellow>82.999998</xmpG:yellow>
   <xmpG:black>0.000000</xmpG:black>
 </rdf:li>
 <rdf:li rdf:parseType="Resource">
   <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
   <xmpG:type>PROCESS</xmpG:type>
   <xmpG:tint>100.000000/xmpG:tint>
   <xmpG:mode>CMYK</xmpG:mode>
   <xmpG:cyan>74.000001</xmpG:cyan>
   <xmpG:magenta>33.000001/xmpG:magenta>
   <xmpG:yellow>100.000000</xmpG:yellow>
   <xmpG:black>19.000000</xmpG:black>
 </rdf:li>
</rdf:Seq>
```

```
</xmpG:Colorants>
        </rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
     <illustrator:Type>Document</illustrator:Type>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.13</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:a6407519-36ed-4b81-b82d-942e13a4df5b</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:ec98cc23-1526-344e-b0cb-07d8a9b71ea0</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:9e88fef9-4600-4de0-8d0e-a65f5dd63bf5</xmpMM:OriginalDoc</p>
umentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:fbe69fd5-95ac-f141-9862-38e4d8fb391c</stRef:instanceID>
<stRef:documentID>xmp.did:60146b52-7c2c-4d22-9d92-05d2c0b1773c</stRef:documentID>
<stRef:originalDocumentID>uuid:9e88fef9-4600-4de0-8d0e-a65f5dd63bf5</stRef:originalDocumentI
D>
```

```
<stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:de2abdd2-eb4a-d24b-9832-d18096c35e23</stEvt:instanceID>
          <stEvt:when>2021-09-16T18:05:43-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.3 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:a6407519-36ed-4b81-b82d-942e13a4df5b</stEvt:instanceID>
          <stEvt:when>2023-03-23T03:32:28+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
     <ExtensisFontSense:slug>
      <rdf:Bag>
        <rdf:li rdf:parseType="Resource">
          <ExtensisFontSense:FontKind>OpenType - TT</ExtensisFontSense:FontKind>
```

```
<ExtensisFontSense:Family>Helvetica Neue LT Com</ExtensisFontSense:Family>
<ExtensisFontSense:PostScriptName>HelveticaNeueLTCom-Cn</ExtensisFontSense:PostScriptNa
me>
          <ExtensisFontSense:Foundry>Linotype AG</ExtensisFontSense:Foundry>
          <ExtensisFontSense:Version>2.30</ExtensisFontSense:Version>
          <ExtensisFontSense:KerningChecksum>0</ExtensisFontSense:KerningChecksum>
<ExtensisFontSense:FontSense 1.2 Checksum>2565543787</ExtensisFontSense:FontSense 1.2</p>
Checksum>
          <ExtensisFontSense:Checksum>2565543787</ExtensisFontSense:Checksum>
          <ExtensisFontSense:OutlineFileSize>0</ExtensisFontSense:OutlineFileSize>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <ExtensisFontSense:FontKind>OpenType - TT</ExtensisFontSense:FontKind>
          <ExtensisFontSense:Family>Helvetica Neue LT Com</ExtensisFontSense:Family>
<ExtensisFontSense:PostScriptName>HelveticaNeueLTCom-BdCn</ExtensisFontSense:PostScript
Name>
          <ExtensisFontSense:Foundry>Linotype AG</ExtensisFontSense:Foundry>
          <ExtensisFontSense:Version>2.30</ExtensisFontSense:Version>
          <ExtensisFontSense:KerningChecksum>0</ExtensisFontSense:KerningChecksum>
```

<ExtensisFontSense:FontSense_1.2_Checksum>4092628534</ExtensisFontSense:FontSense_1.2</p>

<ExtensisFontSense:Checksum>4092628534</ExtensisFontSense:Checksum>

_Checksum>

```
<ExtensisFontSense:OutlineFileSize>0</ExtensisFontSense:OutlineFileSize>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
         <ExtensisFontSense:FontKind>OpenType - TT</ExtensisFontSense:FontKind>
          <ExtensisFontSense:Family>Helvetica Neue LT Com</ExtensisFontSense:Family>
<ExtensisFontSense:PostScriptName>HelveticaNeueLTCom-CnO</ExtensisFontSense:PostScript
Name>
          <ExtensisFontSense:Foundry>Linotype AG</ExtensisFontSense:Foundry>
          <ExtensisFontSense:Version>2.30</ExtensisFontSense:Version>
          <ExtensisFontSense:KerningChecksum>0</ExtensisFontSense:KerningChecksum>
<ExtensisFontSense:FontSense_1.2_Checksum>2410769781
Checksum>
          <ExtensisFontSense:Checksum>2410769781</ExtensisFontSense:Checksum>
          <ExtensisFontSense:OutlineFileSize>0</ExtensisFontSense:OutlineFileSize>
        </rdf:li>
      </rdf:Bag>
     </ExtensisFontSense:slug>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
86 0 obj
```

```
<</Metadata 85 0 R>>
endobj
87 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 88 0 R/CropBox[0.0 0.0
           792.0]/MediaBox[0.0
                                   0.0
612.0
                                             612.0
                                                        792.0]/Parent
                                                                          467
                                                                                    0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             18838>>/PageWidthList<</0
612.0>>>>/Resources<</ColorSpace<</CS0
                                            480
                                                  0
                                                       R>>/ExtGState<</GS0
                                                                              482
                                                                                    0
R>>/Font<</T1 0
                  474
                        0
                            R/T1 1
                                      476
                                            0
                                                R/T1 2
                                                          475
                                                                    R/T1 3
                                                                              499
                                                                                    0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
88 0 obj
<</Filter/FlateDecode/Length 3932>>stream
HWmo6 + VE M@(A++%J>zi <30^{L} Nu8H8u, | i!H(> m p]a W oW ?\] ~)g/?7z<zR^w8?
ky,YE> s0y .$ p6 uG3gnksr Fx[kikx-Vxz mc$J'wp VF%9Y&hJ d$^&({ . r 9)5 ij C.L=u>E_#Diu`eW
kF DC
i{+ OA a %BCp; \>e vM(fD.Y2% Ek}cYgJ) r = ( Luw:O}b)}+se85 rv @ B7=A Ed`zB
```

L4+9Xc/Ztw\A ez`J1ge9,jPE Y tS1c dQ? 2gI(\>O 3u ~+ ,tL &D.@e % *DojBOo]k^NQ8: gRbf=gb vD:E2s |0rh*rG#G%sm~, ,J ?/} 8.\$: AKP 6 j IUZ![.*& p _<F %) "%7co js M "+b2sG]s G* V9E1N

 $Bx>q qxhix{)2 M$

<u6+ $^t-=$;>u2ZEp&*ajP:a t c!IJt! +(Cn)

```
Z $k0C L
:w`Usvs%4VrV m' g! u vV @) ]{.4y;0&eOUZM tiQH5)(1U '3^
y ^(ahq f @Jf HcA !UAc 4cÊy*A0jJ,4K ~xT-o C
$-RItHX sF#fn[r hd]`Kr& &VB@ `^\PKL5 QU| &{@MtV <zO`z| Fd?e G F n{F`DaKx=2L)!g yD4
m 8;H Tf/
 tc=\FZ>Zv,6|4> Pnx4\~ r E•:IJG d/ Qr#I
6}
A }É#I!
]T@jF _L:\H@ filPcK{d4 (•s} &!t>}p)*F<=2usNJyB weV<J^ 667`:@rL. J#
ΙZ
]6Ê• 6{t+{'S/u> 96f@sbFj9 AfxLx-#v+n3(VK VJ z5m : 2K[XDq *Mz{s Q)7+bu d•85^5G-6h ) _mu>
ubw%%KE;<:Ldo;Re8ki1Q[~
{`|@A |WE2E E U "fS98v629!* ii
>;Y9bO` t6o #~#=z Öl6 4" 2g &(;"l 4[3Yl5@n54
 007 ^ \?\@Cy6jKE-{ 5nq y@y4<' P$r4Z: f j6Vbga,/
gk-\&D<(^{\#}S Zg\{ ;9AR\$ vk
Dg S^
2>6#']+N vs pne"3A *v t^2NGi R;U, I G @N -+Y F >Q|C32 ; [cr { ]9 f(tBG=!$x$5kN #XX% bWg*X
> o]LysCX[Q"\S p\
)qC1w_L:x=}Go "W] {jZ& <I *
_aM:( u8 |WH$ $ RJP zeH }g3
Pny; K%
x:X(' 4U \sim )GOeD-q xenel # B = jW]m(S?q)
~ )TY8m O/ • (0z [0q&gv;q
```

R0%)he]% G9^*9|Cd V gU1vAx^my!< 8 7M="LW@

```
&-xaxi D =w 4C>1(/w
# *a8LV!i:<SQH™N/U$#3g ,qB!w8 Wy~uX2\&|N_@[A): KhI >Wy H~V=< ^Qq
                                                                              + "[HDy_;
ev"Oj5. G7 8CEU My2@ s>• PU8m$ Cl2vRx@a (!8i wy T+C j d:\z U+Im3
6eb!lwX2`P e.w\4h i? 0)6.%3h, Gz•i1b% &,
6h| G = jm D!Deg } 4 / !TI?/UuAYN7T !ZkK 4(M-! |quK5
BmV "W C&EDm ?z W 2 X Yi d :1/z;>Pd hb @GY o ?M|q Y/fpm I qFSfppN M ) u ) p
 A' m < d z j X u < .^F N da *- 8 H M j D = ) G i 3^7 G = 
endstream
endobj
89 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 90 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.0]/Parent
                                                                            467
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              18990>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R/GS2 91 0 R/GS3 92 0 R>>/Font<</T1 0 496 0 R/T1 1 474 0 R/T1 2 476 0 R/T1 3 475 0 R/T1 4
499 0 R/T1_5 429 0 R/T1_6 428 0 R/T1_7 426 0 R/T1_8 427 0 R>>/ProcSet[/PDF/Text]>>/Rotate
0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
```

90 0 obj

<</Filter/FlateDecode/Length 4835>>stream

```
HWn }Wc1 cXi 8
```

/ c =ùF k z :7{_ rxN ZÃho m C 8U^}]:h ? }xovlbhy{] n`a _!kpN}tM } •| v+ n[=_W 7 ç7<d w F0FA = ?[EA?|

'O P\+b {{ $Y(A > Y \setminus y7o)$ ##/(kH^

• ~rq V*

{O^50G-ZG[

B = ?3 Z+F jI]8^.@R BA;+@schE

9 ?\ •!8DnO `1F, [xN 9C• u#~msGp(Z kuY VR}gAg

kΒ

|]]u`'^ Yy j py

N 7 iE\$G?- c * Nr2H J Qf < \%Y* fI]\%8".<AKf }J\H5I>Y6a u $\{$,\%jZAL&@9~=9K3NZYU) [6

SMX <,! @5 j ,9mg`Zi ; W- 1VG%T u @eIU H5zV ^=zSV +5 5Iw mjr7Qh6 X

&U tYNE7% p0 + >\$%GUYxO R

2~Rwi;/Ks

"=d Lp zL"@I\$I'\$<{ =u**`6% & f`àHh0

 $+ =/x3\%wEWV S &yy#vQ bL W 2i7 T g=(Weq'CduTJK\()Nc$

n n v{!v P H /P2E

 $C7 + @ \sim Pfqe$

V F+Ru #S

Qn qfai ~ tB Pe:IK

EF2'I t cz v ;9DB r \leq ylpc? r#UhPj'N +V/

L eOY-d <6xnL.YT:Bsr ^\mu0; p 9L* \u220ccm4< <\l Ga J9

0[@ Y [q=o:W\z+DF2!^K)'Ivd DqNJ,C2u jRcWn0X% Ds -r =5-2: UMmaZ

)< v!)U Wk-*-j s 0\$Q|9O d 32q Y @-<xv8fx gv fYwD?"zfC: t H` \2T)d _a T ` v2m 7ppu-n(@[)@q

A] *C p

IH it76 {B Ht cMx-]M # c'4%l][C)bWGh L4wcG[i0 {z>` s zd]>Fu j FN ? I | 0 gVKP q` 7-8 w3 bB X

7 V25b NZ H.U^ÿ !sN4~:C U u a!d"af

VQ+ fL < ?zD;n3?| ^095- N#'TD6N\ WHR/gH0 y HtW%;/ M%\bjg\0re= gNx9 V4Q+ c* (T]\dlb

```
V g BsF&RBp9 ,tLb)jMU / kO S \@Gc=YK B9 8UkAjn
```

bq!wT t

1R{EoC;! •c^@ 8 N{z S 0&B • 9 2X Vq4 ~ vf%:~

S8W]>Y #L qc.<•Y653<fP/ .2ÝCIRk(\$0 FV• SF

J 60]Q•a+tll5 GR@v-v8' vnXZ [axW gNF&yM a?q@n hHS2x 41%n = g

BcUk8 iEg $x_\sim VDJK! vfb \&5m \&U$,]- ofTx c

 $|\&+wK{5m3w?Q} M;Vth qJ+q H$

NDQI•;" vV:;?xj'y 9 YBV25o[h? \=vB-e(K%Z6 GzXw]ri^\W>nex]_7 Q

77i Vx{z1 m;?P8 q

VE; -JvS N"RBpxOC eW€rcz?U RUmM!I %&0]n .|5fei\ B1G oA; x}ooe?k tpAm6!d UyVI-AU6}u#e{? E

 $114\{l\# = ~94 | g5 h = i^UeY3A + = T `4 Z 1 tC)"ZWm$

y3(y.5<

YL {d4kuM# cbrkx[3r

b Hy R +g \sim "!|P 9 |ol% =OPI mpE

h4 - zx% x q+QXOh>hf ':! W=:=A XH8 `x% # 3L

=<@ #+ } + H@`\$0 :S= T g\$? e?D DL ?Q ~m ! 3UDU/L:j#

'4}SNv38dd;[~S<E \gfp4=u4< {\$] !Oq"GS4= miP\$P1G

P4iTQjz*>EO"U M d"GS d d: ZJo) SDag H*:"r zO!7r RL# :>t\$ W;3GdK FIB D s& kZ=WGN 1W6\MU

 $bJ\#r-M~;1\bullet~'p4>9"k\}~f,rFm>)Pn"\#r7$DnF~Gn'p1MQ-~ul>\}~^k~Ihi~JA~\ \ NVc?2cFv_<J~R.~A=2'$

w;Wi 9Ye\avB $\tilde{N}x^*$ Jy !Rp3 (p .tiunW+)&Y(jw|sX1| ;52K `fz[Q O

"q|FC=q@Evp}9B\$8# BP~t ^2FC. Kt m !I 8TEqakWZ ER{ &G`

Fu s_ $(W_u0 2H (toS Q)g3 m :tcD.k T=U9tNz 4fu)]FQ" = t$5: q ? YNL (oG4#=o<NB3LT)$

 $tq+i5f;["(J!{{Pv<of4+m }}3BSjmE A}>=9,Cx pC # |$7 \]$

_s Z[`#-+r D mWf^ F^*w SISI

Lx y# w

rZ~K"e~D>jFMSF -r|G4_uu L/LÚ]]SV:6 k3| 2E{NT Y? g .I[iCm t- $_$ P{*>ib 0 \$x }

```
endstream
endobj
91 0 obj
<</AIS false/BM/Normal/CA 1.0/OP true/OPM 0/SA false/SMask/None/Type/ExtGState/ca 1.0/op
true>>
endobj
92 0 obj
<</AIS false/BM/Normal/CA 1.0/OP false/OPM 1/SA false/SMask/None/Type/ExtGState/ca 1.0/op
false>>
endobj
93 0 obi
<</Filter/FlateDecode/Length 1809/Subtype/Type1C>>stream
HT•T W g !MeB[k ?E@
d
AHp j hsb he [B=YvJ?z z3']> d^{-1}['\%'' Rr>)3i^{6}DRLZ B 0''g \%G^{-}J Y +h![g]F: Pf LN +)} .w[]N
Υs
&3_j vpBg5%P F`GQ`x .~ W ;"_RX x7sN`//pIVYUI` fJMU "+ r0[V L_EP]
                                                                                    bHbH
DH'2D2B 'o $yo_CeFy rA
 fH IsZ
 UMhc
q
|(&6%|Wfg) @ • *d 5 hT(N UAB"^ WZJmJXopIY d !Uvy x
A'A /e)k+- 7
                                                                                     W /
t /6Cw)•a 7@-Q ax2@ ; <dzy Lb N*A48| WPhZxe ãIX>A "O9mg 0'=I"GP(Zz# > o?v$j&;k+&g{isy* c
U SE Vv f H to{W@_]#;_I8 I @Mv i L$]B /TQX+Flc z 3G,P -
```

'k\$m: K)]RS G]{&m 0# 1d L&> YbDsn %?>yxF63 `< :fibXc

I@q = Fcq d b5/Z r

```
%6 u^5l2+L ,szW 9a.E@XusXJ4N*X#-o*z*w
XkaJ=#e8
                       _kr W _" > ?Puu_<!`M I"[G=M^EWG1GV4 7rj> 5yzrzi i)|2upU6 LyOa5). q
^kd!z 1 zV"P Thk&*3#{*6aXP1Ppb+ z0 ]•_~mmep y e `<JZ Q Q s ' %=j\> eY,S3h Z>zec"?n.f]4 g
VZt(N+bX;VA71 "O q>o)-: XZyP x(<wnkA w 8 w&xljnj
E) J
0
endstream
endobi
94 0 obj
<</Ascent
                                                                            961/CapHeight
714/CharSet(/space/period/one/four/F/M/S/T/a/b/c/d/e/g/i/l/m/n/o/r/s/t)/Descent
                                                                                -224/Flags
32/FontBBox[-164 -224 1066 961]/FontFamily(HelveticaNeueLT Std Cn)/FontFile3 93 0
R/FontName/MVGHXJ+HelveticaNeueLTStd-BdCn/FontStretch/Condensed/FontWeight
700/ItalicAngle 0/StemV 140/Type/FontDescriptor/XHeight 538>>
endobj
95 0 obj
<</Filter/FlateDecode/Length 331>>stream
H\i0 ~
CI6 i 9e{V 7='Y @JR7
3$a2- N` x d` 3_k:~Re 9sXNg\-X W ion
,uc?b G{#w C.N N•,soiJ(|$n"! w:2 8F&C,Zh3YZ:s .{Zf 4•0
nu [pBA'#c "??8|!~@Q|
endstream
```

6 7" W ZRHfQ\$N0I ,8¢ jJKvkgt}W6zq %7 f=Xk G3;sZy-z E

endobj

```
<</Filter/FlateDecode/Length 3096/Subtype/Type1C>>stream
H\U•P W % Fd U[ E 1x( & Ht UOZG*!E7 " c/ 7;~}c M9k
n*6
+V ?d 1
/ O1b\V( @~WZMJX>1!!O7Z6 f IsZn 1O/+ I|` I[
Fal$LFI`$XL[ Y0bya{qVB(L& y{uS d+ `5X+e[6hcyo1TKDM&3_,X 2nlFSd1geV$Fa#ERx@S
jISq2J#)j Ee P *VNF)*NnRV} 7 vC•;T( n)e Y A
AS
n \in \{U \mid 4F6Y \mid F\}  m \in \{U \mid 4F6Y \mid F\}  m \in \{U \mid 4F6Y \mid F\}  m \in \{U \mid 4F6Y \mid F\} 
_a•'U
PS œPN"LI\ tG y> 2 0LXR
yXu p : #xB^ P{4(f)L V5THWAf(]R# R27kS ? $] 3E\$/DT H<[|c.Vi>@e |A`//8v(V_:nd 3d<N-+ n _f
Rk lu i.IFCK .a-JqSa?N{ 0Op n vQ +?<ILY w s
3A &•[k+KZ)0(7@} 9C ,f #I7IS D lx \ } z53 n@$Ly/\N W{
5C& zSQ.Ga L•>:;=6[163 B/mn >A 9 tk - fy't6"$
V BR3÷ O_ (XQopf I: oj•Xnisv1>hkZ\"%•x !D
 I! )` 0 2 IH< CC6}b r 21U>9PaxbNUEwuB? 2 yU+`;xH 3t-uG F=u.hpB+] 'C!v v 1YWsx,d
{xM4vi 8"VO-nWc 3•8` (R%=v~<s<SfHZ6ih~
Vp Ea28 Y _ GMZ=uc *}\Kr]" `7% +•$Nf6 <,%F,@ rXT:7wM /I n|</pre>
o2Do 4U./a("V W ~]}e^rw` D V-s{C[AR R Ha }]bEuR[@R + /<< E- KC
" #"2J_ ;ejZ R`D@ X_ym" Ba BRB.C 88e Tj m Uv?#
c #zn/9J?998vjR %s rF; E& Kg ]\ c
$M:_ 3< WZ#`abm
1 g[I?A Eik
x A8 X ] 5s A< z[, 2B4"•S nn!,{ "Ox 5
```

96 0 obj

```
JX L% CTKh|(-kLFR: Hg03W<z +hEAL (jtCgUEq{ "#<y $ ,acE L&at
9J \&A' 1 EM D yL6 = #7{9}
`d7H ,U ) +C]X •v[•;vH`@U}' jWVz 6g i |=K` .S >G yn •aOi/jPJ J"MwD 'C<h - t 8P ]0m 'j^+ / I 7 qg
y \text{"m0WkZ}\text{*MFU} \text{ tv9v}\%8\&nly \#M< <
N }_i [!f u\ "i 7nA *7$g@ A8p[ &-}8vz yugKgf4 vs: 'V "faw8 I;
 d•L fv/ <sL 12a'•Q* M:}E@F'2 ZX-p{CpC # ws2-1 ^|4 _zxtpS 9 ]+ ]ITMIt
^3j&P e?&p m[6EoPw a O%i" A$Q3ULUI gNv
F T \cdot /x = I GDW \cdot !\&; $\#>>8 bl y Gw, F dd \cdot , %Y O | $aP k
c#•Y $g 9FNh,#' I rb)5 8 s" f n` #% %NZN .: !• [Z-qW; -un" QQ q[
endstream
endobj
97 0 obj
<</Ascent
                                                                                  932/CapHeight
714/CharSet(/space/plus/period/zero/one/three/four/five/six/seven/eight/nine/A/B/C/D/E/I/J/L/M/N/O/
R/S/T/U/W/a/c/d/e/g/h/i/l/n/o/r/s/t/u/w)/Descent
                                                -212/Flags
                                                              32/FontBBox[-164
                                                                                    -212
                                                                                            1000
932]/FontFamily(HelveticaNeueLT
                                            Std
                                                          Cn)/FontFile3
                                                                                  96
                                                                                                0
R/FontName/MVGHXJ+HelveticaNeueLTStd-Cn/FontStretch/Condensed/FontWeight
400/ItalicAngle 0/StemV 84/Type/FontDescriptor/XHeight 536>>
endobj
98 0 obj
<</Filter/FlateDecode/Length 422>>stream
H\j0 ~
CqbK L
MZ?4 8&54QC Oi fgVf h7[ mS• v5=c=dy o/Q2[Z<bm,•. j{my a43XVS=<G5$i /7I2)94}n4Y5KTZd •lo
>U 6f| ~ ?$.rNKr d vd =o;]b mA.c:K "k -zthc } P+
```

```
P+g"8 a/^ =3{dM/ 4`TYI11F•?L^ $[v]}
endstream
endobj
99 0 obj
<</Filter/FlateDecode/Length 1851/Subtype/Type1C>>stream
H|T{T ; i83>V# A!+ F0* w \] WFQPQh EhZ X I &ET %3|}
                                                                      ae j\fmF}BR^f1F_Q
PL•+>yA 3$\Qc1I3#_R
j|10[laZV&- b*[XHFT$,E R*
                                          -%Ek Yk&$fFJrje5RQ/A+KHFVS!`R#e ) RyQDYZ #i
I[} f43~$$\ C/4A:^Dh B3 aP Bs P.:Batc G ad 1 r f *A ]S1u. w(0>'pGmdo:Oa
a" y/| L + y \cdot D + 5XM:IYX s
Pd3I,[$vp`B'@?`#5bCi$BKD@(Ir*: •y""!'JT" IGa*@H
 z5h /*a^%TPuYo uW mZ@M'0dt L* h•VjHi+C J9" T0 0L
еН
) i<;rbQ Xjn/^c 3](
}xz K V ;H^j B sO) 0 gLrwiUgC0 Wq.{:Z&] 0Cwlq}J4Q]*z5 O Gr:v "QBQ r# uj=hcl'zaB}q]V(_x
'Li 5 \2]y{HO&&X t7VZ7 6 q6 fP++ •xLpa.)o
M''_{6}k-D_x%'_{4}O` %G9@)#oI!D_VOf; ]H@.#R//| |px*bhfsq:
S
 WLPkI?L kR /!
h0(tk,DF"HR9M$.`}%pOa> utsL
;h {? r-/S4 LnWsa{npU|aK Ax^P~cN[gIT
!c h.:$f5%
n< }{"bb7OK•PPg +wLCv >qJkES`; tyU
j syMh@G
~: •_z\+oZQ!I\•n%%94i;$! C $ B0% @a I#!dc~b LM"@DQ }F ,wukcBk ;v WQ{ J w w
```

```
<
owN W Jef &5c8nH vo0yf X@!]ZBC=
 B• J7_ K3
endstream
endobj
100 0 obj
<</Ascent
                                                                             951/CapHeight
714/CharSet(/space/parenleft/parenright/D/G/M/P/R/S/a/c/d/e/g/h/i/l/n/o/r/t)/Descent
                                                                                 -216/Flags
32/FontBBox[-164 -216 1031 951]/FontFamily(HelveticaNeueLT Std Med Cn)/FontFile3 99 0
R/FontName/MVGHXJ+HelveticaNeueLTStd-MdCn/FontStretch/Condensed/FontWeight
500/ItalicAngle 0/StemV 108/Type/FontDescriptor/XHeight 538>>
endobj
101 0 obj
<</Filter/FlateDecode/Length 327>>stream
H\n0 y
C % Bh+q hb: @ I\u"•cDeu\7A S mlq pk& >[o s>(9Nag;\p`1t
O_{ey} = b(
R6=B+KnTs 2 3X }c04*i i
Oel7A oc
=A@-L8 GT'M Xo @,zYT8e4EfmZiK$|b> y&z2Y I &<B +_|g;W T`sH
endstream
endobj
102 0 obj
<</Filter/FlateDecode/Length 2721/Subtype/Type1C>>stream
```

>R

HTU PSW p

A& + "KU"

```
,HqaAJm@ Q qJ}- P1c/R Ut)#v[vu 9••KS^ MoY 0/b(0 };/7k6d& w_0 q PTs im3'{@Mo <[A;.\ zEq6
&+/M*2 r y<SF!kV { O ` m)#a6/[h+(7 nmZmFn<H fY `OQ4P GQjPl#)*TF- Ur* * (/JF RKM~ #j }~Eyx
. }3z e U d•G{|}2} |'M P$7Z
IV B> x5<:UT< d0W$v jBZ{F'[ 3S 'Tc •U"E2 I7J2) F ) a{p+ %B:i 7 pK~ = cpcE=P>[ VFqHt.tmrq
8/(7a \text{ V }; \text{r A } \setminus 8 \cdot \text{c } \setminus \text{c } G! \text{ s } \text{zQ! }" \} \text{ N } \text{ quqY7ppja})
k+o =: |p
! "XE [&I "> P%*h/D<<fe=I8RJo"hC:G&o"
{$ ;n|, Xiq]R w @i,C 8b\n,u
XI cV "B@ nk
E &U-•}X* "o-Yf 3 C ^~ x u {u
.8C* nD \cdot O > O = [F17 i 1a\% - cS < ! \& IG \cdot (Jr q A * M%X - ID(rp | f6 .. ^s o > %F9^ , u - uPIP] ~ I-K-RZ
S y{ q5{%>s
G Y*xZLg4gd6' W gvdrBbM L" E-<fj =;, oVFp f I)O ^SC1 X)Y QA q YE3"-"7BUX' < L , x\
"}qf#N
zZ< q4 &?l•^5JuCXrE-'a B @)oC-OlWx
aY-7~$8 dmR'w eQ / " t r 01e>0 G4I(Qjja sZØ]!-C9!Ig@ ds"nyA f6nJ&
0 !_ d Uv<0]2 ,xp k• O!lpl ! _YB5Z^~, +M(;C5(/< _QjM4:t $)Ji
uSk5 3Di Zq|FcjM;^6)An<v n',RvW q!D Ln!-9W | L ;2U tlzz
kI7 $+% :wL"\z:: ^3( u~u[6f 57(%u{9 f. W?4VmHSa n.z# \!H-JcK0# ~1Q t5 Z~EK D9m^Zy}aa E|9
{=k8d8L •>3!/;IM& V'W 3LW%dfAY v]
P;t
c \*S+ O a0 XZJo{
U h / Xo• Q0-
!2 &9 6 js>%LztgZ0z:` _O • @ f>W[hVz~32X27?N %E -W OI z
Q)5
```

```
'lzM1s>} |a?p K{"1 W 0 I.%?% }W f| h=[ 5)OD& :g () $
Jn:tJ jb~gk dQl\Jlj -|, + %J 94K-SD %U `n,xI: bRgs <1 y ]C
k%
 `?_
endstream
endobj
103 0 obj
<</Ascent
                                                                               986/CapHeight
750/CharSet(/space/plus/period/colon/semicolon/equal/A/C/D/E/F/I/L/M/N/O/R/S/U/W/a/b/c/d/e/f/g/h/
i/k/l/m/n/o/p/r/s/t/u/v/w/z)/Descent
                                     -250/Flags
                                                     32/FontBBox[-170
                                                                             -250
                                                                                        1000
                                                                           102
986]/FontFamily(Helvetica
                                     CondensedLight)/FontFile3
                                                                                           0
R/FontName/MVGHXJ+Helvetica-Condensed-Light/FontStretch/Condensed/FontWeight
300/ItalicAngle 0/StemV 60/Type/FontDescriptor/XHeight 552>>
endobj
104 0 obj
<</Filter/FlateDecode/Length 426>>stream
H\j0 F I/ Z06i! m 8$54Q}W [H3:cv
_qv: ;u{= ![ -=S;e YOp qo<n qY {C8wi-jz=XvzkO vm~w oHKtc4Yk V`}1k
,^,I0~"?cb rC W6 \+pMB & S. `}k[s { Oa V + : y y gaNI9`"E JX.a]u %\< m@c|w Z: wZ/{9t Y K 1
endstream
endobi
105 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 106 0 R/CropBox[0.0 0.0
612.0
            792.0]/MediaBox[0.0
                                      0.0
                                                 612.0
                                                             792.0]/Parent
                                                                                 467
                                                                                           0
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
```

```
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700320039005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                            19326>>/PageWidthList<</0
612.0>>>>>/Resources<</CSO 480 0 R>>/ExtGState<</GSO 482 0 R/GS1 483 0
R>>/Font<</C2_0 430 0 R/T1_0 474 0 R/T1_1 476 0 R/T1_2 475 0 R/T1_3 499 0 R/T1_4 496 0
R/T1 5 477 0 R/TT0 431 0 R/TT1 434 0 R/TT2 435 0 R/TT3 433 0 R/TT4 432 0 R/TT5 436 0
R>>/ProcSet[/PDF/Text]/Properties<</MC0 110 0 R/MC1 112 0 R>>>/Rotate 0/TrimBox[0.0 0.0
612.0 792.0]/Type/Page>>
endobi
106 0 obj
<</Filter/FlateDecode/Length 6689>>stream
HWmo8 a(MK{XI ZbIdH Ch.5 d33 g^o R$P•/wxW? dx AFV Y <\-IAN8C#•}G ooy {L>z5=o^~U ^
H_{sc}(iF\hat{e};oI,~QW)0"Mk)
q7o RfO 8pO~B ?gH
y dN4SF2} AdTF~ 'Bt
r|Cw>>["CS@6 y" XhBa&#$$ Q>2zA@> a??mE?4U_S5I/ EI}( # CWt b+Fu;I) ~G x?k%8xxn ~ ^
RÛBKQM{^j ,> Xsy•i Ga' " &
:#aL, Z
I U•& c~ cn:m D EY`p ~9R w{-D d @Jyrll 0A
$,QVB?3SO ( <_4:Qj
; '^ cf@sx0t0L; mty+"} P%I/F 1]wdu%Lwfkli, | JLf*h [1\0}K6 in"%J \DB CaqQ5i+ a[
bi7>{! 7wUg/oU? ZtG ZO.?9X$
>I C 1/2{Eed-! DY3"eHc wMg/;
```

b6dg=EKh uT Dggl[vY0 6 2 ckR\6 k?0s

```
V \bullet G/:Ke n uv#!t(e}( #W;k1 -u;.ktD -^K \bullet E <:*~v o 7&>Tx)aIA *s-h.}|ZB 5
b4tDLDm) 3J /#d Gry gDv)< R6%,
S]i9;nIST/tC I/ P )o, `F5g?]2n}[` h0t,\+#[ 4gz) H c^Lr6>J: o.x;z eT r6 5n 9:jq y43\l J t;C*bR"JI•X• %
sE "R(c)GZC M< @Hgg /VjEm sV I J#==Q
A\tilde{N}^*Kr = *\%Ke9Bo4]?r5 T 5 j&z.B]HomcfveTI~
2P%Q 2ej qGH-•lo.eX*t r` 'XjL zPDgc\S?"T N;m6K W S5&GGWO!Q c @8 nX 'b Yu+^iC •P4C-u!
K*q2>@5d
:W9|q T[9|Mk.bnoV mmJa9 V?qTR `j|] ^7UaCa]onW ?&6V? ) ~s gAuU&I + ) t xTxTQ %: [S
P-4xAqx
>BjRtk\K841Bef}+a,S wm{jsQ]T7VU4*J x}Gk|_
ssJ
:fTY Z
y. }?H My• 1•\t}1T caxWvuu [r& Y(Mt+M• g %OtoWa i $ <
4+3 I,
qjV NI>jE H1xrc%('b 56T>S&8 £)J-q"|+ BT S 8Ra^{\land} IThN(x • Q] y H r f X01Y| f R? +"?
n~ %I B)^0 h$$)R [:FR 1L
8`V1$C2 J2Q: $Wp3Y i +j<KG T % ty!Z G #6 clbEHf ?mY0G;`L\96U ]
$ @ 2q&l F #5• ,iN 3%;Q `B ]•uF P ;q>2 7 <:R 4Gr'H A:\h~
X:\%RR RQ N F `dL_< M = iR &, S
 zP %$ ©v "aBB ~6'$<IxL3tN NBRKQQQbO [7%M:, A ! DQ1RH C2u
! < pe e[B]
1 #:02'jTb:2
B"B ;$f *a) 'B=USTb% ,b1/S L( B 0PVIA B~- J&HNq?20
C>XW C z
```

 $.S \times 5$M5 F ;>^ =zx$ VaX 4[Qk UpvE_| b | m; b HK;y4- U(ST u^eRU(r J*- f \o&2 bA.r\ 6(JC b3{}f:<&<d *<•g;b /zFp ^ F z (BdvC Kgg}ku9e;s5@g iK =, uE 8< GG6wQ :.P / ea v q•`eYU5 -n *eWm g "!>;33 G3 •-eYmcUW wuqv ^m4 sE2 `nOv |_~up;8Y *[po\ yF ^\ny1Z N%/U OEMJT "2 P|] $Ooj_F \cdot 1!P g/WNE,7z1R1 > |XUE < h2|$ 3v" G`h] nr |Ves i_i•lu<I(\)R 6 \$| L`gO (HD0 d?•a}qwzyXhXwv Ef7ECjUxeP u+\$ 7o• w5 6?eERt & U)ma>i P:ck0 I o +c ,2_Q; C^ ^; jA Y^- GaM. +> x\$Nc+1 pY>_ • { Mr L, jf 9TfEK {9 9 3 Df-1;; -RXEM&q]5Ad Qk)Z!m: iQFh wR 32 @CXy X G Ki]k)`" 9 #"@(Tklmk1Y'c rm•(pH F @ryc@Zc\{: = 0d \$\ G M#!I)Z{M %IEDDP GDh I3 \Rightarrow suA o • w?g A842 \ ds?D#y ÝB + \Rightarrow Ff pU VGC3 q& EX0=*&~K [Nq < \$<#pKC PdR"!' |Q,@ LG n)Fo 0T"(

nz AX+al @u;3& . Y <) /NB bd&% ;<N' + XG J9RX =Qh[IdM@w *. I> QZUS FWM 9PyAAQW0r(<P?*Pb4Rs

7xy@K

```
4 j3Z 3blB%
P6 v_< Nc@ o'( }N# wS ' pTNY~^x |U T? n[t? ~|V%!.6 ^90|\K%EoV 4 &5 ]gBX}0 [S cY8 %â?o],
N_r nP\delta;WM6 - JQ\% k. b
[2$y GI "g gf_y K4oYZ
m3 z = |/=g`##: | g?#Y
vAd T! Gc9t
 C n:a7!=r`U!\7/Ksi !]_d[ cWMEj % } V/<VuImq8uSh = ZmU 9u^@ %KP\ +'5SSx2x$< xV$"7 jc>X
EL3x ~Vx)IK}[ II6 J
^R kP x{'J vJ\%u w wr> 1 Xrnyt}
# $o s`@ &B|8a c"EE# HQ2 fB ]3] ' ++9 F . 17!jo8 B v " kY {ow~SCnbu9Dc'e-N\ J[V•V A E.!Xa;
C+d fTJ S! d#,0w5,{hr3s P CE_\acute{o} > B|x6$<% M`> # z] 3X~ . 9XMvDFR
r
WSk \7h
A|j#G%<*7uQ4;(B]1 A pqAay lophg Y.tTzl 1 "fWdj I & S|
@-TU
: Kf@9R:J_D?_)+IIuJ`uz$FZ=\#O j]e, H@KH8CzHHgX>s.LJLI,I8X2JX*Ew-%^n/+5sSP
; 4J H mkm1|_3 '4$ piK# TB ObfO Oe,#MM|g " r@HIJ| 9YT V m)iEf
0;R{i
endstream
endobj
107 0 obj
[368 0 R]
endobj
108 0 obj
<</Filter/FlateDecode/Length 450>>stream
```

5F5ARi

```
H\j0 ~
-E-' Lt a" Y+ -! lo'=lz w nuJ) K3fy<|_'w-" SU7 s
??ó q.O u-:wBo8c/.%q KCcEj[W O&U^ ~@ ADe BhVh
*! U ** B(T$*
i! dPdV$t"-!*h*Thj4 d ) )T *
§Β
&2 ]1tEHqg;S3 5=2H]1K4, 4, 4, 4, 4, 4, 4, 4.
D* ?^9io! Icfc QS/` &
endstream
endobj
109 0 obj
<//Length 8805/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</p>
                                                                                   79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPq="http://ns.adobe.com/xap/1.0/t/pq/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
       xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
       xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
       xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
       xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
```

```
xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
<xmp:CreateDate>2023-03-23T03:34:45+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-23T03:34:45+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-23T03:34:45+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</mpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
```

```
<stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
```

```
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
    <xmpG:Colorants>
      <rdf:Seq>
       <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
       </rdf:li>
       <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>100.000000</xmpG:cyan>
         <xmpG:magenta>68.000001/xmpG:magenta>
         <xmpG:yellow>4.000915</xmpG:yellow>
```

```
<xmpG:black>0.000000</xmpG:black>
      </rdf:li>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>74.000001/xmpG:cyan>
       <xmpG:magenta>33.000001/xmpG:magenta>
       <xmpG:yellow>100.000000</xmpG:yellow>
       <xmpG:black>19.000000</xmpG:black>
      </rdf:li>
      <rdf:li rdf:parseType="Resource">
       <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
       <xmpG:type>PROCESS</xmpG:type>
       <xmpG:tint>100.000000</xmpG:tint>
       <xmpG:mode>CMYK</xmpG:mode>
       <xmpG:cyan>23.000000</xmpG:cyan>
       <xmpG:magenta>100.000000</xmpG:magenta>
       <xmpG:yellow>88.000000</xmpG:yellow>
       <xmpG:black>15.000001</xmpG:black>
      </rdf:li>
    </rdf:Seq>
   </xmpG:Colorants>
 </rdf:li>
</rdf:Seq>
```

```
</xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.15</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:11046ab2-22f8-4e57-8f40-b517f6570909</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:1de33024-3fc9-974f-a158-62834bd5b75a</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:cc1c6663-41f6-45f1-9ee6-5bcbb51fb669</xmpMM:OriginalDoc</p>
umentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:582237e7-3572-df47-9a1b-e0069659630e</stRef:instanceID>
<stRef:documentID>xmp.did:4c62be13-70dd-4762-b548-c53b2c815bf0</stRef:documentID>
<stRef:originalDocumentID>uuid:cc1c6663-41f6-45f1-9ee6-5bcbb51fb669</stRef:originalDocumentI
D>
      <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
```

```
<rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:35d28471-8a4d-4b82-aa6b-155862e0274d</stEvt:instanceID>
          <stEvt:when>2023-03-18T17:06:13+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
           <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
           <stEvt:instanceID>xmp.iid:11046ab2-22f8-4e57-8f40-b517f6570909</stEvt:instanceID>
          <stEvt:when>2023-03-23T03:34:43+08:00</stEvt:when>
           <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
           <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pd><pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
  </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
110 0 obj
```

```
<</Metadata 109 0 R>>
endobj
111 0 obj
<</Length 8803/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                        x:xmptk="Adobe
                                                         XMP
                                                                Core
                                                                       5.6-c148
                                                                                  79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:dc="http://purl.org/dc/elements/1.1/"
       xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)/xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:15:17+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:15:17+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-31T07:15:17+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
     <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
```

```
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
```

```
<rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
       <rdf:Seq>
```

```
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>0.000000</xmpG:cyan>
 <xmpG:magenta>0.000000</xmpG:magenta>
 <xmpG:yellow>0.000000</xmpG:yellow>
 <xmpG:black>100.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000/xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001/xmpG:cyan>
```

```
<xmpG:magenta>33.000001/xmpG:magenta>
          <xmpG:yellow>100.000000</xmpG:yellow>
          <xmpG:black>19.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>23.000000</xmpG:cyan>
          <xmpG:magenta>100.000000</xmpG:magenta>
          <xmpG:yellow>88.000000</xmpG:yellow>
          <xmpG:black>15.000001</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
<dc:title>
 <rdf:Alt>
   <rdf:li xml:lang="x-default">30081.Figure 4.14</rdf:li>
 </rdf:Alt>
```

```
<xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:077d707f-b9f4-4c78-b623-e1328f924861
     <xmpMM:InstanceID>uuid:f0385227-49a0-1149-8cbb-6abb3bafe122</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:cc1c6663-41f6-45f1-9ee6-5bcbb51fb669</xmpMM:OriginalDoc</p>
umentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>uuid:47bd1c60-f3c0-884f-90ad-d198c0d98847</stRef:instanceID>
<stRef:documentID>xmp.did:cdc69e40-0086-49ee-b638-770cf26a5623</stRef:documentID>
<stRef:originalDocumentID>uuid:cc1c6663-41f6-45f1-9ee6-5bcbb51fb669</stRef:originalDocumentI
D>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
<stEvt:instanceID>xmp.iid:35d28471-8a4d-4b82-aa6b-155862e0274d</stEvt:instanceID>
          <stEvt:when>2023-03-18T17:06:13+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
```

</dc:title>

```
</rdf:li>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:077d707f-b9f4-4c78-b623-e1328f924861</stEvt:instanceID>
          <stEvt:when>2023-03-23T03:33:40+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
112 0 obj
<</Metadata 111 0 R>>
endobj
113 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 114 0 R/CropBox[0.0 0.0
            792.0]/MediaBox[0.0
612.0
                                      0.0
                                                612.0
                                                            792.0]/Parent
                                                                                467
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
```

3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages

1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004

3003800340032003200380042003100310036003800380043003800350046003300330044004200

42003100430031003400390030>/PageUIDList<</0

19570>>/PageWidthList<</0

612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0

R>>/Font<</T1_0 496 0 R/T1_1 474 0 R/T1_2 476 0 R/T1_3 475 0 R/T1_4 499 0 R/T1_5 477 0

R/TT0 441 0 R/TT1 442 0 R/TT2 437 0 R/TT3 438 0 R/TT4 439 0 R/TT5 440 0

R>>/ProcSet[/PDF/Text]/Properties<</MC0 116 0 R/MC1 118 0 R>>>/Rotate 0/TrimBox[0.0 0.0

612.0 792.0]/Type/Page>>

endobj

114 0 obj

<</Filter/FlateDecode/Length 4947>>stream

 $HW[08 \sim \% EL., ; bAKV = L P!uHmK|!$

 $NZ\backslash G\{uK6c;\ d\ _<y!xqh'\sim\ 8H(\ TWu\ \bullet 6Z8\#^<\ ie7>\}"]_EO\ v\ \%HX\{8'mt6C\ \}\ \bullet^*q\ BO_\}Q77W\ UrgahA$

7 X) {q?>h@Wk k< w 7w by; 9:@1 Z He q

IYA`6•Nwo hl[c.KOo'>&| vKB^7o5Yk

C; KVnh{~G "TY Y6VB jr^5V^WZa J

 $E_{\kappa} = t \cdot 4 > 4xI;A!FAYsJU$

}_-e)x^(• 8rmM 9;b @ LI W mV\$=/U6+ hK^U JER pi}P E 0F4\! .wbDcu* W D7V N;P1JO hfar*s4<6

NNhB) P9 y98fu3|T5*[kd1r:Y2]<Un]kX ;> R•UXy k]6S #S

K 8_r%CPs SfP)t Tgg5vUSC^g&,z+^hj ZJz 0S q &3 Slm- KuXjB~* (hCejo5;^OZ x xV]\$

hY IgD: (QnnY%+-Wg eh

i b fi3.tX o_ /o&:< F4 7GCaJY kc Kw-T 8T%}_0;g > :X

F# g7J*N 2 (j{, q

Vf: ZUB(h }/ C4d K S Ext ||IKkW/]IUpc \y[ykCY 8e T# Wn= KFXQC*AW9 E*3', +q@#eJ0x IZ3M %" Zq T zs1tl(B L f c

```
h P`` }s ) <#7 T 1/3\K74o n g 28zE>A) @If_i=ta#EXr}3R C jJ 5
 IF^cpT)v8`u,W (51 k:2X{ b`O(jE X, .nv
1Ax 8- GiHs *' gE]G xb/ ?fACMZu6 1/n[ 2s$Srb6s'- \f' | H0
8A x&ow®>4 L 8aV2U6)• I z *3S{ >2 W3< E mjo bh|@ajZ &?v5W1ka -3.U@!
k : _m > ; MQ 4@-*-T = tC Tpd [O L6cv%\G {<~{O}}@H35 p 6]Fq~ a,. 4e[rq•D!q]
8\&DKb[IB; | \&=6p(pk < >n/O^y0qm'tk-{a whm};
NI u`1 ,•e >w. $ 7 @ / >8 yq'(-<]=,d_OV3 @$DNDRIJ *Dd-b .z'oF^d{ inn #!N \v e ] 7 '<•uYA )27
O|Fy>r9I(\sim"h(v \#hcFn\$| Gg7i \{X\{``_d++3|\$VwFr5"YKKy 5B \v>!
 !uc<a<JvLp PaO%nD;I\I ]1 P/b1 Rdn9S r7; 2`aP H # (d3 8{ 1dV @H_'{p &!# Jba{})
x&5Ujz@8*8J " wMNA C C B •8L'OI <I 0 r@v@vHBVH` hd }f _jGm hqtX21`?Z .Xqv 5 ,K"{n>:+f~g!j[
C+ >wl HN od6O 0&zd•X2•YpT ] IF 3ID]3;<<14pn \' ">7\ YwUv |! ÜSwj.M\H JN -[d%Dl|3 ~ i
k0JBOdXj"dL%1_N5y/5J,L D• {ypl^Nv},4L4P>, H# Xj i$;#N:#h o$"}c<!; ix } O*>iH4ZbT2,5}Wr{
o| *%yC8ZXzNZ\+k'wBqL \p? ;.+Bx M F cZT-O U fQ Q ;J u%* 2?T:1]1}50
^{3gJ 9+W^+ \bullet T}I < G ts= , sI12 : ) bMa(m $ ^•<( *
1! (kB;•g T) M o $wl='jv hxUBX {[]&" Er7tKCZ \^
p{V SA)*/ S2cr
:55il 2x: Nmk7:N ]mA40•
z^* .//r < y^*p} "*P
V,09C UJZ D0' \Jjb=!j E!] 77 Bu+4 ) 70bw .S% .C2 Mv|B*z• q%c@[6oy9BWG 2  si V: c 2 #
u M
 :
\33m \.V |0 )&@ 1xKaT .7r q!R q`3~R epA C &1: c 40f 2l%< zK$<k( @ws=
g)g u DVg8H 2\.$5 iX
[ |$>i•U;Rv7RMq%c%6 &d _n N R g?=%i0 ,lj /
b/`
```

U• Y p¥=K G{Z`t?Q Bt`m V Qb .Uz2j *E{Y] D ax` mr]5:=Mm &V[*4`m@e Y({~ <+EN<Cm(VjkFS. v,

```
eL?oj ("w!bh
 % AT$H
5)Zr-gi,* 7GRVs7^D @vU (V/Ui6.y<^-v&r\bulletI9<LOY kl mz6wPh(I N Ey 6Q1 &1r "p4k ~
~!)& 9 htQ' OLt G•?vxO%W]pT[ 1 }H3 U :G.$ VNJ s j^e(-wGo j i
R t< &dmWYg
f1PXe 0] E Y=?6 @Q 0`
endstream
endobj
115 0 obj
<</Length 7117/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                         XMP
                                                               Core
                                                                      5.6-c148
                                                                                79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)
     <xmp:CreateDate>2023-03-21T05:50:31+08:00</xmp:CreateDate>
```

```
<xmp:ModifyDate>2023-03-21T05:50:32+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-21T05:50:32+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
```

```
<stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
```

```
<xmpG:groupName>Default Swatch Group</xmpG:groupName>
<xmpG:groupType>0</xmpG:groupType>
<xmpG:Colorants>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>95.101851</xmpG:cyan>
    <xmpG:magenta>67.788202</xmpG:magenta>
    <xmpG:yellow>3.338674</xmpG:yellow>
    <xmpG:black>0.012207</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>22.735941</xmpG:cyan>
    <xmpG:magenta>99.743646</xmpG:magenta>
    <xmpG:yellow>87.191576</xmpG:yellow>
    <xmpG:black>15.295643</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
```

```
<xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>4.293888</xmpG:cyan>
         <xmpG:magenta>27.130538</xmpG:magenta>
         <xmpG:yellow>83.547717</xmpG:yellow>
         <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
     </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
<illustrator:Type>Document</illustrator:Type>
<illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
<dc:format>application/pdf</dc:format>
```

```
<dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.16</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>uuid:307c5d35-7cf8-4849-8dc6-1127d6b2deb9</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:b6f1f41e-d228-6d4b-b774-540a9b7873dd</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
116 0 obj
<</Metadata 115 0 R>>
endobi
117 0 obj
<</Length 7119/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe
                                                        XMP Core
                                                                      5.6-c148
                                                                                79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
```

```
xmlns:xmp="http://ns.adobe.com/xap/1.0/"
 xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
 xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
 xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
 xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
 xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
 xmlns:dc="http://purl.org/dc/elements/1.1/"
 xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
 xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
<xmp:CreatorTool>Adobe Illustrator 27.3 (Macintosh)/xmp:CreatorTool>
<xmp:CreateDate>2023-03-23T03:35:59+08:00</xmp:CreateDate>
<xmp:ModifyDate>2023-03-23T03:35:59+08:00</xmp:ModifyDate>
<xmp:MetadataDate>2023-03-23T03:35:59+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
```

```
<stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPq:Fonts>
```

```
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
          <xmpG:tint>100.000000</xmpG:tint>
          <xmpG:mode>CMYK</xmpG:mode>
          <xmpG:cyan>0.000000</xmpG:cyan>
          <xmpG:magenta>0.000000</xmpG:magenta>
          <xmpG:yellow>0.000000</xmpG:yellow>
          <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>100.000000</xmpG:cyan>
 <xmpG:magenta>68.000001/xmpG:magenta>
 <xmpG:yellow>4.000915</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001</xmpG:cyan>
 <xmpG:magenta>33.000001/xmpG:magenta>
 <xmpG:yellow>100.000000</xmpG:yellow>
 <xmpG:black>19.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
```

```
<xmpG:yellow>82.999998</xmpG:yellow>
               <xmpG:black>0.000000</xmpG:black>
              </rdf:li>
            </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.17</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>uuid:309a9ac5-0860-4051-b05d-8f9d918f7406</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:51ab90ec-b2cb-2544-9bbf-4c90a252988c</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 17.00</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
```

```
118 0 obj
<</Metadata 117 0 R>>
endobj
119 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 120 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                                                     0
                                                         792.0]/Parent
                                                                           468
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              19738>>/PageWidthList<</0
612.0>>>>/Resources<</ColorSpace<</CS0
                                            480
                                                   0
                                                       R>>/ExtGState<</GS0
                                                                               482
                                                                                     0
                                                                               499
R>>/Font<</T1_0
                  474
                         0
                             R/T1 1
                                      476
                                             0
                                                 R/T1 2
                                                           475
                                                                     R/T1 3
                                                                                     0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
120 0 obj
<</Filter/FlateDecode/Length 907>>stream
HUn8 |WQ "I9 4NIi
! Fm iHT .)RA NDr53;K_d#AyEM.GmFG EfD"r Ohn(M#2G) AY5 ]-V Vwn+]n 7=7{? •3yv6~ W%!$
8??G 4qDO)h
h ' 7 DF>n9 \ !$]P7>0{t M!:R $ Ckk 1= , yd >r i% &OQk BIV;%f5 i h)d >BE5NP}
J \otimes BI;4E3fSm > i' (YnJJPKnA6QW]]W@<,U "Iv r./S~WLAu+~LvO X!^#|MTS~\
   n Da3\PlhVur* ziLt `C8c=q^ c
```

endobj

O Q9 5 5ZSU K!•3(9 fE/# m05Le RxT^ VURz 5>Fo4{, k03r 8E%F5sT0Ah.~ } }Kx361 %&>w&)
* O:28{ g.? yg\~ ' p ,KS| # ogA S]C PYgz 7gk n[BQ}~

0 u

endstream

endobj

121 0 obj

<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 122 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 468 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 19832>>/PageWidthList<</0 612.0>>>>>/Resources<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0 R>>/Font<</C2_0 443 0 R/T1_0 496 0 R/T1_1 474 0 R/T1_2 476 0 R/T1_3 475 0 R/T1_4 499 0 R/TT0 444 0 R/TT1 445 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 126 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>

endobj

122 0 obi

<</Filter/FlateDecode/Length 4219>>stream

HWnH }W

d X DL\$#Jx dDv`X")TIA#d98Gbp2f4& #1uCxXhM" Z* | vy|%` >VZddI T{pF d Xt I0>8{G#k(qR_ ••c{w 3 yB! > F f*#4 63-_

```
xy~5 OW? 0Kojxz1,dF* Q W^ 5•84 V\>}ARF tXu :on '^n' z /, FQdB&Ch 7U2b*"*# - M
&tL jdN.eNV;j=!, R*ia 2S.Jg8F2 (]h -
Y{ oGhBU6 NG7* DIc E iZ, 6Jd9W6V"g!.Vt&: kQF;Z ETzA 73\.W4 )v-SRE=_ULWYize[eEY]/Im Q
n[ s, ? o Ej2
Bmv | Dp tO PR _ Y+S_
nuq y-e?>N]>Uxc,n3 u([tX._-ywW 4d\sim i\#_q] k
y hv kG|Y | jv` &i\.[Dhhk ;\w |Q- `c:'Y 9z
b\ a
*/7pZ]R yvwSlnF{1
w@-I }:U ]W(1 RJ Qh\/m&semyNim Iy -Q f 6%4U5X )uZ;v i MoLzZqb
"TX Y> Pb 7 n? Tp=j, Ax{ ki z vk boN<=5\ w| V "0vR n"}
<_?2_ 9D P ~p xBgVnT _\ O6gsj{5]64?U}(. a HwT@^gx4g &M7 H
O a0l/ 4g[,>VMe$vggl3=},A -
S: IV _tU K{Mj=
d"
`$& v sV O>Q~ . -Cwr#
qp $ 7gW Hr C/|988 ( 2YSd n | E R'%= 6p+*)j( Y tP #A4T4? 5s 92 g-
   ER = 0Bg RJd-Nax1DhmKA$ 3\@+Q)s ;B 5J FtoICEWL 99 85g^7 I= ET` EgY=ZHs4,Zd I
G .ïBS w?vWj| a$ nP2KYq(mo• v,8|
# YH fKJ:1TWA4R7,G1\c0[:*b^OF b"4/J%+ Wb. SEN ")"LWR^F ")sZ c.
#UC#U 4F: `_@SJQI8NuB K Np @DwcM
L9F&JQ { .v @yll #bkS1S 8r)60SW C 7 B kut @1/ # Lfh
1{>+QI8O &L<? 1)K* (•A>|F>% |
omZx}K j nz j D? GTr1 c Sy#7t~ Wr^0 8R<
; P "k#b>KY a/P 3 ;-3D 'L<nO 'F#n O{m w}h
```

```
( Gc H\ I4 iQJbC fv)IA$;770 x y 8'.a@ -=d~B / k (O<YI [0 i
                                                                                                                                                                      6:{o h\k
   ~9=^&2z !]?EgTRw9L a]: p+,yc -S
 c:A $Z@Qi 4Q )c^8fvM}\o<_ { Fv DV~E_` 4"XeV SVRiwY]| /)szJt}MS dNk JH^:Euh: /YY[aS< 7EY(
i6Gv}G 1
" MCd
- 'w"]qJ{H meYx `a(M,;}H0z@yJ %] u /**E MVwGDF8 Nke Fa8N| 1*=0 fF a s ZQ&&U5r [g Zj5]+e
%!`>5#I\*Cx % Lu~G: V1Zav
H1R;BIk3VA +S (A#+2H&t HN]~e\ Iv=yT
 2Hv-F> u2* MrQW"\od(H sz f0|T/dy xYom ~dxBb < k^ 5kP;
& :Wz 7OMrC%c}GW iJi
 [z 4x4 'DH`
#r o6(^~On• < 8*y i)AD
YfC L Y`{-u x uFaDZ[ nNxMC7ce%lE•\l6: "Ur)P |9W k >&jTk;A e]C$7 jsJ`/!U% Nx ^: B(~v<2mQhle
 \{L T : \% | M^*m \{RO=F, 0t=p 5-5 \} Oq 8M ? | (o) G^o 5: | I \sim 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | cx | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGtT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ 3 Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q*ST \ W -c2p | C = 0 OD < fP PGT E^b \ A Q
a t6nVi P 4 B h9 Cp+ @)0C ePy f 2# a8;n( g $.nquY ?w U [<[K~ | ^ R*siG ~nwu HpkGb <8* 8{
endstream
endobj
123 0 obj
[368 0 R]
endobj
124 0 obj
<</Filter/FlateDecode/Length 381>>stream
H_k0 \lor X \ 3h/yK \ (<\$oEut?f47 \ Y7 j . |^Jwce,pl o md{}eO_y \ H,byZF/y bmu ! {i&S7dk}
                                                                                                                                                                                                                                                            YV •B
v-8= @GOq) A; @;Pz@O%)P JA.
. r
 9\<) ``^ E^ Er J | )<%<SxJxL{ [+ (}•]•GW57k]C&Pf4/ `
```

```
endstream
endobj
125 0 obj
<</Length 8708/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148</p>
                                                                                 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
       xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)</xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:16:54+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:16:55+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-31T07:16:55+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
```

```
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
```

```
</rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
    <xmpG:groupName>Default Swatch Group</xmpG:groupName>
    <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
```

```
<xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>23.000000</xmpG:cyan>
```

```
<xmpG:magenta>100.000000</xmpG:magenta>
    <xmpG:yellow>88.000000</xmpG:yellow>
    <xmpG:black>15.000001/xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>4.000000</xmpG:cyan>
    <xmpG:magenta>27.000001/xmpG:magenta>
    <xmpG:yellow>82.999998</xmpG:yellow>
    <xmpG:black>0.000000</xmpG:black>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
    <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
    <xmpG:type>PROCESS</xmpG:type>
    <xmpG:tint>100.000000</xmpG:tint>
    <xmpG:mode>CMYK</xmpG:mode>
    <xmpG:cyan>74.000001/xmpG:cyan>
    <xmpG:magenta>33.000001/xmpG:magenta>
    <xmpG:yellow>100.000000</xmpG:yellow>
    <xmpG:black>19.000000</xmpG:black>
   </rdf:li>
 </rdf:Seq>
</xmpG:Colorants>
```

```
</rdf:li>
       </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.1.1</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:df4fc6e2-0c61-0245-a171-bafab91df793</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:eba9c25d-5251-e74d-a85a-ca70cbd52cce</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:1233cfa5-daf2-471d-bda2-a4519c842bd7</xmpMM:OriginalDo</p>
cumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>uuid:8f3486ab-5edd-452e-87d0-487dd08d7d43</stRef:instanceID>
       <stRef:documentID>uuid:1233cfa5-daf2-471d-bda2-a4519c842bd7</stRef:documentID>
<stRef:originalDocumentID>uuid:1233cfa5-daf2-471d-bda2-a4519c842bd7</stRef:originalDocumen
tID>
       <stRef:renditionClass>proof:pdf</stRef:renditionClass>
     </xmpMM:DerivedFrom>
```

```
<xmpMM:History>
       <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:df4fc6e2-0c61-0245-a171-bafab91df793</stEvt:instanceID>
          <stEvt:when>2023-03-16T15:44:05-04:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 27.0 (Windows)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
        </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
126 0 obj
<</Metadata 125 0 R>>
endobj
127 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 128 0 R/CropBox[0.0 0.0
612.0
            792.0]/MediaBox[0.0
                                      0.0
                                                612.0
                                                             792.0]/Parent
                                                                                468
                                                                                           0
R/PieceInfo<</li>InDesign<</li>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
```

```
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
20100>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</T1_0 474 0 R/T1_1 476 0 R/T1_2 475 0 R/T1_3 499 0 R/T1_4 496 0 R/T1_5 448 0
R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
128 0 obj
```

<</Filter/FlateDecode/Length 1726>>stream

HW[06 ~

u, A\\$

fl 9 I K`[sw.IF JxE' G ?]\$WJ<<Kcp2 Xx&s}Ns2R7?d/_; %c\•].q}r<x(Y~yyqx/W ? |n y lAx;%3 ?(;Nn:u mf,A u_SHv7'oSwJ=7"N0u th0. c2fd6wU0`Gc_2t42ns 4NL3g 7YJ\L •Mm ~+ q D LO> c 3 t yH("<p} N)}G b4) XJ "DA ~g1f(M q#gO8 Uz. />HQ bo9*![_• v `w(hG_J9`8C kJl9 g)Cl1Ke]|cA1ZhU8gU>* < I +V G*8 \$+

=zl0l6 x ;6 •6"[lg O•sLpy.>/b' A (Yq`"RL;b|k; G . "lBr. D (. x&2|7 @ vS, W/ q\$}aY

*EA<,t OnV ?b \T !(5 Y Sp5^" :4 \$VxwZ•r<,i B 9C= P u C n?><:= 97uZ wtV az&v8~"q|{•"WxJ]Z||

JIC!}W?, d+"wm 9% U hJ@b+L/; 0^vy 58 O |Wt! C)42 @ zC)!s*XV CN D1# ZL1p•c@*

\$}~}g Bd14{ p %m irXTTn+•#1_e-MJc

;"] 1j mO T> j QQ e6 tJcQB`Z EY(RS -6b=(2 LMd 0Y) ?^ j++76+ g:^ju gL(1E MfpWlGgz 6P bUZ , U T

N\$ ()` I

```
g,1 = oQg_
endstream
endobi
129 0 obj
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 130 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                              612.0
                                                         792.0]/Parent
                                                                            468
                                                                                      0
R/PieceInfo<</li>InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                              20272>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2_0 453 0 R/T1_0 496 0 R/T1_1 474 0 R/T1_2 476 0 R/T1_3 475 0 R/T1_4 499 0
R/TT0 452 0 R/TT1 450 0 R/TT2 451 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 134 0
R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
130 0 obj
<</Filter/FlateDecode/Length 6411>>stream
HWnJ W8h p 3 (1 | ToUv AH"SN - / . - H x d[X uBV! 1qB])
ê m%^{-}={\sin N_{0} r?}D_{N_{0}}E_{k}f D%1 WwhO}>kz ~ W,+O_{0}Gw_{0}. ; \w "do o
•2K'X;3XfL 6< KO @•b%6# /E | A8`y e/>9 r 3o>` tmz|
M pa U m+ .Y d4 l, Yl rr ^6@- ~+$%Gp2/c9tv
} EPL3 ,3 d L 0 [<%U->v^ec
```

dF<9a•_; M4T}:/r"cVd~+ ^HV u<me

25VpyHiVDAxv D Lr(|<2E{0 bU^?•P8?j <U' vLygm'

;\^_> XXbEN7y7yZ]SŽ |U • 2zN97 k KKuriDnd);2g pg i8 J R >i@Nk

Pd p'Peu{ UW T\$ | @,2WjIBAhH VV.4/i 4;H<S5lw#BboGÁ#V6!W". `n %8 Z5 S,yXf_x o3bYWi4m \

> wy/ 4VY:g sG L<26=c 6CISm 0 I I 4X[;Z < +z e mjG] { \sim N4; :vI? %m"cbJ

r;b\ \KLz]) 5A81r 70& Km@u|9 vA[N#c-

:% NWv \'/ It aSv~ v 6HQ~s fL

Am2HT#Z~ MF P h a}'61B>[F>X?M% I1

%19+ WIs:UWMAJ_:t0a 8) u#& J?

CN2G @F h k g*v8 m6 <n 05dB!T \sim O P:E;j }`M 9 O\#IF J W. (\sim q(%3

lg

-WG BN0Mft 0z- m7X(II J \sim W qwc BEÛ Y C8.;'/.#WV k#mf 2E];&"? HsQ+wZ w"K]j S_4;W" 0{gj r<G (Y38 ; un 9 \bullet ,ytG34

) b}H 7 nX }W<C\$}M pQg<~Ki F0x_Hns<-

nywkZ g:f $Z:O\ chO$ j) :* d! q+ {KRPV] IfZCV 1| 3@ : 'V @%tW g \$ 0C4 :pZ =~ m

4KTO Bk@c;f j!jR@",'vh

Q Dm`C*mXxMu

|[+ ^ '=

.06y= e_6Wr (>V Jx &y v Z 8"(&3 =\ yy(7#, Y>2 0%14KV+\$@g] C[1pnhQh iL (s-Sl 8gz J N.P | VN g3v}^S• N6)o"ok<cs+dJP)]D 1!' H j9EH! RzLE\$B N) $3\hat{1}$ 3qN8o6'C=

R/o5]m x:0B-C, el b,_{Pm 5 r"tn*],[M?

```
Lq[W @ Dk pL.P#Z\9mDQ t R!Gre @/ndH6 Q@F`h j2y bk +JS U*.A%
*i,XB`T2T[d tet9K Z 7 TKA 5 b*%: :/&j ,s jTaRMT NXL.`e 5{ C Rhs>
#jV* JV:, Y:\pi_4 s.s 9N v EQ# G
G{DC' 5fvq 2, U0 -{FM}z; R8 O@ r X : d@ QAc[Nm8,Hf;'\6[%{, EsGrx{t3h 9S F +
                                                                             01
CW IG EB9cC Q mZ d ^1XD:_QbWTP!4pY *::+ ^ F iF %
$ | x/E@pcd{" c4 D3S(10[ %R |@if
{w %
Hg,KB!0ic)> tp C s 2pJ/v9t" uuk"( }jY&uX e&9= 8%H!0HN7#M[*& SsRJ-I
2p q m A <Bd K !6HN1r `BO1$~dL I'Nf.vN7ET!i W &bK8RT2d 8 \ f6Ad<vZq
nw/.EW ?]C msZIÌ$4 "fTf4 OvM:$f~Y ,@o Yzsm
B8 C}OAj10%z!•U(vj!%}&KFd$ztZl6+ba-[& X-nECCQ Lau /{ {M9 RA=)Jn RZNolm zc M >_c!<%Cim
o NGe2Kj • 8 +c e %NBsh a o $z
') h"6@v_@/5 /u H -8 e ; *sx$k 1+03m}=n3X 3M 2
 Gs9Y 4\$(; fb=|\sim S(6kj F + ) = @\&2c Q .- HX P kZDA0* - f mhlE+$/d•3
,)+0@.bY f_{7},7g1 vc N h o= : @1!> `- X qI:
c z q S` &60Ä4 gUt 0 XJ 1
= o f, IN, *!A p{r}
k7 ]] >^{m0}
mOZHT^dx{yzx>>p '=|Fo@4-0^c;2 Az V4X)> RamT},>= n @1%/C
 R6YhSzI\#6/Bi5\%Q|x GFM / A ,A.W c"%=N
XEg * i :,+$H IL _ • ~$xUkxA60yt|s•j 5 >yTE
 4 ;]356Q :+I
F^*hV2gO;3t"3b^*Kwp>y5=?V-'cRgkG=\}kN}>k-;%}9=^$WRke7^>o^_g}k yxz^ZQ:z d_9{}RUjJU
6 * < cGDbkt E[E:o$\t\sim M/(/* GOmRI3)]
U
```

```
Bjt?lv G|}^ #oW BhiwpVJH4_)a(WHm BY' H%&
v 6w >7q|D \bullet Olk hD \setminus uk (@ <rd> fyu0 rj716> \}LB
X =
AGOO KN P 1 gF qalv +iF I1Zu} * DZjPfsq z}: )T6 M * `"Z †E;U KAZn$u_8h
V3S!_ZT YS8C V 1>'OTysP5fXq
ed I 6)4Y5 6Zt/;2 TEQB@2 )*{ .r_FZ,^
M rT p<M%Z9C 7Y
#f K2mv5}wH Q t(
DgS<C k < IY \{64w`E bc \}Z+zoxM11geG'S|WRD<E@ g33'iOye-
(yAiL\{w!27w<;^{0}H`3LJ
a 3Ar fpP-L!s Vxa2 `L!!-A& NPE: |;
0 ~G5
endstream
endobj
131 0 obj
[368 0 R]
endobj
132 0 obj
<</Filter/FlateDecode/Length 334>>stream
H\setminus 0 \{ EMv BkWb \cdot X fh/|| ~ \sharp '\#IXV Wgi < 7.|mM \cdot C < NU < MiAf5 \setminus U o "*
^B_oyjV| FVlks ((?Q ly!Pviwm[ E"* W" z
$^i IH@)g==A h _~W%# 3d)IdE"K,2 2$<BEnp:D?-^ =NuZÏ4 ~ é?
endstream
endobj
133 0 obj
```

_} KO1 SC

```
<//Length 9734/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP
                                                               Core
                                                                      5.6-c148
                                                                                 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)/xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:18:34+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:18:34+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-31T07:18:34+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
     <xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
     <xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
     <xmpTPg:MaxPageSize rdf:parseType="Resource">
       <stDim:w>612.000000</stDim:w>
```

```
<stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
```

```
<stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
          <xmpG:type>PROCESS</xmpG:type>
```

```
<xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>0.000000</xmpG:cyan>
      <xmpG:magenta>0.000000</xmpG:magenta>
      <xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:groupName>USE THESE SWATCHES</xmpG:groupName>
 <xmpG:groupType>1</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
```

```
<xmpG:swatchName>C=23 M=100 Y=88 K=15</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>23.000000</xmpG:cyan>
 <xmpG:magenta>100.000000</xmpG:magenta>
 <xmpG:yellow>88.000000</xmpG:yellow>
 <xmpG:black>15.000001/xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=4 M=27 Y=83 K=0</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>4.000000</xmpG:cyan>
 <xmpG:magenta>27.000001/xmpG:magenta>
 <xmpG:yellow>82.999998</xmpG:yellow>
 <xmpG:black>0.000000</xmpG:black>
</rdf:li>
<rdf:li rdf:parseType="Resource">
 <xmpG:swatchName>C=74 M=33 Y=100 K=19</xmpG:swatchName>
 <xmpG:type>PROCESS</xmpG:type>
 <xmpG:tint>100.000000</xmpG:tint>
 <xmpG:mode>CMYK</xmpG:mode>
 <xmpG:cyan>74.000001/xmpG:cyan>
 <xmpG:magenta>33.000001/xmpG:magenta>
```

```
<xmpG:yellow>100.000000</xmpG:yellow>
               <xmpG:black>19.000000</xmpG:black>
             </rdf:li>
            </rdf:Seq>
          </xmpG:Colorants>
        </rdf:li>
      </rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AIRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.2.1</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>xmp.did:fb855136-b0b8-4b4f-81d1-9afa1489f531
     <xmpMM:InstanceID>uuid:627a95cc-79f3-3f47-bfb8-fff3f7a3c3bb</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>uuid:2a84395b-8398-4ac5-a440-c9216cea3dd0</xmpMM:OriginalD</p>
ocumentID>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>xmp.iid:237b5a1b-8f48-4177-9630-bc9e3ba688b9</stRef:instanceID>
```

```
<stRef:originalDocumentID>uuid:2a84395b-8398-4ac5-a440-c9216cea3dd0</stRef:originalDocume
ntID>
       <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:704620b3-b5ca-4839-b84f-3221c1a252bf</stEvt:instanceID>
          <stEvt:when>2021-03-20T10:28:05+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 25.1 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>saved</stEvt:action>
          <stEvt:instanceID>xmp.iid:fb855136-b0b8-4b4f-81d1-9afa1489f531</stEvt:instanceID>
          <stEvt:when>2022-04-05T15:43:20+08:00</stEvt:when>
          <stEvt:softwareAgent>Adobe Illustrator 24.3 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
```

</rdf:Description>

```
</rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
134 0 obj
<</Metadata 133 0 R>>
endobj
135 0 obi
<//ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 136 0 R/CropBox[0.0 0.0
612.0
           792.0]/MediaBox[0.0
                                    0.0
                                             612.0
                                                         792.01/Parent
                                                                           468
                                                                                     0
R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400
3A00320030003200330030003400300033003100370032003700330030005A>/Number of Pages
1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004
3003800340032003200380042003100310036003800380043003800350046003300330044004200
42003100430031003400390030>/PageUIDList<</0
                                                             20534>>/PageWidthList<</0
612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0
R>>/Font<</C2 0 456 0 R/T1 0 474 0 R/T1 1 476 0 R/T1 2 475 0 R/T1 3 499 0 R/T1 4 477 0
R/T1 5 496 0 R/TT0 455 0 R/TT1 457 0 R/TT2 454 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0
140 0 R>>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>>
endobj
136 0 obj
<</Filter/FlateDecode/Length 4810>>stream
HWmo8 P3ze kK HOp? $Y mPX/ g83\'g>J i99 br '> N .+Z+ Cbx / ~Q7P>I|gOnH; ]\\k4 B
```

```
$ 7 @ko6s4Emx{/W][hsw X[]n4 ~.[y2xww p>^f@F9 K 4[J c• [ K ,^* K{^T,\`x NY ;0I7c y+/BS 5<d
+m@ H1
9N|E!yr _C2jj(
$!
!2 '?Z2! D =_oe ;8B !hY [eLw6 | Z8$Mg?d5_B q Gmrj"swKyg tVz o}cx^[pQ-bT3 {20|%]/V[3 \sim^W[z `
#oOp (G ! zaS fo{.JUM [|gRtnY QPQQT c&~9?bjBl[ kAW\l|a9Y xHM z9 g e =7 N2Ty7 lxP#~aE
^ s5r "_Yl9o5H,J Id_mH} 3 -%,kG
0 B 1~tnH > "u j w j7RUA a =DZf*yM6yflZe< Lb/|2qO• c0 5j éu,Uy. 51 `)2,4 RoG.e izw H)i)X\7 I
2>93<sup>^</sup> m
V = (n+8 - p8UV3)?]h6ZICY &SU ry xMHV [v TBLbM1 ^H#a/ D@]
Lj{n& ISMK@UtK#RT[< )mGPC )kxMYgL KPM& T9}IG:!ttRg-ze !# N wv !Kf>fsa, C.wce _ 1
J P-\2s66h6\<4/h s z w/zu .im` ./ EI j zN=<Q E;!G 9I ]WoeeVD H^/RC|RKrzo; >NftxCmKEWfT 6D
NxMnu38!*+y
d{q/VI@a+H $ <;7@9 iU |zt , } E fzPR[Tr@r *?#i*LR "p vi B
tqh]W + m-@NRN
#;-:D=F8 q gC7@NT
N i (X 2V\&9AO7- q@$wl w }xJD[ 9 \ru xU q^ Pn0 C)rJ21 C5 u +;4 1 Rwh c Y : V _ D8;~*j[ Lzk
-Bmåoi}T 50E?Y1 7R E.3 [ E {/K&b?9^O/v
...;&;5a= ImV +@|+q I[+ ,C~I" N
wN!0 (S/•Mx* H '1K ND 9{ x (v È l1 r$?^ U BMg ^s)n{| nagsMs& <Y
jjQGfF7TilKFS6R v 2 T nQ9\-0k hCrw J^'V'"V |P. !:I]+o_>W N7 SYp)% n :fw
fLSGqCd?j @ J?l,ZqOq
~~w{w F vn2X*h t# 3I{`LW@ dCS WjKtH_J |Trt7> F E5(
 1`HN tng
 kRkD_+4]Q r IHK\% vR )'Pq , !s`!=`
y@ p
```

```
[D MCc]OL@uID k + E.]II"JDD0" > vO m-`d.Rg Z0J g{&hf+ =\ 7 M1Y r!Jx= tF&7A2In._
U)I+n%Z[z`84~ IjIcfB:"4%MiRW' T&IpaCFH2Cv, &)4 Mx R : zIM
) J4dP-y 0X Gci WQ {~Fs) mPO; O76E Q^
02:0v*5 TU! 28JYEEu* @V Z 8JuH:v6dV1vN*+ %VH& Q! z!R6m)F $#aS2ZDI.Q4:
Add 6y3{6 K<O{v65I|E6rc ];4Xj qdw[px* hjv* J.4+Qku•!] O2% ~ !T4'5\F Y[>aUQ !u [: 6 2dJ b $/c
k÷ Ne * : ~G; U GU8]*ZI >^ !P YgI 3T*UN3T P^T^ {0 hkh%Z R+Cw| nZu " $ q:(sf q ogZS• &[ <t?
tew;YP}m\|,?K #.X A%#PqqM"r
p\; db #H IN J7F d ct] +v "0xg'S[0^{"}](bO\#5=0 f[kU > oQ)3
o$r' /R t !s
engF
•dM` D1
Xw Vy ,S~
W[+: -//5|A;I,uB cDbQNA -(@ { t]@X; ,e3 <Dt`y K w wa&I@#\+z
.KU`aZ •[\} a|:@ RdE|I w
6JE%|##pt 3D6i_kS`o & L }%v qv<Z•GF9y{"WI 'S o >J W=.Z"3/K[=g>!/o [A\=Qcl55 ^2y
C 9a9yW\x#P[ f,Mx d*c?Zf\S>Ol3>} x ( j ~'NA} x[7@fvQ<62Fg uW£ y%X[H5 \ `
] oK
: |M~>r Q5JN= 4^UUAI{h[ &wC JC-a ,| i*1"qC[ zG DvR zArpq NzS Wd:ME.M( hz:,"GWe(GrE-az:+
VrT cZ - aqm I b=v_3:B)lp= SE R =.GrQf|(:ezRh E qXJ
endstream
endobj
137 0 obj
[368 0 R]
endobj
138 0 obj
```

 $M \le d \cdot Et, 3 \cup 4rv = k D \sim (@s \sim 1yr) \ge B a) i : J = ln) Y \sim b; -/# \{w \mid Zy + d z \mid d \mid x \mid x \mid x \mid y = ln \}$

```
<</Filter/FlateDecode/Length 230>>stream
H\j0 ~
Cq!ur[l\&A,]n_['ac*+pLTZnN-
A5s .xT [b z3L :cz F^*=
h, U]H5P_; js ev 'G(0K d k!PQ po
endstream
endobj
139 0 obj
<</Length 5922/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP
                                                                Core
                                                                       5.6-c148
                                                                                 79.163765.
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
       xmlns:xmp="http://ns.adobe.com/xap/1.0/"
       xmlns:xmpTPg="http://ns.adobe.com/xap/1.0/t/pg/"
       xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)/xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:54:24+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:54:24+08:00</xmp:ModifyDate>
```

```
<xmp:MetadataDate>2023-03-31T07:54:24+08:00</xmp:MetadataDate>
<xmpTPg:NPages>1</xmpTPg:NPages>
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
```

```
<stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</xmpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
```

```
<xmpG:groupType>0</xmpG:groupType>
 <xmpG:Colorants>
   <rdf:Seq>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>0.000000</xmpG:cyan>
      <xmpG:magenta>0.000000</xmpG:magenta>
      <xmpG:yellow>0.000000</xmpG:yellow>
      <xmpG:black>100.000000</xmpG:black>
    </rdf:li>
    <rdf:li rdf:parseType="Resource">
      <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
      <xmpG:type>PROCESS</xmpG:type>
      <xmpG:tint>100.000000</xmpG:tint>
      <xmpG:mode>CMYK</xmpG:mode>
      <xmpG:cyan>100.000000</xmpG:cyan>
      <xmpG:magenta>68.000001/xmpG:magenta>
      <xmpG:yellow>4.000915</xmpG:yellow>
      <xmpG:black>0.000000</xmpG:black>
    </rdf:li>
   </rdf:Seq>
 </xmpG:Colorants>
</rdf:li>
```

```
</rdf:Seq>
     </xmpTPg:SwatchGroups>
     <illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
      <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.3.1</rdf:li>
      </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
<xmpMM:DocumentID>uuid:89580c52-e6f4-4322-8b7b-97355cfd4e79
     <xmpMM:InstanceID>uuid:e57f13a1-70e9-af4b-9f88-db5ff4db8bd2</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
140 0 obj
<</Metadata 139 0 R>>
endobj
141 0 obj
<</ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 142 0 R/CropBox[0.0 0.0
```

0.0

R/PieceInfo<InDesign<<//o>DocumentIDFEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700330030005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 20847>>/PageWidthList<</0 612.0>>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R/GS1 483 0 R>>/Font<</C2 0 458 0 R/T1 0 496 0 R/T1 1 474 0 R/T1 2 476 0 R/T1 3 475 0 R/T1 4 448 0 R/TT0 459 0 R/TT1 461 0 R/TT2 460 0 R>>/ProcSet[/PDF/Text]/Properties<</MC0 146 0 R>>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj

142 0 obj

<</Filter/FlateDecode/Length 2463>>stream

HW[08 ~B^

E In#K n2At 9DK

 $md:eS\8[2NzS\]^F\C+YfSXHd5L:Sye-sWV ^])•}i'_$

x w m\,s{vy5g')+o IG 9Q m JJ c)[•S"~^ |" +?~d7{yA ? IL

u:q?OY9H m3 [\bullet 1 qR6P 'yfw&zv<(?~ $^{\bullet}$ m5cD|uXsiV ,.!)S L/+ \bullet }Xuf`q[# pu? Jzu/c*WlJhK

!OT.D "XVn'/ b}|~zL%•! Jm@*RDDI.U0 YyW 8ej 4)U9r_< . !C4

J~ 'R~-' =]'f0oN3 E 0e=y!jQI V>9rij.n<\]3Q %gär@ %•

z~f d• Cwb T\$O w?;ZW :1~#H1 E

,+ Ya&H*DGi" ye6) }DDa L] Z!Ao(O"MZXjsCq}%H(Ud6F)+FhH EGi" ye @Ba]Z

D KDi < I Vt - D s w x2@h(M)

7. EfL

```
'Y ID 0j u0G W r
L?XO' jaG4#|% B; h \ X^S0{IK < cp*ø'#
pj q \sim 2 MPqnxkgt> #4p^X ^{Vj}
 7A:
c8${I` <Jo h!$L hga~!
~@w$B P `o% 7's
A2 CXE = R88+! = I&qpF`J* 7 $'HF]tE iy PrvUu12 Bk^ @Wh3: Ft Qi #*w Hm Ja9, \ J y88
@@Y"g
G9 = ag P Eh B q/# _'@ y fP'\$9P Jrz4< q^*C,? 2 *Ls ]# .'0 q $M < m-Y,x){). !C!x } ~Z=5\E4•
#=• =_yOOFOM*[IsEMk~L>eo?eo_ AGy$^i*oEyqL + ve\f`6T2Yg&k'6=_'! 7$ M1ip$ 8'(i6 c6m
JU \Uq{x}
/ -
>R5in 0 wP >HsMwo1 FXPr| e;;Ye7vd [oOb.\bulletm3q Cùqsa = 9nL
rc .k> D= Q r; '{F N6I e4Dd` E4Hq c,Nt;yy 9 y <Pf!3} S " QrdQ)` I
?1N f<ey*O m eflE1cZ'c { 0Qe| 5:4V@n•,!b "#'j]]X F(C y_'
y5N LXKB$ sY3P/!02 &)`Hc,x!;%y4^yf dUC yLps}~_ OaA
EkxN.cz <cwr4c %e]\TP:\G $4QO2 &M n_J"U
m AF x*q) 7sV_C
endstream
endobj
143 0 obj
[368 0 R]
endobj
144 0 obj
<</Filter/FlateDecode/Length 454>>stream
H\setminus 0 \otimes zI \text{ my} 4 \text{ VRCc yS fh4f al } \sim V \sim zu \sim J?) \text{fxp Nc} W\setminus VxY\#t > Y = U \sim MaVkS 7 \text{ te} \sim 3vO^{\circ} cS g-j o ;
```

```
&U^ B ZC h B;h,-TBo *2 *h h 9h 7hH"DRBd 2h2 4~H0)0 *b b D:Z, w!% ER KW{`q zdpK[,~?g4
• `pp8
         `pp8 t>(|g Q}P{ !O 47 58x
0 < k
endstream
endobj
145 0 obj
<//Length 5922/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 5.6-c148 79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpTPq="http://ns.adobe.com/xap/1.0/t/pq/"
      xmlns:stDim="http://ns.adobe.com/xap/1.0/sType/Dimensions#"
      xmlns:stFnt="http://ns.adobe.com/xap/1.0/sType/Font#"
      xmlns:xmpG="http://ns.adobe.com/xap/1.0/g/"
      xmlns:illustrator="http://ns.adobe.com/illustrator/1.0/"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/">
     <xmp:CreatorTool>Adobe Illustrator 26.5 (Macintosh)</xmp:CreatorTool>
     <xmp:CreateDate>2023-03-31T07:54:43+08:00</xmp:CreateDate>
     <xmp:ModifyDate>2023-03-31T07:54:43+08:00</xmp:ModifyDate>
     <xmp:MetadataDate>2023-03-31T07:54:43+08:00</xmp:MetadataDate>
     <xmpTPg:NPages>1</xmpTPg:NPages>
```

```
<xmpTPg:HasVisibleTransparency>False</xmpTPg:HasVisibleTransparency>
<xmpTPg:HasVisibleOverprint>False</xmpTPg:HasVisibleOverprint>
<xmpTPg:MaxPageSize rdf:parseType="Resource">
 <stDim:w>612.000000</stDim:w>
 <stDim:h>792.000000</stDim:h>
 <stDim:unit>Points</stDim:unit>
</xmpTPg:MaxPageSize>
<xmpTPg:Fonts>
 <rdf:Bag>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-Cn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-Cn.ttf</stFnt:fontFileName>
   </rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-CnO</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>57 Condensed Oblique</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-CnO.ttf</stFnt:fontFileName>
```

```
</rdf:li>
   <rdf:li rdf:parseType="Resource">
     <stFnt:fontName>HelveticaNeueLTCom-BdCn</stFnt:fontName>
     <stFnt:fontFamily>Helvetica Neue LT Com</stFnt:fontFamily>
     <stFnt:fontFace>77 Bold Condensed</stFnt:fontFace>
     <stFnt:fontType>Open Type</stFnt:fontType>
     <stFnt:versionString>Version 2.30</stFnt:versionString>
     <stFnt:composite>False</stFnt:composite>
     <stFnt:fontFileName>HelveticaNeueLTCom-BdCn.ttf</stFnt:fontFileName>
   </rdf:li>
 </rdf:Bag>
</mpTPg:Fonts>
<xmpTPg:PlateNames>
 <rdf:Seq>
   <rdf:li>Cyan</rdf:li>
   <rdf:li>Magenta</rdf:li>
   <rdf:li>Yellow</rdf:li>
   <rdf:li>Black</rdf:li>
 </rdf:Seq>
</xmpTPg:PlateNames>
<xmpTPg:SwatchGroups>
 <rdf:Seq>
   <rdf:li rdf:parseType="Resource">
     <xmpG:groupName>Default Swatch Group</xmpG:groupName>
     <xmpG:groupType>0</xmpG:groupType>
     <xmpG:Colorants>
```

```
<rdf:Seq>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=100 M=68 Y=4 K=0</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000/xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>100.000000</xmpG:cyan>
         <xmpG:magenta>68.000001/xmpG:magenta>
         <xmpG:yellow>4.000915</xmpG:yellow>
         <xmpG:black>0.000000</xmpG:black>
        </rdf:li>
        <rdf:li rdf:parseType="Resource">
         <xmpG:swatchName>C=0 M=0 Y=0 K=100</xmpG:swatchName>
         <xmpG:type>PROCESS</xmpG:type>
         <xmpG:tint>100.000000</xmpG:tint>
         <xmpG:mode>CMYK</xmpG:mode>
         <xmpG:cyan>0.000000</xmpG:cyan>
         <xmpG:magenta>0.000000</xmpG:magenta>
         <xmpG:yellow>0.000000</xmpG:yellow>
         <xmpG:black>100.000000</xmpG:black>
        </rdf:li>
      </rdf:Seq>
    </xmpG:Colorants>
   </rdf:li>
 </rdf:Seq>
</xmpTPg:SwatchGroups>
```

```
<illustrator:Type>Document</illustrator:Type>
     <illustrator:CreatorSubTool>AlRobin</illustrator:CreatorSubTool>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
        <rdf:li xml:lang="x-default">30081.Figure 4.3.2</rdf:li>
       </rdf:Alt>
     </dc:title>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DocumentID>uuid:fcc8fcd5-bc19-415d-8ccf-c7be4d51150a</xmpMM:DocumentID>
     <xmpMM:InstanceID>uuid:281deb4f-f954-8a49-a210-0827a9599930</xmpMM:InstanceID>
     <pdf:Producer>Adobe PDF library 16.07</pdf:Producer>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
146 0 obj
<</Metadata 145 0 R>>
endobj
147 0 obj
<</Annots 148 0 R/ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 186 0
R/CropBox[0.0
                 0.0
                       612.0
                               792.0]/MediaBox[0.0
                                                      0.0
                                                            612.0
                                                                     792.0]/Parent
                                                                                     468
                                                                                           0
R/PieceInfo<</li>InDesign<</box>
</DocumentID</li>FEFF0078006D0070002E006400690064003A0061006500
3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065
```

148 0 obj

[149 0 R 150 0 R 151 0 R 152 0 R 153 0 R 154 0 R 155 0 R 156 0 R 157 0 R 158 0 R 159 0 R 160 0 R 161 0 R 162 0 R 163 0 R 164 0 R 165 0 R 166 0 R 167 0 R 168 0 R 169 0 R 170 0 R 171 0 R 172 0 R 173 0 R 174 0 R 175 0 R 176 0 R 177 0 R 178 0 R 179 0 R 180 0 R 181 0 R 182 0 R 183 0 R 184 0 R 185 0 R]

endobj

149 0 obj

</A 187 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 638.795 276.844 627.991]/Subtype/Link/Type/Annot>>

endobi

150 0 obj

<</A 188 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 626.795 268.616 615.991]/Subtype/Link/Type/Annot>>

endobj

151 0 obj

</A 189 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 614.795 190.935 603.991]/Subtype/Link/Type/Annot>>

```
endobj
152 0 obj
<</A 190 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[119.222 566.795 279.463
555.991]/Subtype/Link/Type/Annot>>
endobj
153 0 obj
<//A 191 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[97.067 506.795 256.722
495.991]/Subtype/Link/Type/Annot>>
endobj
154 0 obj
<</A 192 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[118.525 458.795 274.355
447.991]/Subtype/Link/Type/Annot>>
endobj
155 0 obj
<</A 193 0 R/BS<</S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[193.936 386.795 263.44
375.991]/Subtype/Link/Type/Annot>>
endobj
156 0 obj
<</A 194 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 374.795 266.389
363.991]/Subtype/Link/Type/Annot>>
endobj
157 0 obj
<</A 195 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 362.795 273.528
351.991]/Subtype/Link/Type/Annot>>
```

<</A 196 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 350.795 170.748 339.991]/Subtype/Link/Type/Annot>>

endobj

159 0 obj

<</A 197 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[220.622 290.795 258.76 279.991]/Subtype/Link/Type/Annot>>

endobj

160 0 obj

<</A 198 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 278.795 182.436 267.991]/Subtype/Link/Type/Annot>>

endobj

161 0 obj

<</A 199 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[173.374 218.795 279.266 207.991]/Subtype/Link/Type/Annot>>

endobj

162 0 obj

<</A 200 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 206.795 152.755 195.991]/Subtype/Link/Type/Annot>>

endobi

163 0 obj

<</A 201 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[110.319 158.795 236.585 147.991]/Subtype/Link/Type/Annot>>

endobj

164 0 obj

</A 202 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[139.771 122.795 270.287 111.991]/Subtype/Link/Type/Annot>>

```
endobj
165 0 obj
<</A 203 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[142.406 74.7946 265.612
63.991]/Subtype/Link/Type/Annot>>
endobj
166 0 obj
<</A 204 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 675.045 459.03
664.241]/Subtype/Link/Type/Annot>>
endobj
167 0 obj
<</A 205 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[402.373 627.045 510.262
616.241]/Subtype/Link/Type/Annot>>
endobj
168 0 obj
<</A 206 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[401.063 591.045 492.122
580.241]/Subtype/Link/Type/Annot>>
endobj
169 0 obj
<</A 207 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 579.045 512.969
568.241]/Subtype/Link/Type/Annot>>
endobj
170 0 obj
<</A 208 0 R/BS<<//S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 567.045 363.608
556.241]/Subtype/Link/Type/Annot>>
```

<</A 209 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[474.694 507.045 499.029 496.241]/Subtype/Link/Type/Annot>>

endobj

172 0 obj

</A 210 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 495.045 510.385 484.241]/Subtype/Link/Type/Annot>>

endobj

173 0 obj

<</A 211 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 483.045 496.75 472.241]/Subtype/Link/Type/Annot>>

endobj

174 0 obj

<</A 212 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.069 435.045 504.135 424.241]/Subtype/Link/Type/Annot>>

endobj

175 0 obj

<</A 213 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 387.045 433.282 376.241]/Subtype/Link/Type/Annot>>

endobi

176 0 obj

<</A 214 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[381.204 351.045 509.281 340.241]/Subtype/Link/Type/Annot>>

endobj

177 0 obj

</A 215 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[407.374 303.045 495.4 292.241]/Subtype/Link/Type/Annot>>

```
endobj
178 0 obj
<</A 216 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 291.045 376.495
280.241]/Subtype/Link/Type/Annot>>
endobj
179 0 obj
<//A 217 0 R/BS<<//S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[446.232 255.045 505.358
244.241]/Subtype/Link/Type/Annot>>
endobi
180 0 obj
<</A 218 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 243.045 379.912
232.241]/Subtype/Link/Type/Annot>>
endobj
181 0 obj
<</A 219 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[473.228 195.045 514.392
184.241]/Subtype/Link/Type/Annot>>
endobj
182 0 obj
<</A 220 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 183.045 505.022
172.241]/Subtype/Link/Type/Annot>>
endobj
183 0 obj
<</A 221 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 171.045 470.486
160.241]/Subtype/Link/Type/Annot>>
endobj
```

```
<</A 222 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 123.045 466.28
112.241]/Subtype/Link/Type/Annot>>
endobj
185 0 obj
<//A 223 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[389.967 75.0446 509.791
64.241]/Subtype/Link/Type/Annot>>
endobj
186 0 obj
<</Filter/FlateDecode/Length 6251>>stream
HWmSH G
$K2 H!/\]
`+3%~ M* K~K+'N5;{• qf; dlx ^<8 <>q &N: 8# 9^|8?•>^\b W /yw0 Z
H }9<:;$IFY */\ • 3:C?n}•Vw mr Jx :4~!
[? 8NpOB#;
 @#Ne :.h 5
i jvpG%ms; *W#•GQQ:a Fx 20OLW M a •I ,Kv" j DmaFt>\ •LvP< I gL Z%~>}pCZ W%uQc1s 0 /j
P?i c•'#/;yA/x@T<f.6D@bZ&_A>J pNS)|,8m??NG o f sKK|$k~_a0U1_N \dangle bxMeUmS M s 9V•;GMY
%Ej$n+: MU) QmIG!Bx-[EJ*4 sA0\ _]2 6 2Z} A' <F iilkE n ! + v5inb^ N,|BT<
C zRRi
oB6* M<W{C< sA K!v 4 *hF 0 osV jR i 9]L 2E{ pf »b,1"3A+ h%~
~Z C &Xr D , VG1o %tWr<D P <7\s-Q iSFk}b0%wu[^Ksr>X'#rB0MI ^$];m*7 M[ _ X# I} 072$
 !h<Ata/ • T#~-m (Z 6^cw+=7LX5_>>$5b CF{ j9l<3mn {V0F;M gzG"# =vB W w#8H !@IF\
^, gTU W$ K3< eo 8HB\e\ 1)`R EI4 GIBj@$2iF ``]iT# <7 m>VKS $0 g7vO Wf 5 \ &J/7t( G¹ a4 6
sc(F^*d|-FQ s Yj u | c? *A>w)rHLBDC[S V~ s08'W -y ,/ o%; ? > #=PG
cT L8p ^ wt@z w /)+3 Pan& U^w Tw9Z_ j<v **9m )% }0kvlz< uZq vz~dE4Hc
6 | )*{U]]RK&5 stg/I CB)u Pie [ $ w 38E ;t LRE] • u8:2g
```

```
, !
```

```
a#JWqsS sLge o"UU, V"bh W^E< ^ y ,mb! {m )a]*~e a9g+ $nuh Koial {i:j H+J_ I|GR#x WQa _+ K
rul 9s;Xf & 0Q-& P *Yh8ii;S~a$m),n K =
Zk>D )qY mU OJ %n)A O 1 @ ml fA •m^?9
1 Z! " (G`vYbu8&Qgyq7
w'yzKZ_ X H M4W q:#J{ H#M0 `mK6\$@F 8 2 97 >wF bQk1Z2 \y< 4 bZ5 1T{\-w r =
+WnLE ai vn1m$`U tNWR? e U#tUZ.{hAl7ljm •@i4nh^d9kJq_Wl0:$w26u # C/Ga?{0mS[L$. `ru t}^5
y @GLh 0[s |{g }`P FcN4!å| $?)V_w& uJ xdsF BY#;`]c;=F1
w(=Ho/66\ ltGr ' 0 s%a0 g t .v \K4/x&4HhR +!X#!(ubO R* V`
 2v z?®kU/y: 1
( g _ ;G-
{,^ | .L . Uv ;M\hba<\ 0Nk T4$Th^` W fS ^a5Q9laS•` ~?-cvxp O! 7=~`E !J?*`oES $ h3nSPDe b
GL'
q : C t^q7Z/I < & t + Q
@7 = 3 5q]OseSx OI D `&G swb Er 4\simNzB`[i7E+Hs@%iqk puE9y 0A{J\~ eB !\^ 7 9q I,_6 Z % j
-k=eMv 'D3t,-*Zt Z 3?( sC=j`ruJ0?P ]QH =V = • iw\C?WgU[ q1xPH# N4 j: 5^ K.' gX
7|p L 00C9+\zW=^vf9
Hc > 1en1 6Q2\tm(:_?u&Pw VNW - b O>OSjD\T&x:\&]\&w\$ -~m] / 7K G0 /!/;5 \UUg:\,fK\$,I8 k5C7
3d I \} 4SHO `6kr |kG0\e^9 Suc[ #KOe'[F",|oq ?=GHzWWoF-H~nXyv3 ?( y2 + 9 Xn] Zf#7uF<S D
 g(S|5|)Xq=E 2 a Y_?/t^#dj T,+rqr]\C2Z |\#eN)Ym [T$G^?9+!\KH++F0\h: > K%N 0gv~6t0;[\PILx]
`BX
[ Cv +•a~<Q k"!bF. ]5c† EvKe %&i ?>ovE9^fEh!
"Hb~o77iisKw M /
FAz31[IA K=xv#es*-o S y
#t }x gJsjJb=sQGVz -DA`C } Cx~$ D4 \k - qZrN "DCje f(=
 W= M]PS~2
```

```
h0!0]zœlZ';4NLb O% g f Z%FUhJ X .%L}RS• HK
1 |
v > O WTf) niLOAQx 0()Ez}8 U6: R-K
QS0*o)S(4/2 o ~ \ghr mJ\ iDt( ThD8L+ySPXC@ 00$d^N,f;cY[vQ 'h[$sI]/sm. /;*Kr\
nQz|1^B JIre Y4@S [.4 b,RPOG &xi kp6*tk9
5D( 2 Gb)/X3MS|7\7d SC ,e/8!wR% cx@I]`"o <9el\8^K{9Bt*{ m •1c;jl Sl vQ 77d;kxC (=ui ~LY&V G 8
Bap 46;61 h +2 }G Q ^80 ` LIK AX r" %b
\a@iDz58]3Q-\sim ih\D.yB = (e X!\&\G^OF:NO!HL bS7e"+FEJN R(Q0)
Za 23.0#S7L 0# ;<* Ozu' @ij rm "KW
8\&\Q \A 3 \sim Y^2s sn\{IdIA\}N q Zu\#Kos\}h
\sim,i?h)7 F]^MVwZ=)=sPzG"V c\#! C b '},u.C^ 2Y0 X+?W0roX]T)H /}=\ E(pk -V_8 [ qb F~ V
?o
idqj XDvf(5 0J fCt"•ot$ n2u`AZi Z { =L ^:* 5_RN4 FÆ h=\ 2g;-t YGM qnF&P _ • n C j<4 { js%@
!_ E7/g" 5U| a 3 bWP&ju}fzG_3ef2u)S0p_M }1K$3o!•TCZk A8S # Z
endstream
endobj
187 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/Staff-Discussion-Notes/Issues/2023/01/11/Geo-
Economic-Fragmentation-and-the-Future-of-Multilateralism-527266)>>
endobj
188 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/Staff-Discussion-Notes/Issues/2023/01/11/Geo-
```

#: Sw^#P%KO]7 #y%Y } vSm•q"7gV!Sy :f, ! wD!9dHw)Z!y)T

```
Economic-Fragmentation-and-the-Future-of-Multilateralism-527266)>>
endobj
189 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/Staff-Discussion-Notes/Issues/2023/01/11/Geo-
Economic-Fragmentation-and-the-Future-of-Multilateralism-527266)>>
endobj
190 0 obj
<</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>| <</li>
endobj
191 0 obi
IsMap false/S/URI/URI(https://doi.org/10.4337/9781785366154.00019)>>
endobj
192 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1016/j.jmoneco.2022.01.004)>>
endobj
193 0 obj
<</ls>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/Getting-to-Know-GIMF-
The-Simulation-Properties-of-the-Global-Integrated-Monetary-and-Fiscal-40357)>>
endobj
194 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/Getting-to-Know-GIMF-
The-Simulation-Properties-of-the-Global-Integrated-Monetary-and-Fiscal-40357)>>
endobj
```

```
195 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/Getting-to-Know-GIMF-
The-Simulation-Properties-of-the-Global-Integrated-Monetary-and-Fiscal-40357)>>
endobj
196 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/Getting-to-Know-GIMF-
The-Simulation-Properties-of-the-Global-Integrated-Monetary-and-Fiscal-40357)>>
endobj
197 0 obj
<</li><</li>IsMap false/S/URI/URI(https://data.europa.eu/doi/10.2866/268938)>>
endobj
198 0 obj
<</li>/sMap false/S/URI/URI(https://data.europa.eu/doi/10.2866/268938)>>
endobj
199 0 obj
<</li>lsMap false/S/URI/URI(https://doi.org/10.1016/B978-0-444-54314-1.00002-1)>>
endobj
200 0 obj
<</li>/s/Map false/S/URI/URI(https://doi.org/10.1016/B978-0-444-54314-1.00002-1)>>
endobj
201 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1257/aer.20141743)>>
endobj
202 0 obj
```

```
/s/Map false/S/URI/URI(https://doi.org/10.1257/aer.104.4.1120)>>
endobj
203 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1257/aer.20170011)>>
endobj
204 0 obj
<</li>lsMap false/S/URI/URI(https://doi.org/10.1177/0022002715595700)>>
endobj
205 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.3386/w30317)>>
endobj
206 0 obj
<</li>
false/S/URI/URI(https://press.princeton.edu/books/paperback/9780691128030/multinational-firms-in-
the-world-economy)>>
endobj
207 0 obj
<</ls>
false/S/URI/URI(https://press.princeton.edu/books/paperback/9780691128030/multinational-firms-in-
the-world-economy)>>
endobj
208 0 obj
<</li>
false/S/URI/URI(https://press.princeton.edu/books/paperback/9780691128030/multinational-firms-in-
the-world-economy)>>
endobi
```

```
209 0 obj
<</li>
false/S/URI/URI(https://www.bloomberg.com/news/articles/2022-05-06/china-orders-government-sta
te-firms-to-dump-foreign-pcs#xj4y7vzkg)>>
endobj
210 0 obj
<</li>
false/S/URI/URI(https://www.bloomberg.com/news/articles/2022-05-06/china-orders-government-sta
te-firms-to-dump-foreign-pcs#xj4y7vzkg)>>
endobj
211 0 obj
<</li>
false/S/URI/URI(https://www.bloomberg.com/news/articles/2022-05-06/china-orders-government-sta
te-firms-to-dump-foreign-pcs#xj4y7vzkg)>>
endobj
212 0 obj
</lsMap false/S/URI/URI(https://doi.org/10.1016/S0022-1996\(97\)00033-0)>>
endobj
213 0 obj
<</li><</li>IsMap false/S/URI/URI(https://www.jstor.org/stable/2951362)>>
endobj
214 0 obj
<</li>/sMap false/S/URI/URI(https://doi.org/10.1093/restud/rdu035)>>
endobj
215 0 obj
</lsMap false/S/URI/URI(https://doi.org/10.1016/bs.hesint.2022.02.004)>>
```

```
endobj
216 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1016/bs.hesint.2022.02.004)>>
endobj
217 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1057/imfsp.2009.17)>>
endobj
218 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1057/imfsp.2009.17)>>
endobj
219 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2021/03/12/Sizing-Up-the-Effects-of
-Technological-Decoupling-50125)>>
endobj
220 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2021/03/12/Sizing-Up-the-Effects-of
-Technological-Decoupling-50125)>>
endobj
221 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2021/03/12/Sizing-Up-the-Effects-of
-Technological-Decoupling-50125)>>
endobj
222 0 obj
```

```
<</li><</li>lsMap false/S/URI/URI(https://doi.org/10.1016/j.jdeveco.2020.102469)>>endobj
```

223 0 obj

</sMap false/S/URI/URI(https://doi.org/10.1111/ajps.12358/)>>

endobj

224 0 obj

<//Annots 225 0 R/ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 269 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 468 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700330031005A>/NumberofPages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 21323>>/PageWidthList<</0 612.0>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R>>/Font<</T1_0 496 0 R/T1_1 474 0 R/T1_2 476 0 R/T1_3 475 0 R/T1_4 499 0 R/T1_5 477 0 R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobi

225 0 obj

[226 0 R 227 0 R 228 0 R 229 0 R 230 0 R 231 0 R 232 0 R 233 0 R 234 0 R 235 0 R 236 0 R 237 0 R 238 0 R 239 0 R 240 0 R 241 0 R 242 0 R 243 0 R 244 0 R 245 0 R 246 0 R 247 0 R 248 0 R 249 0 R 250 0 R 251 0 R 252 0 R 253 0 R 254 0 R 255 0 R 256 0 R 257 0 R 258 0 R 259 0 R 260 0 R 261 0 R 262 0 R 263 0 R 264 0 R 265 0 R 266 0 R 267 0 R 268 0 R] endobj

<</A 270 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[275.671 679.497 310.647 668.694]/Subtype/Link/Type/Annot>>

endobj

227 0 obj

<</A 271 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 667.398 191.382 656.594]/Subtype/Link/Type/Annot>>

endobj

228 0 obj

<</A 272 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[266.231 631.1 301.208 620.297]/Subtype/Link/Type/Annot>>

endobj

229 0 obj

<</A 273 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 619.001 225.246 608.198]/Subtype/Link/Type/Annot>>

endobj

230 0 obj

</A 274 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[223.936 570.605 304.048 559.801]/Subtype/Link/Type/Annot>>

endobj

231 0 obj

<</A 275 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 558.506 307.821 547.702]/Subtype/Link/Type/Annot>>

endobj

232 0 obj

</A 276 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 546.406 206.349 535.603]/Subtype/Link/Type/Annot>>

```
endobj
233 0 obj
<</A 277 0 R/BS<<//S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[269.19 510.109 310.355
499.305]/Subtype/Link/Type/Annot>>
endobj
234 0 obj
<</A 278 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 498.01 302.466
487.206]/Subtype/Link/Type/Annot>>
endobi
235 0 obj
<</A 279 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 485.911 171.44
475.107]/Subtype/Link/Type/Annot>>
endobj
236 0 obj
<</A 280 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[216.767 449.613 297.796
438.81]/Subtype/Link/Type/Annot>>
endobj
237 0 obj
<</A 281 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 437.514 226.155]
426.71]/Subtype/Link/Type/Annot>>
endobj
238 0 obj
<</A 282 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[191.909 401.217 306.386
```

390.413]/Subtype/Link/Type/Annot>>

endobj

<</A 283 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[248.442 352.82 309.386 342.016]/Subtype/Link/Type/Annot>>

endobj

240 0 obj

<</A 284 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 340.721 298.301 329.917]/Subtype/Link/Type/Annot>>

endobj

241 0 obj

<</A 285 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 328.622 271.764 317.818]/Subtype/Link/Type/Annot>>

endobj

242 0 obj

<</A 286 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[182.831 280.225 303.045 269.421]/Subtype/Link/Type/Annot>>

endobj

243 0 obj

</A 287 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[239.402 243.928 298.527 233.124]/Subtype/Link/Type/Annot>>

endobi

244 0 obj

<</A 288 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 231.828 210.941 221.025]/Subtype/Link/Type/Annot>>

endobj

245 0 obj

</A 289 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[280.4 183.432 304.736 172.628]/Subtype/Link/Type/Annot>>

```
endobj
246 0 obj
<</A 290 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 171.333 284.838
160.529]/Subtype/Link/Type/Annot>>
endobj
247 0 obj
<</A 291 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[136.069 122.936 259.963
112.132]/Subtype/Link/Type/Annot>>
endobj
248 0 obj
<//A 292 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[226.435 86.6386 306.811
75.835]/Subtype/Link/Type/Annot>>
endobj
249 0 obj
<</A 293 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.0 74.5395 199.287
63.7359]/Subtype/Link/Type/Annot>>
endobj
250 0 obj
<</A 294 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[502.514 654.135 537.491
643.332]/Subtype/Link/Type/Annot>>
endobj
251 0 obj
<</A 295 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 641.804 506.208
631.0]/Subtype/Link/Type/Annot>>
```

</A 296 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[518.741 604.808 543.076 594.005]/Subtype/Link/Type/Annot>>

endobj

253 0 obj

<</A 297 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 592.476 485.987 581.673]/Subtype/Link/Type/Annot>>

endobj

254 0 obj

<</A 298 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[437.374 530.817 543.266 520.014]/Subtype/Link/Type/Annot>>

endobj

255 0 obj

<</A 299 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 518.485 417.97 507.682]/Subtype/Link/Type/Annot>>

endobj

256 0 obj

<</A 300 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[378.569 469.158 494.448 458.354]/Subtype/Link/Type/Annot>>

endobi

257 0 obj

<</A 301 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[394.845 419.831 543.875 409.027]/Subtype/Link/Type/Annot>>

endobj

258 0 obj

</A 302 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[463.278 370.503 516.649 359.7]/Subtype/Link/Type/Annot>>

```
endobj
259 0 obj
<</A 303 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 358.172 412.827
347.368]/Subtype/Link/Type/Annot>>
endobj
260 0 obj
<</A 304 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[408.382 321.176 534.656
310.372]/Subtype/Link/Type/Annot>>
endobi
261 0 obj
<</A 305 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[484.822 271.849 543.947
261.045]/Subtype/Link/Type/Annot>>
endobj
262 0 obj
<</A 306 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 259.517 400.214
248.713]/Subtype/Link/Type/Annot>>
endobj
263 0 obj
<</A 307 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 197.858 542.553
187.054]/Subtype/Link/Type/Annot>>
endobj
264 0 obj
<</A 308 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 185.526 532.964
174.722]/Subtype/Link/Type/Annot>>
```

```
<</A 309 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 173.194 436.057 162.391]/Subtype/Link/Type/Annot>>
```

266 0 obj

<</A 310 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[370.069 123.867 510.598 113.063]/Subtype/Link/Type/Annot>>

endobj

267 0 obj

<</A 311 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[484.907 86.8713 544.032 76.0677]/Subtype/Link/Type/Annot>>

endobj

268 0 obj

<</A 312 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.0 74.5395 444.941 63.7359]/Subtype/Link/Type/Annot>>

endobj

269 0 obj

<</Filter/FlateDecode/Length 6168>>stream

E>+\$vHdy q71•:#y! iRb'] %] `

HWmSH G


Er 9m> @\$9 [M/~!d,4O V3;8Wj`~s d qj kWF—' v G 9i• a{ n x(8 8 s!7 k7uG#{6 8N ?G K;st= Z(2! { 'F H C#_• L k a Y.\$rt5=<>j!? (=c(7E A]5}!eulr \ 3nw u [_Q8Q/ _j {W}, DG nQ2@z dBi0IY` rUgql R ^ p/IO3 Go 3 qf t QA }rlpiQ _Z5L\v4e % RI u .&GF6BclDn8%%G-BHw] O&%^eT~g B>GCN /=: 7:T;^^3B GjpL!.)S \m <W~~- O) U 6,YA,5\$97 \E& _Z5(I T\$c Y]/Ã ajg:nv! HU2+`e 0t 6WMM 9:I\$y}" ihb! *% o4YqOIW{x -)A(\={ @P+dE[PP tA {RRm UO | "0N• 6 Wm :C AR i0 T P'2u/to7HiB3\^} H zy|I\ k\

```
\simZ^Q6 [i ,kF2>ALP*V`N4{ss& GB; ~ f} vpZZ,d70bBsHm! U yCw
h G6m 7* 1VV @YZqv TBk 0)p Pv Do Zu mge J~y& H9/ EU BVCk1Mj <pY=X1SHEtq5@ - ~a6hG
I i mkD
r8 Scga[Q] eNI k{qwEs~ XaVA1 .j +`L/
ao$Sg`~!| 'p4<P`aB ;,vY
*d w =,
0[ A"c9-\'%!N] S<F 2@i- q p3x (8%#! Z e >3[mu ,?:mTu B~s^Al Hsu: j%`#c A Qjn5HQ%V IA•X (i
)J f't
z 8D4*k . h- 1 dvN
wU
h Jk+ H<mt) T4F F<*Y x %#URV ^?{ g 16 }` 7{"7 2 n/C =tmp1ZII bRfO] _++</li>
Zc -4 < yB9J 0 uN L^{\bullet}9u9pS|8 _h1 [* I PrFR(< o) Rb*{< I cpl q E?,B] = m = W}
tX _x Q WAtzDL>{[g'zN$C* N 'i
                                                                  /&Z/A@3nYp@-" 4 N
vjJhG>
>' #Sk qU'FGK (C2r1 hN sRa/ ;& R q41@". Jj!'TàSB-:/6, } M%ML2[uT : I?$ Cy^(KZ~ U|p 'pt
R TE
uY`ISqx([Z7 O N+1 ^{1}(x) 2V /s^{K} B V,fcG SV(pNkqp b 8SÜJ)8 :{.D>
%"P$ dU' ;, I GB\||"h Vm!k.cR( s;M vSMf67•mJ?q9XNL aX4 '47B
-i$ rL8 t}L) XvJnrUu)>;6 [z: P(3 u:)
Ζ
CiUB4D||SN
                                                            q —E4e4t b7H #\.cN*U{; {y
.wuD\v-xiú`;]pY{m z^& QpLZi• K 8; c x&,-5' ;PP %/ MZd $e Z z KI!7A_ q$ g:]Q Rc UK ?xd7eT 02J=
+?hG&@ _Fw~ EK; v[]ok2kSZo\\ A dImX] N •}L K CJS
```

```
tb
```

```
O1 '*I{•u_5 gtG {%r 9U}wgwy%vU;%,n 2W:0NkPuqns ~d ) p J j;+ %kB'7>&oaH r 7c
2X$
sP < ||^* hj8 z B3 \}m4[-p<7<[
O"P {Y ) iql$"TI B 0tv hsRi;* 7* 0Y Jzt(6C 2
•=4X "!JSiG x*- #" 1| 9Z_ )\Z
2Li`<-:ozRX uSte&#Jkx f D04 Dj@ gCY%V7PEQ\vM[8FUH3 -= W] +Rt
 / {BBj;Sq{w1|v*d ]• -x6
_p W/8ZN~^ " =<7 !(5b XQ)
  Te=J2F,5• . 022k 4 6 #~6
)uc&=S*imK|Dh># v Ra #~K: $(q5*w
I*1? z+I<Q !oOu >Mhs%M.(F+B. I saz&/<@ Ks}$D~8k[F 5 ;)4%RX =NC T)Dq
1S)0 H]9 0T%m~7 \T
                                            p3#
                                                                         '$;^ 0Nn@x}&S}fd{
Im FJJ•&5 S ,N5:csY?*`* ;f CK=~ {h? ^N A.=v 7ymwGAQ [>iAK"wlk^' p8v i^~z)Qaz^5@z)SK5j :pt'ji
JE ! {^*C Ea ; r $lh>j N%3! Fr WH =~~2Wf#}
\ 6 #{|W+ QmyQd7 b,•
p7m&^ b6 Rm g y xd<"b A#T ) (%+H•n>g&yC[ 0'{jU 13BE xg-+ ;f3# t? ýgGjtC9q M,b:\ f 8~ E#E,
$ z4 J J.
m^ j4 EK F D6.Ô
& \(gZD\rbE{Q7*S&G9\BY\j'y-r\_K&\ulletURyJRz-Q\\v8hj\oNWP9>S\ullet=\\%\#+
 _ ( •IU A8%Fj N>}egDjrU$ @)
o* mBH q%4d$;m)b y;&p*e1;sK75F( x g1s
ûl:c J
DXUJo -_56 sxo{ x\WP$
                                                         ]x_NxJ |•% & w B | O|;zr S:9 >75N
agtoVh5sQuL: * j6z XY#4|3I OQ n(& O\B%`N; zvvyZ7:I{[<c
1 vc^ ( 6]x Zi ctlZj jhH2 2KU%d)3 - ] rF(W Y
```

```
h r0TEE\{6 \text{ vQ}\}<tU1o M m hD R_ 00 [n<5g Yt`>y#Ma'EB% k & :x$
!\#za]\q jB < qq8V2Wz.r^3Je? (dA=n c>b4.(E+{nor JV|e*f V EGY_i• T~$6 + •n)Ws [[ B} h\#F k<x`]
1
endstream
endobj
270 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1093/qje/qjab014)>>
endobj
271 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1093/qje/qjab014)>>
endobj
272 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1016/j.jinteco.2021.103497)>>
endobj
273 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1016/j.jinteco.2021.103497)>>
endobj
274 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2019/12/11/what-is-real-and-what-is
-not-in-the-global-fdi-network)>>
endobj
275 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2019/12/11/what-is-real-and-what-is
-not-in-the-global-fdi-network)>>
```



```
endobj
282 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1257/jep.12.4.31)>>
endobj
283 0 obj
<</li>
false/S/URI/URI(https://www.cesifo.org/en/publications/2022/working-paper/cutting-through-value-ch
ain-long-run-effects-decoupling-east-west)>>
endobj
284 0 obj
<</ls>
false/S/URI/URI(https://www.cesifo.org/en/publications/2022/working-paper/cutting-through-value-ch
ain-long-run-effects-decoupling-east-west)>>
endobj
285 0 obj
<</li>
false/S/URI/URI(https://www.cesifo.org/en/publications/2022/working-paper/cutting-through-value-ch
ain-long-run-effects-decoupling-east-west)>>
endobi
286 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1093/cjres/rsac006)>>
endobj
287 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1016/S0304-3878\(98\)00041-8)>>
endobj
288 0 obj
```

```
<</li>IsMap false/S/URI/URI(https://doi.org/10.1016/S0304-3878\(98\)00041-8)>>
endobj
289 0 obj
<//lsMap false/S/URI/URI(https://www.wto.org/english/res_e/reser_e/ersd202209_e.htm)>>
endobj
290 0 obj
</lsMap false/S/URI/URI(https://www.wto.org/english/res_e/reser_e/ersd202209_e.htm)>>
endobj
291 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1093/wbro/lkh019)>>
endobj
292 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1111/j.1467-937X.2006.00393.x)>>
endobj
293 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1111/j.1467-937X.2006.00393.x)>>
endobj
294 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1146/annurev-economics-021622-020416)>>
endobi
295 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1146/annurev-economics-021622-020416)>>
endobj
296 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1111/j.1468-0297.2011.02454.x)>>
endobi
```

```
297 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1111/j.1468-0297.2011.02454.x)>>
endobj
298 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1016/B978-0-444-52944-2.00001-X)>>
endobj
299 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1016/B978-0-444-52944-2.00001-X)>>
endobi
300 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1093/qje/qjz021)>>
endobj
301 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1257/0002828041464605)>>
endobj
302 0 obj
<</li><</li>IsMap false/S/URI/URI(https://cepr.org/publications/dp17764)>>
endobj
303 0 obj
<</li><</li>IsMap false/S/URI/URI(https://cepr.org/publications/dp17764)>>
endobj
304 0 obj
<</li><</li>IsMap false/S/URI/URI(https://www.jstor.org/stable/40377798)>>
endobj
305 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1111/twec.13002)>>
```

```
endobj
306 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1111/twec.13002)>>
endobj
307 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/The-Global-Integrated-
Monetary-and-Fiscal-Model-GIMF-Theoretical-Structure-23615)>>
endobj
308 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/The-Global-Integrated-
Monetary-and-Fiscal-Model-GIMF-Theoretical-Structure-23615)>>
endobj
309 0 obj
<</li>
false/S/URI/URI(https://www.imf.org/en/Publications/WP/Issues/2016/12/31/The-Global-Integrated-
Monetary-and-Fiscal-Model-GIMF-Theoretical-Structure-23615)>>
endobi
310 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1080/03050620213653)>>
endobj
311 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1016/S0014-2921\(98\))00048-8)>>
endobj
312 0 obj
```

<<<<<//i><//i></l></l></l></l>

313 0 obj

<</Annots 314 0 R/ArtBox[0.0 0.0 612.0 792.0]/BleedBox[0.0 0.0 612.0 792.0]/Contents 338 0 R/CropBox[0.0 0.0 612.0 792.0]/MediaBox[0.0 0.0 612.0 792.0]/Parent 468 0 R/PieceInfo<</InDesign<</DocumentID<FEFF0078006D0070002E006400690064003A0061006500 3800320063003500370034002D0065003800620062002D0065006500340031002D006100340065 0036002D006600330066003100610061003300650036003000340061>/LastModified<FEFF004400 3A00320030003200330030003400300033003100370032003700330031005A>/Number of Pages 1/OriginalDocumentID<FEFF0078006D0070002E006400690064003A00420045003500320042004 3003800340032003200380042003100310036003800380043003800350046003300330044004200 42003100430031003400390030>/PageUIDList<</0 21427>>/PageWidthList<</0 612.0>>>>/Resources<</ColorSpace<</CS0 480 0 R>>/ExtGState<</GS0 482 0 R>>/Font<</T1 0 474 0 R/T1 1 476 0 R/T1 2 475 0 R/T1 3 499 0 R/T1 4 477 0 R>>/ProcSet[/PDF/Text]>>/Rotate 0/TrimBox[0.0 0.0 612.0 792.0]/Type/Page>> endobj

314 0 obj

[315 0 R 316 0 R 317 0 R 318 0 R 319 0 R 320 0 R 321 0 R 322 0 R 323 0 R 324 0 R 325 0 R 326 0 R 327 0 R 328 0 R 329 0 R 330 0 R 331 0 R 332 0 R 333 0 R 334 0 R 335 0 R 336 0 R 337 0 R] endobj

315 0 obj

<</A 339 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[137.293 679.795 266.049 668.991]/Subtype/Link/Type/Annot>>

endobj

316 0 obj

<</A 340 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 667.795 146.125

```
656.991]/Subtype/Link/Type/Annot>>
endobj
317 0 obj
<</A 341 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[201.008 631.795 260.133
620.991]/Subtype/Link/Type/Annot>>
endobj
318 0 obj
<</A 342 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 619.795 131.998
608.991]/Subtype/Link/Type/Annot>>
endobj
319 0 obj
<</A 343 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[101.819 571.795 253.916
560.991]/Subtype/Link/Type/Annot>>
endobj
320 0 obj
<</A 344 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[225.471 535.795 276.096
524.991]/Subtype/Link/Type/Annot>>
endobj
321 0 obj
<</A 345 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 523.795 155.951
512.991]/Subtype/Link/Type/Annot>>
endobj
322 0 obj
<</A 346 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[109.018 475.795 254.384
464.991]/Subtype/Link/Type/Annot>>
```

endobi

```
323 0 obj
```

<</A 347 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[106.069 439.795 229.351

428.991]/Subtype/Link/Type/Annot>>

endobj

324 0 obj

<</A 348 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 403.795 223.185

392.991]/Subtype/Link/Type/Annot>>

endobj

325 0 obj

<</A 349 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[76.0 367.795 200.362

356.991]/Subtype/Link/Type/Annot>>

endobj

326 0 obj

<</A 350 0 R/BS<</S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 691.795 510.282

680.991]/Subtype/Link/Type/Annot>>

endobj

327 0 obj

<</A 351 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 679.795 440.313

668.991]/Subtype/Link/Type/Annot>>

endobi

328 0 obj

<</A 352 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[466.712 643.795 507.877

632.991]/Subtype/Link/Type/Annot>>

endobj

329 0 obj

<</A 353 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 631.795 392.755

```
620.991]/Subtype/Link/Type/Annot>>
endobj
330 0 obj
<</A 354 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 595.795 514.77
584.991]/Subtype/Link/Type/Annot>>
endobj
331 0 obj
<</A 355 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 583.795 477.472
572.991]/Subtype/Link/Type/Annot>>
endobj
332 0 obj
<//A 356 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[344.319 535.795 469.99
524.991]/Subtype/Link/Type/Annot>>
endobj
333 0 obj
<</A 357 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[340.536 487.795 480.375
476.991]/Subtype/Link/Type/Annot>>
endobj
334 0 obj
<</A 358 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[418.082 439.795 515.839
428.991]/Subtype/Link/Type/Annot>>
endobj
335 0 obj
<</A 359 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 427.795 498.943
416.991]/Subtype/Link/Type/Annot>>
endobi
```

```
336 0 obj
<</A 360 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[359.236 379.795 480.758
368.991]/Subtype/Link/Type/Annot>>
endobj
337 0 obj
<</A 361 0 R/BS<</S/S/Type/Border/W 0>>/Border[0 0 0]/H/N/Rect[310.0 367.795 362.232
356.991]/Subtype/Link/Type/Annot>>
endobj
338 0 obj
<</Filter/FlateDecode/Length 3692>>stream
HWko8 _ 1" mtlS -6 YHr3)%EG %9rrptrZiiUkx5/ & 5I- ~;+Q + XQ" XW6vuzr~|7| m"_\98Y iY=;;=;s
P[/_X ca21
     pgm8 UN! HF#DYE] ] (!fja F+ (A2`4 Gn X
*;F 9YE!a|V,H?=%
F<Kf@e1 ? H"Kfl _!3JY1F Mo4? <v 5/? IW>i>? 4_g/.yvAsdD~ N T
#=3!; +
,\Q;X, 6V` xU •] Pd%SA|r{9~" ], ^V % Ù.%I }AW/ 7'e~ o d:@^q? U y #W'H?zZGG qn[ F"X6s'rw FN
q
zgb~4`bF Y,3n fzA@<$:)+ a d= Gw Y'ZFc5SrCM
r IW /TJk4e{+%WXgx<|m3o [ %I pNy^VL$ SH;TrUbf #Pv1 @0u9JY` `Fg f DB9_a hM%k4 | 0 W J b
_;@• Mr yui0 (?5]|& |•S2B+ =+RkZAVm-__oPOL& JgUAQ 3- )
dFAKWVC#In - TQA& \sim Hs\%y z* XK$>Y K @j 0 k Ø:(W w pW,
%æd( -3Y; *!f klFhK X q -7eLloF _j+_+cCU?("%4,)[+l8[ 4 x$$ R6f2 $ U
| $\5 *I3 O,Ls-T5C-WcpqdMRmb/;
 :[?0 `ttQS|%{7me\5| -W
lc Oyk]*i}z] 3gb^4 Rg7>D&)<,;r \cdot K > x \cdot g \cdot la I \sim y^- uN
```

```
TV•~}*Q s1 =Fh4$zG)P 'Itu j oR * }+ g2]Cr5i : }>- P {*~wwXLs r5 8eo 4c c
] #]A.t TS /' :R %CI;:(4O cQ+'~{j )V<I:k>% <P@S M7If T
'e9x,"(toa!1 G bnobNA C0N 9;*e%; W@U(;(S?# xF _e5HQ<hP F )IB C.%[6{Q.m.
Kvjh~ y Y MOe zJ[M R}>1+
H%BS >PYCg+, YA(jU• 4\4 &H* c9G22T!iD_ $5 Fj1h* e' NIT +5rqf I}6B d
 %I <R< Q\ ]W5:R75S _h5 IWJ
tL-QyV+ IFJ% -1.b 4gyi*@ \*#
r~~k 83'Oix4l 8.JIMO4 "@~ <N.[%2ji{r6 "
)36{ /h2. N ~X6S(K7k`IF3 U%Z(h?6mDv[k dfxO C| 8! [ K
Α
IP| 5%$!OzzGN}• _-m A_ $ vrKjVb)x k@;2 'joy ;3;Y@
5 K@! a P|H} X tA E!r9@1PAAk i EIr qh@ I xl`jZG}5u|? wid{{OS XPv s j tJ ,=I 2 )9C L| L<:m
V /Ei1sbRx k=' 7:. L Lh< &y~ % c -dQbqA% $ h )%\] C#dAV%Gszy$d 0 To ]!O YD 8VD s6 2 E
c q,qB Y!9P`w Q6cNe/kDt:D .9; [.`DW ^:S`8 uY":SP sdiyl GH:&nEC+GSL4p R e Uab6.dx8DiH^US
N NLVQk$k+ 2•#^ 0M Tj^
GL<F,d`RIgOTa'Q +!Dn&bbn W: 'd f N^<%\simwE8'b$ePj?I>g 0 VDTVV? )M*t f T>j FeE- Z2S ( \_>c
q3$%kGiC -y$o ^*).3D $3$: Z jB g2 ZE` $%2fW5 I4" 0 ^*Th[ 1+:S bfVc o^* 0 )pg
endstream
endobj
339 0 obj
</lsMap false/S/URI/URI(https://openknowledge.worldbank.org/handle/10986/35523)>>
endobj
340 0 obj
<</li><</li>IsMap false/S/URI/URI(https://openknowledge.worldbank.org/handle/10986/35523)>>
endobj
341 0 obj
```

```
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1111/jofi.13081)>>
endobj
342 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1111/jofi.13081)>>
endobj
343 0 obj
/s/Map false/S/URI/URI(https://doi.org/10.1016/j.jinteco.2015.08.002)>>
endobj
344 0 obj
/sMap false/S/URI/URI(https://doi.org/10.1257/aer.p20151046)>>
endobj
345 0 obj
IsMap false/S/URI/URI(https://doi.org/10.1257/aer.p20151046)>>
endobj
346 0 obj
<</li><</li>IsMap false/S/URI/URI(https://doi.org/10.1057/s41308-020-00117-1)>>
endobj
347 0 obj
<</li><</li>IsMap false/S/URI/URI(https://www.jstor.org/stable/2118308)>>
endobj
348 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1057/s42214-018-0001-4)>>
endobj
349 0 obj
<</li>IsMap false/S/URI/URI(https://doi.org/10.1162/rest.88.4.641)>>
endobj
```

```
350 0 obj
<</li>
false/S/URI/URI(https://apnews.com/article/putin-health-india-covid-business-d32c4edf25accb5f28b
2b01862da2965)>>
endobj
351 0 obj
<</li>
false/S/URI/URI(https://apnews.com/article/putin-health-india-covid-business-d32c4edf25accb5f28b
2b01862da2965)>>
endobj
352 0 obj
<</li><</li>lsMap false/S/URI/URI(https://www.jstor.org/stable/2600967)>>
endobj
353 0 obj
<</li><</li>IsMap false/S/URI/URI(https://www.jstor.org/stable/2600967)>>
endobj
354 0 obj
<</ls>
false/S/URI/URI(https://www.politico.eu/article/france-europe-strategy-revealed-revealed-frances-ma
ssive-made-in-europe-strategy/)>>
endobj
355 0 obj
<</li>
false/S/URI/URI(https://www.politico.eu/article/france-europe-strategy-revealed-revealed-frances-ma
ssive-made-in-europe-strategy/)>>
endobj
```

```
356 0 obj
<</li>lsMap false/S/URI/URI(https://doi.org/10.1162/rest_a_00999)>>
endobj
357 0 obj
<</li><</li>IsMap false/S/URI/URI(https://worldinvestmentreport.unctad.org/)>>
endobj
358 0 obj
<</li>
false/S/URI/URI(https://unctad.org/publication/evolution-fdi-screening-mechanisms-key-trends-and-f
eatures)>>
endobj
359 0 obj
<</li>
false/S/URI/URI(https://unctad.org/publication/evolution-fdi-screening-mechanisms-key-trends-and-f
eatures)>>
endobj
360 0 obj
<</li>IsMap false/S/URI/URI(https://home.treasury.gov/news/press-releases/jy0714)>>
endobi
361 0 obj
<</li><</li>IsMap false/S/URI/URI(https://home.treasury.gov/news/press-releases/jy0714)>>
endobj
362 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 377 0 R/LastChar 116/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
```

```
0 0 0 0 0 0 0 0 0 426 0 444 259 0 0 0 0 0 0 463 444 0 0 296 0 2591>>
endobj
363 0 obj
<</Filter/FlateDecode/Length 23661/Length1 53288>>stream
HdWkP >| "Av %+
%61 2Z mj:t:m8LhN'hL^ m4l f'^ e8=9sAJWAgx ?O K-) :4|~Md|ox|fr {wG ^/
? 0wS6r~RD5 D1)wp`_O o!+DC E •L3d^TJ T *OP>x w m c"A 3 dg: Yg6;O M}
rf N c`, 3 11%7 #
 != }& Mh L
n ,k )KN iDgT
E 2fA8ksF; KWR dnxrA|? qv2ols>E ,Y j\17l4Ecq"TbU5y +{^ f0 ^]R:e m*(_ k hc k
s | C9z588 4Ttt-$UF8j | Q
                                       i 4{,^ E'ge ] 2,e?Ò |". fa(/* 'I+[fME|I- 'vJ YelxP:"gxN{T
sESQ=F{*}
#U/\ 3}fB5bUk1(d 2w ;^ /)dRP~ /JQ #Tk{:GXYj$^V@( tnQj 0#p&C- XKV QI pK S* $^ j %J
I RI~Q RGOVj%H ZDa Z zu1RJ4: Eh dS aj
RYbz9 #W X iD66cQ")Cg o $ 7n g%$u\
pWHF pT x .TD n *E%8:% - jg)b5 > U Gtl s C & )cw$Ry S . G b N FaZPe *7ztMi 9 J dLzVn=mZ y
We - U T zVG|mfO:-,+W4 U 3 JU>\bullet$ S@B*'< =i Z We
2Q<S ^ *U3-Kw
P9nKqS .G R Y( %G/z, ql/jD{{ >:•gn#GN9?Kc= VVF-[id X#\ |@Wj]:1 dNUnU6 |q. x3/40*M
z*,0^ HacN?`^ 7n Hr{*Cvm tjSa+v
t < zIC\% YZ 3u.P jn17 27! , s0\x:/(Ig _IM}o (h #
F>Vsx ve
vj = b ; F 6UX)B
ZG e T}
```

```
a6 n 90=z^ IJy}m` bR 4)jI|N ^U T '} = R) •;I Y{ 3|,'1 \o]C :S F>PQ Gn=2#meR LW~ 0n:2)Z%K;*1X
f- KE c z8jd] [; L-oa 6 2 K•,Xaiqf{^G@h `F|kF 3 G wW5 IV G8:q *0sTW; 8 .zuTpuGd }- }
CIX`O7o u O9Q i
R/bk(Y"HZ W#rP8Ód7/ jnsvG;$]69)|:S 9vR"ei >r`G%NhA
Y O \MX2M=cj#
yC xl{tUo3} bPk%fHe4 ,9 kCP<
&3}v qb' q8q •? ?!XB+? S! @ 'U/:RbIR5ut4)WMvm]W !;ys<{U
sU:YH)S' OL=+W:fL'R(eHsUku_1 xe =<H*#]6SGSi=D# & eo {b/XyxK}iO qK Z Kr'HY <<| YM4
7^* B; qHPoZ {p)dS $eeq[\tilde{A} :<L"/J J N,_eQY v = :
*rBit{X_zdO ;DW5( mK7eB/kln@snCGhe:&w~@8900 "O1+T ww*ylyw :`+
 0
6@ PG; '&'&`7+T hem +^ A|t) $O~E(+|gdLF(uD:FK: Fs +nY5Um e0mTO
vOuZ-kr^z6AXc^ ,< E4uExM |(\ E:,9;&$9B+ % |5
w;#IX I*I8I$DT3e s ~$8$ W9R;
A!mL)_ :+`=|k^mRmB•jH/TNgJwS# {'}\X78 m/dKzd}K*I{KiT5 Che-=itEj MD/=2uA :K?{ {SE
IaP[ %~ KsrS- <,\Z 3=G
w u_X)&xA ~)`3 6JZU ]ZcT74"q kp9ÿ_d 9 0 7n @u`$hP p H {} X, ?2••] # C-KZ2 h"EW>re% D !rT
4B tOO^ /R<RJC0 %^dU
T~ gSwG 0@e"~1h
~r) s ZMyk(M55` <YrBDH' *e 2`I~ 1UrSI p,Oq;dQ K ¤8Vq{B Z
 BDa•~ Y? PS=g E yJB^OI (\sim hhVv@f|\$i Qo S\%y Kx = ao y)S7>W?gd{\sim OE@M]K&6[v2r~ K<uu\%]
C-` d2\pmov@ 4SN WM68_ g4 'L>\Z RMM
#x.LTOff u8d,JW9 #bOSA3X<gvy{ ]ý kex•|E .4v d Rc]N o X~T3Umq4 b
E xL\ g\%N:(u1\#G1P)\}).
$siN
```

```
"; T"3ZN YT-cb g \ 0'UmyE4 kTDx vs 7 > ]B-YBL t4ICY`Cm&D~g pz.W 9G6h@#43-9#Lik(rnY9J
B* ." [&n\',J.,|YTIQ lyz2zRj{E SmCP[*X\WW.N|1w=;31XQ\bullet{P ho}# C G+Y)& ^T,
%EPMN#xCS`YKbV' xY"9(KP0* jDg# u
B( Rn%LC 6 W,UC=W2!!J; @\ L Z9 $ C |"C H _ )S|P*3Z^/_ ~ jGL3 m f 0- h H$Y 6T ^>
m?g5]~i, ~~z
@%k*P]pJ kQE\VusW TT8ju4uE"]MI5XIp5
 Ueud c P(4>z hl% / N ?W n-Z? ^t !8Uyt•~ za6j* 4os7jo.kZMK=\s{ e4aV( s<9 ;+z{e{f c30 b 5
V< B0 $T,G j@#TD[ V!ZV6 mP3_
}
O>>{I' #skKw#JpgmUJat
upp/d_X[> '(qKMtYsC
qO r
 8 Q ta%\D-s4 r{: T4 # 1
=x\{-\ K\ cYp@\{\ G\ @\ G]\}gA!N|IKyv\ \&]b\ Yb-+8@\ J1\ @Xg\ ~T\ J\ \{Bon\ t\ iVC\}
4h(3i1 UpS@ *3 b i k >)Y F5!u* DkBt* L;6% pPQo
5"# M<HLH(xBE!I g>Y4+CH4 (</(MD):< II; I@DNu D9 (OI }Q[5 M AuEX&YQT
$[ d(OokSIQ[o
E )w A C:, `4L
\Q ' oXpV dxi3G2 v-=2d to 2 NJ
JI=M8X ID GpL ?Q]H^=1h dL I; Fcj#jh!=r \l=[^v \oA Jw+KY3[c}y m #H56 r z ;#\?[m{I hfeF}]
*) R@ YtS%r•JgZk >dj^~s>Xi_l<5& r;
Vd k eZ]@9B
tOF #InF1;
FheH# MP r JH- I 4R R 8Eq|JX4+x[ m)G r UPn -=36K`.SY[$$ 8 nm /U zkT8 h(M E{zR 5m a 3
0 jn/L |-SjUu30U8 f-sOgE -hD;2u 3\ubkilobM&)5 8rDNul QpLAB 4sPaY u u\u00b8 IB \u00b84QB19N\c qE
o #@ q 5W|^k
```

zk \$n ;#!PqcUj1kp#t+;<-M)({Y|YAj{ 2PF~] 3wdU2 nZl{[} Y<)K H*)X 'X@c<l FQ ry S &a\$LE^'mw b4 /+y C

2 nL 4 sA(l`B]L4:8

8+PTb3Rx;-7YB| | 1 FMs Z 7!O0 !%7 p * Fw {(\N\')}"4 y"5ErOPc RwZcFTS5; J>f4I y5&Ei<m&\7 [
Mj 6 •[>Z8Gm)>j Q[.1 `H<ti 7v Hn +. 8Li)=*N*L Uplw W+hv6

n(fT9Z jamU5C` &gSZsSH

f0`X Y0 X w31 L 7 ,QP3{18GR +X39./

a4w V u!Qq

{ ?J11/0F1g +JI U:gM2: m\69

C"s{^o3NfL!th"tu azg4 Dtx^faSr e0•NpY3ù f & p_BjY: 2F] p_z,3 h"@ j@ u C"|OrC•(O>b+BL;y ¢ 2* TP'6y`As Ty Eadu FQ&P\ne\ ; 21" •] i 3?i} I J L s^qU[pP* zQA :

 $uX - x & *VW Q -, U_n(z/@] uWuw & AX, \\ 44 7* + " @E2 DDsX. \\ r -_v ?C1jVZ \\ < \{Z1 \ cB \ O\} & |f @Y 90d < v.CSv v'*Q]V QAZ A% | #w R)3%TL Y wDvh P N 1vPoQ hyK">z 82 t!H+hE0JYB0 ci<B) • mo ook \\ -moiKk)I I D2@DLd "n:~63It./I"I.O6 & QA9diNsw~S) Zo A 7 \ 5 K aD FD7aSN h@ay x$

@G aA m JAM ' B b bcn ` %w 9K g,• ~P6_U 9 'e Z @ \$6- &e)%&h[v} q\' *to-; M- b #K} E @ f'xE)

3Eu#hb} I\[DCD WR GGG E w]r@Tz |TlcgcY }sEG*7\$ 7 k• 4: D:ia, 8g _(y (Sh9Vb /?GQ)` ~VG#b c=|N6s!YO bm <o On U4-LVc +RL 5tK9) 6n#; Y# g ~:%V7a;

` z(g - 2 Wne e =%8w •Q {\8lKeMSf &nw G / ~ xqo`a/]. [uQg_X g B^ >N i d = `%+*PUXî2v0j-,0W CHNy5] \,R ¼Q9, Eu). ; UX`2S^S\gc_sa=]wk Su]*3 •&X:gKw H)O\ ,HqoA Tk 2 }S\$J AU saAc |[F H NgotTH?/)"KXqf 9s.3M3-5 1V S\$Xgse ! K # I20 \$9vQ >wtTWf#U #?86•[2M -Z/v>YkKoJ3+

IX?Si3gz GGi6f:Hc(i a 3Gaciklog G)[I*Qf_rj<7 z

}=a)<9a rj3 0~ IZ]B

YN6 Q@

```
b `X1z•C!$`9Y Y D4HV:FVa3 C8 !D t 'x! DP=rrA?A?4 XEV,*V h 5HN $_`{A { [^ zJ])W^;I0Hg` a=
bA. õc K1H9e N P Mo! I
                         X7 h/oi R
 [IX 2Zn,+m/Nf bK SZ0 +]kQY M \Ú52#| PK( N;}*O(CJW5D!OV(]h5e X 8 QB
• 'iTi^?*@& OVO1\ 1s3)1 3)ly 4jB JL |g@| eB:L= 3! vLRHI
*Pb r``/y: q i_
                                      KOXbqQ!A>p]W \sim bj'- 4q,{. DrnsS"PJT)q5\bulletP_fL 5oqO(vk)
x 2> :Oi\%Z[[fU! u^« [ I5d5;6PPHv B^(0o<
x@E]} r@]u
`6Qx9 •
0 To@t XF{R
6; I40M j &8y8-< V+@t. Dh` I9 ) TVrNUMJt 8- n|<i~7c} \@XD j SY8 ~jm0^zl> 9<'
< IF y3AU`aD9& [ifmfbm^j~@r$#P a}D -2n @TL "x- ak"
!$x6O kI <!$L1U yc ëSsnhb$TV:6wqeQ/.9laOkZi%k-ZStzkmC% ( 3 XtH' { N b i= <q a 0Hh s Q 14
?U V aP 3Bs<30~zv J0Jp $F0H<, U Z%+ wY)M1
5c(eW IG 6*Mt)G WQb 2 ~6EQ 56{wk/ ob a ) EUL %R*
JHU
#5&n(IJUUj*U!c "4sgnT 5p U {Br3I4 Xu 1Kw #z Q;1xM{[ I7v
{u wS S;•w )7!<N! 2<Cp J Q @^~ ,5•$I^'
f = |H 3/? . ">fs!nHFZ|6> 2fBC*}LY
a'd\DA<Kp C.}5s c I!FvaC k&%9be4a +M=M I-a/ 7S 1 @ SF #h :[BXy4*$
@>*d]QA Vq8o / 9xq n:r x&qW<Fp ~o# c M /R&1A/ G G{ </3 u4 8 XZ c
4e?NH f3dpj$A , /Z?8 Mzq<O @{ e4s< XPg d o5m YN.& wD[? ue)Qc{^$ 3 -(
~a E,} O4s :hC 5! `f q f q g4A{ [&35H cVjN PrG a a 4? xt *TZ < C AQ<mo51|O 7a
N&( +Miw ^ I "mKq J DY)/Z6A 6S$ R; M ,4dxhl A 5 @B• OfRRa\}/ W2SC/?moQoi o q{ [ v
/ |Dpy$; VtU Ui<G2 =u FaD
 Pbl\sim M<^*J_ > 7tD: cf \%".=w $ SwOk ë_ M'y90N+2\sim \8" (ysu{x h\uDY1 ux b cV3y%&4a)}
T| -.y stc 4 C1YH: y;bH HI > Ok
```

```
cp2 kT XQU c@.]^Z
>Jk : 3 L* wY jH ~F y\ k F~k #8K00 `+ h LN \` Pi 8qE[/\ \(\tilde{\text{E}}\) \(2z32ZV*0ZEc 06\)
"3AW~ M<@HL8
                  b
7<sup>^</sup> 'x` K S9j0fc ctiLdEw \ $d I&c F K
3Qho%[LDLeocgGa"IGz]TmE $rnozty|? / m]1\;{9
eHy6 M|ow* n+[i]W•, JV i^AO%x $UOS yU! %! FfOX8]-^"p"T 3*)9ty!xPB"v H3$#66! 3283e'/ Xy;D!8E
pU(5(H I+4 h^Te ;& ck9:]`ai \5<oar7 ]- s \n ! #8F0! P9i ;]G0
n ,1[nOp
QOTy• -i.tK[j ' %t}cM$RXnNxY Dk+z. PK~ca^{\tilde{A}0})p <H.P>;J0 `jil•N<;
dzQo\D}Loj 2 VS4a&= M/ g N:?icOT `D8_V5
D;I(1;<
a ( /l%ylf f M }; Kef6 %H7 (3si[,) " Y<\ Y[ q;y }/1+e $ 9pg }i9 3
u. p{d @`@z } ge w- ^!$
-D \v V \v = : o4\R \i/3
PtT`+2T
^)Qf&$5/BD 8v MXAI Kh* L]}M^Wc?8•`$v &
"X!ZMJ7$*(ee*PMPCT
IJiB=U 79
G\sim \sim c / TFu | p  { h <= A;> e0' ue! u sP] 4+< <math>(WE< C\&SIrXB:? vNwE) + h!*wX;S #kR m L| F
\G= peT ! POh'hG+ dW AU-0xyx> I\0[ q-c$u\]lc P1s^d 6$ . S0{2 13f[z=e I $zP z ]<j j-/Gto}
`<wqv
 n "i# p(C/Bw \sim @> It,
%}Cy[,w&Q6\wi?U)s .FD: wq:?_VQI w< Xt"| : x* Uu [xt mc8q, T0P9j_`NVX0+~'i F'|aQ-LD}^xbZ"!
^d 9 Qv alVr!O T "2 A ]k u|}
`? $z 7 w'Xnq C gw<ov~m= ge'KPglZY={6j (`'CcpKY{Xw,dyYzP->r 1 /R js "%Hr;B_ .7{3pEm
```

```
wQYp $sH Tu ~JiU L[Z2mXj=2g#!1 S\>ae tv?@Oc ZDt E 5e_&\n.\•lemk
3FouHG} hxF /sX Nn~wu 7ZnS<-"
Ηj
k muh@mOIr] s }& G ZS Wcg8'Gp m# Hv$N }b3,OTP(&s`m! S %m9{ x+LN>iW 8r/+l ^t/6<<umml
0WN <4] Zq1'L j163 pa D;'d+:
                            4 5S
-r mbh3/d}Q} N%'c
o p \simp N(# _/ #v(,*D9c {;F E
wd8A>[
tC ~8E $EL# Z-xCQAia1v, % = n \U bJ# H5U &r1Wu
2M; O h7t • |} *^|q ngtyz : p{• uQ•<5 EHkVRNER• 0•.An? :$p 'k
iSZ#N
, 9}' Fo#Z> }Zn A@ ]GX Øu(*q t` A Av @EQ *4kl!y# *oQ H
JZYQ = < d 4S < N K?(M, Ydyd5 xe T76{\$6FP0 Opp ql/Z,x H7 k tnz} < Eoqv N; !gV
7.:\k k X] 5z> Pkto
@., PkJpF.^2
N.{2R 3-?.HZ/Xo MBD3uK 'r[Jg4~+vZcKP;f 3 2HFtF3S5 :.Gh zvuC z NU fG#$Cv d i 3v ? ~
`_m6C/)U>*55\w(JMK)17s (c 7 iZB+ EZ : Zd CQ -0ao+ C\ iP"XnvpOH6g@
z}Q6RYp`Dlp [_[ ,x&ffC ~%5YFU Y 9 h%CFu+! O&mm{-c}+bc{Q4 GCT> 'c 3)G Wig+-ci+*iK 6 <N5
.k X@ m>JR(8mBZ8B (-qL )Z @AJ (iC
                                           iU>4J K@z= B : {>I}T |QGn!q|Q/ \bullet F^*: : 8 x p p 0
w t=qRqi n U m2 &T =& \sim .vm J %TK=I R<} 5 #8 \) 2k<\ \sim SKUxf J)x! =P k
k%F] Uc{fSNK){L{n^<dn(5&2@ I%fl(Z\k%O\M {;z 9DB Yn{P$OiJ}J`U w+. Ole?kr9 5' 8nbQ{f3U|1"
z%# yp O &P[ v@vKh ) )9ZT&plq&uH CL g (i8 `a• xJw7we[ .LÂ14^NK
z aY <6A7 g/ F8"8JaH. 6TRfR q ^]- h
fr`"Q^J /?Ci8p Å O Y7F{= )cmIM-3we]6 ;^sd(\Od;zi E ,^sMK( utQ% xl)6H1 mNvT E0@C ]S" C+;$
phen c ::,pS)..KCz'7mF d[kBT: Q32 UiR;RX m4<#N~ ,l%R &R> x ; K \7sUt.>nA/ B• ig6U< gX4h:Z'
```

```
c- De2+< sE
*sISQ<?rj ew ; | 4 h:;z H?Q dl7 ^ \ ,F I P,Q sP`T @] y|Z A/;b Z-F= &{<, D IOQA@rDCgpAmu4 u5R
Hs}pA'btkyjPo YvC]l *)jii hs:
:}Tdok:I&?aTqsYC |
>Q ' xA ~~
c ]40n
zS y('2<Q& bhl AÔM8 6` mpliLb<8}: zU_
E { kk%
{gy, 9 [:j(NJ EI ("b\WR [)| n x p 9
Jk•D; *>g4pwR ES+R#
!_XCmi/ >3Uxho1 3j syeRG3@ZcV9S
@EoKhV
U IH YwU^ty> y6^ ,TyEE%O/a1]{ Tz (>Oq #\C*\ 1+}Q]H'G -) c g "e5 !AY JE7&I~) oâG Ob M5O
X|// |aQgK _Vs /
.`qCc^ f4!%-@kt Z d] x ,}UKaT QdT~ d)&5 &)~KlzL 4
: >O'Mi\ 0 | z' 7 {oU|^•.hP J |9FR2:D qjHN E$R /hp[#8 p n%y*$ 5Web{
\Q;j 0GZymp c . JaX•&`T Tnr ^ `| \L . -8 C, Z a4 $Bn |80"` 0A j@^E+S@ z,/ /"3A2
X zZ^*>wO e$h.06'`&,7 U U UVP)W@:8 d/N;Wh\;>
>$ \Z'\y'Br pp
 0F['3 ^ - I J's !f *S| a(c %o $,Jh•oOOm[ &<n]/}a9v3]9 i ~ •#A>c O 5 4mJ?e,9G5CQY@N wzF'xZ I
CytPEo? =
if}.
 "pP n _Gao Y! |n
_x, pig xlc \sim\p ` F 1 J B\/N\X
"UAMP
|Q"H >* T5Dksxl£QV*g?9g2hR6 N ImjHzVL=&# > P& $Jm 1K ZsFr•F yBJ# Q .R" 5Y i } )0K ></&
```

```
4]FbC{)X=• x; G N _4usOW ugMz[= o
r 1/Cirdf9-m \b:
fU ~ 1R)
dfI)#B[9I V n&)K
# '- s IB•3b8 RiR9U >CKfqB N H/HFiyM 8 yl_/u~ =p^~=p@9?K;_&=/ 6 8/w vEXm34Z; -NAN_ah>
\{x'' - 1 \le d \le m < T = c^* BU \} = c \le WN \le x = 9a63' d r
†[QM{8d,}K
m7C 58 (n &Kk"5K;p/S?z zW _4h6$_Nc_k*F)AydCU="Z ^95±GCB; ,\n-I _>d]e ,&8t= ]EQw | He5 ,
] mQS(V8 _3 |3@/zAQ cp=OS&7u1 \ $C•gIRN + p 38F$HZ VJp 4.Zwx%r c>-0 5wQj 5!)
uPg (,W[ Y;8UZs U ?U\:sb>) V|$Jk}W982gi>!`A} *u 4.+YB C]h
65 /? uovmz'uj " .`"\s a 2 q #. KB82 U " ! [ /B! <zf`5 a^C ü %y f^I a^ S bD5 jU* AhT? 1/4Za^m v 4 .
"Z ( V E}^;) rm LBr d1u!
 * u`]~W G •/|xw)•Y\e-'j< e V* \7Tg kYKZR+1oJjv m6^1 K6!5W+ EJ} z %il A ~R(5R 3}A7`7+:q])-<
S ^KW>V Ak_lyQ&g_L?sJU 2w{J Q}
q o h1bt%=ieF!Y VU ?4 i G`p78 Be_ aJCn`g2 Mz)'ea7XccyA Rv`[ir M!?svSK*r ;4 kNk G {ijIz#-Lyw1
'b CiK 49~0ARkg 9vRh>Sn>'x)7dC 7 # s4 9ngn cw
oM:Y- otvW$W" -) M g$ùWss k soB Z7 {<?_6 b81'p69b3bGnl r fY ~e 0yO:
 [ o j|Sn2pl70#<lqom9yw(k )kMfe 8`3'v~ •7z[ / [*P :i| x:Nu0 UIK { }lwNs||
f8s 2 G -ar$Dl94|a .]9aCOKUm +z = x[Zx | [j *Z50ha yt 6 ka w; [kOrBsH HU4k8v i w$Fzfe, c<gfô:
vQ < s \ 2ns \ [3YK\J -+y\#8LKag \ fy \ w \ ;Gy\{K,D < "k]c[q]hd;U
86v!#v Gu v k 9GE}IAW\•{rdMgvk'
13P #>K
1]'n": ;1 2 Xee} 2/&&*
```

{ X#M0 mF"Pym*D- H,MBcLL0uaFR BJI &h>s [•=swze'= S } bj xN ,;Vk}V/ICuA,ora "n c&\$FK< >IMH] nC~]JEs4 b il\Vm'4•Ad

```
C iXG
_ j]yTj P YKV_1~YMZK ECt
-E >jD.cO]jJ@;_ k6 m }V ^; wB *@@a 13 + I*W+8 ~, eQf0v!f?Ej
Y {N]uk1%."-9 32lc |0 1 16|F/R; syF)k4 <% -vVE !=AqQ {V Ccn u ^y d|q*{Si BFAE9O 0 # xc
\mid E[A b3x+R]
~35 %@]6loZ /n;<s]z+ ^/gza .!Cl* A1] d
-,(Ssq }0.gsz
- z>•o1R g
*;s >s goWM -7Yg;G=W 9 { | 0C \cdot bg \sim Cyr)$22!QwpGu^^"GY j^< g(@!g o &0hK bWMP =a MJ Ld3
&`S
g IU! u zu>08ipkqh1@3W ^08fp[ `n / ^ 2|1 '` 0=58o0( 2o
D•
0 Rey
endstream
endobj
364 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 372 0 R/LastChar 118/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
0 0 0 0 0 463 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722 463 444 0
0 296 407 259 0 406]>>
endobj
365 0 obj
<</Filter/FlateDecode/Length 30>>stream
H }•_O•@
          !
endstream
```

```
endobj
366 0 obj
<</Filter/FlateDecode/Length 17415/Length1 37868>>stream
HW}pTW ?IB6ow$%& e7BK BKD:0 &7-6 iV(N ? Qh qìZ:d ;d: ;{= G Ku4N6
o?Cx>k, k">v?GI" •v 6: DGr suz
@0I1#w5n&c cfg<Z>={>WET { :? + .blu KP+uX?}R&[N[rZ .aE+%#UE"p j (&^ *04ay-F hQF0
m o Lh & |d | jj 0( 4%T Q K_lz U# Cb LyM{ 3w f 1-4:5 " A] #P hr 5BxH Xa X 6 */ 0/6+ a 1( 3v r*
9U #zu 4|9f z k n P- uc|) u}\*&m 75{-|oG5d0 t* IE ? Z gS! sT2 k[IS u `j V9 j/ JF 8 -
vV3 2 >H!, o5~
                                                    VUkRHSi \mbox{ } mB!/ \mbox{ } /|\sim h[ > h : B pVb#P B u
 "r: !g(x \text{ kh D}; n: -WkT:_Mx N|spej(b;-ws~Wl$oF 3` J@SFyZg I Qc 7)Ph
} e*wc OMk MUE3VE=R ( c=911 b %tEM/
"SY OP q P Y5i
Ρ
FX`T"S$gt a& h
- Vz&q [ aaw41a _S NbX= 1 PP . UH { r] Y Z YDkZVz Su{F !l5o u xo8DcS"t oM' VF vOx !Btcf
R'J 5% 9 )!S5fPB &5 ;hg dR j]OZ Rw u tB] M K +`TrFf`uhU C N N
6cXLB)kJ].Vq gN a3a{VK8!3Mlh{a"NQ (Ab;yLo'w{ H H tF Y) *dZo{u = z VNJ} Y }
5'#S<|`pK[@fnVu5o[y=# y _"~z% & bXY ZO$<q'4(v)
y K .AD7 % RPsB Ejl ^{{,Q gD n, @I &Lm&•q;
_ ¼Jq8W 9 _ _
8 w]~sMp (YGt bQ?r 3
 h'x3aY0 |~|n,{A/ s [
0!Gl') kwU2 4%r-Pk !} ZmX q}_ Mv56u6%; z]d o9Zv`1`~ q\CasF*Gb $PZR p s+](J ] }o[6Sw6,2>W``{
' H Rt h-J |1_0:Wstx u#q j ,IV^Dt,m{_YWUH[;s s•w(m eMr 20y\+ * q @=W %%Wr e\rS }vv1n2|&2t
;w Kyh/} A = Llk \times 25Bi sPP > G, @PJ8dM | f = F > N
w{ 4Q Yt|R5 ) 7" ;E|pC ~R t %kZ r~5\<o :XJ2wj X
```

```
f o[_<S kiJ/6 { '7_c'n 'N?i~&J- T KE! [Av?I0T Z $( P%~ @B u)8N&O=>}ydv g s f}atkS Za!OProB c
3xu P A Z!9C < t^3 Z'lwTyl& lBzl5pqU;L2]Em6uq4t > . m@ q*O'H a F' *AZnW@
 &>G ZAu
~/HKF i •^R{'4x 6^\ giC]x >' 7" K `SK.cZ5Sm 3{&z*;3Qv= 5<q+ 5GS3#c NII~,W•f`&{S&$N%}
L KeU o!T!R* e Kz%K= •
LC 71yF 7 < R*_{}]9+v c;
a CV"P\ 2Xr[ T] v
F~; :•W7 ^4 M'-@"; | E$*ba@2`O -e
~2- el zXX2 a snehFil Qj| p o 7B}F m k K ">d 6 kb u?Vfy*} )N]"= k?g THk^{^{\prime}} &tl>+ w^{^{\prime}}) kddW
pwW •dpyl ' r !^_ic?38 wJk cj{}CCxc'= mGtTr iO O*mtu= D
: @ e #e U ALXM = LÃd RJS _3 •0VA.2d'Oc. >*AinV<BwY O jp | F gr K9 n+Lp 3 | up
QEghWE,x^0, qh<LV6Vi^*+)W c $9c G`.m Z = :'( q=" Q(a_% =# p-
G G(VKnzmy •wÇ <~<k $ Y tc sEsCn!T ÿ( /
PM'/q=
@F5M+dzs frj )ZDq]j j h I9 w 5O Ao| [rH3 8Y4}N+ Ox [u s_D
sO2DVByQ/>Lsq [ r Y WDoV IQT"eH yDr#& K Q[ 8 U_"~z 0 rPäkEL %JpG
}/ )Qk | BoZI: Af\+ ;_nV7 w
eg5d2C; >_S=- Atb&#*; >i$&pR\^V*G Ple8e V5*)k# 4X >X$1yZpdFM ku i_h
j
X9[;s<J] fgxK{ +;7m3x|f||`c q •pv A s 5(
syydKmh mZ6JNIJle& ~Uzamk• i e
‼u
             Ту
                         Rb46; i
                                         ]L 2e- =i]•j :{?%<% 2•Kq •TT /C K 9\>U k$ wG%$p E:
9 G4-an\~-$YMJuj KKw)k7OS0t\'5 q=
 "@^+:@^+ J cQP~0? N* a28*FQx TBsT•O"8vTE:g~b3+Y^ t>e%Q %|=||z:}b|R?
 +r*; l.r'{?
\o [ . P k [J.f rd&eK$ sB•C) Hu ] ( X:.R 9)iwz@Æ'FOO;c
```

```
_;;xesgx3 G =•'rMf#~ /AIE!vbw 9 lrWjYj j S ]+)T ,9E v ;V"v_YZXkV•1,J8M@< co/ S&^ wÉjP?6
{m_Nrms8NI!1!1 22T
H+"H
ei ?D e_Q 2)
V @>3M[V:
m? P?Hsq @{<L V &# 0k7V^n#V=tA i_xG +{DOR> Ue 3 HpQbx4% 0^t.m rG=NHB 'gP& yf VD$8
~~p``5 0^
jbh5x_y "k FZy p'RZfU wqK i}kwZEy #0(#
9=;|7f ^q v 2<,@/R 8{2 ^IKE a3($m& 2T *1), d
MvC1 / ba>e7 v d? m 4:`k`ž y8Y 8 ]iL+bL^s f bbc z "~Ae* %S 0St[ LH•T|CxYk#}#(iU'3_> }5x
                      2 y v vj' %%s/ /^MV-AW T (| g Rq / 1=H^!H kuk%N 0 [B H?cCpb .Uike:Nh
O|LyT m %
DLHp(J B p(I X^@ry
 Y " 9=M&79E YG^fL$hs% V yrqa<.\4yR{ NX'
L4Y:f y 5@Q T1B )If jQ&a # xP7wTlo>^ktzxl}6B[e$ SLB O U FNDG4sOq
%o1 JsAze!c* EY {}r3*!ro<y bxE_•/ Zn+n0;zu mHClxf=e f ^F @d8 ( 1/x +"/+ \^ 7ob=(T-GU6I I\ eA{S`
@x" O*XIZ *Dq RF+)~ A3 Oq$R8M C3](kXn1j 7G yR `> Eb5 QhI&A mDeW<]-)Ih- e 's<]i Ap~ rAa[
!p
sWir m\
 ~[.OkUp `yZyq " Xg|
J`RI*0W -I fuj[m]'& {sZ+T28ut|g3 3 ] CDVz & C-X aAYsu uRX'u]<[9 s^Y J
P 8R @'J7A`qF KUA N• eLb:_gV~ W2Sq~X @O6 P6f '6doMfzZ YY•pwck[v4d`7\
\j 5C{T+ 8L^• Nk A3~5 +I
& %]A d\Wgr&ccD_`>Y I f8ur0 }|KF B
\{ SV!_u 7l\% \} N (g_j 5 p^-9c - Sgl\{ Hj, \ Wbw] J > / h = 
:04J spc{@ = t 786xgm`NSWt5g o4oK| yOLT @ 3 \( \).q Ip 4H Q( :#2`| * * uN. >.I
                                                                                         |*
' zr 5 K: T1 J
```

```
911M&:3u. v& M802KÚ4GEi|2i/ P}u:Y(*cXE9yYkz ,fUvnXby5j^$R"s FMDP2c+z"L!&}p| on | G&PgL
 9r &R 7 K:0 + F ;EuTTnR 0^ "=!O8whhY_B 02C GC|C%2 S t8 T dG:oD`@d
T94H{(lggl WXU &tc6 rDqz
oTyD{W @ uz 9aVpk| R ?f C-sh" #ZkP; d { bEx !v iC*|*S { < RLMHL myG.g4EYWN8Owldk?&* Q
RD~P> ZsLUH/}pc4qO 7 m GA~U m)ninHq'[r2y0 k jWkl[w ;~^;#q ; B_II A X`$P6]a P QXIEBxH
I<> !U
MV69; (R k|Zmdg_h;<|z'Z x) a pYEHx1mcoKPN=|@x:W AvO q Cd4+|T#h)p |IQ4 d B| 1j d q s
beb^ 1O+" M \ [v aSe(XSqcv>Y L& KI !X % ?:2$:2R6e&b{s b%\\ zz $ ls
n K\K3LKR LP< P
=# fp O+ {C nYlaB-mQF/\sim%{EE1NøF+^{"}\ i y7eW
g
7| .1^x[b1txqdCL•W$ \='*}V? )#DcMC IJqe 9'=TU1Vy 5si"$L b # u"`u w 5K0EHz[0 @G!3 jB ;I Q
-y[h / / k & 9Y*$4^ IG ;"2N 3g/" I"d2 6)hMola aiX8$} ).*$ USB]/R\Q q`k@Hg HgÄ? 9
-)Vb?:o?] G~ uL"6 ~T/n
Pg[,@Re | H p \J| 6.RM~+B WuN Z- ~sbZ)PBu [; }-Ol @A: mkr?Y*L."|V N^\XT TS AAk|ce_2,p@
y ZWG îKL `B9%9d 'R! HA PviA( )X G z me 4h2y %'>N$ y#hs :eOGsl;
8G# w i#e CPM-I" b _VIj .` {3R.0*I v0*BU*J¾U 32f t8
(\%)(A/bt\%h) X&NI 1 Y/FWp8 5p@ 5F?"X @ @ % (b,{a&z.Me5 u a ,R!~d Xw =7/n0}{[oj mp]})
tp?V/+ p = o|||r8S > B \%N[;"m YiJ È0"0 .
F pQ)Qxi D :B2 Zb±:
*IF ~)5 h8Bv s •adTwuF•;:i
>[-x 'Eq U'h Tp$Rm 6 x 2((glL8~? p4|T" H7: Hz d b - XyxF8 H z/l )w 1cu#% c
S gex1;
L#H AH ?r | 1 > M0,rp,; U M"FM42
 rS 8X !1C `6:88+`| | L P @ 99P R -n G O:(.1t1b,G^ &Y~[Ev^R#v
```

m K\$Ww| Xz ~ 'dI :\$N):)DdJ |R,C ncM) gJMP}hB4;A?do.kl, e2nj02 `lKl\$;lp/? hc02 ,'asC01/o

RA gXMqDM*9 6 fTI%-%(+@gkb4k; > t 0K0hd*];/\wM:91.1 C

qCLdow`r*•#W- jaE; U2X W N~bw L 8ug&r?>?{{Qzo} nc LnT a2?-04 Zp6T05[jf `3f71J4 FpqYD(9 0M}s~ voX:q][\ w:d)[

9re2qIPE%1 WC{ 4 c I E r\T0PJw k esac9h) \text{\text{\text{VPYk}} 0#"ug

s3<]G+j 5vgg |*HR |}_bqsko vg Y'[nAi •.y CŸ 1/4 'vk%N2Z&\m9M~B,I>\$extPWF J 1t 4Oe* A wy C oG4h 8at w gT0@>'&0^pPUJE2Q,Hb% r fJto+)ay.GThnr R• I \$\$M + A T \4a*

R u1 yY A `Q<G tF1

EI ["HCMu([; 6_}^• QbrV T09 @NA6 #Z v\y p\ W) LHTtAl eYj

BVrN 5 UM Y.v*g`QD 6 ro wd~ K6^S[W4{U yjPoJSZ=TC r{m\Q w8B>r#l•[l'rL6O 5?Lq0pa2 iLoXZ - wimP c' ~ \$KRZ g Is)W:S"N/0VSiJt r{LI\$ Z 9kqKk sM

X1W Ep p $\$ z "f + -Q:f bR3Ok

jB . 7Eyt?9V,&B` Kg >Vr] %'b)U , ;0 pp rFT9~ rEt+'a' |G}]E W IIYqvV "KAP^|n>z+ +wgsp~DgqAR + [`\ `c ssm>X pZ J (>PUel\Y=!"ht}I)S D6

C8 P+ ?V0 [& \q e S s U U ui

nDm;<yts 3s >qR. beL<O x>1< `g-j:yjli? *

N m ?w+A{* C41)dZL{ WtfB < '.2>4M/ c~lx iJm'!.aahz#w T

F k\$ gE)IQD+ •w)+ VI~tS0EsRh %]yl19(tY0 m D EJ V\$|w- ^w8GyS GDJs_3 TR5O)x x bkd 26 V -J:3;] K U C8)b 1} 7uO C

#o->Nt cku #{•Y7q~ t a/#•DV+ 5KGs qJ

Mrb[\$ QT4|HsTk q+E %~E- zyG uA) agi- ;Q :Coc8G z`35.\\ Ydg wM@L, HR "Mkz(P ><~x8~& $x?3\bullet)\bullet$ j": V4 %e =pC?Ega 3# a7 uO)X^SoR @ 9f6* ~=fu\goS(c jd`kiT'<y'msZ

```
j,<)>
gJex; ho_j] p | i *>H_ x l
TI\ùeR =n "-QA G
No UUI ~ ^{SOSt1'}/(X^7)
>R `D O 8^Q0@ $ztrh! )eA&=);Wg {v\UOQ{y !5O_T;#ls3f5+ L ": (b, fxa `6#l,/h+k N$%qk5 (q ]ao'"
MK2 \#(p"K=7h>XP)
I`Kd^MY QB81,X*2-& <mg@~ •8>E I GON%cNq[+•w 8
F5SHN Hj *$Q
@<!4yH!At B {w{7!; :VRn vZ[Z H q|L 9{wX:c{|~; f7fm O ^V) N}^~xxsy-go=?7>m9s -</ee# GEn(I*x_
Qyq gn+ {7?yie+n [qU_i E_c*$opwZ { QnqXz )2 s WPO B|*, I # . 8yJi (
3+
yI-Q=V F 5>ZK
                                                                           7:ZO E+J6Bvlx; w
NK~ s/EP/! v owqTy~| us# q E:O43 ^ :K :zc 3Ty 4B=UzM { b 1GSy " •OQ~ Em0\. )F9 9GA e q*<L
d!8
=A'Q\&)v } 8 cd( \sim6@c d rB,zbl5v.l ) OWW]]G]]'x>/%Z'=<^rxs "oNzCl
QX#kga}l d *?E\Lambdah 8+C2X*z-j/?#Q x\Lambda#rj \>Ht.%.}kBMD W$M&wNM4'#PROjdo#24Y rf "K\ y3zot E}.
64afh =7 sz*-_FoN;J v. r •"6s:myivWCkV;\\Z67=s 0\\ z8\\ jCj\ UM AMG,S = AE\aDyZW nM sP_k
. `Q`x F~{Dt!@nBild eu HP Pp, "#az LUz
 =,& 5c\ X ;7u F 6gs
 iB0agVm zpX* Q 'M FX `V5 J ,# 0Q: 0`cQc ft P TSEnsSkO[e lk2g^ *Z Dzh
b! 1 [0G• [1 F• Ta9GI*FTu3 , 9d-1 Nj` nH/H afP ? (F
6lg(:W
xs_W-Di9V[Qq:9P e
$5! N'u tFmV%eF $_F>Z c 9iJg&[Z b gl #8dzCr 4 (Mg>wi-DA/[A' 8J:KR2VUi B:m\ " An6sP
```

(1%F?

i waFT S FqxI[<SFHFL bIV|SIK • •p| Φ 2wBzD+,*Cr^k 8Q:FX• <MJ 07=mee:IpN[;F"=(elc&g\$wTSuN{ Y F5[q P U^%. L2CUziNi•-qz n Ha *q>u+q -/El oqR =FTCso]\$7 \$MpGRIM ?Lh? T Vhr)7NTe:zb 8K?NX=#]8`\$ (U =~ Zop/ 'h g |[a0\$9% =;z c- •7\$Nt\$N {~Pd{Q`}

4ft X_'q" /C •&

IC zEG X <jX W -v] :~ zS.w#q5}^w/%(5 *_c ,%+ Z SE` k7M mE /Hr 3R _iss>~ \$eWNJIC:'*igE e ei ^A*RT NvVK;[Y>~[ni]KAQ9 • K<|sRV }1 {} B"

y Q5X VQ@ }7#N? LO9k6'Rg.\$Đv u](F?Xc. P | z |nhs`} c1,J`, /C9Z + ONjvZ#R6} t e]?*Cu_ 45F |yyA} RFe@I

@&I.1t• {_,1]nýuizk5 Pv

q4Rr U. s/q\n=s eo \ py9 ?84 o*q?xK uW

623Y¤ 8 ggLbob XK98zP•Y}cx L{hK=•\$k9 Þ0 y'4:<5G ^•YFq78 a|!\$>8bt{Qr C•c }+T&>faY\$& !RE{ ~W :WJtJ 5,,v" |D d , -t 1V K!c]_;F![9xX'2>5f r|Fn d1^1N qXK 1c 3N Bf\$nqm ry3f/V `\Z endstream

endobj

367 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

0

0

5

371

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 6 0 R/Type/Font>>

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/CIDSystemInfo

endobj

368 0 obj

R/CIDToGIDMap/Identity/DW 1000/FontDescriptor 0 373 R/Subtype/CIDFontType2/Type/Font/W[3[240]9[556]11[241 241]14[600 240 352 240]19[480 480 480 480 480 480 480 480 480 480 240 240]32[600]36[500 519 519 556 463 444 537 537 204]46[500 444 704 556 556 481 556 519 500 463 519 462 722]61[463]68[444 463 426 463 444 259 463 463 204 722 463 444 463 463 204]78[444 296 407 259 463 406 648 406 406 389]112[240]116[500]386[463 463]]>>

```
endobj
369 0 obj
<</Filter/FlateDecode/Length 21133/Length1 49532>>stream
HdkpS |IY~HX,` i
 $@L C#iBC;a@ -N3-MP !I =@ {w]D29hhsqpt`{&%r|:gWO_Q{7mÿ•, ~M C w•B4y /<2kv ex ? ^4:w
L>0i_!: •go6'HNfrj)
UyRTy9E8
X gXw 4) V 0 EN`LK\ 3fSk N )2
t,,x/qeJ u(
LR*6TQ iB3h -r
GN Pv "g Z,R W BW.]@3 >E.
Q y5 '%CE E kpj0rt Ri *%]`7 ?3
(YH U - * E\% > 8A\$ j`h : Xv_6LrW# / > 0w R-t #ei
JJp%O
4Kp{ N 4K{ 4% |Qc~cS UfXmFCWa `v9i gg$HU; Mp P0L[ 1 WJQ~ 0A
•Y$ Q f4'= 0vP2P
 njE |$9%$k
Q?q 4N d3) > 8Z9z >"DYI"w --] DZp y ]RT\ m^4 (1X()=)6_A<g.M| r-q FP-@ Z5Z XO@usya/H
z \`D5:Y"[SJ,IGK
N 1 $g Y 3
9
2[Uc#hU>=PV 5KO!b/\(^\) x8{so\(`\)o\(p0)iMus\\(3bgA, p0)\(\)ke-i,g)EM
V.2B y3 uYe=6. ,/ ichG S. /C rxG .w +fM)} 0m 7M cl
D2^K@)
ks hw+Cx5O@ j+"}<8 l(OrDg,
n(] IA LphpAha \QPVI Ct"Vgn(?(&/bMY,b 8, " @d'~w pu=i Oj`) ^ E
```

```
6S.<[9LMjHq! i d{*k !| ?O<S o `vo•pX{*vW;,,9(Y...
Dr f^i< xQ9'' - bB PAt
                                           J1 #nLmostw*xK 7N)N I, re&93:ms458Bo 3[r s.m58s
6!<0@e\4 | Mvv:.IO X 3<\ a ;{ ~4d | Wi|:> ITk •$
Kpgi1,/Zxxy ? /p\` Lqk *U o E9 V#N4# d =&h / w 8 A# H+`' >CÙBpF\ fT W%J cZ !+ qs 4N5 a U]m"
Uxoc27 [R'3b]x<sup>a</sup>P*>??0I&/ t7OSB EO\P* j R `XD, W]?kp hjGu 3 z6 u?(pTaR:1I~)p V .TAI 8tIchO
9 P
V EQ[H #aG >]tGh:U|w
UAj0D^D4CQZdJ~`J'`Y
pK' K%Roq ~\ >!t [5 kXFe eT]#r|H< 8,. 1-=h ` 0!-nO 8,pHpX`\@/ BVC6 r US?FN ?U [Yy=K{ G?'0
QJ7`3@[,AD m KXK 00 6 1A1(EU
> c49yyfgwB•d^r^[]y_Z}7&Y I.nW%HhcEepb"p}'3xhsx d)GNKxq$ n3M0 on Yn•z[Z: -q xJ@ m | L: ]
On(80'` \(V rjy1T6{{y!tl!0NPr e 8 \(OgH F"oL:f^.EM"*A7"?D{j'C N~ !;v ,$M "/o$=IY 4!1
x IZ
i!#qLpBI ^c e @•cip (mq <
wnj•
2j.]OU f vc # 7 s~ y6W^ %&'F_30
@4w) -"^ 5g1a!"j J &0 Z s >WBW3M;&pD [6 F =$ I ($ HU& B JC AbiOnS(GeL~SfX) <W ZA | :c I
4+d4`2 f]J
/r•
hU J'; |s- wZY? -giFVI-%( XaB;R y3% ^E X3 W$gK I N^kLu E[0 .C2 ZIM"w-8 P• q'AJ)
                                                                                          nl
 % NJMy3Nu
Q&( ( &. MSjC
j5 "P cbj^6z+< [Vfe%X6DA
A 8 A c:# >Ro H 4_ x F @B
                                       a MH
                                                         Χ
                                                                       i Z#p `} { 4;# \ Q.4<u
. Psi: ' (g' # IOc X IF%M mS ` 8#= n I| H,wLm ?YK
lo%Tn\rq<D7c k^ 6;q \rangle \rangle RkB%
```

```
||Ztm_evW5s9| is g<\!7 {ab { >H> qQq }|n,bP3yC u1.DY>7{ • ,aiA| np Zpiq \tilde{o}}•0=_/n 0+d< VOcny r
|H ua\}|, @{ >[#E\:R]=b D}
@3 u >{ 6 q ; C\#QT jaQJ { {
yF9L x"oo MQ Dt >!BAc T\ F 92 "pTO \ {u.$ U;} 2TK= '> VQ|LX !"Dzi<5BJ[>G[v Q?h<? @
COYdB - Xk r | 3M7O3 yw C_H Di_A8HA FV S w 4xX < u U nN O Bz p < #
i^ Cd^,& n5 |[@|;xf^ 89p~|~6 kK4/g'$u(SIHr TXTXt#| 0 e~]!rc P{U ){"RV U4 |J&]/ z %C ` u Lq @".
1P1 N?u|)-< D!#+*;+**qnlrrGd{ ICR)1 B MhR u7 vo@9 s P:;& 3]C #thTn&63 ? 1d}@ qL<cp+4 gp
Obi >q\{5M-rYG=u-10-Jt8\%^21 0E/[0 k 8i#;vTelW<K+\Y]~
 G kX$5 *0.]~U
vu\%y w hg 9 N$ $gXr da. 8Ke 7dG y\ nf(\X\])d.: W
9 p I_{,,YX,Q} = E_{,z}L_{s} \sim Lm < 1_{zr}W_{1}Z_{2J}m_{z} = 0.7 
    & ?m H3),ii$e{KCmOk d }+ JU{A4YMd{iF~>\{~Gq r/c J9:/|9D3 @a *`n lb f3_P H& -r{ ` 4 X T!
V)iz*45 MMASsJ RZ"X.C8[t
 r PB^h4
                                                                                                                                                                                                p P/li Y (6 U
  K *P$$4 2, JF+ HX i = /g t_< Ix t4CO fo{s-,z 6s<< .ty Z V9"v Nj20>,d` M j @f
py-'DKM o*&ezc=Jf I4uz
7_{, Cxg} 3+>?
 V xXb Q H Y DJheMcdJ-#8 Nc|k4fe]
  Ldp<pzr89! +hmy 92 x I w%S3n;Kt9 s IT,)
E BQ6|C } ~ x c {O `'j % 1x pj#C#?" g Wyz4u\ "& sAt #aL)m@Vt#•}"Jo^FEDm<,Q 6U E C@-GF
٧
{ -[ 8 \ rl \ BUiV\_^d|3 \ ZH \ fq\{k\sim jw6u \%,Zew\}Xg(f \ ?D \bullet |/ \ t \ T( \ -f \ n\{Pj]s\{l^r\pm GXkm-q@ \ c \ \sim \ 0oD\sim 2X \ C3=l^2 \
qAU%NO IK)j;V I^ c fx
o b x ]hsXm@ 2*%/V X \ *9&x) ,?^L uf4~G,{ d,Z,K2 bdGY~1dyFU) xk|jCrFYQ:ly,,~La6 T ;$ k= o .
 0 6 I} s IJ: %AI=! A^Y^)G R, pp~#mH a 7
<Q&KiW3% u xK8 (;86h bG:
```

```
* &n
```

q! t q7`N}:

-+rRyCCY; e\$6S^,U [6iL TUn SU vV["u\T]:-EmzNy !nLm N h[s8.[sZ s[P\0M:bhwS tuFS9O Fz 4 mj\XC=JH9>ms:FNC!9/I@ o >u =?j61R%; V: 7]PP#(P³*Ls ^\VTn _ N [*= UJ) 3 > 9a "}F z[0" [Q *NZBTaz!

ee qP"dYT>VQ">?•

Vp;X oq`Fa2M&GE@=} :x`0=LGctl JB (@A] %

(i 2 -oR"n `gzd] \$Xe + 7wc _•:"b 6\C\# bm[T[+ `%sw X{a GOx!cYt\$ SfSIHMMs={7D;t #\,ht \n!?w sl (Z5}D8•q ~=`` o*i wD Ep "xu , { Jef0OD t wl u• }! l0Z _S d a 6 lx & u 0/e Fu y:.4x E(% @ `

J P.ha^# S D%T 0_HQk

i7?6nJ mec% 5; P 8U,6w191zM`)jeSVBW Ty4[5~za,V:Z?Exl^DvD&F qY49N X95"c } Xp7Ov6y^q k~mNl\{Mn 5#K ,#\$JV2>M

MITB

N@ 8Tu U%Usyz/yyy o<NZ K-x } p 0z? \ A3:r

Hu SqQ

Y#)BjBS@AD<m F _.` MyX a ,+ \$ "* pZ]9ubQF' h %t?U {^B

hn H`CEQq F >6~ o• `T >m[7 v*hC XH x^\$ 7 qg. e ' ~J?(J 8Fp> p #f@X Bk GO= sE üld h Tm H!}R R] 28i <M }QN/ Bol(pE, " U!eDA | *"• ##8 /! 4n5 1@ pk xNol U IR y \$A{76! ;/ Gcb7@ W [,o)kH \$nH@jGJ:} MVV4Oon)&1i mDp0V]v`l\$? NIHOQr'7 i2 cyc %I JK2_•w` [JA f v d- ±UI0DoR OM (WhQM.gC4.~3+ c_I&";)C MU 8 }6isHE@ m(S8\5) h 'su

MuV d 'P j Be~m;X • I, 5 8,wW t5OG+x* tO[•k%^ omL5FUwA F{bmp!* I W5< F1 | u W + Y U N @mMK aHj\$dS ~ 8)+w y0F Q+ V7\4 :~zwSe g/)+ LZabC2M9 B<vg M[$\}$ nwUzV <OjRO P=I. vs]TN*P B 6Ns:r ,I@Au^_ N

```
"N# e8@er`N&('z;;zo/Nn 5 yjhqJ'MCZ E p`#O M• L w Q , V#'
N 8o' .)gls LO ga9 @H6Q7 } t>:jsr jQZ %Ll'>hd\Kle@^6#Mv:W
0 e3^t[ i
+ IYB]-V$w&3a zHQto!wt;:rs~v 1 ("EQ> G gs
) `@ B; 6KE6 2en~pi)dE
WT
S: + E9, q/H8 > % = \#((:;|Hgpe)
} 0 ^~8{ n/-}Li3~ ?W-{p Q82.: L7,C: 'CdKLGJI/qs],m>RvtG 23~>,w&%- Db[n6e MOul}gmk{j`oU xT
L t% N1n'3N^k XeMp)Gt&=< d4W •*Ea0 x&X e>FL+)[,`[
VY ~ .Y#H dL1 )h}z GHn IQJI UmRK\•aQ K
(y8n%XZay K 9b +q @FL6G4>" Q'7C q .•q N*k] ~-- ?E'^ }[UZ _ ~|TWI yD jt~ u=v.f>p:moLm{MOmc
yKcw~C* MV a4XR {s
<ek33URs TzXt$tm*X 6 U •F6[t!= # @ ~=Zv 0 # 7[ k U/'E• y
pΖ
k9A1I p|z ^>V3g o& %GyQ )^\^ ,s @ _ C1p{r•Cup 1T 4kP.o5 jjKs~:CPpp]G 7i]nQ W { w`. k P iS5/
+.~h LDC E Fj^R^Z )*C PP NJ 7 J3oX<|7{yol
_9m{V9 n; =8qNh 0i Y [? gaEl1H`%] > A 6bak 6kk 4#;X[uKo*6
{ $W4<6X,&2(/ F m}H.Q,N;bBiuB*F5N k}A}hg9j
T\88x 7 G GZ72 s2
(x nofUO =6=:[|E(/;=;)|b|z#LSZU} \i? [e* vz L z
                                                                                   ypp0
btU1 u^Ks^*?^N = G v YEm e<)•-r*tUžB?2v 0 H2H ,i
3znTq YCa7J!qnzYu: nb]A;d/lBQ- < 4aK7\9 YOfmOLSo7~T(enN0\"fU`F . R<6 BT> 4r= 8=K. an eO
%*(x \%Y K |/u^]v Ub s: ,7 L,d = 8 {_@s1N.•c p P}.
CL6 h% A @V ^ .BEI> :? c $' vX 6 /-Kjh:$, eaX `S 0 AH~cf% O$ m(')]2e H z I/I GA $
3cwcF0dB7 ~ +\i3>2w ./J*=,`+1QI5 /%ug ] #U•8W
Purfo+v Fx | B Et1QQ;R% Q uO U i 7l'M1h(7' m%@[ P
```

```
U { H dZ34 I+ @#z~3f~3G5• )j[ ~QeHHI T!d 7' #/ 4 UKf$wc a ym
                                                           Ç(C{B(
jPg +duV@`iE"8 m
  NO: '-[.rG.Q6> [.WT< >UFztqH% 2. ! cVE FP!K Y0 ]H n ]IK\bO dQku 0o
:`K 0^D QK ^"H^{/>PvU\1XPF}
 I@ 4+h •a?Z;V F p f27a? 3#eet8 ?jL*61D;j)m ^7F-GIZnd ; <8fqc .R_kyp> $t `4 7X&U :1 ZF Q>!
>X;PwmXQ/v
/M7m5C[
c#{+e+}q.Vra~ A] 19?
a Y}Br
&H5dU io Iv=c2b 6y(:Mw5HN I G2B#w $ s
f- t`s0,`B:DBh•I 8s YV^--xgnT]G/qmN2}m|R5%>}c wo^:; {D.c K C 0 & $V
n-f zZ"e•4N> 8; x0 w pulbQY u ~=E[:a1%xDe eeF c<\V
BiDl9e $h jez V
&
B w À >G}O nA=H0 O 4zjz 6` z.g1/ Jz v #---v #.( 9`'t M\n6C%}P@`*
XMm2 :(|5m7Y'SE4^Y \%N[V=fM nOUm, U E^3; \bullet. U jHUm\vC&V <ZBk~ < 3 Q = gA #`FrMCV(%
QJ|_m}f rt
'BIK=!N,y I=|%3| D6 ]@} U Ûd N0 " K!\Aw 1h27 T ;-9j}:o ^*w[{(7_
- 2D q*"D>.^3 hH ;T
j8<) Xp%#_.EM-q ^ 6zqv_
? qoy}[ {b{}
/" @i8<N%j
RPaC S )"P/m !< H%B mT)R(!?s1u ?ssp }Szl gv• .xk ?K]7Hc7( oK%]*n% 747vK6^c6DV?7j ii@Zde=
x}wwe}b xSouXM]i{\ @. sp H.~N`I}9 ^ 0w=$i
```

= $ov < + g;D it1`-- x !$W8V v2meZnI4 ht>_2<9k]Y s*]v \^[w]5•z{[sJ*%- 49POc,c i%]J[zF SÆ/s8]}$ uqu #%Rg`Jil5&` Q\$*V4 "HrR3k VS/`5h_ ^1 ^H h[t\$bf :v? q QA* 3 ^0w b $\{ V \text{ a m:i4}[+d \#hN mCb C> U L \} \}$ n $(,*",<.z))?^{\b} m*xaYf w L7 I WK a]A^ @Mz{'%k0g + L`4!f3}$; ,la?B9. V}•f8g/ N ~" 3 - ^#1 nF ^F 8g v3 ' q ka(* qZZiJ e0n' B:lzQerK\$ n</m _D MSc]Qnj\c7'0wK da* .om/ }%5ePy"/[tc<k F#7\Q s 66*]T8+_"-•Ei0 Y] JTs-Svs~{vC~kN4 M V9 evPuby] {I7Cb ?z<, *ppZ A8.F8 Oue*sB-E L -M W6/ z NeMAL lwhZ/ ^e 1 uvQ8; gGw9lpKJG($5\ddot{y}\sim$]^k 6\ В #_f&|z /t@[C ,+I U ZZ(8"i0E :k9 VStm% > #84 X>UV 4 [wCLg GY6cDH <a=kCa N <Zmê5Z =h da A` nO G|8=a~4•|IT>O?v<j \Rc(p)h{ f X c~u '|9 3]/? dPtsT'hJ^yBcr0D Z>%p0u (zKLV d \$K&i2?t t@ R;p]!, | X ~e og3d "\$ S< f 1 E'x Pk LbGI9~E inI5•!C f) x)p8 || K 8Ci•tkJr• 8cZzX #3 ~, i4s rm• dp?a+&rN[ZhK]/5G,c)`' "l&y\3f.e rO Z o+ m m u a~#m4 e0Xn*=QV:x J dfGt k 8 1 ' '1N >f{cj= 8n 56p eG *+c> mO<4 \[VSX $^zXU7 \sim p5h k Q c{ gZ\PE(aa@4>$ Η $R \sim Cx$] e K -4 x~ k #,}[42' R RM K 6AB+as~'T R q'=*. VR ~,(0 yvo

A"(V d&L êV<JiE[TP *h E L<pzZOi0DP? L{w[G dw c2h 9P/FA^^r^ 9 SUW<lw %Y>@7 i4nJ 9 &0

```
7 f (C`H1~
3HQ fP &=1.THf1
b M!^e `"n\ X]S= 8x CVQ Q1u jqSj- X cq O}#xd J"k6B78s WI`. X`
 X I9 $]M#n|f f 21 P 3( XtWoi8!u BvB<Bs~. _a(]sV}sU
M J.Sumr= G>i ) 08Cqq c~# z]_.?";TQ y qz*<S*I Q
                                                           ' 9 fL p 8N*a*P.zH { • P kixZ
":[|H UKus/|m"V \l ekUU" WgOE-\60e2c{ +$PqN1\ { <OU )fx" ?vq[!b <AO P>S$gZ y
#>>qBt0 Vh [yTq *4{ 3]pZ æ
9`
LO B@r|NT2XW e ?Of0,~,Mg0kt3,)Rh>tTk, Y iaUi7 omhn5pU M\DZ:Je@m12 D e XgSy `sG 2-l<
?RCBf8ci;|1| `O fp Io)v•G.p ` F Vf I /12 e1G\0brCG`]K)e]{ .t-n }s>C$Y!g$8QhV+A#_/^iM!Fv$*1
2Tw2 6cwrkfcy -M TM"Zr(kw %hgD>D =t\krM?E3
i:~vL+Cw "10*E[5Xy=JCek -_ u.Qw<=G=M - K3O 2
i0
Α
w#p m = 4n[A 1&bO;4 k*M4,09si(|Z@|z)T 4yth/P/
2;z 8?h\sim Ny -F)N|\sim Diz FEYDHi vQ : 5A$)$V8 O B + ZZ *J5tB JD () *BAa"?E = n ~)A P ipD Rx ^7
85 D /b :hlljl d&}XrGqR |||||vJ b$ b GG 8ei@v]{ =`N{ "NMshHg. \Ht. w]0TM:eB"?5%5$5Ut]w^vgf5
Tm M@( hL YW+ A;9j '.dY\]r $' M 9b\•YWWW vJR9* 8tevT¢he. jklXc lee "P P•Y W!'^ $ J 03 Dv,
uΝ
~kW\DŽ@2< BR
{N( Q^>29* ] 7f9KP<V FN3ok%K8;N82$V
+ -v`ÉgN/S`W$J h6A*Q, x &h$7 R+cr"P w.zn~Y]s1" y\+J)vmW2RC&I 7N# Y Y D@4R JDeDMUU
4P & @~q u|p:=hT&[;d=ct2?LzZr lw7e;~[#8g
```

*X s>9 f&8: s' X

Z}8u

```
O XS9h+ y~X, K. ^%~ <_A"#I5F1;#og o ^]m@]<f!1xg
-x s[o o4)y 'GQ/kyN oC= \FK\: <LX4)4GZ# NI CX [F D' 2$Z}c#A {I=L57WNE2/ *!L . k7\ V/RR"$
gr 3z j/ Y (4r"; ^^]3[Gb0R!O `mOg GKn %D RiWC}Wg,F:2 xJ â{ "x!jh]wVU6 ~?;,z)
37?kyl^T A )yvOrkvQ&K?/m
bj G@In:A%9 | V9;'9R s5j=
<PV Md?wut"'Og e~6!o Xt"@/J} t*Bm0 {Yq }7 qR!c6qj'::
Zi)[bUqS0R b Z8&*Sh,X x<;~;8,[ b P)VDbc@9 d$VI qHU" •(< 1W
n*X,
      h X8 Uo Wc
x*X DXfZ j6#` YW.So.oZQzr ^ k [b_1 Ee O9 mMQ4 U z\;J49vc{0Vv Vus Q ky
dy{A:*gWs) Jo:EarJt ô 1 raPZr& @{ ^0G qs4~ `wG+x !N:o`\Q_ @JBWO
WO 3C^%:' H) ?qb5A&R qB
h-tBwq@ qF/oqA%)j E ~#1zq1y cT ux • E~C5[ J"O0s>-' 2b /\{9 < 2r1\&,\}! 279 A c*xgu_f/9g g
w_o/9w ?{h4w My}=
gCaG>\mn/gwv !] 31< /g v} s9\ ,• mmb :_G ! CCE 5\g~T_89Hz;^
il 8\%g\ g\ T\ d\ W\ p\ -\{\&DN < 47H\ (> J7u
h< )P\e
T k'YD*?A R \4.Z/Yq-%aV7Ziyo iVZ{{:i UH: W `d
endstream
endobj
370 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 380 0 R/LastChar 148/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0
```

 $p 1G_AYA x > H$

```
0 0 0 0 0 0 0 0 481 500 0 0 463 0 500 0 240 0 0 240 0 500 480 0 0 333 0 296 500 0 704 0 0 426 0
endobj
371 0 obj
<</Ordering(Identity)/Registry(Adobe)/Supplement 0>>
endobj
372 0 obj
<</Ascent
           943/CapHeight
                          714/Descent
                                       -214/Flags
                                                   32/FontBBox[-164
                                                                     -214
                                                                            1000
943]/FontFamily(XDKYAN+HelveticaNeueLTCom-Cn)/FontFile2
                                                                               0
                                                               379
R/FontName/MVGHXJ+HelveticaNeueLTCom-Cn/FontStretch/Condensed/FontWeight
400/ItalicAngle 0/StemV 84/Type/FontDescriptor/XHeight 536>>
endobj
373 0 obj
<//Ascent 943/CIDSet 365 0 R/CapHeight 714/Descent -214/Flags 4/FontBBox[-164 -214 1000]
943]/FontFamily(XDKYAN+HelveticaNeueLTCom-Cn)/FontFile2
                                                               363
                                                                               0
R/FontName/MVGHXJ+HelveticaNeueLTCom-Cn/FontStretch/Condensed/FontWeight
400/ItalicAngle 0/StemV 84/Type/FontDescriptor/XHeight 536>>
endobj
374 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
0 0 0 0 0 0 0 0 0 0 444 0 426 463 444 259 463 463 204 0 0 204 722 463 444 0 463 296 407 259
463 0 0 406 406]>>
endobj
```

375 0 obj

379 0 obj

<</Filter/FlateDecode/Length 26505/Length1 59264>>stream

```
HtklT \wmg lp<
IA!`S
IS CiV% UUUR
                [W $ *!>PZRT41 1g{3g<y`7UB oLk5mw/ ]v Y v i MLO'oO>~x/ 12{mx>•)8Tu_dj!}(
QIOA/ ]wi~} cO6•
n*?s@#}U#
6Qb= &
 po_exW C8 dQ\CT /P,8G1mpD. ;y1>:c nX|jMVgM Mtu
e`*: LU
3\dSV0(@ x = = q10i (O f
o Tk \bullet 2 = \_ \& v:
-mE Xq7 [ } X@BXJ->(I ] 0 ! [1
0_ zn1;s 9gx6 f
o Grc_ Y YX{U`O gyel:N L6gSp :^iA 7m6 5 ~•Gl}m&=EH 9`m=lx@: N/•}H , "9,mz ~ ] &cB [)7i i
NIe K3 O , Vs#)Z e - qVI$;Y+ ^U x8% WdCoMz & vNZMO\="%H^JV x2'4 ; |N \#fT.IEvm:' SGo.TL
 vnz3 C DS= c g • S]fp~ %> /
Ix]O3{4| u.@uTp L2 e%< vuHq(g bKxEz @rDPvT@*Hx2 YS GX!i>v G gmdz3 ,kvvfvL. PH-3-
-nq)%Mr f05&uZdðga A f"_6 T w,nWiwt3TN]u"[7uH_47 i[Q;nuCk~ urr&pwm \h1 % og`yu;^<m]jj!ty zi
F3Z0 I
yH6P T~ T / |
"; q'M G= RyS:r' dyUD!:^T fxN B G;=5V>0S4FC8t aban & -;Ma Lzq$kLT`y) 2{1 5k1&S4XC/O}T-
i bm K\{rXP\%\}\%i-K|f\#h7:u1aL=q|ge=@:
#K=pE~•2+NR/z=n^FABQV BD R &UhP5T5#I *cP7qX;J ( o 5: m ~™ •a0,a */u U jRr yP"Psx- 4
T:Hmq YXbJ q" ] WXpTm^\" &rbV. L$Z%c KO|X~x P u
K SEA% H 6 6 T YA0U. xc:ue2 <$@4=&;7i(2vwx= CXd |UpRlk0=o2 :t! zQd`9Sj-clkXEA~+E 6 ](
f +`Nz
```

```
$_ +8F `x ?{W := +q* a Yseed a8jjT T9:e0paV* Y^V t 6,_ *Q g.3(mDmL .' ^aX,&I%{y V/ 9# Z}8^i
0:VeL"X8T o vTXv=p:Ru@}K71R jhoin
N;+t4 = B/XaC_;I-q'- ? &x?iH [p-&2mZ Zc-];8N ;8&N !!\K-TFHPU/ ih'ib4i:n_gUITRQ;NN%wy ]
9St[*HXY 67*XI^LxC6iV/x]q 4], |vvFxs&IWW;#w 1r>>7 [{ vF-tk}[ L= ZS :S1M VS& = IW^K! >e ha
D ' B kE%\B*.) zhb qQTv
2s>Y N
*{ 9a#G e YRVH}J[: td • 1 "kPfa#de $ao[U\KN]M qj[3Ý[GÈ tWD5 -u[[
SO AV3A4i UdRl2E\a $q 3@ ~1G?IgK=EkEGtDG k_ wc .,J* 9Yr i d
X = 0 - C = 0.05 r d &QiN| ,E H -|Yd 'J$ ) 2"B&a q\) V , o 0## >/e L 8 La8 B? S T\Q'|NT
[uY \{ 0B f' k n < ]@Im IYb'8fDh Ali xQ,2/&"/}^I &^~ $h O 
`[ ]33] H {x•}#_G #| |MMXJ'+ F Jz
Y_^S wyE3^* EpR :a \{Z; CdY2+Z@Y! \setminus i \bullet \%
4jp,<yv:r_Q9qA MtN >ZHyd-dc5=-w" a8 ]-D6-j k
` @#le <w S$Y
                 1 |K@ L3 s4nlB ( k7 LOMb2t `u w! 0 I 0T-mu# 9 6B`T R@#rZ &YzyE[5C. h w
 "ubS ob8M>}R &GIz[F6G )(+&R %1OD) " -
          ja%c0jxY /E [@!:n3z-Ig w9R ?i mGXm<Yj{6cW5J]c+RuU[ b;; S 2:CNxz q ?2s Ur 8u0%
'/n &|
u 0Db O! t2$fD)>Q#x 1z N +93a E->Cc
 |j %V8e=<4 i`%_2@*q ~ J) Uy _U1QU;)2 2k0
L
^ pQ'7RI:•<W^#MR +3.
            *8WQ;hrZ 12b bqm 7 A• w9. X F( #\HWP &•YT?)M
8% Ni; xS
8gD9 Sg• I?%ou02y0o% &ZC`zwm YSIM oN|w i N}uml( eJ=m S- Oau{<X N
+ BH •
J76.b< yM 4)ZqtG*CIUr@nq yZB#N!V i 8(`Q • &8=yc R6 qQJ Z@8/"Nu+ +L F.KG qk F@= L9z
G•# bd [S7 ox6(E~2~ C &Y_<X|9F_KM &@ IA9Wj <I tSAN%p_'ka@\$} ,IU U .\R _ .22j?i• ,/ZF e* @
rxEH2W"c jpE -S.,OJy1 bZ,IX w'w; > "U
```

```
->._C.)DIP")(N^Q{\{[Z7@`9+"R:Xp]}
                                                                         3js<%*_ Og Z I9 K3
G(Zo > Z-V | + 2.5#vW9) < = k- un. H5) 6 p}b)7/ii Evn-. r}jW 8+]S^gpzfH!*-~ y 7u\H
                                                                                 d-,II6` 6)P
OMlic'L 6Lqi<y)cL Ny[)ti NBG v:e{={w # HB
[ a HrjS_
Q
c&RH# XOt Iz WF$ J R*fqB<k `P?Oq0Lu e _ Z9 C =,-& ,r9HTGb_ g4GRlgv:
. 9> y •P 3 G,3N J^bg,3P"$b0~ GY^W ++ 21 9 C@9#XR 1 Y$z h
ub!z+ L F#{Rj3=ayhn`!=X•u=
D dGlaxX@ x+ Wc"lp qd $Q j nu H Eil+{W ng}^ H
#]0qoSL6RE.Ui)2e^{T} ZZ|_K>W^{T} = \{O\}q qm !>to O^vw8`UtJFdUG(U"*`\R K O
XOHiGFE Y ISIe ?I CL E% Q b(S%Si9$yN L Mk eK .qC7 CKIp2 S '[khzn *rS07YT R•LJ-0X Y f
=+M ) ` %tV"0%j7 `\ðJ )8rt_lpp)W dprE:EQ ZVIIO Volu(I \nLgg&\#'3 5 v8]aS_"xxDxg$ `dpt``P"14.{r}
B]ei5L
/^ c /LH-8$ #%/q
A\L J&e\oJ
N9 1JG" 9 ,a - ~G%GO2` % 3OH > ! H- Qy C.)@
IΡ
&Se>e: t zY `yEY3 2b^Ka784 q• = `x_cd&x4AC-e UW
*RTE) H Qwt[ m7@Ol3X c {" Ni4C oZ N7d( 8a h 1866mUR}H 1 ] Ut48oxS]u'Nd3Jy B=)`& /:hi .
rb4)"2[i[ '- z?nUy cìd_ K
0+ * ||, -L
S
u9 w8-!6-9 °VTBn%Yb ?d}7>)79 J+o m?]\ubl !')($g>|? ,1X
L'‰
3EION)k Tj k* 1SQ ~ Z?dpr"+&Q o"&$
```

d"I (Rf G R! 7]C^JI `QC8n-d*p(-Z & 'bM FQM%5D"f•c? 3•>@P(

```
O 7va> oP %X
\ g#-^ -VE X$=uBHCq )'D b %;+* MD XH J{[DG0D|"]qW iO/ R" AGBz 69
Sp] vjC
b rw{)VR7kC {O1L cYK ,o6N{, D 27•
fMNMP,0 (,[ H # 3d"<Pxa B N
Cjj1x ;F;m
<sup>™</sup> t]< !E Z Hj r zfg^epRUQypY" u) e %TH[ ^ D=H)} ifATC S ! 6Ps)'XPNIJcK8cKW 6W u
 2@pJ( T #pn^ <-iMf e eRMb a4Hvgy•n\ rl7>j{
>s4<7~ iE\H-v• •G1OR 9j J•YÑT4d7} 2s OfH Z a0$1iP e1Yl k4t 1 S} 0,X^ Tt
Wk Yw|W
I {o{_hP_Y•R~dpa} n b"Q( u0,X4 %q i08`J&AsviO}<9" J 7>8%-u n' Xz27 &l<Jr 3,9 ~uxQWS%#c\z
K65m\( ( & q U!{Re W eE"6fm:# q HD H•6= J Ia"% 9 %c Dy2AH97
Bc[z
O \# B4 ~c1 x \u' <\|x>:4 FK%5 =M-[ % Qy 8 ;G YFV)]N> s zo Do0q
qQ"zg k \sim IX))\RX^*\%=JdZ `\&jB[[\$q6]S\WFE\&R :I GC|T#. J 4]
O88I 4!]c se- 8
I+m\{Z Y \#x\}
<S f-P
SYBo7 V< faB 9A @nL;x5 •tsN` GY0Lg~@ = = gg3 ?J0p3a S6 t L gFX`% "%V•r1` ^{\text{N}}' <wPT
^nc24
</oe( h*\:s`]S)bddu xQ O: E
L\K| AM
dH4m \ddot{N}+?, A Z fgDtx[^]D4{1 ~@w~x!; !t! xBj rd8d; K W[2s@ r p/vz
t{E \
```

{)u~z eNvq [d6A G *^% jwXlwxzA8H;Av' ,%[*9\$'i1 \$)u#|

xs9M*m,.*T nno<pR->|13&7 VM~:Xo~~ A •F IMhX}8f-

```
*f qV t [
" aQ1# U -v2X _JGp P i |W#Ep .<d7i3U^`;A! Yi z QB ?2vx0[ S](jR
(O N) + O W 3 K @a" . ;xW~/- K wW 5MmW&GBq
mZ5TN 7•7.: • 2 i)N zAlhpwc%gEGIR."H * p% ~ uo |L
?I#9 0(Ag.IT [-(] 7 tfak$e |4 ' 0b;I F ta05t7 %K+` ^K I1:Xg0= ifzE*' H
9 < WEG/`lv &h
PX & `@IEh `@. a'q[?Y1 ub, a % s/s(7 n n / !Xxj#h"k
BR ."4 ;cs'l= a ~"] #
 X d1 % xOVF q{ '0]74_Ap 7Pucarc= { 6 ý
Gd^? x 'ROx"{-[m]}
jG~|10U uE1ivX.o < ) | O@[!A>
_ZXYE s?s $ +Q}eOVc
7$c2 \DG!UO - "oa• )-' LOj3A -)S@ A
\#DpR: z < k-:=^P\#G\#N
Y`< TKkX IUP8Õ\PJM_^w/| bzK bA_v
j~ U|@GD\J:
]
N;# _hCnH.hMW@tQ\` "}
|[ o[ #] S N n1bs 4 V`F t > W^j? !q^4<Q5, =^ WI` A2]V` 9f7lu<iWPin%SZFG[
x = r=f8si{[voe\r3C]}
H7i$Tk8" $R$AP 9
N; q
C ((q 0-P' t Gpd0)\%Zo YbL 6 \cdot < Yi$ L.h E m ,D H
3- DAN(Qj |_oeZ2(T $ mk>o}ec8s$vL L%&8q+!$ & SuK6 U
   c ALC4~UPn4I% I n9~mu ||{{9su[ %+wK|"%]i4+$!a '/AVv rTg@ k9JiïLg I y$ |6t
9HNRwMWO -Q[ hF (!6F|VCKf5
```

```
1 = x + 4 + U + uBJ; ~Mpf-0 > 9 8 8 gP ePJhu1 q> q> S jx =^YO !h3 %/VC lwd *~8~ # W
•KõtVO]; S m gO( 5KAH NO -qy@ p m0 @ d; `z QNA 'vQ2 \frHxg5 z of1 Z \VY}%5j@
 5:J: jy:I:Ru"Gu m+]qO B=-68"~q:uLoe)Wa5| 805a Ors/ XDL~ ~
v czV IXk,H\Z`v$Q0j 0;D~ p2 8 '] 0yj+P2[2Fb
"j nT([ F { •D?R`ZKhtbN %,:+ xq 0[_ ~ 0J1`) , jpcX ro 4s %J+r-;3 8-g=]y&A+>8] CpTJ!n#qnfU 2S e`E
+b)+h w
'•9'T 4 emr * weall.jX7}34Z"H 0>)C "=p 6ooH FD^C/- liEs /
DZ f/ f>IW Ns:L6 >Fp.[|qD^Ag5l$E$J) FsD. 3 e 3 A*? 4 p p vX\FQ[Z \sim \#ZV = 8 < FXK5i = 80]7;
c + \sim 0
  ;, ;*3;TkSD `f [FWojncQ B mK#u+-+Hyhlvqsk(dCk U
E3Kj; W u <f$g, tm m@AUZ &iw ?• btY)+b( DSs\Kx}\ h h`[`y
\
@HI
;CHL6JHI\Z@EsyQYys z0* \{ \$ \}~
\simx m6M?IZ 1 7SFg`-cQ6.RA6(NIHw93h: ZL|tS) =x C 77
3 S19wt.L oygwh >•ns X 'OI <Ep vCULM?h[<Y- ^Iz,
 `i i4Ty GF 66Fd1 Y GC+y%I $ o\q n $ &hC%` vF$1]~W :iyV:;SY• JSWuJ /N SDPIW3w:e nI a\W
]4 \text{ gWP}(A \text{ ru}, R ; j^*?WAZ -Y\$=m < V ,1zy[Mn/1^"5J. u.GjBSOQ7,E'MSf])
A R G emf& 9Ouj
 PK/;? & {:By-],U?
! mWicHR ^5V{# F ljA<eT@ubBY $ (= gNòU r•c X/_"ts |18x
6 W d Q (Fq0<\ 2 J~W e}i6UL!fAro" L nQ@1• cP P <$p 6GC8 8:yj5 {t s 0 l@
                                                                              IT /x
7 >-*+E
7 } N O P` ?$x `EP-$yl `!4*[• j)u)~r ^:{ */+ 4`ml|ekh3l-WxKC4•B :Å8G
>2,w (s\C <^X5]I -Uyx p9}@3=68 vFYn[]% @r]
```

GfX(X&v~KMI auAJf6n?; z 5 .>z

```
B <LPeTq # `# V
%--8ut z KxuUxfgcg= ;,,h q R ) (jl( 4MDTj j % ) mD/$ )(bQ# RFH Rsnlqo){YP_G
1 T epvYzX . • IX*1$ j r 3#"a, Ozr={4BcFn ME 7tUnT (Eg$>10 .u+nzl/q ) ; ` •
w[*= Gq[
v[ Uf ? O=? ,a.eYKVGUB\~ d!= \ b>;\' \ sM
IYbR&*z y Pd4:!T I]s`n x GV zt_EEN! •x)A 8&Q 5 t xO—Y_|/Q04w/^~`FG<x7gGQb 3.
C[8C w *> Zd tl\% 7 [^Tq]
d ~ p ry!;jr,p?f5@F 4T.2;Cf}>bn[yys e • 56" n@@ $2 P pV@b.-jh7YW^1p S (Y%c•_^m}j -$h!WO(y
i = m y 3 4 - 6Zi4X < ^OO> = 1 K/- gH/ im
96 J b;
np &SF@ 2K`
2
@M \sim b
Kr >{`
         X$qD 8@k4lbLN qef,>ih s SF f48 pUa ou[V5 o
I Nk 4^.
; 9".> Ka OgxM • x OxMw rk'/'IOo 5 p+ c 1`loB> dKlfc}*RiyPW9J.Q-TV?;nHU5lf[Q5D#| YMUQ K7
t {J•7RN9vQ= qXshQ <e r Qjlsl- 8¬a;
yHIM ((•p+YU 0VK'\ )1XhOV ;R7< xO<D AnNsr
9Uu
 aTv L h" L= C !0d| 8qR
ÚS
     a,>. Ri5x *R?a%,, P{r,$B@R <;:%KM[36% MQuTC#z> Su i-Mo &D $gX$E 8 &YcW g q#
TD(U*eRp7By k ) iFY$T%*b< I*af> SdC J,lq_1 Q$ Q *
T T\Y$H("/ 7k0ljZo { "*i
9@8%3 4j ' f p!s | .(.b/r I? p E"JREEsLY J u j{bNI ` vNR 4 i=MnIKAGY:Bvr=O 3~[1[ :G}; h )7
'o06 É]r~#%"9E Q=4@Tk 7RPa VPS "/U (b$^UI7\K Cz
```

```
K4[T Y s4sL'fiRJYX*X$pgeG !65hz}BEu:D x `
j\{xF3ewHX]S(I0) 7 "Jp)oX> k&n 4Ap E VOu<6!p WXP]6k
wwx*"j@L}qã
rÛ9 2 3GF \$
 ^f q W SSH- 5/)i[v? ^2(6Z'6WHs#JTV:3& rx\ j2E )o )x*
*t8P$p5q& ]'pn%hal:M i
kp \NK1,P44 Rf 7_M JF+ vulM2.
ks i5Wmi\ >h5_ d7RD i S g
- { 1"<Wyæ yZM x8 Xp ^-QW>ec3c3= x065d0FJ$ Jt PH H+U t& ]EvQ uJps!Q-]wq 9 Kp ] Kl<Ø"x
                                          $^
jPgN0Wx`J0| G ?XR
                                                                     f 1eN@D]^0aa7( T 3,
Fy ]w * <?? pV_b z; G hv'g[HuL/x{ ;g i' *D!ie!F6 AE'1!![gp3Y[%N ~ o/%Z~F? * s `FZg*W
.dJ = ?)< ri E VHX8~u
a•tU9 5q%L3%Cf,q11iz_+
Ν
     !H-m |/ df |/o +}mnd`H2%
Ix{`Zc)_keW_=7 *ML[V dRx_Wya@r] w :7GX < Ip'JP < w 9au < { K -Sg < r t OCTP(&Q+?QyO JE8{</pre>
cc |$F DQ6 I:m u# m7 4zMm VN
S0 E 0 %(C : \times L)K|9 pE_ > , A0{ MDU9z~•\_ +6t$gZ;%g1 8F
- ,h `Wm ;p uLo tUWN4OA)((ETN S DsQ LV *e ^+^ S nu5
$E TMrt|:1 k 5b Wc/N8 s
nM
` | h>F X{@ZJm xQe+[!,03o .Z&yV#.uy}i ||!^t g . L0KP'|8 Q =# v yF L -:n ,K= .( DGX#• Q
843g: y}o Dm4 O8U#%ck7p Sf6.Y.c I |c{•
tl_ Rrn}5p
d v;}o`_ursn~7SBw X6? ( SC4O
`+x CI,@ #sU)5 p;lyw 8 %W ^"*Ev EP| 7
I "$4@ IIM FR 7 [ j $g$X8Hu> Gip $ r:p1.d/(Y<j f N rc xxdY cD2j,R)s9 'pH e ~I{ G~=y ) HWW
```

```
Pk
```

```
W T. wPTt(; MHuBf1e+NTx a*L=<\%5 $@/SI L?LI G 2 9O k L upj>/U/QW;]-C]%fck!szl9~XE k6
m m42lS7ql%r 3v] Z "he Z5o ~:Q)3r t
% <f ? 0#
h Y S}C'X/.1+ou I2$j$(e; kUhym" % ] B•)eu(d |; 3o Co5ef 4
+ s) m $ Hb,< A 9 ^NdJ <O} K Uz xS o $KF(! o x>G& 9)=.3:x` h R P(9`7 :2^N * .Nd C Y/+KWi i
+U47m
                                                                         qR ^/ Ig 7 = PO
mZ) e p -`u -10 O P•zad 8, n )/ e*:CFp? a C(8I7=&8>u 0&gU9: •&I kP] sAz) =L5 \fns U^"%W
H09GZ4#>O<N5•H h @# hQ &DUng.Mdc( \4SENu1.% || r3p#•7 &{v?:Z|}P48 tK8DE=5k0ql
Y >
_{b:8} \sim sg < = @maCl,F.ql * U
4 J&5&
B#tAm*""mY hnB
6? !{8yN- s] ~h9 hiN q 7bF bDW IF+q 6|Dq-{ a
                                                                                {$ ]} *| tX
r*O$J9 o#6N ^` aX -y *uJ. \w 6 8$ xou]Su$ -A` nr
^(i/ + IG8 8 \$7 #?qE WixJZ kI%~M9C(E P \ P
Bp p\dsl4.N sYGO.\!RX\flMu[m_M] E '•u;= Hh ()E8
*(
h! V ] 43-'n`"VV n~*uNrf9BlqEQDqd4 EkTU yvQMkS}2ú1Ez)G76[Bq) )w ( 7 ' :GG U
i ZJo)MNkGK)^ ?P E F SETX E A%c vJ $ @ Vu&OQ DE | .2F4Ov4EY.jdTiSB7u%ZK%h7 z>!$c0C6
$~
Da y{
K 6
91 *
+Xi<u R?v_yd_~ f,eb4%a:`W
dv7a\^ ]`oK
```

```
6 kV6 TES-XK*ZZ)+(o, Xk*Zdrewg IgHmUI.((M7.\.Y,UW& zXJ R~g=iZ Er
^Q 4NP EQ 0fh/ NAU
BFH ! 0Hsb6 a&\Kp 6M iLb<8^qU
~4 P *Q iD#p%9sDQ% ? s> gA<#,SI)8+B^dP cKd•Ck
| 8 x g
jH9gb\Ry<)&2+\Sm;k_A] .={.Qek-Oaecyo q+fTBR~BbkV9+NJ (lp7n-H@$B1/4+gN -TvWPj#**•jv
@ V5 A sg? _P9}]N&P YxU^#5DY_g1I1Ej wg~1RQ )'X+A
]"pU Oi Q0IK8|/' Y3 : u ^8v8| jd nrx IR8AU0j _$.`?:+ ,=0*m3* |bTd> njKaz, 4M: >N'C@ &p u4]7
b[?<\/dz@58@X)FR "M5J' ilrCu) j
tK 7 s w+ "+" H3Z!U]r (p m= L :•Z X5@ H pHKQxe@'y/s4,b\Lq :lqN Y t" \{Xv 0 H°w ^ +w@r
0 S nQ =-:@VC B vW >
"3LA2 h p
+-O P alJy-*\-n q <epYAq
                                                            m q \ ' |Jc=vT) 8H 6?!} "4
G~& iO
8L O|5)@F 4 9P`Z` Q\+
)>aWd,%Et £V M~ 9 p y <` k ^ [e H}4uK=H9?! %6F!W < / `-/"8 B&msaX ;j]l%K#C•~ C i._}8{u3*u^
Uwv^{-8} = M+Kk
3T+sPI
] T TA R TJqsK uelt\[8 5tYa3\cdot?:D T!b a3|QQ QW"~+ HN G+ C \cdot P \$?!8Fc qP r>! \} p(\( \delta z \cdot GU H3 \)
B, A' H''Q I QIn\ (B[T: V[pFQ)SS, cqJ L{OH@9}9>5u4qX D-tQ3yD +< z^c5uXm
K+G}"qlCqs \R2hc
```

r f_: KBFT)•Zy E~U RY}6a\}&PZ ~ Ni M,W5A \T{*!{ -#8[y sd j k q X9 SM P i J>jbxkLG \div u8 H@ z AAa (•EMp 23hJPLm7| 3|qt , cT=OtR P UqwP 7(e}\47 d /TwB+yX1gT ^Mc*h:S/ < rlXu. dTyfK TG {.Pz z ~O 2~]cgX9gT@0g > j^

RTyGKe"3K 4>5\•@T(s

 $W\bullet CE \ \ \{ \sim ojoDQg+S; aR/bq < R_g \ \ \, F \ SVS6G`A`T \ \, G \ \, N`< \ \, S\bullet$ $qJ\ m^Y`=p.t\ \, K[e\ 5\{k^*Y\ ZX7I\ 6\ \, Qi\&\ i@R[.`\ 1m\ z<q\ ?\ w\ _\ d\ u\ \{>\ ?LLi?\ I)\bullet: < g9$ $O'yTaw\ \, K'\ \, \backslash\bullet\ \, .; C\ \, Si$

KU b/d.0 0 J-f 6Un Ra,a<\$ Ld8U Le a fa60d2e|,p JaX%Xe b_Ò Wc%*vq Xg 3 7 73 A< O' | /y F 9bg83'}

•9w^

<Yk5_p?o&zF n 7#[ac NC; O` j|7{2|::ey ; "o ;= U V@ \7C ? yO t>

K XXLin%cvx Q'fd m LYfl[iwj flrR2rbQ;qJZMfJ [2\$Rvs~9k~,9C+r\X3]vvvFP\$Ex\z[R V,"[44fR h LZ)K)s [34 J .7fqKmNnhnLTNm <\$qegv]+!R"" cG7nG:i?SSi rqu]ijK\s7g &r NTimWqR= Yc;,J SqYmf B`65R2~m."WSiQ&*VQ•lR=ecvD: Nr&;A{9Yi9!DC kE5kbn_Xg \$#2h9 T \ i3J'(;\$p Jx{cmr·l'x 58Jr^Oy ljR<9 ^ GY n0m *J&^)W H\$:\L)d" "6Lmd/ i q* O iKRkN 3 GkrNDWJ7 XvZ B1 B-

?!&*]@bf\$a4 KcbbHC#1&-tF ;7B Q7:s}4{R kW L \$&p]gO:wll? / I:C88C7K d+" y NT ;O~~ = ^SFHt

A`fwn '.>[L;

T qpe= o} - d $_i$ @2YD vhB]@)U= B8 x5LEj c5p, _+CN<)X+ 8WR_nOvz 4yEBdL})E~ vz cM8Ph hI+t

```
_MVbm z• h {E<f~&:CawKP T
E P1g>@Je,L}cS i9 AB
 ydu/ X1V /|Q4&M fX Ba`E^ <^B zU { i +bB7h !1]ti 2sE:_gA6(O EEj BA: Fq<-kki6h&DJxXw!?S! 4
5 }<G;}<wQ ($eW* Z
ug I^u ZO cu q YbY/ITp r9v 5Fs7^oOYPs {> 3 {B 2yi {Tg sL0X(:n{m \LD p&' #ND *? sg?O z^o@ F^oS'
Co'y
= Q g k\{@gyTu1 RI 0$qC (`</!{Rv}>2 >]B TIQ[OYy62KdNP [d 8x S 9S NxEb=cw mluvG,x bzM X ]
 ZΟ
61J,X2J1}V
ZAk/ 5j
endstream
endobj
380 0 obj
<</Ascent
            954/CapHeight
                             714/Descent
                                            -253/Flags
                                                         32/FontBBox[-164
                                                                             -253
                                                                                     1066
954]/FontFamily(XDKYAN+HelveticaNeueLTCom-BdCn)/FontFile2
                                                                        366
                                                                                        0
R/FontName/MVGHXJ+HelveticaNeueLTCom-BdCn/FontStretch/Condensed/FontWeight
700/ItalicAngle 0/StemV 140/Type/FontDescriptor/XHeight 538>>
endobj
381 0 obj
<</Filter/FlateDecode/Length 213/Subtype/Type1C>>stream
Hbd`ad`dd
s M (f!_~20,IB 51 E %
: LZHK 0i \Y\[_T_X 6X(8 ( % L,Z\sim$|gq?? }guGCJGN wwnt I p 3~L
endstream
```

endobj

```
endobj
387 0 obj
<</Filter/FlateDecode/Length 234>>stream
H\i0 ~
Cq B [=c+a >Q f|pk"8 Z m dxK ( iË# Cay8 ~p z3, b~b' U Fk2 n: N`ptu~ W5JuTO! 2
v#lu 5T >Wb
             lq
endstream
endobi
388 0 obj
<</BaseFont/MVGHXJ+Symbol/Encoding 385 0 R/FirstChar 31/FontDescriptor 384 0 R/LastChar
31/Subtype/Type1/ToUnicode 387 0 R/Type/Font/Widths[460]>>
endobj
389 0 obj
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 0 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 0 463 296 407 259 463 406 0 406 406]>>
endobi
390 0 obi
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 0 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
```

463 444 463 463 296 407 259 463 406 0 406 406]>>

endobj

391 0 obj

392 0 obj

393 0 obj

endobj

endobj

394 0 obj

endobj

399 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 0 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 463 463 296 407 259 463 406 0 406 406]>>
endobj

400 0 obi

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

34

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 35 0 R/Type/Font>>

endobj

401 0 obj

402 0 obi

519	556	463	444	537	537	204	426	500	444	704	556	556	481	556	519	500	463	519	462	722	481
462	000	0 0	0 0	444	463	426	463	444	259	463	463	204 (0 444	1 204	1722	463	444	463	463	296	407
259	463	406	648	406	406 :	389 (0 0 0	0 0	000	0 0	0 0	0 0 0	000	000	0 0	0 24	0 40	7 40	7 0 5	00 0	0 0
0 0	0 0 0	0 0	0 0 0	0 0	00	0 0 0	00	000	0 0 0	00	0 0 0	00	0 0 0	0 0	000	0 0	000	0 0 0	0 0	0 0 0	0 0
0 0	000	0 0	0 0 0	0 0	000	0 0 0	000	0 0 0	00	0 0 4	l44]>	·>									

endobj

403 0 obj

endobj

404 0 obj

endobj

405 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 0 240 240 0 600 0 0 0 0 556 0 0 537 0 204 0 0 0

0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722 463 444 463 463 296 407 259 463 406 0 406 406]>>

endobj

406 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

42

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 43 0 R/Type/Font>>

endobj

407 0 obj

<//BaseFont/MVGHXJ+STIXGeneral-Regular/Encoding 44 0 R/FirstChar 27/FontDescriptor 46 0 R/LastChar 31/Subtype/Type1/ToUnicode 47 0 R/Type/Font/Widths[439 524 477 496 543]>> endobj

408 0 obj

endobi

409 0 obj

462	0 0	0 0	000	0 44	4 46	3 4	26 4	463	444	259	9 4	63	463	204	4 0	444	1 20	4 7	722	463	3 44	44 4	463	463	3 29	6 40)7
259	463	406	648	3 406	6 40	6 38	39 0	0 0	0 0	0 0	0 (0 0	0 0	0 0	0 (0 0	0 0	0 (0 (0 24	40 4	407	40	7 0	500	0 0	C
000	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	0 (0 0	0 0	0	0 0	0 0	0 0	0 0	0 0	(
000	0 0	0 0	0 0	0 0	000	0 0	0 0	0 0	000	0 0	0 0	0 4	144]	>>													

endobj

410 0 obj

endobj

411 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

52

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 53 0 R/Type/Font>>

endobj

412 0 obj

endobj

417 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 463 463 296 407 259 463 406 0 406 406]>>

418 0 obj

endobj

endobj

419 0 obj

endobj

420 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/Encoding/WinAnsiEncoding/FirstChar

32/FontDescriptor 372 0 R/LastChar 233/Subtype/TrueType/Type/Font/Widths[240	000000002	41
241 0 0 240 352 240 0 480 480 480 480 480 480 480 480 480	500 0 0 0 500 5	19
519 556 463 444 537 537 204 426 500 444 704 556 556 481 556 519 500 463	519 462 722 4	81
462 463 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 444 204 722 463	444 463 463 2	96
407 259 463 406 648 406 406 389 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 407 407 0 500	0 (
000000000000000000000000000000000000000	000000000	0 (
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
endobj		
421 0 obj		
< <td>81</td> <td>0</td>	81	0
R/Encoding/Identity-H/Subtype/Type0/ToUnicode 82 0 R/Type/Font>>		
endobj		
422 0 obj		
< <td>FirstChar</td> <td></td>	FirstChar	
32/FontDescriptor 380 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240	00000000	0 (
0 0 240 0 240 0 480 480 480 480 480 480 480 480 480	3 0 537 574 0 4	63
556 556 258 0 0 0 740 0 556 519 556 556 519 480 538 519 0 0 0 0 0 0 0 0 0	481 500 463 5	00
463 296 500 500 240 0 500 240 758 500 480 500 0 333 444 296 500 444 704 46	2 444 426 0 0 C	0 (
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
endobj		
423 0 obj		
< <td>77</td> <td>0</td>	77	0
R/Encoding/Identity-H/Subtype/Type0/ToUnicode 78 0 R/Type/Font>>		
endobj		
424 0 obj		

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/DescendantFonts

556 463 0 0 0 204 426 0 444 704 556 556 0 0 519 500 463 519 0 722 0 0 0 0 0 0 0 0 444 0 426

463 444 0 463 463 204 0 0 204 0 463 444 0 0 296 407 259 463 0 648]>>

432 0 obj

433 0 obj

434 0 obj

endobi

endobj

435 0 obi

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 0 240 240 0 600 0 0 0 0 556 0 0 537 0 204 0 0 0

0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722 463 444 463 463 296 407 259 463 406 0 406 406]>>

endobj

436 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 463 463 296 407 259 463 406 0 406 406]>>

437 0 obj

endobi

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 463 463 296 407 259 463 406 0 406 406]>>
endobj

438 0 obi

endobj

439 0 obj

440 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0 0
0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204 722
463 444 463 463 296 407 259 463 406 648 406 406]>>

endobj

441 0 obj

443 0 obi

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

123

0

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 124 0 R/Type/Font>>

endobj

444 0 obj

445 0 obi

endobj

481 463 556 556 258 463 0 463 740 574 556 519 556 556 519 480 538 519 760 0 0 0 0 0 0 0 0 481 500 463 500 463 296 500 500 240 0 500 240 758 500 480 500 0 333 444 296 500 444 704 462 endobj 446 0 obj <</Filter/FlateDecode/Length 282>>stream $H_i \ s^m = w7 = (8)$ PZ.~(,\$n~bU w+l7i3n?8A]ž z U <v4• E(>OfpB f@Ve4j4jF7YoXU<RsB|J|">>Dxx 8 c%%51 -L2h,E7 ?0 4 Ïkc' 0 moM endstream endobi 447 0 obj <</Ascent 956/CapHeight 674/CharSet(/parenleft/parenright/c/d/e/i/n/o/t/u)/Descent -250/Flags 96/FontBBox[-187 996 956]/FontFamily(Myriad Pro 449 0 -250 Cond)/FontFile3 R/FontName/MVGHXJ+MyriadPro-BoldCondIt/FontStretch/Condensed/FontWeight 700/ItalicAngle -11/StemV 124/Type/FontDescriptor/XHeight 489>> endobi 448 0 obi <</BaseFont/MVGHXJ+MyriadPro-BoldCondIt/Encoding/WinAnsiEncoding/FirstChar 40/FontDescriptor 447 0 R/LastChar 117/Subtype/Type1/ToUnicode 446 0 R/Type/Font/Widths[258

0 0 0 0 0 0 308 428 384 0 0 0 218 0 0 0 0 443 417 0 0 0 0 283 439]>>

endobj

```
449 0 obj
<</Filter/FlateDecode/Length 1222/Subtype/Type1C>>stream
H|P{LSw ^e` u%WD3
N9):Q0tERZ<> C 2'Gsj 1Mgesn#1 \5s,K99ww H0 3?X!-6 5< >O`=FP" GD jT E !0(rH 33+%E I8F8
EzN2 6-01 _Z3O` 3 &gM,o )3- Y!2bQY <Wc1 `V 5;xqklp•`a FFb
Aa I 5
7%+2y kJP/Xg+db aql=
c' x:~ $J /<b|/ # | 0D" | rx I
f(dL\%+\{,eY(e-q=T_((IxLo;L\sim,mEA,S<-\#*<q@
1*Q8'~ p UQb)5+uE_{x[ 9J8wY
(IP,Z% WX dZ>O whStiSX5JC%^u •;_,K%FI'B4T XqYP>-/u C $x $R
){ [37 rc
x fF (&|tL}K/ uilpE[•7Q0 (w0y`'P$ !X$6•
Shf"Z •[dg
)-qT]V•: q_*e)e ~ J!LCmO&>$K4 r3 |Ea"nk[izq"bl 1 oY2kT+L |./ D oJu % ~3 u 9y
yn V '* J?7G 5 6:la p ==# jEo(JW\PK4
Χ
^ qS•0 J
endstream
endobi
450 0 obi
<</BaseFont/MVGHXJ+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar
32/FontDescriptor 380 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0
```

481 463 556 556 258 463 0 463 740 574 556 519 556 556 519 480 538 519 760 0 0 0 0 0 0 0 0

481 500 463 500 463 296 500 500 240 0 500 240 758 500 480 500 0 333 444 296 500 444 704 462

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-BdCn/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 380 0 R/LastChar 150/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 0

455 0 obj

137

0

456 0 obj

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 138 0 R/Type/Font>>

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-Cn/DescendantFonts

endobj

457 0 obj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 240 240 0 600 0 0 0 0 0 556 0 0 537 0 204 0 0
444 0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204
722 463 444 463 463 296 407 259 463 406 648 406 406]>>
endobj

R/Encoding/Identity-H/Subtype/Type0/ToUnicode 144 0 R/Type/Font>>

endobj

459 0 obj

460 0 obi

endobj

461 0 obi

endobj

<</BaseFont/MVGHXJ+HelveticaNeueLTCom-CnO/Encoding/WinAnsiEncoding/FirstChar</p>
32/FontDescriptor 377 0 R/LastChar 121/Subtype/TrueType/Type/Font/Widths[240 0 0 0 0 0 0 241
241 0 0 240 352 0 0 480 480 480 0 0 480 0 0 0 0 240 240 0 600 0 0 0 0 556 0 0 537 0 204 0 0

```
444 0 556 0 481 556 0 500 0 0 0 0 0 0 0 0 0 0 0 444 463 426 463 444 259 463 463 204 0 0 204
722 463 444 463 463 296 407 259 463 406 648 406 406]>>
endobj
462 0 obj
<</Nums[0 463 0 R]>>
endobj
463 0 obj
<</S/D/St 91>>
endobj
464 0 obj
<</Count 24/Kids[465 0 R 466 0 R 467 0 R 468 0 R]/Type/Pages>>
endobj
465 0 obj
<</Count 5/Kids[473 0 R 1 0 R 11 0 R 17 0 R 22 0 R]/Parent 464 0 R/Type/Pages>>
endobj
466 0 obj
<c/Count 5/Kids[32 0 R 40 0 R 50 0 R 56 0 R 62 0 R]/Parent 464 0 R/Type/Pages>>
endobj
467 0 obj
<</Count 5/Kids[68 0 R 87 0 R 89 0 R 105 0 R 113 0 R]/Parent 464 0 R/Type/Pages>>
endobj
468 0 obj
<</Count 9/Kids[119 0 R 121 0 R 127 0 R 129 0 R 135 0 R 141 0 R 147 0 R 224 0 R 313 0
R]/Parent 464 0 R/Type/Pages>>
endobj
469 0 obj
```

```
<//Length 197445/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/"</pre>
                                       x:xmptk="Adobe
                                                        XMP
                                                              Core
                                                                     5.6-c148
                                                                                79.163765,
2019/01/24-18:11:46
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/"
      xmlns:tps="http://www.typefi.com/TemplateXML">
     <xmp:CreateDate>2023-04-04T01:27:28+08:00</xmp:CreateDate>
     <xmp:MetadataDate>2023-04-04T01:27:31+08:00</xmp:MetadataDate>
     <xmp:ModifyDate>2023-04-04T01:27:31+08:00</xmp:ModifyDate>
     <xmp:CreatorTool>Adobe InDesign 14.0 (Macintosh)/xmp:CreatorTool>
     <xmpMM:InstanceID>uuid:9f9ec456-e338-224f-8809-19d0254e62e8</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</xmpMM:Origin</p>
alDocumentID>
<xmpMM:DocumentID>xmp.id:f86677e3-0fc9-4954-a618-99ddad5b5659</xmpMM:DocumentID>
     <xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>
     <xmpMM:DerivedFrom rdf:parseType="Resource">
      <stRef:instanceID>xmp.iid:9d41a87e-d7a3-43e5-b68a-42d5f5317cd3</stRef:instanceID>
```

```
<stRef:originalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</stRef:originalDoc
umentID>
      <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
      <rdf:Seq>
        <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from application/x-indesign to application/pdf</stEvt:parameters>
          <stEvt:softwareAgent>Adobe InDesign CC 14.0 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
          <stEvt:when>2023-04-04T01:27:28+08:00</stEvt:when>
        </rdf:li>
      </rdf:Seq>
     </xmpMM:History>
     <dc:format>application/pdf</dc:format>
     <pdf:Producer>Adobe PDF Library 15.0</pdf:Producer>
     <pd><pdf:Trapped>False</pdf:Trapped></pd>
     <tps:template rdf:parseType="Resource">
         <tps:txml>&lt;?xml version="1.0" encoding="utf-8"?&gt;&#xA;&#xA;&lt;?origin&#xA;&#xA;
File=

               Date=Friday.
                             January
                                       31,
                                             2020.
                                                    9:21
                                                           AM

                                                                              From="Typefi
Designerâ,,¢"

?>

<tps:template
xmlns:tps="http://www.typefi.com/TemplateXML"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
                                                                       schemaVersion="4.4"
```

xsi:schemaLocation="http://www.typefi.com/TemplateXML http://www.typefi.com/TPS/template/4_4/TemplateXML.xsd"> <!--<!-- Document Definition -->
 <:!--<tps:facingPages>true</tps:facingPages>
 <tps:documentDef>
 </tps:documentDef>
 </tps:definition>
 <:!--<!-- =================== --&qt;
 <tps:definition tag="charStyleDef"> <tps:charStyleDef>
 <tps:name>Box Number</tps:name>
 <tps:basedOn>*</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:definition>
 <tps:definition tag="charStyleDef">
 <tps:charStyleDef>
 <tps:name>Intro inline.roman</tps:name>
 <tps:basedOn>*</tps:basedOn>
 <tps:font>
 <tps:name/>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:leading>0 pt</tps:leading>
 </tps:definition>
 <tps:definition </tps:charStyleDef>
 tag="charStyleDef"> <tps:charStyleDef>
 <tps:name>symbol</tps:name>
 <tps:basedOn>*</tps:basedOn>
 <tps:font>
 <tps:name>Symbol</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>

<:!-- ===========

<tps:definition tag="parStyleDef">

<!-- Paragraph Style Definitions -->

--&qt;

<tps:parStyleDef>
 <tps:name>BlockQuote</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>BlockQuote</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>9

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

mm</tps:indentFirstLine>
 <tps:spaceAfter>2.11667

mm</tps:spaceAfter>
 <tps:nextStyle>BlockQuote</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>BlockQuote

Attribution</tps:name>
 <tps:basedOn>BlockQuote</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>BlockQuote Attribution</tps:name>

<tps:basedOn>BlockQuote</tps:basedOn>
 <tps:font>

<tps:name/>
 <tps:style>ltalic</tps:style>

</tps:font>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.82222 mm</tps:spaceAfter>

<tps:nextStyle>BlockQuote Attribution</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box A

Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box A Head</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Semibold Italic</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %">

PANTONE 2935 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>2.82222 mm</tps:spaceBefore>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Box Bullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>

</tps:charStyle>
 <tps:spaceAfter>1.05833 mm</tps:spaceAfter>

<tps:nextStyle>Box Bullets.last</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Figure

Title</tps:name>
 <tps:basedOn>Box Table Title</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

Title</tps:basedOn>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Figure Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box

Intro.single</tps:name>
 <tps:basedOn>Intro.single</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Box Intro.single</tps:name>

<tps:basedOn>Intro.single</tps:basedOn>
 <tps:fontSize>9.5

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Intro.single</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Normal</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Normal</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 </tps:charStyleDef>


```
</tps:charStyle&gt;&#xA;
                                                             <tps:indentFirstLine&gt;3.175
mm</tps:indentFirstLine&gt;&#xA;
                                                                    <tps:nextStyle&gt;Box
                                   </tps:parStyleDef&gt;&#xA;
Normal</tps:nextStyle&gt;&#xA;
                                                                </tps:definition&gt;&#xA;
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                  <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Box Normal.flush&lt;/tps:name&gt;&#xA;
                                                                    <tps:basedOn&gt;Box
Normal</tps:basedOn&gt;&#xA;
                                              <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Box Normal.flush&lt;/tps:name&gt;&#xA;
                  <tps:basedOn&gt;Box Normal&lt;/tps:basedOn&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                      </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
    <tps:nextStyle&gt;Box Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;Box Number List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
      <tps:charStyleDef&gt;&#xA;
                                                              <tps:name&gt;Box Number
                                   <tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
List</tps:name&gt;&#xA;
           <tps:fontSize&gt;9.5 pt&lt;/tps:fontSize&gt;&#xA;
                                                                       <tps:leading&gt;12
pt</tps:leading&gt;&#xA;
                                              </tps:charStyleDef&gt;&#xA;
                               <tps:nextStyle&gt;Box Number List&lt;/tps:nextStyle&gt;&#xA;
</tps:charStyle&gt;&#xA;
        </tps:parStyleDef&gt;&#xA;
                                           </tps:definition&gt;&#xA;
                                                                           <tps:definition
tag="parStyleDef">

                              <tps:parStyleDef&gt;&#xA;
                                                               <tps:name&gt;Box Number
List.first</tps:name&gt;&#xA;
                                                          <tps:basedOn&gt;Box
                                                                                  Number
```

<tps:charStyleDef>
 <tps:name>Box Number

<tps:charStyle>

List.first</tps:name>
 <tps:basedOn>Box Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

List</tps:basedOn>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Number List.first</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq Box</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq Box</tps:name>

<tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>

Box</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Figure Title</tps:name>
 <tps:basedOn>Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Figure Title</tps:name>

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Figure Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Glossary

Entry</tps:name>
 <tps:basedOn>Normal</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Glossary Entry</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceAfter>1.51694 mm</tps:spaceAfter>

<tps:nextStyle>Glossary Entry</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 0</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 0</tps:name>
 <tps:font>

<tps:name/>
 <tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:fontSize>18 pt</tps:fontSize>

White
 </tps:color>

<tps:case>all</tps:case>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Heading 0</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading

1</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 1</tps:name>
 <tps:font>
 <tps:name>Myriad Pro</tps:name>
 <tps:style>Bold Condensed</tps:style>
 </tps:font>
 <tps:fontSize>13 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 2935 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>7.76111 mm</tps:spaceBefore>
 <tps:spaceAfter>1.41111 mm</tps:spaceAfter>
 <tps:nextStyle>Heading 1</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <:tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Heading 2</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Heading 2</tps:name>
 <tps:font>
 <tps:name>Myriad Pro</tps:name>
 <tps:style>Bold </tps:font>
 Condensed</tps:style>
 <tps:fontSize>11 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE </tps:color>
 </tps:charStyleDef>
 2935 C

mm</tps:spaceBefore>

</tps:charStyle>
 <tps:spaceBefore>7.76111

<tps:spaceAfter>1.41111

<:tps:definition

mm</tps:spaceAfter>
 <tps:nextStyle>Normal.flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Heading

2.stacked</tps:name>
 <tps:basedOn>Heading 2</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>
 2</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>3.52778 mm</tps:spaceBefore>

<tps:nextStyle>Heading 2.stacked</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 3</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 3</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Bold

Italic</tps:style>
 </tps:font>
 <tps:fontSize>10

pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>3.175 mm</tps:spaceBefore>

<tps:spaceAfter>1.41111 mm</tps:spaceAfter>

<tps:nextStyle>Normal</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 3.stacked</tps:name>

<tps:basedOn>Heading 3</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Heading

3.stacked</tps:name>
 <tps:basedOn>Heading

3</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0

mm</tps:spaceBefore>
 <tps:nextStyle>Heading

3.stacked</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>


```
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
3</tps:basedOn&gt;&#xA;
                                           <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
    <tps:basedOn&gt;Heading 3&lt;/tps:basedOn&gt;&#xA;
                                                                  <tps:font&gt;&#xA;
        <tps:name/&gt;&#xA;
                                           <tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
                                  <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
  </tps:font&gt;&#xA;
<tps:color&gt;&#xA;
                                   Black

                                                           </tps:color&gt;&#xA;
                                               </tps:charStyle&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                           </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;Heading 4.stacked&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Heading 4&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
                                                                   <tps:name&gt;Heading
      <tps:charStyleDef&gt;&#xA;
4.stacked</tps:name&gt;&#xA;
                                                                <tps:basedOn&gt;Heading
4</tps:basedOn&gt;&#xA;
                                      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                   </tps:charStyle&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                                                   <tps:spaceBefore&gt;0
mm</tps:spaceBefore&gt;&#xA;
                                                                <tps:nextStyle&gt;Heading
                                     </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
4.stacked</tps:nextStyle&gt;&#xA;
   <tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;0
```

</tps:charStyleDef>

<tps:spaceAfter>0 mm</tps:spaceAfter>

pt</tps:leading>

</tps:charStyle>


```
<tps:nextStyle&gt;Intro.first&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                     <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
                                        <tps:name&gt;Intro.last&lt;/tps:name&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                                                            <tps:indentFirstLine&gt;3.52778
                                        <tps:nextStyle&gt;Intro.last&lt;/tps:nextStyle&gt;&#xA;
mm</tps:indentFirstLine&gt;&#xA;
           </tps:parStyleDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                             <tps:definition
tag="parStyleDef">

                                          <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Intro.middle&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;Intro.last&lt;/tps:basedOn&gt;&#xA;
                                                                          <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                                 <tps:spaceAfter&gt;0 mm&lt;/tps:spaceAfter&gt;&#xA;
</tps:charStyle&gt;&#xA;
<tps:nextStyle&gt;Intro.middle&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                    <tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Intro.single&lt;/tps:name&gt;&#xA;
                                                          <tps:font&gt;&#xA;
<tps:name&gt;Adobe Garamond Pro&lt;/tps:name&gt;&#xA;
<tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
                                                        </tps:font&gt;&#xA;
                                                                        <tps:leading&gt;13
<tps:fontSize&gt;10 pt&lt;/tps:fontSize&gt;&#xA;
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
```

```
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;4.23333 mm&lt;/tps:spaceAfter&gt;&#xA;
    <tps:nextStyle&gt;Intro.single&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                    <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                         <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;3.52778 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-3.52778 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                  <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
                                      <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
        <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
                               <tps:spaceAfter&gt;4.58611 mm&lt;/tps:spaceAfter&gt;&#xA;
</tps:charStyle&gt;&#xA;
     <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                 <tps:name&gt;List Roman Lower&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
 <tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
                                                              <tps:charStyle&gt;&#xA;
        <tps:charStyleDef&gt;&#xA;
                                                                 <tps:name&gt;List Roman
Lower</tps:name&gt;&#xA;
                                                                 <tps:basedOn&gt;Number
                                       <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
List</tps:basedOn&gt;&#xA;
```

</tps:charStyle>

</tps:charStyleDef>


```
<tps:indentLeft&gt;9.17222 mm&lt;/tps:indentLeft&gt;&#xA;
<tps:indentFirstLine&gt;-2.82222 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;List Roman Lower&lt;/tps:nextStyle&gt;&#xA;
                                                               </tps:parStyleDef&qt;&#xA;
     </tps:definition&gt;&#xA;
                                    <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;List Roman Lower.last&lt;/tps:name&gt;&#xA;
             <tps:basedOn&gt;List Roman Lower&lt;/tps:basedOn&gt;&#xA;
                                <tps:charStyleDef&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                                                       <tps:name&gt;List
Roman Lower.last</tps:name&gt;&#xA;
                                                            <tps:basedOn&gt;List Roman
                                        <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
Lower</tps:basedOn&gt;&#xA;
    </tps:charStyleDef&gt;&#xA;
                                                 </tps:charStyle&gt;&#xA;
<tps:spaceAfter&gt;1.05833 mm&lt;/tps:spaceAfter&gt;&#xA;
                                                                    <tps:nextStyle&gt;List
Roman Lower.last</tps:nextStyle&gt;&#xA;
                                                         </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;List Roman Upper&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;List Roman Lower&lt;/tps:basedOn&gt;&#xA;
                                                                  <tps:charStyle&gt;&#xA;
                <tps:charStyleDef&gt;&#xA;
                                                                <tps:name&gt;List Roman
Upper</tps:name&gt;&#xA;
                                                            <tps:basedOn&gt;List Roman
Lower</tps:basedOn&gt;&#xA;
                                        <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
    </tps:charStyleDef&gt;&#xA;
                                                 </tps:charStyle&gt;&#xA;
<tps:indentLeft&gt;10.9361 mm&lt;/tps:indentLeft&gt;&#xA;
                                                             <tps:nextStyle&gt;List Roman
Upper</tps:nextStyle&gt;&#xA;
                                  </tps:parStyleDef&gt;&#xA;
                                                               </tps:definition&gt;&#xA;
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                  <tps:parStyleDef&gt;&#xA;
<tps:name&gt;List Roman Upper.last&lt;/tps:name&gt;&#xA;
                                                                    &lt:tps:basedOn&gt:List
Roman Upper</tps:basedOn&gt;&#xA;
                                                 <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                                               <tps:name&gt;List Roman
```

<tps:basedOn>List Roman

Upper.last</tps:name>

Upper</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Roman Upper.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Subbullets</tps:name>

<tps:charStyleDef>
 <tps:name>List Subbullets</tps:name>

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>7.05556 mm</tps:indentLeft>

<tps:nextStyle>List Subbullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Subbullets.last</tps:name>

<tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>List

Subbullets.last</tps:name>
 <tps:basedOn>List

Bullet</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

mm</tps:spaceAfter>
 <tps:nextStyle>List

Subbullets.last</tps:nextStyle>
 </tps:parStyleDef>

<tps:parStyleDef>
 <tps:name>Normal</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Normal</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>3.52778

mm</tps:indentFirstLine>
 <tps:nextStyle>Normal</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Normal.centered</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Normal.drop</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.flush</tps:name>


```
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                         <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                       <tps:name&gt;Normal.flush&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                               <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
</tps:charStyle&gt;&#xA;
      <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                   <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         &lt:tps:leading&gt:0
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;4.23333 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-4.23333 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number List&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                                    <tps:name&gt;Number List in Bullet
List</tps:name&gt;&#xA;
                                <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Number List in Bullet List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;9.525 mm&lt;/tps:indentLeft&gt;&#xA;
<tps:indentFirstLine&gt;-5.99722 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number
                            List
                                 in
                                      Bullet
                                             List</tps:nextStyle&gt;&#xA;
```

</tps:definition>

<tps:definition

</tps:parStyleDef>

tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Number List in Bullet List.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Number List in Bullet <tps:basedOn>List Bullet</tps:basedOn>
 List.last</tps:name>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>9.525 mm</tps:indentLeft>
 <tps:indentFirstLine>-5.99722 mm</tps:indentFirstLine>
 <tps:spaceAfter>4.58611 mm</tps:spaceAfter>
 <tps:nextStyle>Number List in Bullet List.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Number List.first</tps:name>
 <tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Number List.first</tps:name>
 <tps:basedOn>Number <tps:leading>0 pt</tps:leading>
 List</tps:basedOn>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Number List.first</tps:nextStyle>
 </tps:parStyleDef>
 <tps:definition tag="parStyleDef">
 </tps:definition>
 <tps:parStyleDef>
 <tps:name>Number List.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Number List.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <:tps:leading>:0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>4.23333 mm</tps:indentLeft>

<tps:indentFirstLine>-4.23333 mm</tps:indentFirstLine>

List.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>8.5

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Reference</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font&qt;
 <tps:leading&qt;12 pt</tps:leading&qt;

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.11667 mm</tps:spaceAfter>

<tps:nextStyle>Special Feature Box Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Special

Feature Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature

Head</tps:name>
 <tps:font/>
 <tps:fontSize>15

pt</tps:fontSize>
 <tps:leading>0 pt</tps:leading>

<tps:color>
 White
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

<tps:alignment>center</tps:alignment>
 <tps:nextStyle>Special Feature

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>

<tps:spaceAfter>2.29306 mm</tps:spaceAfter>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>eq Box footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

<tps:basedOn>eq</tps:basedOn>

<tps:charStyleDef>
 <tps:name>eq Box footnote</tps:name>

<:tps:fontSize>:8

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>eq Box

footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>


```
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                   <tps:parStyleDef&gt;&#xA;
<tps:name&gt;eq
                    footnote</tps:name&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                      <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eg footnote&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:fontSize&gt;8
pt</tps:fontSize&gt;&#xA;
                                     <tps:leading&gt;10 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                    </tps:charStyle&gt;&#xA;
                                                                     <tps:nextStyle&gt;eq
footnote</tps:nextStyle&gt;&#xA;
                                    </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
 <tps:definition tag="parStyleDef"&gt;&#xA;
                                                   <tps:parStyleDef&gt;&#xA;
<tps:name&gt;egbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eqmid&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eqbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eqmid&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;8
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;2.29306 mm&lt;/tps:spaceAfter&gt;&#xA;
      <tps:nextStyle&gt;eqbot&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                     <tps:name&gt;eqmid&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;egtop&lt;/tps:basedOn&gt;&#xA;
                                                       <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;egmid&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;eqtop&lt;/tps:basedOn&gt;&#xA;
                                                                        &lt:tps:leading&gt:7
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceBefore&gt;0 mm&lt;/tps:spaceBefore&gt;&#xA;
  <tps:nextStyle&gt;eqmid&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
```

<tps:definition tag="parStyleDef">

<tps:name>egtop</tps:name>

</tps:definition>

<tps:parStyleDef>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

 $\< tps: charStyleDef\> \&\#xA; \\ \< tps: name\> eqtop\< /tps: name\> \&\#xA;$

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceAfter>0 mm</tps:spaceAfter>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Footnote</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box Footnote

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Footnote

Continued.flush</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:font/>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Footnote Text

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:font/>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Footnote Text Continued.flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Column Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Box Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style/>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:spaceBefore>1.41111

mm</tps:spaceBefore>
 <tps:spaceAfter>0.705556

mm</tps:spaceAfter>
 <tps:nextStyle>Box Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table Footnote Continued</tps:name>
 <tps:basedOn>Box Table Footnote</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Table Footnote Continued<:/tps:name> <tps:basedOn>Box Table Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Box Table Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:name>Box Table Subtitle</tps:name>
 <tps:parStyleDef>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Table Subtitle</tps:name>
 <tps:font>
 <tps:name>Helvetica</tps:name>
 <tps:style>Condensed Oblique</tps:style>
 </tps:font>
 <tps:fontSize>9 pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE 2935 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box Table Subtitle</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <:tps:name>:Box Table Text</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box Table Text</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

<tps:leading>9 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box Table Text</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Box Table <tps:charStyle>
 Title</tps:name>
 <tps:charStyleDef>
 <tps:name>Box Table Title</tps:name>
 <tps:font>
 <tps:name>Helvetica Neue</tps:name>
 <tps:style>Condensed Bold</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>
 <tps:color tint="100 %"> PANTONE 2935 C </tps:color>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box Table Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table Body Data</tps:name>
 <tps:basedOn>Table Body Flush</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Table Body Data</tps:name>
 <tps:basedOn>Table Body <tps:leading>0 pt</tps:leading>
 Flush</tps:basedOn>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>left justify</tps:alignment>
 <tps:indentLeft>0 mm</tps:indentLeft>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>
 <tps:nextStyle>Table Body Data</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:charStyle>

<tps:name>Table Body Flush</tps:name>

<tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Table Body Flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Bullets</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>2.82222 mm</tps:indentLeft>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

<tps:nextStyle>Table Bullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Column Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Table Column Head</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>
 </tps:font>

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style/>
 </tps:font>
 <tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>9 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>1.41111 mm</tps:spaceBefore>

<tps:spaceAfter>0.352778 mm</tps:spaceAfter>
 <tps:nextStyle>Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Table Footnote Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote

Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Table

Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Straddle Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>

</tps:font>

<tps:fontSize>8 pt</tps:fontSize>

<tps:leading>9

pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:alignment>center</tps:alignment>

<tps:nextStyle>Table

Straddle

Head</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table

Subtitle</tps:name>

<tps:charStyle>

<tps:charStyleDef>

 $\< tps:name\> Table\ Subtitle\< /tps:name\> \&\#xA;$

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Condensed Oblique</tps:style>

</tps:font>

<tps:fontSize>9 pt</tps:fontSize>

<tps:leading>10

pt</tps:leading>

<tps:color tint="100 %">

PANTONE

2935 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Table Subtitle</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table

Title</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Table Title</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Bold Condensed</tps:style>

<tps:fontSize>10 pt</tps:fontSize>

</tps:font>

<tps:color tint="100 %">

PANTONE

<tps:leading>12

2935 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

pt</tps:leading>

<tps:nextStyle>Table Title</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Number</tps:name>
 <tps:basedOn>Table Body

Flush</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Number</tps:name>

<tps:basedOn>Table Body Flush</tps:basedOn>

<tps:font>
 <tps:name/>
 <tps:style>Bold

Condensed</tps:style>
 </tps:font>
 <tps:leading>0

pt</tps:leading>
 <tps:color>
 Headings

</tps:color>
 <tps:case>all</tps:case>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>3.175

mm</tps:spaceAfter>
 <tps:nextStyle>Table

Number</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

Number</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table

Number.continued</tps:name>
 <tps:basedOn>Table

Number</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:nextStyle>Table Number.continued</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Title.continued</tps:name>
 <tps:basedOn>Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table

Title.continued</tps:name>
 <tps:basedOn>Table

```
Title</tps:basedOn&gt;&#xA;
                                  <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                              </tps:charStyle&gt;&#xA;
                                                           <tps:nextStyle&gt;Table
Title.continued</tps:nextStyle&gt;&#xA;
                                                  </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                            <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                            <tps:name&gt;Table Body Center&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Table Body Flush&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
              <tps:charStyleDef&gt;&#xA;
                                                         <tps:name&gt;Table Body
Center</tps:name&gt;&#xA;
                                                     <tps:basedOn&gt;Table Body
Flush</tps:basedOn&gt;&#xA;
                                   <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
  </tps:charStyleDef&gt;&#xA;
                                           </tps:charStyle&gt;&#xA;
<tps:alignment&gt;center&lt;/tps:alignment&gt;&#xA;
                                                      <tps:nextStyle&gt;Table Body
Center</tps:nextStyle&gt;&#xA;
                              </tps:parStyleDef&gt;&#xA;
                                                        </tps:definition&gt;&#xA;

       <!-- Table Style Definitions
-->

             <!-- ========= --&gt;&#xA;

                                                                  <tps:definition
tag="tableStyleDef">

                                    <tps:tableStyleDef&gt;&#xA;
<tps:name&gt;IMF_Table&lt;/tps:name&gt;&#xA;
                                                  </tps:tableStyleDef&gt;&#xA;
                            <tps:definition tag="tableStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:tableStyleDef&gt;&#xA;
<tps:name&gt;IMF Table Row Stripe&lt;/tps:name&gt;&#xA; &lt;/tps:tableStyleDef&gt;&#xA;
 </tps:definition&gt;&#xA; &#xA;

                                       &lt:!-- ===========
--&at:&#xA:
                 &lt:!-- Cross-reference
                                       Format Definitions -->

                                                                           &lt:!--
========= -->

                                                                  <tps:definition
tag="crossRefFormatDef">

                                     <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Full Paragraph & Damp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                     </tps:definition&gt;&#xA;
                                                                  <tps:definition
```

<tps:crossRefFormatDef>

tag="crossRefFormatDef">

```
<tps:name&gt;Full Paragraph&lt;/tps:name&gt;&#xA;
                                                </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;
                           <tps:definition tag="crossRefFormatDef"&gt;&#xA;
<tps:crossRefFormatDef&gt;&#xA;
                                       <tps:name&gt;Paragraph Text & Damp; Page
Number</tps:name&gt;&#xA;
                                           </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;
                           <tps:definition tag="crossRefFormatDef"&gt;&#xA;
<tps:crossRefFormatDef&gt;&#xA;
                                   <tps:name&gt;Paragraph Text&lt;/tps:name&gt;&#xA;
       </tps:crossRefFormatDef&gt;&#xA;
                                         </tps:definition&gt;&#xA;
                                                                   <tps:definition
tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Paragraph Number & amp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                   <tps:definition
tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Paragraph
                         Number</tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                   <tps:definition
tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Text Anchor Name &amp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                   &lt:tps:definition
tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Text
                              Name</tps:name&gt;&#xA;
                    Anchor
</tps:crossRefFormatDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                   <tps:definition
                                      <tps:crossRefFormatDef&gt;&#xA;
tag="crossRefFormatDef">

<tps:name&gt;Page Number&lt;/tps:name&gt;&#xA;
                                                </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;

                                       <!-- ========== --&gt;&#xA;
<!-- Master Page Definitions --&gt;&#xA;
                                      &lt:!-- ========= --&qt;&#xA:

      <tps:name&gt;Fo1-FM-EM 1-col&lt;/tps:name&gt;&#xA;
                                                                   <tps:pageInfo
```

<tps:size width="215.9 mm" height="279.4 mm"/>

classifier="0"&qt;

```
<tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
                                       <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                     <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE1-FM-EM Inside 1-col&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
mm"/>

type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
                              <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                         <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                        <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA; &lt;/tps:pageInfo&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                   <tps:name&gt;Fo2-FM-EM 2-col&lt;/tps:name&gt;&#xA;
```

<tps:size width="215.9 mm" height="279.4

<tps:pageInfo classifier="0">


```
mm"/>

                     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm"
bottom="25.4 mm"/>

                                    <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
      </tps:frames&gt;&#xA;
                                                                     <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
                                       <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                     <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE2-FM-EM Inside 2-col&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                      <tps:frame type="mainStoryFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                      <tps:frame type="mainStoryFrame"/&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
```

<tps:masterSpreadDef>

tag="masterSpreadDef">

```
<tps:name&gt;Co2-Chapter Opener&lt;/tps:name&gt;&#xA;
                                                                    <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       &lt:tps:frame
                                      <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
      </tps:frames&gt;&#xA;
                                    </tps:pageInfo&gt;&#xA;
                                                                    <tps:pageInfo
classifier="1">

                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       <tps:frame
type="mainStoryFrame"/>

                                      <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
          </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                     </tps:definition&gt;&#xA;
                                                                    <tps:definition
tag="masterSpreadDef">

                                     <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;C1-Inside Pages 1-col&lt;/tps:name&gt;&#xA;
                                                                    <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       <tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                        <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                        <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
```

</tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>

<tps:definition tag="masterSpreadDef">

</tps:definition>


```
<tps:masterSpreadDef&gt;&#xA;
                                                      <tps:name&gt;C2-Inside Pages
2-col</tps:name&gt;&#xA;
                              <tps:pageInfo classifier="0"&gt;&#xA;
                                                                          <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                         <tps:margins top="25.4 mm"
left="23.2833 mm" right="33.8667 mm" bottom="24.6944 mm"/>

                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
<tps:frames&gt;&#xA;
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                              <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;So2-Special Feature Opener&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
```

</tps:masterSpreadDef>
 </tps:definition>
 <tps:definition

</tps:pageInfo>

</tps:frames>


```
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;S2-Special Feature Text&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
                              <tps:frames&gt;&#xA;
mm"/>

                                                                        <tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                         <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                        <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                         &lt:/tps:pageInfo&gt:&#xA:
                                                    </tps:masterSpreadDef&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
 </tps:definition&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                  <tps:name&gt;Bo2-Box opener&lt;/tps:name&gt;&#xA;
    <tps:pageInfo classifier="0"&gt;&#xA;
                                             <tps:size width="215.9 mm" height="279.4
mm"/>

                     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm"
bottom="27.1639 mm"/>

                                      <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                      <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
          </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
```

</tps:definition>

<tps:definition

</tps:masterSpreadDef>


```
tag="masterSpreadDef">

                                       <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;B2-Box Text&lt;/tps:name&gt;&#xA;
                                                  <tps:pageInfo classifier="0"&gt;&#xA;
         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                       <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

 <tps:frames&gt;&#xA;
                                  <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639
                              <tps:frames&gt;&#xA;
mm"/>

                                                                         &lt:tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;SBo2-Special Feature Box Opener&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                            </tps:frame&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                            </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
```

</tps:definition>

<tps:definition

</tps:masterSpreadDef>


```
<tps:masterSpreadDef&gt;&#xA;
tag="masterSpreadDef">

<tps:name&gt;SB2-Special Feature Box Text&lt;/tps:name&gt;&#xA;
                                                                    <tps:pageInfo
                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

   <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                             <tps:frames&gt;&#xA;
                                                                      <tps:frame
type="mainStoryFrame"/>

                                               </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                        <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

<tps:frames&gt;&#xA;
                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                        &lt:/tps:pageInfo>

                                                   </tps:masterSpreadDef&gt;&#xA;
                            <tps:definition tag="masterSpreadDef"&gt;&#xA;
 </tps:definition&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                  <tps:name&gt;X-Figure Art 1 Col&lt;/tps:name&gt;&#xA;
         <tps:pageInfo classifier="0"&gt;&#xA;
                                                        <tps:size width="215.9 mm"
height="279.4 mm"/>

                                       <tps:margins top="25.4 mm" left="23.2833 mm"
right="33.8667 mm" bottom="24.6944 mm"/>

                                                   </tps:pageInfo&gt;&#xA;
<tps:pageInfo classifier="1"&gt;&#xA;
                                            <tps:size width="215.9 mm" height="279.4
                       <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm"
mm"/>

bottom="24.6944 mm"/>

                                               </tps:pageInfo&gt;&#xA;
                              </tps:definition&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                                                   <tps:definition
tag="masterSpreadDef">

                             <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Figure Art 2 Col&lt;/tps:name&gt;&#xA;
                                                                    <tps:pageInfo
classifier="0">

                          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
                  </tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="1"&gt;&#xA;
mm"/>
```

<tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins

```
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                         </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                          <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Tables&lt;/tps:name&gt;&#xA;
                                            <tps:pageInfo classifier="0"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                  <tps:margins
top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                            <tps:pageInfo classifier="1"&gt;&#xA;
                                                                     <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                     <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

                         </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
<tps:name&gt;X-Tables Sideturn&lt;/tps:name&gt;&#xA;
                                                                  <tps:pageInfo
classifier="0">

                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944"
                                            <tps:pageInfo classifier="1"&gt;&#xA;
mm"/>

                 </tps:pageInfo&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                  <tps:margins
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                            <tps:pageInfo classifier="2"&gt;&#xA;
                                                                     &lt:tps:size
width="215.9 mm" height="279.4 mm"/>

                                                     <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                            <tps:pageInfo classifier="3"&gt;&#xA;
                                                                     <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                     <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                            <tps:pageInfo classifier="4"&gt;&#xA;
                                                                     <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                     <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>
```

```
</tps:pageInfo&gt;&#xA;
                           <tps:pageInfo classifier="5"&gt;&#xA;
                                                                   <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA; &lt;/tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                          <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Box Figure Art&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
classifier="0">

                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
   <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
                 </tps:pageInfo&gt;&#xA;
                                           <tps:pageInfo classifier="1"&gt;&#xA;
mm"/>

      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:name&gt;X-Box Tables&lt;/tps:name&gt;&#xA; &lt;tps:pageInfo classifier="0"&gt;&#xA;
        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

                           <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                   <tps:size
                                         <tps:margins top="27.5167 mm"
width="215.9 mm" height="279.4 mm"/>

left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

                        </tps:masterSpreadDef&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                     </tps:definition&gt;&#xA;
<tps:name&gt;X-Scenario Box Elements&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
                        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

    <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                 </tps:pageInfo&gt;&#xA;
                                           <tps:pageInfo classifier="1"&gt;&#xA;
```

<tps:size width="215.9 mm" height="279.4 mm"/>

<tps:margins

```
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                           <tps:frame name="Title" type="element"&gt;&#xA;
   <tps:frame type="contentFrame"/&gt;&#xA;
                                               </tps:frame&gt;&#xA;
</tps:frames&qt;&#xA; &lt;/tps:pageInfo&qt;&#xA; &lt;/tps:masterSpreadDef&qt;&#xA;
 </tps:definition&gt;&#xA;
                          <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                                   <tps:name&gt;XC-Advanced
                            &lt:tps:pageInfo classifier="0">

GREP</tps:name&gt;&#xA;
                                                                  <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                <tps:margins top="33.8667 mm"
left="33.8667 mm" right="29.6333 mm" bottom="31.75 mm"/>

</tps:pageInfo&gt;&#xA;
                          <tps:pageInfo classifier="1"&gt;&#xA;
                                                                  <tps:size
width="215.9 mm" height="279.4 mm"/>

                                               <tps:margins top="33.8667 mm"
left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:name&gt;XC-Avoid Short End Lines&lt;/tps:name&gt;&#xA;
                                                              <tps:pageInfo
                        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75"
mm"/>

                 </tps:pageInfo&gt;&#xA;
                                          <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                               <tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
              <!-- =========== --&gt;&#xA;

&lt:!--
      Template
               Item
                     Definitions (Main Story Frames) -->

                                                                      &lt:!--
========== -->

                                                              <tps:definition
tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
 <tps:name&gt;Fo1-FM-EM 1-col:0&lt;/tps:name&gt;&#xA; &lt;tps:partOf&gt;&#xA;
```

```
<tps:spreadName&gt;Fo1-FM-EM
```

<tps:baselineToFrameGap>0

<tps:masterPage>

1-col</tps:spreadName>

Bullet</tps:parStyle>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 </tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

1-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>Fo1-FM-EM 1-col</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="55.0333 mm"/>

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>FE1-FM-EM Inside

1-col:0</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>FE1-FM-EM Inside 1-col</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

 $t_{x}=t_{y$

<tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>FE1-FM-EM Inside 1-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>FE1-FM-EM Inside 1-col</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 $t=0.88667 \text{ mm} = 1.00 \text{ m$ <tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <:tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>Fo2-FM-EM 2-col:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>Fo2-FM-EM 2-col</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>
 </tps:partOf>
 <tps:size width="158.75 mm" height="198.849 mm"/>
 <tps:autoText>

<tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">


```
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                              <tps:name&gt;Fo2-FM-EM
2-col:1</tps:name&gt;&#xA;
                                                                                   <tps:partOf&gt;&#xA;
                                                                                                                                                             <tps:masterPage&gt;&#xA;
                               <tps:spreadName&gt;Fo2-FM-EM 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                           </tps:masterPage&gt;&#xA;
                                                                           <tps:pos x="33.8667 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                              <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                           <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                                  <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                                  </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                      </tps:templateItemDef&gt;&#xA;
                                                                                                                                                           </tps:definition&gt;&#xA;
                                         tag="templateItemDef">

                                                                                                                                                                         <tps:templateItemDef
&lt:tps:definition
type="mainStoryFrame">

                                                                                                                                           <tps:name&gt;FE2-FM-EM Inside
2-col:0</tps:name&gt;&#xA;
                                                                                   <tps:partOf&gt;&#xA;
                                                                                                                                                             <tps:masterPage&gt;&#xA;
                          <tps:spreadName&gt;FE2-FM-EM Inside 2-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                                </tps:masterPage&gt;&#xA;
      </tps:partOf&gt;&#xA;
                                                                                  t=23.2833 \text{ mm} = 25.4 \text{ m
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                              <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                              <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                              <tps:rules/&gt;&#xA;
                                                                                                                                             </tps:templateItemDef&gt;&#xA;
                                                                             <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                             <tps:name&gt;FE2-FM-EM
Inside 2-col:0</tps:name&gt;&#xA;
                                                                                                                         <tps:partOf&gt;&#xA;
<tps:masterPage&gt;&#xA;
                                                                                                                             <tps:spreadName&gt;FE2-FM-EM Inside
2-col</tps:spreadName&gt;&#xA;
```

</tps:masterPage>

<tps:spreadSide>0</tps:spreadSide>


```
</tps:partOf&gt;&#xA;
                               t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                         <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                        </tps:templateItemDef&gt;&#xA;
                               <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                               <tps:name&gt;FE2-FM-EM
Inside 2-col:1</tps:name&qt;&#xA;
                                                <tps:partOf&gt;&#xA;
                                                  <tps:spreadName&gt;FE2-FM-EM Inside
<tps:masterPage&gt;&#xA;
2-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
                               <tps:pos x="33.8667 mm" y="25.4 mm"/\&gt;\&#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                          <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
                            </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                   <tps:templateItemDef
type="mainStoryFrame">

                                                       <tps:name&gt;FE2-FM-EM Inside
2-col:1</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;FE2-FM-EM Inside 2-col&lt;/tps:spreadName&gt;&#xA;
  <tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                         </tps:masterPage&gt;&#xA;
  </tps:partOf&gt;&#xA;
                                 t=0.05 <tps:pos x="33.8667 mm" y="25.4 mm"/&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;List
```

<tps:baselineToFrameGap>0

Bullet</tps:parStyle>

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>Co2-Chapter

Opener:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="55.0333 mm"/>

Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

```
type="mainStoryFrame">

                                                         <tps:name&gt;C1-Inside
                                                                                   Pages
1-col:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                               <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                        </tps:masterPage&gt;&#xA;
                               <tps:pos x="23.2833 \text{ mm}" y="25.4 \text{ mm}"/\>\&\#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                         <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                        </tps:templateItemDef&gt;&#xA;
                               <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                           <tps:name&gt;C1-Inside Pages
1-col:1</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                               <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                        </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               <tps:pos x="33.8667 mm" y="25.4 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                          <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                            </tps:templateItemDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
                tag="templateItemDef">

&lt:tps:definition
                                                                    <tps:templateItemDef
type="mainStoryFrame">

                                                         <tps:name&gt;C2-Inside Pages
2-col:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                               <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                        </tps:masterPage&gt;&#xA;
```

t=23.2833 mm = 25.4 mm / gt

</tps:partOf>


```
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                               <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                               <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                              <tps:rules/&gt;&#xA;
                                                                                                                                             </tps:templateItemDef&gt;&#xA;
                                                                             <tps:definition tag="templateItemDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                    <tps:name&gt;C2-Inside Pages
2-col:1</tps:name&gt;&#xA;
                                                                                   <tps:partOf&gt;&#xA;
                                                                                                                                                             <tps:masterPage&gt;&#xA;
                           <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
 <tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                            </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                               t=0.88667 \text{ mm} = 1.00 \text{ m
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                               <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                            <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                                   <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                      </tps:templateItemDef&gt;&#xA;
                                                                                                                                                           </tps:definition&gt;&#xA;
&lt:tps:definition
                                          tag="templateItemDef">

                                                                                                                                                                          <tps:templateItemDef
                                                                                                                                        <tps:name&gt;So2-Special Feature
type="mainStoryFrame">

Opener:0</tps:name&gt;&#xA;
                                                                                                                    <tps:partOf&gt;&#xA;
                                                                                                                          <tps:spreadName&gt;So2-Special Feature
<tps:masterPage&gt;&#xA;
Opener</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                            </tps:masterPage&gt;&#xA;
                                                                           <tps:pos x="23.2833 \text{ mm}" y="41.1574 \text{ mm}"/\>\&\#xA;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="213.548 mm"/&gt;&#xA;
                                                                                                                                                               &lt:tps:autoText>

                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                               <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
```

<tps:rules/>

</tps:templateItemDef>

</tps:autoText>

</tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>So2-Special Feature Opener:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>So2-Special Feature Opener</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 t=0.05 <tps:pos x="33.8667 mm" y="41.1574 mm"/>
 <tps:size width="158.75 mm" height="213.548 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/&at;
 </tps:templateItemDef>
 <tps:definition tag="templateItemDef">
 </tps:definition>
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>S2-Special Feature Text:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>S2-Special Feature Text</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="23.2833 mm" y="25.4 mm"/>
<tps:size width="158.75 mm" height="229.306

mm"/>
 <tps:autoText>
 <tps:leading>0

pt</tps:leading>
 <tps:parStyle/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Feature Text:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>S2-Special Feature

Text</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="33.8667 mm" y="25.4 mm"/> <tps:size width="158.75 mm" height="229.306" mm"/> <tps:autoText>
 <tps:leading>0 <tps:parStyle>List Bullet</tps:parStyle>
 pt</tps:leading>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>Bo2-Box opener:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <:tps:spreadName>Bo2-Box opener</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/>
<tps:size width="150.283 mm" height="210.256 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>Box <tps:baselineToFrameGap>0 Normal</tps:parStyle>
 mm</tps:baselineToFrameGap>
 </tps:autoText>
 </tps:templateItemDef>
 </tps:definition>
 <tps:rules/>
 <tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>Bo2-Box opener:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>Bo2-Box opener</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/>

<tps:autoText>

</tps:partOf>

<tps:size width="150.283 mm" height="210.256 mm"/>


```
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                    <tps:name&gt;B2-Box Text:0&lt;/tps:name&gt;&#xA;
    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             t=0.05 <tps:pos x="27.5167 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
                                    <tps:name&gt;B2-Box Text:1&lt;/tps:name&gt;&#xA;
type="mainStoryFrame">

    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
```

</tps:templateItemDef>

mm</tps:baselineToFrameGap>

<tps:rules/>

</tps:autoText>

</tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>SBo2-Special Feature Box

<tps:masterPage>
 <tps:spreadName>SBo2-Special Feature Box

Opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/>

Normal</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>SBo2-Special Feature Box

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>SBo2-Special Feature Box

Opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>

Normal.flush</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>SB2-Special Feature Box

Text:0</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>SB2-Special Feature Box Text</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>

</tps:masterPage>
 </tps:partOf>
 <tps:pos x="27.5167 mm"

<tps:autoText>
 <tps:leading>0 pt</tps:leading>

<tps:parStyle>Box Normal</tps:parStyle>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Feature Box Text:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>SB2-Special Feature Box

Text</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>

</tps:masterPage>
 </tps:partOf>
 <tps:pos x="38.1

mm"/>
 <tps:autoText>
 <tps:leading>0

pt</tps:leading>
 <tps:parStyle>Box Normal.flush</tps:parStyle>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

<:/tps:definition>

-->
 <!-- ============= -->

 <tps:definition

tag="placedElementDef">
 <tps:placedElementDef>

<tps:name>Title</tps:name>
 </tps:placedElementDef>

</tps:definition>
 <tps:definition tag="floatingElementDef">

<tps:floatingElementDef>
 <tps:name>Figure</tps:name>

<tps:keywords>
 <tps:name>1 Col</tps:name>

<tps:name>2 Col</tps:name>
 <tps:name>2 Col Tall

Wide</tps:name>
 </tps:keywords>

</tps:floatingElementDef>
 </tps:definition>
 <tps:definition

tag="floatingElementDef">
 <tps:floatingElementDef>

<tps:name>Table-Wrap</tps:name>
 <tps:keywords>

<tps:name>1 Col</tps:name>
 <tps:name>1 Col

Wide</tps:name>
 <tps:name>2 Col</tps:name>

<tps:name>2 Col Wide</tps:name>
 <tps:name>Sideturn 1

Col</tps:name>
 <tps:name>Sideturn 1 Col Wide</tps:name>

<tps:name>Sideturn 2 Col</tps:name>
 <tps:name>Sideturn 2

Col Wide</tps:name>
 <tps:name>Sideturn 2 Col Tall

Wide</tps:name>
 </tps:keywords>

</tps:floatingElementDef>
 </tps:definition>
 <tps:definition

tag="floatingElementDef">
 <tps:floatingElementDef>

<tps:name>Box Figure</tps:name>
 <tps:keywords>

<tps:name>1 Col</tps:name>
 <tps:name>2 Col</tps:name>

</tps:keywords>
 </tps:floatingElementDef>

</tps:definition>
 <tps:definition tag="floatingElementDef">

<tps:floatingElementDef>
 <tps:name>Box Table-Wrap</tps:name>

<tps:keywords>
 <tps:name>2 Col</tps:name>

<tps:name>1 Col</tps:name>
 </tps:keywords>

</tps:floatingElementDef>
 </tps:definition>
 <tps:definition

tag="inlineElementDef">
 <tps:inlineElementDef>


```
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="inlineElementDef"&gt;&#xA;
                                                 <tps:inlineElementDef&gt;&#xA;
<tps:name&gt;ScenarioBoxFigure-2col&lt;/tps:name&gt;&#xA;
                                                                <tps:parStyle&gt;Figure
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="inlineElementDef"&gt;&#xA;
                                                 <tps:inlineElementDef&gt;&#xA;
<tps:name&gt;ScenarioBoxTable-1col&lt;/tps:name&gt;&#xA;
                                                             <tps:parStyle&gt;Box Table
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="inlineElementDef"&gt;&#xA;
                                                 <tps:inlineElementDef&gt;&#xA;
<tps:name&gt;ScenarioBoxTable-2col&lt;/tps:name&gt;&#xA;
                                                             <tps:parStyle&gt;Box Table
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="floatingElementDef"&gt;&#xA;
                                                  <tps:floatingElementDef&gt;&#xA;
 <tps:name&gt;ScenarioBox&lt;/tps:name&gt;&#xA;
                                                                  <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                </tps:floatingElementDef&gt;&#xA;
</tps:definition&gt;&#xA;

                                                 <!-- ==========================
-->

                     <!--
                            Element
                                      Variants
                                                 Definitions
                                                            -->

                                                                                  &lt:!--
                                                                         &lt:tps:definition
                                  -->

_____
                                      <tps:elementVariantDef_id="1"&gt;&#xA;
tag="elementVariantDef">

&lt:tps:elementFamily&gt:Figure&lt:/tps:elementFamily&gt:&#xA:
                                                              <tps:keywords&gt;&#xA;
        <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                       </tps:keywords&gt;&#xA;
<tps:pos x="10.5833 \text{ mm}" y="25.4 \text{ mm}"/\>\&\#xA;
                                                             <tps:size width="88.9 mm"
height="229.306 mm"/>

                                         <tps:rules&gt;&#xA;
                                                                             &lt:tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                   <tps:placementRule
pageSide="left"/>

                               </tps:rule&gt;&#xA;
                                                          <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                   <tps:placementRule
pageSide="right"/>

                                         </tps:rule&gt;&#xA;
                                                                             <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">
```

```
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

                                   xRef="left"
<tps:floatFrameAlignmentRule
                                                  yRef="middle"
                                                                      xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                           </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule
                                   xRef="left"
                                                  yRef="bottom"
                                                                      xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                           </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule
                                xRef="left"
                                                xBase="columnEdge"
                                                                         yBase="baseline"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                      </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35 mm" bottom="4.23333
mm"/>

                        </tps:elementVariantDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="3"&gt;&#xA;
              <tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                   t=0.05 <tps:pos x="12.7 mm" y="25.4 mm"/&gt;&#xA;
<tps:size width="179.917 mm" height="234.95 mm"/&gt;&#xA;
                                                               <tps:rules&gt;&#xA;
    <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
```

</tps:rule>

<tps:placementRule pageSide="left"/>


```
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                           </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                          floatXRef="center"
                                                  floatYRef="top"
                                                                       leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="variant"/>

                                                             </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                          leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                 <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                   xRef="center"
                                                     yRef="bottom"
                                                                         xBase="textFrame"
yBase="textFrame" topLimit="textFrame" floatXRef="center" floatYRef="bottom" leftLimit="none"
rightLimit="none" bottomLimit="variant"/>

                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                           rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
    <tps:frames&gt;&#xA;
<tps:frame_type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/&gt;&#xA;
      </tps:elementVariantDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                            <tps:definition
tag="elementVariantDef">

                                        <tps:elementVariantDef id="8"&gt;&#xA;
<tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
                                                                 <tps:keywords&gt;&#xA;
       <tps:name&gt;2 Col Tall Wide&lt;/tps:name&gt;&#xA;
                                                               </tps:keywords&gt;&#xA;
    t=0.05 <tps:pos x="22.9306 mm" y="19.7556 mm"/&gt;&#xA;
                                                             <tps:size width="179.917 mm"
```

<tps:rule tag="placementRule" type="pageSide" priority="1">


```
height="242.006 mm"/>

                                         <tps:rules&gt;&#xA;
                                                                              <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="left"/>

                               </tps:rule&gt;&#xA;
                                                           <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="right"/>

                                         </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame"
                                                                         yBase="variant"
                                                                        rightLimit="none"
topLimit="variant"
                  floatXRef="center"
                                      floatYRef="top"
                                                       leftLimit="none"
bottomLimit="variant"/>

                                                                             <tps:rule
                                           </tps:rule&gt;&#xA;
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                    floatXRef="left"
                                    floatYRef="middle"
                                                       leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                    floatXRef="left"
                                    floatYRef="bottom"
                                                       leftLimit="none"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                       floatYRef="top"
                                                leftLimit="none"
                                                                        rightLimit="none"
                                                                </tps:rules&gt;&#xA;
bottomLimit="textFrame"/>

                                       </tps:rule&gt;&#xA;
    <tps:frames&gt;&#xA;
                                     <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                     &lt:/tps:frames>

<tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" bottom="0 mm"/&gt;&#xA;
</tps:elementVariantDef&gt;&#xA;
                                        </tps:definition&gt;&#xA;
                                                                         <tps:definition
```

<tps:elementVariantDef id="1">

tag="elementVariantDef">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>1 Col</tps:name>

</tps:keywords>
 <tps:pos x="23.2833 mm" y="27.5167 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"

</tps:rule>

<tps:rule

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="2">

tag="floatFrameAlignmentRule" type="alignment" priority="0">

bottomLimit="textFrame"/>

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"

floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing_top="4.23333_mm"_left="0_mm"_right="0_mm"

```
bottom="4.23333" mm"/>

                                                                                                                                                                            &lt:/tps:elementVariantDef>&#xA:
</tps:definition&gt;&#xA;
                                                                                                        <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                                                                                            id="2">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
                                                                                                                         <tps:name&gt;1 Col Wide&lt;/tps:name&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                                                                                      t=0.53 \text{ mm}^{\prime\prime} \text{ /s}^{\prime\prime} \text{ mm}^{\prime\prime} \text{ /s}^{\prime
</tps:keywords&gt;&#xA;
<tps:size width="88.9 mm" height="1.05833 mm"/&gt;&#xA;
                                                                                                                                                                                                                  <tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                                                                                                                                                                     </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
                                                                                                                                                                                                       </tps:rule&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                                                                                                                                              </tps:rule&gt;&#xA;
                                                                                                                                                                                                                                                                                  <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                                                                         floatXRef="left"
                                                                                                                                 floatYRef="middle"
                                                                                                                                                                                                    leftLimit="none"
                                                                                                                                                                                                                                                              rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                                                                              </tps:rule&gt;&#xA;
                                                                                                                                                                                                                                                                                  <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
                                                                         floatXRef="left"
topLimit="textFrame"
                                                                                                                                floatYRef="bottom"
                                                                                                                                                                                                    leftLimit="none"
                                                                                                                                                                                                                                                              rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                                                                              </tps:rule&gt;&#xA;
                                                                                                                                                                                                                                                                                  <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
```

leftLimit="none"

rightLimit="none"

floatXRef="left"

floatYRef="top"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35

mm" bottom="4.23333 mm"/>
 </tps:elementVariantDef>

</tps:definition>
 <tps:definition tag="elementVariantDef">

<tps:elementVariantDef id="6">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>2 Col</tps:name>

</tps:keywords>
 <tps:pos x="23.2833 mm" y="70.6967 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"

topLimit="textFrame" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="pageEdge"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="pageEdge" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="pageEdge"/>
 </tps:rule>
 <tps:rule

```
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&qt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
                                                  </tps:elementVariantDef&gt;&#xA;
bottom="4.23333" mm"/>

</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                           id="7"&qt;

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                   <tps:name&gt;2 Col Wide&lt;/tps:name&gt;&#xA;
                                  t=0.05 <tps:pos x="12.7 mm" y="99.06 mm"/&gt;&#xA;
</tps:keywords&gt;&#xA;
<tps:size width="179.917 mm" height="1.05833 mm"/&gt;&#xA;
                                                                <tps:rules&gt;&#xA;
      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="pageEdge"
                     floatXRef="center"
                                        floatYRef="top"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
```

tag="floatFrameAlignmentRule" type="alignment" priority="2">

```
<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="pageEdge"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="pageEdge"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
                                                 leftLimit="none"
floatXRef="left"
                        floatYRef="top"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333" mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                           id="8">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                 <tps:name&gt;Sideturn 1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 <tps:pos x="33.8667 mm" y="25.4 mm"/xgt;
<tps:size width="76.2 mm" height="229.306 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
```

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

```
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                        <tps:frame type="contentFrame"/&gt;&#xA;
                                   <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="9"&gt;&#xA;
            <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                <tps:name&gt;Sideturn 1 Col Wide&lt;/tps:name&gt;&#xA;
   </tps:keywords&gt;&#xA;
                                   t=0.25.4 \text{ mm}^{\prime\prime}
<tps:size width="88.9 mm" height="229.306 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule_pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
                                       floatYRef="top"
                                                                          rightLimit="none"
topLimit="textFrame"
                      floatXRef="left"
                                                        leftLimit="none"
```

</tps:rule>

<tps:rule

bottomLimit="textFrame"/>

```
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="0 mm" left="-6.35 mm" right="-6.35 mm"
bottom="-6.35 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:elementVariantDef
                           id="13">

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                 <tps:name&gt;Sideturn 2 Col&lt;/tps:name&gt;&#xA;
                                 <tps:pos x="33.8667 mm" y="25.4 mm"/\&gt;&\#xA;
</tps:keywords&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               &lt:tps:rules&at;

    <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
```

<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3">


```
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
                                                         leftLimit="none"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                &lt:tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&qt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
     <tps:frames&gt;&#xA;
</tps:frames&gt;&#xA;
                                   <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
                            </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
bottom="0 mm"/>

<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="14"&gt;&#xA;
             <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
&lt:tps:keywords>

                                <tps:name&gt;Sideturn 2 Col Wide&lt;/tps:name&gt;&#xA;
   </tps:keywords&gt;&#xA;
                                   t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="179.917 mm" height="229.306 mm"/&gt;&#xA;
                                                                 &lt:tps:rules&at:

      <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
```

</tps:rule>

<tps:placementRule pageSide="left"/>

<tps:rule_tag="placementRule"_type="pageSide"_priority="1">


```
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="pageEdge"
                     floatXRef="center"
                                        floatYRef="top"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="pageEdge"/>

                                                                               <tps:rule
                                             </tps:rule&gt;&#xA;
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                                                               <tps:rule
                                             </tps:rule&gt;&#xA;
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
     <tps:frames&gt;&#xA;
</tps:frames&gt;&#xA;
                                  <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA;
                                                               </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  &lt:tps:elementVariantDef id="15">

             <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                     <tps:name&gt;Sideturn 2 Col Tall
Wide</tps:name&gt;&#xA;
                                </tps:keywords&gt;&#xA;
                                                               <tps:pos x="23.2833 mm"
y="19.7556 mm"/>

                              <tps:size width="179.917 mm" height="242.006 mm"/&gt;&#xA;
```

<tps:rule_tag="placementRule"_type="pageSide"

<tps:rules>


```
priority="1">

                                 <tps:placementRule pageSide="left"/&gt;&#xA;
</tps:rule&gt;&#xA;
                                          <tps:rule tag="placementRule" type="pageSide"
priority="1">

                                 <tps:placementRule pageSide="right"/&gt;&#xA;
</tps:rule&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
                                    <tps:floatFrameAlignmentRule xRef="center" yRef="top"
priority="3">

xBase="textFrame"
                  yBase="variant"
                                   topLimit="pageEdge"
                                                        floatXRef="center"
                                                                          floatYRef="top"
leftLimit="none" rightLimit="none" bottomLimit="pageEdge"/>

</tps:rule&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="middle"
xBase="variant"
                yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left"
                                                                       floatYRef="middle"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"
xBase="variant"
                yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left" floatYRef="bottom"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

                                    <tps:rule tag="floatLineAlignmentRule" type="alignment"
</tps:rule&gt;&#xA;
                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
priority="0">

yBase="baseline"
                   topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
type="contentFrame"/>

                                   &lt:/tps:frames>

                                                                 <tps:floatSpacing top="0
mm" left="0 mm" right="0 mm" bottom="0 mm"/>

                                                       </tps:elementVariantDef&gt;&#xA;
                               <tps:definition tag="elementVariantDef"&gt;&#xA;
 </tps:definition&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Figure</tps:elementFamily&gt;&#xA;
                                                <tps:keywords&gt;&#xA;
```

</tps:keywords>

<tps:pos

<tps:name>1 Col</tps:name>


```
x="38.1 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                             <tps:size width="71.9667 mm" height="210.256
mm"/>

                         <tps:rules&gt;&#xA;
                                                            <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                             <tps:placementRule pageSide="left"/&gt;&#xA;
           </tps:rule&gt;&#xA;
                                            <tps:rule tag="placementRule" type="pageSide"
                                 <tps:placementRule pageSide="right"/&gt;&#xA;
priority="1">

</tps:rule&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
                                       <tps:floatFrameAlignmentRule xRef="left" yRef="top"
priority="3">

xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="top"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="middle"
xBase="variant" yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left"
                                                                        floatYRef="middle"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
                                    <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"
priority="2">

xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                    &lt:tps:rule_tag="floatLineAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
                                     <tps:floatLineAlignmentRule xRef="left" xBase="variant"
priority="0"&qt;

                   topLimit="textFrame"
yBase="baseline"
                                         floatXRef="left"
                                                          floatYRef="top"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                              <tps:frame
type="imageFrame"/>

                                        <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
bottom="8.46667
                 mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
```

<tps:definition tag="elementVariantDef">

</tps:definition>


```
<tps:elementVariantDef id="2"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Figure</tps:elementFamily&gt;&#xA;
                                                <tps:keywords&gt;&#xA;
<tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                               </tps:keywords&gt;&#xA;
                                                                               <tps:pos
x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="150.283 mm"
                                          <tps:rules&gt;&#xA;
height="210.256 mm"/>

                                                                               <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                            <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
topLimit="textFrame"
                                                                      leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
                       topLimit="textFrame"
yBase="textFrame"
                                                floatXRef="center"
                                                                        floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
yBase="baseline"
                   topLimit="textFrame"
                                         floatXRef="left"
                                                          floatYRef="top"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
```

<tps:frames>

<tps:frame

</tps:rules>


```
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
bottom="8.46667 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Table-Wrap</tps:elementFamily&gt;&#xA;
                                                  <tps:keywords&gt;&#xA;
<tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                               </tps:keywords&gt;&#xA;
                                                                              <tps:pos
x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="150.283 mm"
                                         <tps:rules&gt;&#xA;
height="1.05833 mm"/>

                                                                              <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                           <tps:rule tag="placementRule"
type="pageSide" priority="0">

                                                                    <tps:placementRule
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
                                                                     leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
                     floatXRef="left"
topLimit="textFrame"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
yBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
```

```
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
yBase="baseline"
                  topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
type="contentFrame"/>

                                       </tps:frames&gt;&#xA;
                                                                       <tps:floatSpacing
top="9.17222 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/>

</tps:elementVariantDef&gt;&#xA;
                                         </tps:definition&gt;&#xA;
                                                                          <tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="2"&gt;&#xA;
<tps:elementFamily&gt;Box Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="71.9667 mm" height="1.05833 mm"/&gt;&#xA;
                                                                <tps:rules&gt;&#xA;
     <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                        </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         &lt:/tps:rule>

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="textFrame" rightLimit="textFrame"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">
```

xRef="left"

yRef="bottom"

xBase="columnEdge"

<tps:floatFrameAlignmentRule

```
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
                                                leftLimit="none"
floatXRef="left"
                        floatYRef="top"
                                                                        rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                 </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="9.17222 mm" left="0 mm" right="0 mm"
bottom="9.17222 mm"/>

                                                 </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                         id="1"
                                 type="inline">

<tps:elementFamily&gt;ScenarioBoxFigure-1col&lt;/tps:elementFamily&gt;&#xA;
                                                                              <tps:pos
x="127.423 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="71.9667 mm"
height="213.431 mm"/>

                                        <tps:frames&gt;&#xA;
                                                                            <tps:frame
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                           </tps:elementVariantDef&gt;&#xA;
                                                              </tps:definition&gt;&#xA;
                                                          <tps:elementVariantDef id="1"
<tps:definition tag="elementVariantDef"&gt;&#xA;
type="inline">

<tps:elementFamily&gt;ScenarioBoxFigure-2col&lt;/tps:elementFamily&gt;&#xA;
                                                                              <tps:pos
x="28.3633 mm" y="41.275 mm"/>

                                            <tps:size width="150.283 mm" height="213.431
mm"/>

                               <tps:frames&gt;&#xA;
                                                                            &lt:tps:frame
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                           </tps:elementVariantDef&gt;&#xA;
                                                              &lt:/tps:definition&qt;

<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                          <tps:elementVariantDef id="1"
type="inline">
```

<tps:elementFamily>ScenarioBoxTable-1col</tps:elementFamily>

<tps:pos

```
x="33.8667 mm" y="82.7617 mm"/>

                                                         <tps:size width="71.9667 mm"
height="3.07759 mm"/>

                                       <tps:frames&gt;&#xA;
                                                                           <tps:frame
type="contentFrame"/>

                                                   </tps:frames&gt;&#xA;
</tps:elementVariantDef&gt;&#xA;
                                        </tps:definition&gt;&#xA;
                                                                        <tps:definition
                                  <tps:elementVariantDef id="1" type="inline"&gt;&#xA;
tag="elementVariantDef">

   <tps:elementFamily&gt;ScenarioBoxTable-2col&lt;/tps:elementFamily&gt;&#xA;
<tps:pos x="33.8667 \text{ mm}" y="70.485 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="150.283 mm"
height="3.07759 mm"/>

                                       <tps:frames&gt;&#xA;
                                                                           <tps:frame
                                                   </tps:frames&gt;&#xA;
type="contentFrame"/>

</tps:elementVariantDef&gt;&#xA;
                                        </tps:definition&gt;&#xA;
                                                                        <tps:definition
tag="elementVariantDef">

                                      <tps:elementVariantDef id="1"&gt;&#xA;
<tps:elementFamily&gt;ScenarioBox&lt;/tps:elementFamily&gt;&#xA;
                                                                             <tps:pos
x="33.8667 mm" y="25.4 mm"/>

                                            <tps:size width="158.75 mm" height="18.4023
                                                          <tps:rule tag="placementRule"
mm"/>

                        <tps:rules&gt;&#xA;
type="pageSide" priority="1">

                                           <tps:placementRule pageSide="left"/&gt;&#xA;
           </tps:rule&gt;&#xA;
                                           <tps:rule tag="placementRule" type="pageSide"
                                <tps:placementRule pageSide="right"/&gt;&#xA;
priority="1">

                                 <tps:rule tag="floatFrameAlignmentRule" type="alignment"
</tps:rule&gt;&#xA;
                                      <tps:floatFrameAlignmentRule xRef="left" yRef="top"
priority="4">

xBase="textFrame" yBase="textFrame"
                                     topLimit="textFrame" floatXRef="left" floatYRef="top"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                 <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
priority="0">

                                   <tps:floatFrameAlignmentRule xRef="left" yRef="middle"
xBase="variant" yBase="textFrame"
                                  topLimit="textFrame" floatXRef="left" floatYRef="middle"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
```

<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"

</tps:rule>


```
priority="0">

                                <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"
xBase="variant"
              yBase="textFrame"
                               topLimit="textFrame"
                                                  floatXRef="left" floatYRef="bottom"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
                                 <tps:floatLineAlignmentRule xRef="left" xBase="variant"
priority="0">

yBase="baseline"
                 topLimit="textFrame"
                                    floatXRef="left"
                                                    floatYRef="top"
                                                                   leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                      </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                <tps:frames&gt;&#xA;
                                                                     <tps:frame
                                 <tps:frame name="Title" type="element"&gt;&#xA;
type="contentFrame"/>

      <tps:frame type="contentFrame"/&gt;&#xA;
                                                     </tps:frame&qt;&#xA;
</tps:frames&gt;&#xA;
                               <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
                        </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
bottom="0 mm"/>

<tps:sectionDef toc="false" type="mainStory" repeating="true"&gt;&#xA;
<tps:name&gt;Chapter&lt;/tps:name&gt;&#xA;
                                             <tps:masterSpreads&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                        <tps:name&gt;Co2-Chapter
                                  <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
Opener</tps:name&gt;&#xA;
         <tps:filler/&gt;&#xA;
                                         </tps:masterSpread&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                    <tps:name&gt;C2-Inside Pages
2-col</tps:name&gt;&#xA;
                                <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
      <tps:filler/&gt;&#xA;
                                          </tps:masterSpread&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                 <tps:fields&gt;&#xA;
                                                             <tps:field&gt;Chapter
Number</tps:field&gt;&#xA;
                               </tps:fields&gt;&#xA;
                                                       </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA;
                        <tps:definition tag="sectionDef"&gt;&#xA;
                                                                 <tps:sectionDef
```

<tps:name>Chapter Special

toc="false" type="mainStory" repeating="true">

Feature</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>So2-Special Feature Opener</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>S2-Special Feature <tps:startsOn>either</tps:startsOn>
 Text</tps:name>
 </tps:masterSpread>
 <tps:filler/>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 <tps:definition tag="sectionDef">
 </tps:definition>
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Box</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Bo2-Box opener</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>B2-Box Text</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpreads>
 </tps:masterSpread>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition_tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter References</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>C2-Inside Pages 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>

<tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory"

repeating="true">
 <tps:name>Frontmatter Exec

Summary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Frontmatter

1-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo1-FM-EM

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads&qt;
 <tps:fields/&qt;
 </tps:sectionDef&qt;

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

toc="false" type="mainStory" repeating="true">
 & lt;tps:name>Frontmatter

2-col</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo1-FM-EM

1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>FE2-FM-EM Inside

2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Special Feature Box</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>SBo2-Special Feature Box Opener</tps:name&qt;
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>SB2-Special Feature Box Text</tps:name>
 <:tps:startsOn>either<:/tps:startsOn> </tps:masterSpread>
 <tps:filler/>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Annex</tps:name>
 <tps:masterSpreads>
 <tps:name>C2-Inside Pages <tps:masterSpread>
 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:fields/>
 </tps:masterSpreads>
 </tps:sectionDef>
 <tps:definition tag="sectionDef">
 </tps:definition>
 <:tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Endmatter 1-col</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>Fo1-FM-EM

1-col</tps:name>

<tps:filler/>

<tps:startsOn>either</tps:startsOn>

</tps:masterSpread>


```
<tps:masterSpread&gt;&#xA;
                                                        <tps:name&gt;FE1-FM-EM Inside
1-col</tps:name&gt;&#xA;
                                    <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
       <tps:filler/&gt;&#xA;
                                               </tps:masterSpread&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                    <tps:fields/&gt;&#xA;
                                                              </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA;
                           <tps:definition tag="sectionDef"&gt;&#xA;
                                                                         <tps:sectionDef
toc="false" type="mainStory" repeating="true">

                                                                 <tps:name&gt;Endmatter
2-col</tps:name&gt;&#xA;
                                        <tps:masterSpreads&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                               <tps:name&gt;Fo2-FM-EM
                                    <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
      <tps:filler/&gt;&#xA;
                                            </tps:masterSpread&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                        <tps:name&gt;FE2-FM-EM Inside
                                    <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
       <tps:filler/&gt;&#xA;
                                               </tps:masterSpread&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                    <tps:fields/&gt;&#xA;
                                                             </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA; &lt;!-- ============= --&gt;&#xA; &lt;!-- Field
Definitions -->

                        &lt:!-- ========= --&gt:&#xA:

                                                                           &lt:tps:definition
                              <tps:fieldDef&gt;&#xA;
tag="fieldDef">

                                                                   <tps:name&gt;Chapter
Number</tps:name&gt;&#xA;
                                           <tps:type&gt;text&lt;/tps:type&gt;&#xA;
                        </tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
</tps:fieldDef&gt;&#xA;
  <tps:fieldDef&gt;&#xA;
                               <tps:name&gt;Publication Date&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                            <tps:level&gt;project&lt;/tps:level&gt;&#xA;
</tps:fieldDef&gt;&#xA; &lt;/tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
  <tps:fieldDef&gt;&#xA;
                                <tps:name&gt;Publication Title&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                            <tps:level&gt;project&lt;/tps:level&gt;&#xA;
</tps:fieldDef&gt;&#xA;
                             </tps:definition&gt;&#xA;

                                                                                    &lt:!--
```

<!-- TOC Style Definitions -->

<:!--

```
                                            <tps:definition tag="tocStyleDef"&gt;&#xA;
<tps:tocStyleDef&gt;&#xA;
                                     <tps:name&gt;[Default]&lt;/tps:name&gt;&#xA;
</tps:tocStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;&lt;/tps:template&gt;&#xA;</tps:txml>
    </tps:template>
   </rdf:Description>
 </rdf:RDF>
</x:xmpmeta>
<?xpacket end="r"?>
endstream
endobj
470 0 obj
<</CreationDate(D:20230404012728+08'00')/Creator(Adobe
                                                               InDesign
                                                                                   14.0
\(Macintosh\))/ModDate(D:20230404012731+08'00')/Producer(Adobe
                                                                    PDF
                                                                                Library
15.0)/Trapped/False>>
endobj
xref
0 471
0000000000 65535 f
0000178340 00000 n
0000179419 00000 n
0000185153 00000 n
0000185178 00000 n
0000185607 00000 n
0000185632 00000 n
0000186023 00000 n
0000195826 00000 n
```

| 0000691329 00000 n |
|--|
| 0000691763 00000 n |
| 0000692496 00000 n |
| 0000692642 00000 n |
| 0000693183 00000 n |
| 0000693916 00000 n |
| 0000694062 00000 n |
| 0000694498 00000 n |
| 0000694644 00000 n |
| 0000695185 00000 n |
| 0000695920 00000 n |
| 0000696356 00000 n |
| 0000696394 00000 n |
| 0000696426 00000 n |
| 0000696506 00000 n |
| 0000696603 00000 n |
| 0000696700 00000 n |
| 0000696799 00000 n |
| 0000696933 00000 n |
| 0000894458 00000 n |
| trailer |
| < |
| 471/ID[<d0b17c0ecb784e7baa5a76f6ad60761e><0E563F5F986F42008C898427362C7ECE>]</d0b17c0ecb784e7baa5a76f6ad60761e> |
| >> |
| startxref |
| 116 |

```
469 0 obj
<</Length 200375/Subtype/XML/Type/Metadata>>stream
<?xpacket begin="" id="W5M0MpCehiHzreSzNTczkc9d"?>
<x:xmpmeta xmlns:x="adobe:ns:meta/" x:xmptk="Adobe XMP Core 9.0-c000 79.cca54b0,
2022/11/26-09:29:55
 <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">
   <rdf:Description rdf:about=""
      xmlns:xmp="http://ns.adobe.com/xap/1.0/"
      xmlns:xmpMM="http://ns.adobe.com/xap/1.0/mm/"
      xmlns:stRef="http://ns.adobe.com/xap/1.0/sType/ResourceRef#"
      xmlns:stEvt="http://ns.adobe.com/xap/1.0/sType/ResourceEvent#"
      xmlns:dc="http://purl.org/dc/elements/1.1/"
      xmlns:pdf="http://ns.adobe.com/pdf/1.3/"
      xmlns:tps="http://www.typefi.com/TemplateXML">
     <xmp:CreateDate>2023-04-04T01:27:28+08:00</xmp:CreateDate>
     <xmp:MetadataDate>2023-04-03T18:40:30-04:00
     <xmp:ModifyDate>2023-04-03T18:40:30-04:00</xmp:ModifyDate>
     <xmp:CreatorTool>Adobe InDesign 14.0 (Macintosh)
     <xmpMM:InstanceID>uuid:c7075553-b84f-426a-a5a8-0dfd213b9089</xmpMM:InstanceID>
<xmpMM:OriginalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</xmpMM:Origin</p>
alDocumentID>
<xmpMM:DocumentID>xmp.id:f86677e3-0fc9-4954-a618-99ddad5b5659</xmpMM:DocumentID>
```

<xmpMM:RenditionClass>proof:pdf</xmpMM:RenditionClass>

%%EOF

```
<xmpMM:DerivedFrom rdf:parseType="Resource">
       <stRef:instanceID>xmp.iid:9d41a87e-d7a3-43e5-b68a-42d5f5317cd3</stRef:instanceID>
       <stRef:documentID>xmp.did:ae82c574-e8bb-ee41-a4e6-f3f1aa3e604a</stRef:documentID>
<stRef:originalDocumentID>xmp.did:BE52BC84228B11688C85F33DBB1C1490</stRef:originalDoc
umentID>
       <stRef:renditionClass>default</stRef:renditionClass>
     </xmpMM:DerivedFrom>
     <xmpMM:History>
       <rdf:Seq>
         <rdf:li rdf:parseType="Resource">
          <stEvt:action>converted</stEvt:action>
          <stEvt:parameters>from application/x-indesign to application/pdf</stEvt:parameters>
          <stEvt:softwareAgent>Adobe InDesign CC 14.0 (Macintosh)</stEvt:softwareAgent>
          <stEvt:changed>/</stEvt:changed>
          <stEvt:when>2023-04-04T01:27:28+08:00</stEvt:when>
         </rdf:li>
       </rdf:Seq>
     </xmpMM:History>
     <dc:format>application/pdf</dc:format>
     <dc:title>
       <rdf:Alt>
              <rdf:li xml:lang="x-default">World Economic Outlook: A rocky recovery; chapter 4,
Geoeconomic Fragmentation And Foreign Direct Investment, April 2023</rdf:li>
       </rdf:Alt>
     </dc:title>
```

```
<dc:creator>
      <rdf:Bag>
        <rdf:li>IMF</rdf:li>
      </rdf:Bag>
     </dc:creator>
     <dc:subject>
      <rdf:Bag>
        <rdf:li>World Economic Outlook: A rocky recovery</rdf:li>
        <rdf:li>chapter 4</rdf:li>
        <rdf:li>Geoeconomic Fragmentation And Foreign Direct Investment</rdf:li>
        <rdf:li>April 2023</rdf:li>
      </rdf:Bag>
     </dc:subject>
     <pd><pdf:Producer>Adobe PDF Library 15.0</pdf:Producer>
     <pdf:Trapped>False</pdf:Trapped>
         <pdf:Keywords>World Economic Outlook: A rocky recovery; chapter 4, Geoeconomic
Fragmentation And Foreign Direct Investment, April 2023</pdf:Keywords>
     <tps:template rdf:parseType="Resource">
         <tps:txml>&lt;?xml version="1.0" encoding="utf-8"?&gt;&#xA;&#xA;&lt;?origin&#xA;&#xA;
                                                                             From="Typefi
File=

               Date=Friday,
                            January
                                      31,
                                            2020,
                                                   9:21
                                                          AM&\#xA;\&\#xA;
Designerâ,¢"

?>

<tps:template
xmlns:tps="http://www.typefi.com/TemplateXML"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
                                                                     schemaVersion="4.4"
xsi:schemaLocation="http://www.typefi.com/TemplateXML
http://www.typefi.com/TPS/template/4_4/TemplateXML.xsd">

                                                                                    &lt:!--

<!-- Document Definition --&gt;&#xA;
                                                                                    &lt:!--
```

```
<tps:definition tag="documentDef"&gt;&#xA;
<tps:documentDef&gt;&#xA;
                            <tps:facingPages&gt;true&lt;/tps:facingPages&gt;&#xA;
</tps:documentDef&gt;&#xA;
                           </tps:definition&gt;&#xA;

                                                                       <!--
<!-- ================== --&qt;&#xA;

                                                               <tps:definition
tag="charStyleDef">
 <tps:charStyleDef&gt;&#xA;
                                                            <tps:name&gt;Box
Number</tps:name&gt;&#xA;
                               <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
                           <tps:definition tag="charStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                            <tps:name&gt;Intro inline.roman&lt;/tps:name&gt;&#xA;
  <tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
                                               <tps:font&gt;&#xA;
                               <tps:style&gt;Regular&lt;/tps:style&gt;&#xA;
<tps:name/&gt;&#xA;
</tps:font&gt;&#xA;
                              <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                 </tps:definition&gt;&#xA;
                                                               <tps:definition
</tps:charStyleDef&gt;&#xA;
tag="charStyleDef">

                                  <tps:charStyleDef&gt;&#xA;
<tps:name&gt;symbol&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;*&lt;/tps:basedOn&gt;&#xA;
                                              <tps:font&gt;&#xA;
<tps:name&gt;Symbol&lt;/tps:name&gt;&#xA;
<tps:style&gt;Regular&lt;/tps:style&gt;&#xA;
                                               </tps:font&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
<!-- Paragraph Style Definitions --&gt;&#xA;
                                           <!-- ===========
--&at;

                           <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                             <tps:name&gt;BlockQuote&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                               <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                               <tps:name&gt;BlockQuote&lt;/tps:name&gt;&#xA;
```

<tps:basedOn>Normal</tps:basedOn>

<tps:fontSize>9

pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>0

mm</tps:indentFirstLine>

<tps:spaceAfter>2.11667

mm</tps:spaceAfter>

<tps:nextStyle>BlockQuote</tps:nextStyle>

<tps:basedOn>BlockQuote</tps:basedOn>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>BlockQuote

Attribution</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>BlockQuote Attribution</tps:name>

<tps:basedOn>BlockQuote</tps:basedOn>

<tps:font>

<tps:name/>

<tps:style>ltalic</tps:style>

</tps:font>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceAfter>2.82222

kgt,2.02222

mm</tps:spaceAfter>

<tps:nextStyle>BlockQuote

Attribution</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Box A

Head</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Box A Head</tps:name>

<tps:font>

<tps:name>Adobe Garamond

Pro</tps:name>

<tps:style>Semibold Italic</tps:style>

</tps:font>

<tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">

PANTONE 2935 C

</tps:color>


```
</tps:charStyleDef&gt;&#xA; &lt;/tps:charStyle&gt;&#xA;
```

<tps:spaceBefore>2.82222 mm</tps:spaceBefore>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Bullets</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets</tps:name>

<tps:font>
 <tps:name>Adobe Garamond

Pro</tps:name>
 <tps:style>Regular</tps:style>

</tps:font>
 <tps:fontSize>9.5 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Box Bullets</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Bullets.last</tps:name>

<tps:basedOn>Box Bullets</tps:basedOn>

</tps:charStyle>
 <tps:spaceAfter>1.05833 mm</tps:spaceAfter>

<tps:nextStyle>Box Bullets.last</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Figure

Title</tps:name>
 <tps:basedOn>Box Table Title</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

Title</tps:basedOn>
 <tps:font>

Condensed</tps:style>
 </tps:font>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Figure Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box

Intro.single</tps:name>
 <tps:basedOn>Intro.single</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Box Intro.single</tps:name>

<tps:basedOn>Intro.single</tps:basedOn>
 <tps:fontSize>9.5

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Intro.single</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Normal</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Normal</tps:name&qt;
 <tps:font&qt;

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>3.175

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Normal</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>


```
<tps:definition tag="parStyleDef"&gt;&#xA;
                                                 <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Box Normal.flush&lt;/tps:name&gt;&#xA;
                                                                   <tps:basedOn&gt;Box
Normal</tps:basedOn&gt;&#xA;
                                              <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                     <tps:name&gt;Box Normal.flush&lt;/tps:name&gt;&#xA;
                 <tps:basedOn&gt;Box Normal&lt;/tps:basedOn&gt;&#xA;
<tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                     </tps:charStyleDef&gt;&#xA;
                              <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
</tps:charStyle&gt;&#xA;
    <tps:nextStyle&gt;Box Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;Box Number List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
                                                           <tps:charStyle&gt;&#xA;
      <tps:charStyleDef&gt;&#xA;
                                                              <tps:name&gt;Box Number
List</tps:name&gt;&#xA;
                                  <tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
           <tps:fontSize&gt;9.5 pt&lt;/tps:fontSize&gt;&#xA;
                                                                      <tps:leading&gt;12
pt</tps:leading&gt;&#xA;
                                              </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                              <tps:nextStyle&gt;Box Number List&lt;/tps:nextStyle&gt;&#xA;
        </tps:parStyleDef&gt;&#xA;
                                          </tps:definition&gt;&#xA;
                                                                           <tps:definition
                                                               <tps:name&gt;Box Number
tag="parStyleDef">

                              <tps:parStyleDef&gt;&#xA;
                                                          <tps:basedOn&gt;Box
List.first</tps:name&gt;&#xA;
                                                                                 Number
List</tps:basedOn&gt;&#xA;
                                            <tps:charStyle&gt;&#xA;
                                                              <tps:name&gt;Box Number
<tps:charStyleDef&gt;&#xA;
List.first</tps:name&gt;&#xA;
                                                           <tps:basedOn&gt;Box Number
List</tps:basedOn&gt;&#xA;
                                      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                   </tps:charStyle&gt;&#xA;
                                                                   <tps:nextStyle&gt;Box
```

</tps:parStyleDef>

<tps:definition tag="parStyleDef">

Number List.first</tps:nextStyle>

</tps:definition>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

Title</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq Box</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq Box</tps:name>

<tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>9.5 pt</tps:fontSize>
 <tps:leading>12

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>

Box</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Figure Title</tps:name>
 <tps:basedOn>Table

Title</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Figure Title</tps:name>

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Figure Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Glossary

Entry</tps:name>
 <tps:basedOn>Normal</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Glossary Entry</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceAfter>1.51694 mm</tps:spaceAfter>

<tps:nextStyle>Glossary Entry</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 0</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 0</tps:name>
 <tps:font>

<tps:name/>
 <tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:fontSize>18 pt</tps:fontSize>

White
 </tps:color>

<tps:case>all</tps:case>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Heading 0</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Heading

1</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>

<tps:name>Heading 1</tps:name>
 <tps:font>

<tps:name>Myriad Pro</tps:name>
 <tps:style>Bold

Condensed</tps:style>

</tps:font>

<tps:fontSize>13 pt</tps:fontSize>

<tps:leading>13

pt</tps:leading>

<tps:color tint="100 %">

PANTONE

2935 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>7.76111

mm</tps:spaceBefore>

<tps:spaceAfter>1.41111

mm</tps:spaceAfter>

<tps:nextStyle>Heading 1</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>
 <

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading

2</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Heading 2</tps:name>

<tps:font>

<tps:name>Myriad Pro</tps:name>

<tps:style>Bold

Condensed</tps:style>

</tps:font>

<tps:fontSize>11 pt</tps:fontSize>

<tps:leading>13

pt</tps:leading>

<tps:color tint="100 %">

PANTONE

2935 C

</tps:color>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>7.76111

<tps:spaceAfter>1.41111

mm</tps:spaceBefore>

mm</tps:spaceAfter>

<tps:nextStyle>Normal.flush</tps:nextStyle>

. . .

</tps:parStyleDef>
 </tps:definition>

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Heading

<tps:definition

2.stacked</tps:name>

<tps:basedOn>Heading 2</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Heading 2.stacked</tps:name>

<tps:basedOn>Heading

2</tps:basedOn>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceBefore>3.52778 mm</tps:spaceBefore>

<tps:nextStyle>Heading 2.stacked</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 3</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Bold

Italic</tps:style>
 </tps:font>
 <tps:fontSize>10

pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>3.175 mm</tps:spaceBefore>

<tps:spaceAfter>1.41111 mm</tps:spaceAfter>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Heading 3.stacked</tps:name>

<tps:basedOn>Heading 3</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Heading

3.stacked</tps:name>
 <tps:basedOn>Heading

3</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceBefore>0

mm</tps:spaceBefore>
 <tps:nextStyle>Heading

3.stacked</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>Heading 4</tps:name>
 <tps:basedOn>Heading

3</tps:basedOn>
 <tps:charStyle>


```
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Heading 4&lt;/tps:name&gt;&#xA;
    <tps:basedOn&gt;Heading 3&lt;/tps:basedOn&gt;&#xA;
                                                                   <tps:font&gt;&#xA;
        <tps:name/&gt;&#xA;
                                           <tps:style&gt;ltalic&lt;/tps:style&gt;&#xA;
  </tps:font&gt;&#xA;
                                   <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
<tps:color&gt;&#xA;
                                    Black

                                                            </tps:color&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                                </tps:charStyle&gt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                 <tps:name&gt;Heading 4.stacked&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Heading 4&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
      <tps:charStyleDef&gt;&#xA;
                                                                    <tps:name&gt;Heading
4.stacked</tps:name&gt;&#xA;
                                                                 <tps:basedOn&gt;Heading
4</tps:basedOn&gt;&#xA;
                                      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                   </tps:charStyle&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                                                    <tps:spaceBefore&gt;0
mm</tps:spaceBefore&gt;&#xA;
                                                                 <tps:nextStyle&gt;Heading
4.stacked</tps:nextStyle&gt;&#xA;
                                     </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
   <tps:definition tag="parStyleDef"&gt;&#xA;
                                                     <tps:parStyleDef&gt;&#xA;
<tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                           <tps:charStyle&gt;&#xA;
 <tps:charStyleDef&gt;&#xA;
                                        <tps:name&gt;Intro.first&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Intro.single&lt;/tps:basedOn&gt;&#xA;
                                                                         &lt:tps:leading&gt:0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                                <tps:spaceAfter&gt;0 mm&lt;/tps:spaceAfter&gt;&#xA;
<tps:nextStyle&gt;Intro.first&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
```

<tps:definition tag="parStyleDef">

<tps:name>Intro.last</tps:name>

</tps:definition>

<tps:parStyleDef>

<tps:basedOn>Intro.single</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Intro.last</tps:name>
 <tps:basedOn>Intro.single</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentFirstLine>3.52778 mm</tps:indentFirstLine>
 <tps:nextStyle>Intro.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef"> <tps:parStyleDef>
 <tps:name>Intro.middle</tps:name>
 <tps:basedOn>Intro.last</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Intro.middle</tps:name>
 <tps:basedOn>Intro.last</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>0 mm</tps:spaceAfter>
 <tps:nextStyle>Intro.middle</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Intro.single</tps:name>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Intro.single</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>ltalic</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:spaceAfter>4.23333 mm</tps:spaceAfter>

<tps:definition tag="parStyleDef">

</tps:parStyleDef>

<tps:nextStyle>Intro.single</tps:nextStyle>

</tps:definition>


```
<tps:parStyleDef&gt;&#xA;
                                    <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                         <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Bullet&lt;/tps:name&gt;&#xA;
     <tps:basedOn&gt;Normal&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;3.52778 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-3.52778 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
</tps:definition&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                  <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;List Bullet.last&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;4.58611 mm&lt;/tps:spaceAfter&gt;&#xA;
     <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                <tps:name&gt;List Roman Lower&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Number List&lt;/tps:basedOn&gt;&#xA;
                                                             <tps:charStyle&gt;&#xA;
        <tps:charStyleDef&gt;&#xA;
                                                                <tps:name&gt;List Roman
Lower</tps:name&gt;&#xA;
                                                                 <tps:basedOn&gt;Number
List</tps:basedOn&gt;&#xA;
                                       <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                               </tps:charStyle&gt;&#xA;
<tps:indentLeft&gt;9.17222 mm&lt;/tps:indentLeft&gt;&#xA;
```

</tps:parStyleDef>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

<tps:nextStyle>List Roman Lower</tps:nextStyle>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Roman Lower.last</tps:name>

<tps:basedOn>List Roman Lower</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List

Roman Lower.last</tps:name>
 <tps:basedOn>List Roman

Lower</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Roman Lower.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>List Roman Upper</tps:name>

<tps:charStyleDef>
 <tps:name>List Roman

Upper</tps:name>
 <tps:basedOn>List Roman

Lower</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Upper</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:definition tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>List Roman Upper.last</tps:name>
 <tps:basedOn>List

Roman Upper</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>List Roman

Upper.last</tps:name>
 <tps:basedOn>List Roman

Upper</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

Roman Upper.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>List Subbullets</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List Subbullets</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>7.05556 mm</tps:indentLeft>
 <tps:nextStyle>List Subbullets</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>List Subbullets.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>List Subbullets.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>
 <tps:leading>0 pt</tps:leading>
 </tps:charStyleDef>
 </tps:charStyle>
 <tps:indentLeft>7.05556 mm</tps:indentLeft>
 <tps:spaceAfter>4.58611 mm</tps:spaceAfter>
 <tps:nextStyle>List Subbullets.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>
 <tps:definition tag="parStyleDef">
 <:tps:name>Normal<:/tps:name>
: <tps:parStyleDef>
 <tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Normal</tps:name>
 <tps:font>
 <tps:name>Adobe Garamond Pro</tps:name>
 <tps:style>Regular</tps:style>
 </tps:font>
 <tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>13

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>3.52778

mm</tps:indentFirstLine>
 <tps:nextStyle>Normal</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>

<tps:name>Normal.centered</tps:name>

<tps:basedOn>Normal.flush</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Normal.centered</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Normal.drop</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Normal.drop</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Normal.flush</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Normal.flush</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

```
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentFirstLine&gt;0 mm&lt;/tps:indentFirstLine&gt;&#xA;
      <tps:nextStyle&gt;Normal&lt;/tps:nextStyle&gt;&#xA;
                                                              </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                   <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                          <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;Number List&lt;/tps:name&gt;&#xA;
       <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;4.23333 mm&lt;/tps:indentLeft&gt;&#xA;
      <tps:indentFirstLine&gt;-4.23333 mm&lt;/tps:indentFirstLine&gt;&#xA;
<tps:nextStyle&gt;Number List&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                 <tps:definition tag="parStyleDef"&gt;&#xA;
                                                    <tps:name&gt;Number List in Bullet
<tps:parStyleDef&gt;&#xA;
List</tps:name&gt;&#xA;
                                <tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
<tps:charStyle&gt;&#xA;
                                          <tps:charStyleDef&gt;&#xA;
<tps:name&gt;Number List in Bullet List&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;List Bullet&lt;/tps:basedOn&gt;&#xA;
                                                                         <tps:leading&gt;0
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:indentLeft&gt;9.525 mm&lt;/tps:indentLeft&gt;&#xA;
                                 mm</tps:indentFirstLine&gt;&#xA;
<tps:indentFirstLine&gt;-5.99722
<tps:nextStyle&gt;Number
                            List
                                 in
                                      Bullet
                                             List</tps:nextStyle&gt;&#xA;
</tps:parStyleDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
                                                                            <tps:definition
tag="parStyleDef">

                              <tps:parStyleDef&gt;&#xA;
                                                                 <tps:name&gt;Number List
in
           List.last</tps:name&gt;&#xA;
                                                                     <tps:basedOn&gt;List
    Bullet
```

<tps:charStyle>

Bullet</tps:basedOn>


```
<tps:charStyleDef&gt;&#xA; &lt;tps:name&gt;Number List in Bullet
```

List.last</tps:name>
 <tps:basedOn>List Bullet</tps:basedOn>

</tps:charStyle>
 <tps:indentLeft>9.525 mm</tps:indentLeft>

<tps:indentFirstLine>-5.99722 mm</tps:indentFirstLine>

List in Bullet List.last</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.first</tps:name>

<tps:basedOn>Number List</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number

List.first</tps:name>
 <tps:basedOn>Number

List</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Number List.last</tps:name>

<tps:basedOn>List Bullet</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Number List.last</tps:name>

<tps:basedOn>List Bullet</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>4.23333 mm</tps:indentLeft>

<tps:indentFirstLine>-4.23333 mm</tps:indentFirstLine>

List.last</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

 <tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Reference</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:fontSize>8.5

pt</tps:fontSize>
 <tps:leading>12 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>-3.52778 mm</tps:indentFirstLine>

<tps:nextStyle>Reference</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature Box

Title</tps:name>
 <tps:font>
 <tps:name/>

<tps:style>Bold Condensed</tps:style>

</tps:font>
 <tps:leading>12 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:spaceAfter>2.11667 mm</tps:spaceAfter>

<tps:nextStyle>Special Feature Box Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Special

Feature Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Special Feature

Head</tps:name>
 <tps:font/>
 <tps:fontSize>15

pt</tps:fontSize>
 <tps:leading>0 pt</tps:leading>

<tps:color>
 White
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>

Head</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>eq</tps:name>

<tps:basedOn>Normal</tps:basedOn>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentLeft>3.52778 mm</tps:indentLeft>

<tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:spaceBefore>2.29306 mm</tps:spaceBefore>

<tps:spaceAfter>2.29306 mm</tps:spaceAfter>

<tps:nextStyle>eq</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>eq Box footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>

<tps:basedOn>eq</tps:basedOn>

<tps:charStyleDef>
 <tps:name>eq Box footnote</tps:name>

<tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>eq Box

footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>eq footnote</tps:name>

<tps:basedOn>eq</tps:basedOn>
 <tps:charStyle>


```
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eq footnote&lt;/tps:name&gt;&#xA;
        <tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:fontSize&gt;8
pt</tps:fontSize&gt;&#xA;
                                     <tps:leading&gt;10 pt&lt;/tps:leading&gt;&#xA;
</tps:charStyleDef&gt;&#xA;
                                    </tps:charStyle&gt;&#xA;
                                                                     <tps:nextStyle&gt;eg
                                    </tps:parStyleDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
footnote</tps:nextStyle&gt;&#xA;
 <tps:definition tag="parStyleDef"&gt;&#xA;
                                                   <tps:parStyleDef&gt;&#xA;
<tps:name&gt;eqbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eqmid&lt;/tps:basedOn&gt;&#xA;
                                                        <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;egbot&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;egmid&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;8
pt</tps:leading&gt;&#xA;
                                               </tps:charStyleDef&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceAfter&gt;2.29306 mm&lt;/tps:spaceAfter&gt;&#xA;
      <tps:nextStyle&gt;eqbot&lt;/tps:nextStyle&gt;&#xA;
                                                             </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
                                     <tps:name&gt;eqmid&lt;/tps:name&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
<tps:basedOn&gt;eqtop&lt;/tps:basedOn&gt;&#xA;
                                                       <tps:charStyle&gt;&#xA;
<tps:charStyleDef&gt;&#xA;
                                      <tps:name&gt;eqmid&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;eqtop&lt;/tps:basedOn&gt;&#xA;
                                                                        <tps:leading&gt;7
                                               </tps:charStyleDef&gt;&#xA;
pt</tps:leading&gt;&#xA;
</tps:charStyle&gt;&#xA;
                               <tps:spaceBefore&gt;0 mm&lt;/tps:spaceBefore&gt;&#xA;
  <tps:nextStyle&gt;eqmid&lt;/tps:nextStyle&gt;&#xA;
                                                            </tps:parStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                                      <tps:name&gt;eqtop&lt;/tps:name&gt;&#xA;
<tps:basedOn&gt;eq&lt;/tps:basedOn&gt;&#xA;
                                                      <tps:charStyle&gt;&#xA;
```

<tps:name>eqtop</tps:name>

<tps:leading>0

<tps:charStyleDef>

<tps:basedOn&qt;eq</tps:basedOn&qt;

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:spaceAfter>0 mm</tps:spaceAfter>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote</tps:name>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Footnote</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:indentFirstLine>2.82222

mm</tps:indentFirstLine>
 <tps:nextStyle>Box Footnote

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Footnote

Continued.flush</tps:name>
 <tps:font>

<tps:name>Adobe Garamond Pro</tps:name>

<tps:style>Regular</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Box Footnote

Continued.flush</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued</tps:name>
 <tps:font/>
 <tps:leading>0

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Footnote Text

Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Footnote Text

Continued.flush</tps:name>
 <tps:font/>

</tps:charStyle>
 <tps:indentFirstLine>0 mm</tps:indentFirstLine>

<tps:nextStyle>Footnote Text Continued.flush</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Column Head</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Column

Head</tps:name>
 <tps:font>

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Box Table Column Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table

Footnote</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style/>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:spaceBefore>1.41111

mm</tps:spaceBefore>
 <tps:spaceAfter>0.705556

mm</tps:spaceAfter>
 <tps:nextStyle>Box Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Box Table Footnote Continued</tps:name>

<tps:basedOn>Box Table Footnote</tps:basedOn>

<tps:charStyle>
 <tps:charStyleDef>
 <tps:name>Box

Table Footnote Continued</tps:name>
 <tps:basedOn>Box Table

Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Box Table

Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Box Table Subtitle</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Box Table Subtitle</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Condensed

Oblique</tps:style>
 </tps:font>
 <tps:fontSize>9

pt</tps:fontSize>
 <tps:leading>10 pt</tps:leading>

<tps:color tint="100 %">
 PANTONE 2935 C

</tps:color>
 </tps:charStyleDef>
 </tps:charStyle>

<tps:nextStyle>Box Table Subtitle</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Text</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Text</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>

</tps:font>
 <tps:fontSize>8 pt</tps:fontSize>

</tps:charStyle>
 <tps:nextStyle>Box Table Text</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Box Table

Title</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Box Table Title</tps:name>

<tps:font>
 <tps:name>Helvetica

Neue</tps:name>
 <tps:style>Condensed Bold</tps:style>

</tps:font>
 <tps:fontSize>10 pt</tps:fontSize>

<tps:leading>12 pt</tps:leading>
 <tps:color tint="100

%">
 PANTONE 2935 C
 </tps:color>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:nextStyle>Box

Table Title</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Body Data</tps:name>

<tps:charStyleDef>
 <tps:name>Table Body

Data</tps:name>
 <tps:basedOn>Table Body

Flush</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>
 <tps:alignment>left

justify</tps:alignment>
 <tps:indentLeft>0 mm</tps:indentLeft>

Body Data</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Body Flush</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>

<tps:leading>10

pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Table Body Flush</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table

Bullets</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Table Bullets</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Medium Condensed</tps:style>

</tps:font>

<tps:fontSize>8 pt</tps:fontSize>

<tps:leading>9

pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:indentLeft>2.82222 mm</tps:indentLeft>

<tps:indentFirstLine>-2.82222 mm</tps:indentFirstLine>

<tps:nextStyle>Table Bullets</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table Column Head</tps:name>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Table Column Head</tps:name>

<tps:font>

<tps:name>Helvetica</tps:name>

<tps:style>Medium

Condensed</tps:style>

</tps:font>

<tps:fontSize>8 pt</tps:fontSize>

<tps:leading>9

pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:alignment>center</tps:alignment>

<tps:nextStyle>Table

Column

Head</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table

Footnote</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style/>
 </tps:font>
 <tps:fontSize>8

pt</tps:fontSize>
 <tps:leading>9 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>1.41111 mm</tps:spaceBefore>

<tps:spaceAfter>0.352778 mm</tps:spaceAfter>
 <tps:nextStyle>Table

Footnote</tps:nextStyle>
 </tps:parStyleDef>
 </tps:definition>

<tps:name>Table Footnote Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Footnote

Continued</tps:name>
 <tps:basedOn>Table

Footnote</tps:basedOn>
 <tps:leading>0 pt</tps:leading>

</tps:charStyleDef>
 </tps:charStyle>

<tps:spaceBefore>0 mm</tps:spaceBefore>
 <tps:nextStyle>Table

Footnote Continued</tps:nextStyle>
 </tps:parStyleDef>

</tps:definition>
 <tps:definition tag="parStyleDef">

<tps:parStyleDef>
 <tps:name>Table Straddle Head</tps:name>

<tps:charStyle>
 <tps:charStyleDef>

<tps:name>Table Straddle Head</tps:name>
 <tps:font>

<tps:name>Helvetica</tps:name>
 <tps:style>Medium

Condensed</tps:style>
 </tps:font>

<tps:fontSize>8 pt</tps:fontSize>
 <tps:leading>9

pt</tps:leading>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:alignment>center</tps:alignment>

<tps:nextStyle>Table Straddle Head</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Subtitle</tps:name>
 <tps:charStyle>

<tps:charStyleDef>
 <tps:name>Table Subtitle</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Condensed Oblique</tps:style>
 </tps:font>

<tps:fontSize>9 pt</tps:fontSize>
 <tps:leading>10

pt</tps:leading>
 <tps:color tint="100 %">
 PANTONE

2935 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Table Subtitle</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Title</tps:name>
 <tps:charStyle>

pt</tps:leading>

<tps:charStyleDef>
 <tps:name>Table Title</tps:name>

<tps:font>
 <tps:name>Helvetica</tps:name>

<tps:style>Bold Condensed</tps:style>
 </tps:font>

<tps:fontSize>10 pt</tps:fontSize>
 <tps:leading>12

<tps:color tint="100 %">

PANTONE

2935 C
 </tps:color>
 </tps:charStyleDef>

</tps:charStyle>
 <tps:nextStyle>Table Title</tps:nextStyle>

</tps:parStyleDef>
 </tps:definition>
 <tps:definition

tag="parStyleDef">
 <tps:parStyleDef>
 <tps:name>Table

Number</tps:name>
 <tps:basedOn>Table Body

Flush</tps:basedOn>
 <tps:charStyle>

<tps:charStyleDef>

<tps:name>Table Number</tps:name>

<tps:basedOn>Table Body Flush</tps:basedOn>

<tps:font>

<tps:name/>

<tps:style>Bold

Condensed</tps:style>

</tps:font>

<tps:leading>0

pt</tps:leading>

<tps:color>

Headings

</tps:color>

<tps:case>all</tps:case>

</tps:charStyleDef>

</tps:charStyle>

<tps:spaceAfter>3.175

mm</tps:spaceAfter>

<tps:nextStyle>Table

Number</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table Number.continued</tps:name>

<tps:basedOn>Table

Number</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Table

Number.continued</tps:name>

<tps:basedOn>Table

Number</tps:basedOn>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Table

Number.continued</tps:nextStyle>

</tps:parStyleDef>

</tps:definition>

<tps:definition

tag="parStyleDef">

<tps:parStyleDef>

<tps:name>Table

Title.continued</tps:name>

<tps:basedOn>Table

Title</tps:basedOn>

<tps:charStyle>

<tps:charStyleDef>

<tps:name>Table

Title.continued</tps:name>

<tps:basedOn>Table

Title</tps:basedOn>

<tps:leading>0 pt</tps:leading>

</tps:charStyleDef>

</tps:charStyle>

<tps:nextStyle>Table

Title.continued</tps:nextStyle>

</tps:parStyleDef>


```
</tps:definition&gt;&#xA;
                             <tps:definition tag="parStyleDef"&gt;&#xA;
<tps:parStyleDef&gt;&#xA;
                             <tps:name&gt;Table Body Center&lt;/tps:name&gt;&#xA;
 <tps:basedOn&gt;Table Body Flush&lt;/tps:basedOn&gt;&#xA;
                                                            <tps:charStyle&gt;&#xA;
              <tps:charStyleDef&gt;&#xA;
                                                          <tps:name&gt;Table Body
Center</tps:name&gt;&#xA;
                                                      <tps:basedOn&gt;Table Body
                                    <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
Flush</tps:basedOn&gt;&#xA;
  </tps:charStyleDef&gt;&#xA;
                                            </tps:charStyle&gt;&#xA;
<tps:alignment&gt;center&lt;/tps:alignment&gt;&#xA;
                                                       <tps:nextStyle&gt;Table Body
Center</tps:nextStyle&gt;&#xA;
                               </tps:parStyleDef&gt;&#xA;
                                                         </tps:definition&gt;&#xA;

               <!-- =========== --&gt;&#xA;
                                                         <!-- Table Style Definitions
       &#xA:
--&at:&#xA:
             <!-- ========== --&gt;&#xA;

                                                                    &lt:tps:definition
tag="tableStyleDef">

                                     <tps:tableStyleDef&gt;&#xA;
<tps:name&gt;IMF_Table&lt;/tps:name&gt;&#xA;
                                                    </tps:tableStyleDef&gt;&#xA;
</tps:definition&gt;&#xA;
                             <tps:definition tag="tableStyleDef"&gt;&#xA;
<tps:tableStyleDef&gt;&#xA;
<tps:name&gt;IMF_Table_Row_Stripe&lt;/tps:name&gt;&#xA;
                                                       </tps:tableStyleDef&gt;&#xA;
 </tps:definition&gt;&#xA;

                                        --&at:&#xA:
                  &lt:!-- Cross-reference
                                        Format Definitions -->

                                                                             &lt:!--

                                                                    <tps:definition
  ======== -->

tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Full Paragraph & Damp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                    <tps:definition
tag="crossRefFormatDef">

                                      <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Full Paragraph&lt;/tps:name&gt;&#xA;
                                                 </tps:crossRefFormatDef&gt;&#xA;
                           <tps:definition tag="crossRefFormatDef"&gt;&#xA;
</tps:definition&gt;&#xA;
```

<tps:name>Paragraph Text & Damp; Page

<tps:crossRefFormatDef>


```
Number</tps:name&gt;&#xA;
                                             </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;
                            <tps:definition tag="crossRefFormatDef"&gt;&#xA;
<tps:crossRefFormatDef&gt;&#xA;
                                    <tps:name&gt;Paragraph Text&lt;/tps:name&gt;&#xA;
       </tps:crossRefFormatDef&gt;&#xA;
                                          </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="crossRefFormatDef">

                                       <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Paragraph Number & amp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="crossRefFormatDef">

                                       <tps:crossRefFormatDef&gt;&#xA;
                          Number</tps:name&gt;&#xA;
<tps:name&gt;Paragraph
</tps:crossRefFormatDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
                                                                      <tps:definition
tag="crossRefFormatDef">

                                       <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Text Anchor Name & amp;amp; Page Number&lt;/tps:name&gt;&#xA;
</tps:crossRefFormatDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
                                                                     &lt:tps:definition
tag="crossRefFormatDef">

                                       <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Text
                     Anchor
                               Name</tps:name&gt;&#xA;
                                                                     &lt:tps:definition
</tps:crossRefFormatDef&gt;&#xA;
                                       </tps:definition&gt;&#xA;
tag="crossRefFormatDef">

                                       <tps:crossRefFormatDef&gt;&#xA;
<tps:name&gt;Page Number&lt;/tps:name&gt;&#xA;
                                                  </tps:crossRefFormatDef&gt;&#xA;
</tps:definition&gt;&#xA;
                                        <!-- ========= --&qt;&#xA;

<!-- Master Page Definitions --&gt;&#xA;
                                       &lt:!-- ========== --&at:&#xA:
       <tps:definition tag="masterSpreadDef"&gt;&#xA;
                                                    &lt:tps:masterSpreadDef>

         <tps:name&gt;Fo1-FM-EM 1-col&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
```

type="mainStoryFrame"/>

<tps:frame name="Title" type="element">


```
</tps:frame&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                    </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4
                              <tps:frames&gt;&#xA;
mm"/>

                                                                       <tps:frame
type="mainStoryFrame"/>

                                      <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
          </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                    </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE1-FM-EM Inside 1-col&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       <tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                                                                         <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                        <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                          </tps:pageInfo&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                  <tps:name&gt;Fo2-FM-EM 2-col&lt;/tps:name&gt;&#xA;
     <tps:pageInfo classifier="0"&gt;&#xA;
                                             <tps:size width="215.9 mm" height="279.4
mm"/>

                     <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm"
bottom="25.4 mm"/>

                                    <tps:frames&gt;&#xA;
                                                                       <tps:frame
```

<tps:frame name="Title" type="element">

type="mainStoryFrame"/>

```
</tps:frame&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4"
                              <tps:frames&gt;&#xA;
mm"/>

                                                                        <tps:frame
                                       <tps:frame name="Title" type="element"&gt;&#xA;
type="mainStoryFrame"/>

           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                     </tps:definition&gt;&#xA;
                                                                     &lt:tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;FE2-FM-EM Inside 2-col&lt;/tps:name&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                      <tps:frame type="mainStoryFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                     &lt:tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame type="mainStoryFrame"/&gt;&#xA;
           &lt:/tps:frames>

                                                  &lt:/tps:pageInfo&gt:

</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
```

<tps:size width="215.9 mm" height="279.4 mm"/>
 <tps:margins top="55.0333 mm" left="23.2833 mm" right="33.8667 mm" bottom="25.4

<tps:pageInfo

<tps:name>Co2-Chapter Opener</tps:name>

classifier="0">

mm"/> <tps:frames>
 <tps:frame type="mainStoryFrame"/> <tps:frame name="Title" type="element">
 <tps:frame type="contentFrame"/>
 </tps:frame>
 </tps:frames>
 </tps:pageInfo>
 <tps:pageInfo <tps:size width="215.9 mm" height="279.4 mm"/>
 classifier="1"> <tps:margins top="55.0333 mm" left="33.8667 mm" right="23.2833 mm" bottom="25.4 mm"/> <tps:frames>
 <tps:frame type="mainStoryFrame"/> <tps:frame name="Title" type="element">
 <tps:frame type="contentFrame"/>
 </tps:frame&qt;
 </tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>
 </tps:definition>
 <:tps:definition <tps:masterSpreadDef>
 tag="masterSpreadDef"> <tps:name>C1-Inside Pages 1-col</tps:name>
 <tps:pageInfo classifier="0"> <tps:size width="215.9 mm" height="279.4 mm"/>
 <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944 mm"/> <tps:frames>
 <:tps:frame type="mainStoryFrame"/> </tps:frames>
 </tps:pageInfo>
 <tps:pageInfo classifier="1">
 <:tps:size width="215.9 mm" height="279.4 mm"/> <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/> <tps:frame type="mainStoryFrame"/>
 <tps:frames>
 </tps:frames>
 </tps:pageInfo>
 </tps:masterSpreadDef>
 </tps:definition>
 <tps:definition tag="masterSpreadDef">

<tps:masterSpreadDef>
 <tps:name>C2-Inside Pages

2-col</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size

```
left="23.2833 mm" right="33.8667 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         &lt:tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;So2-Special Feature Opener&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         &lt:tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

     <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           &lt:/tps:frame&gt:

           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                      &lt:tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
```

<tps:name>S2-Special Feature Text</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>


```
<tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       <tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                             <tps:pageInfo classifier="1"&gt;&#xA;
                                                                         <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                        <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

<tps:frames&gt;&#xA;
                                <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA; &lt;/tps:pageInfo&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                  <tps:name&gt;Bo2-Box opener&lt;/tps:name&gt;&#xA;
    <tps:pageInfo classifier="0"&gt;&#xA;
                                             <tps:size width="215.9 mm" height="279.4
                     <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm"
mm"/>

bottom="27.1639 mm"/>

                                      <tps:frames&gt;&#xA;
                                                                       &lt:tps:frame
type="mainStoryFrame"/>

                                      <tps:frame name="Title" type="element"&gt;&#xA;
                                                          </tps:frame&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                    </tps:pageInfo&gt;&#xA;
                                                                     <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                       <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                          &lt:/tps:frame&qt;

          </tps:frames&gt;&#xA;
                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     &lt:tps:definition
tag="masterSpreadDef">

                                     <tps:masterSpreadDef&gt;&#xA;
```

<tps:name>B2-Box Text</tps:name>
 <tps:pageInfo classifier="0">
 <tps:size width="215.9 mm" height="279.4 mm"/>
 <tps:margins

```
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

 <tps:frames&gt;&#xA;
                                  <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                  </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
classifier="1">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                                 </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                               <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;SBo2-Special Feature Box Opener&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
classifier="0">

                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
                                                           </tps:frame&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
      </tps:frames&gt;&#xA;
                                     </tps:pageInfo&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="1">

    <tps:margins top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639"
mm"/>

                              <tps:frames&gt;&#xA;
                                                                         <tps:frame
type="mainStoryFrame"/>

                                       <tps:frame name="Title" type="element"&gt;&#xA;
           <tps:frame type="contentFrame"/&gt;&#xA;
                                                           &lt:/tps:frame&gt:

           </tps:frames&gt;&#xA;
                                                  </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                      &lt:tps:definition
tag="masterSpreadDef">

                                      <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;SB2-Special Feature Box Text&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
```

<tps:size width="215.9 mm" height="279.4 mm"/>

classifier="0">

```
<tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                              <tps:frames&gt;&#xA;
                                                                        <tps:frame
type="mainStoryFrame"/>

                                                </tps:frames&gt;&#xA;
</tps:pageInfo&gt;&#xA;
                              <tps:pageInfo classifier="1"&gt;&#xA;
                                                                          <tps:size
                                                      <tps:margins top="27.5167 mm"
width="215.9 mm" height="279.4 mm"/>

left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

<tps:frames&gt;&#xA;
                                 <tps:frame type="mainStoryFrame"/&gt;&#xA;
</tps:frames&gt;&#xA; &lt;/tps:pageInfo&gt;&#xA;
                                                    </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                             <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                   <tps:name&gt;X-Figure Art 1 Col&lt;/tps:name&gt;&#xA;
          <tps:pageInfo classifier="0"&gt;&#xA;
                                                         <tps:size width="215.9 mm"
                                        <tps:margins top="25.4 mm" left="23.2833 mm"
height="279.4 mm"/>

right="33.8667 mm" bottom="24.6944 mm"/>

                                                     </tps:pageInfo&gt;&#xA;
<tps:pageInfo classifier="1"&gt;&#xA;
                                             <tps:size width="215.9 mm" height="279.4
mm"/>

                       <tps:margins top="25.4 mm" left="33.8667 mm" right="23.2833 mm"
bottom="24.6944 mm"/>

                                                 </tps:pageInfo&gt;&#xA;
</tps:masterSpreadDef&gt;&#xA;
                                      </tps:definition&gt;&#xA;
                                                                     <tps:definition
tag="masterSpreadDef">

                                       <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Figure Art 2 Col&lt;/tps:name&gt;&#xA;
                                                                      <tps:pageInfo
                           <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                   </tps:pageInfo&gt;&#xA;
                                               <tps:pageInfo classifier="1"&gt;&#xA;
       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                      &lt:tps:margins
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>
```

</tps:pageInfo>

<tps:definition tag="masterSpreadDef">

</tps:masterSpreadDef>
 </tps:definition>

<tps:masterSpreadDef>


```
<tps:name&gt;X-Tables&lt;/tps:name&gt;&#xA; &lt;tps:pageInfo classifier="0"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                 <tps:margins
top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="1"&gt;&#xA;
                                                                    <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA;
                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:name&gt;X-Tables Sideturn&lt;/tps:name&gt;&#xA;
                                                                <tps:pageInfo
                         <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0"&qt;

    <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
                                           <tps:pageInfo classifier="1"&gt;&#xA;
mm"/>

                 </tps:pageInfo&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                 &lt:tps:margins
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="2"&gt;&#xA;
                                                                    <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

&lt:/tps:pageInfo>

                           <tps:pageInfo classifier="3"&gt;&#xA;
                                                                    &lt:tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="4"&gt;&#xA;
                                                                    <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

</tps:pageInfo&gt;&#xA; &lt;tps:pageInfo classifier="5"&gt;&#xA;
                                                                    <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                    <tps:margins top="25.4 mm"
```

left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

```
</tps:pageInfo&gt;&#xA;
                           </tps:masterSpreadDef&gt;&#xA;
                                                            &lt:/tps:definition&gt:&#xA:
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                                <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Box Figure Art&lt;/tps:name&gt;&#xA;
                                                                        <tps:pageInfo
classifier="0">

                            <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639
mm"/>

                   </tps:pageInfo&gt;&#xA;
                                                <tps:pageInfo classifier="1"&gt;&#xA;
       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                        <tps:margins
top="27.5167 mm" left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

                           </tps:masterSpreadDef&gt;&#xA;
                                                            &lt:/tps:definition&at:&#xA:
</tps:pageInfo&gt;&#xA;
<tps:definition tag="masterSpreadDef"&gt;&#xA;
                                                <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Box Tables&lt;/tps:name&gt;&#xA;
                                                   <tps:pageInfo classifier="0"&gt;&#xA;
          <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                        <tps:margins
top="27.5167 mm" left="23.2833 mm" right="33.8667 mm" bottom="27.1639 mm"/>

</tps:pageInfo&gt;&#xA;
                              <tps:pageInfo classifier="1"&gt;&#xA;
                                                                            <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                       <tps:margins top="27.5167 mm"
left="33.8667 mm" right="23.2833 mm" bottom="27.1639 mm"/>

                           </tps:masterSpreadDef&gt;&#xA;
                                                            </tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
&lt:tps:definition tag="masterSpreadDef"&gt:

                                                <tps:masterSpreadDef&gt;&#xA;
<tps:name&gt;X-Scenario Box Elements&lt;/tps:name&gt;&#xA;
                                                                        <tps:pageInfo
                            <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
classifier="0">

     <tps:margins top="25.4 mm" left="23.2833 mm" right="33.8667 mm" bottom="24.6944
mm"/>

                   </tps:pageInfo&gt;&#xA;
                                                <tps:pageInfo classifier="1"&gt;&#xA;
       <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                                        &lt:tps:margins
top="25.4 mm" left="33.8667 mm" right="23.2833 mm" bottom="24.6944 mm"/>

                              <tps:frame name="Title" type="element"&gt;&#xA;
<tps:frames&gt;&#xA;
```

</tps:frame>

<tps:frame type="contentFrame"/>


```
</tps:frames&gt;&#xA;
                       </tps:pageInfo&gt;&#xA;
                                              </tps:masterSpreadDef&gt;&#xA;
 </tps:definition&gt;&#xA;
                          <tps:definition tag="masterSpreadDef"&gt;&#xA;
<tps:masterSpreadDef&gt;&#xA;
                                                   <tps:name&gt;XC-Advanced
GREP</tps:name&gt;&#xA;
                            <tps:pageInfo classifier="0"&gt;&#xA;
                                                                  &lt:tps:size
width="215.9 mm" height="279.4 mm"/>

                                                <tps:margins top="33.8667 mm"
left="33.8667 mm" right="29.6333 mm" bottom="31.75 mm"/>

</tps:pageInfo&gt;&#xA;
                          <tps:pageInfo classifier="1"&gt;&#xA;
                                                                  <tps:size
width="215.9 mm" height="279.4 mm"/>

                                                <tps:margins top="33.8667 mm"
left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
</tps:pageInfo&gt;&#xA;
<tps:name&gt;XC-Avoid Short End Lines&lt;/tps:name&gt;&#xA;
                                                              <tps:pageInfo
classifier="0">

                        <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
    <tps:margins top="33.8667 mm" left="33.8667 mm" right="29.6333 mm" bottom="31.75"
mm"/>

                </tps:pageInfo&gt;&#xA;
                                          <tps:pageInfo classifier="1"&gt;&#xA;
      <tps:size width="215.9 mm" height="279.4 mm"/&gt;&#xA;
                                                               &lt:tps:margins
top="33.8667 mm" left="29.6333 mm" right="33.8667 mm" bottom="31.75 mm"/>

&lt:/tps:pageInfo>

                        </tps:masterSpreadDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
              <!-- =========== --&gt;&#xA;

<!--
      Template
               Item
                     Definitions
                               (Main
                                     Story Frames) -->

                                                                      &lt:!--

                                                              &lt:tps:definition
tag="templateItemDef">

                           <tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
 <tps:name&gt;Fo1-FM-EM 1-col:0&lt;/tps:name&gt;&#xA;
                                                   <tps:partOf&gt;&#xA;
   <tps:masterPage&gt;&#xA;
                                               <tps:spreadName&gt;Fo1-FM-EM
1-col</tps:spreadName&gt;&#xA;
```

</tps:masterPage>

<tps:spreadSide>0</tps:spreadSide>


```
</tps:partOf&gt;&#xA;
                                                                            <tps:pos x="23.2833 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                                 <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                 <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                                                                                                                                               </tps:templateItemDef&gt;&#xA;
                                                                               <tps:rules/&gt;&#xA;
</tps:definition&gt;&#xA;
                                                                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                                <tps:name&gt;Fo1-FM-EM
1-col:1</tps:name&gt;&#xA;
                                                                                    <tps:partOf&gt;&#xA;
                                                                                                                                                               <tps:masterPage&gt;&#xA;
                               <tps:spreadName&gt;Fo1-FM-EM 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                              </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                            t=0.0333 \text{ mm}^{-1}/4 \text{ gt}; \text{ mm}^{-1}
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                                 <tps:autoText&gt;&#xA;
                           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                              <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                                                                                                                     <tps:baselineToFrameGap&gt;0
                                                                                                                                    </tps:autoText&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                       </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                                                                                                              </tps:definition&gt;&#xA;
<tps:definition
                                          tag="templateItemDef">

                                                                                                                                                                            <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                             <tps:name&gt;FE1-FM-EM
                                                                                                                                                                                                                   Inside
                                                                                    <tps:partOf&gt;&#xA;
1-col:0</tps:name&gt;&#xA;
                                                                                                                                                               <tps:masterPage&gt;&#xA;
                          <tps:spreadName&gt;FE1-FM-EM Inside 1-col&lt;/tps:spreadName&gt;&#xA;
     <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                                   &lt:/tps:masterPage>

      </tps:partOf&gt;&#xA;
                                                                                   t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}; \text{mm}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                                 &lt:tps:autoText>

                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                 <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
```

<tps:rules/&qt;

</tps:templateItemDef>

</tps:autoText>

</tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>FE1-FM-EM Inside 1-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>FE1-FM-EM Inside 1-col</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 t=0.05 <tps:pos x="33.8667 mm" y="25.4 mm"/>
 <tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 </tps:templateItemDef>
 <tps:rules/>
 </tps:definition>
 <:tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>Fo2-FM-EM 2-col:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>Fo2-FM-EM 2-col</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>
<tps:size width="158.75 mm" height="198.849 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <:tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame">
 <tps:name>Fo2-FM-EM 2-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>Fo2-FM-EM 2-col</tps:spreadName>


```
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                               </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                             t=0.0333 \text{ mm}^{-1} \text{ kgt; } 4.3 \text{ kgr; } 4.3 \text{ kgr; } 4.3 \text{ kgr;
<tps:size width="158.75 mm" height="198.849 mm"/&gt;&#xA;
                                                                                                                                                                   <tps:autoText&gt;&#xA;
                            <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                                                <tps:parStyle&gt;List
                                                                                                                                                      <tps:baselineToFrameGap&gt;0
Bullet</tps:parStyle&gt;&#xA;
mm</tps:baselineToFrameGap&gt;&#xA;
                                                                                                                                      </tps:autoText&gt;&#xA;
                                                                       </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                                                                                                                               </tps:definition&gt;&#xA;
<tps:definition
                                          tag="templateItemDef">

                                                                                                                                                                              <tps:templateItemDef
type="mainStoryFrame">

                                                                                                                                               <tps:name&gt;FE2-FM-EM Inside
2-col:0</tps:name&gt;&#xA;
                                                                                     <tps:partOf&gt;&#xA;
                                                                                                                                                                 <tps:masterPage&gt;&#xA;
                           <tps:spreadName&gt;FE2-FM-EM Inside 2-col&lt;/tps:spreadName&gt;&#xA;
      <tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                                    </tps:masterPage&gt;&#xA;
      </tps:partOf&gt;&#xA;
                                                                                    t=23.2833 \text{ mm} = 25.4 \text{ mm} \text{ // } 4\text{ mm} 
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                                   <tps:autoText&gt;&#xA;
                <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                                                                                                  <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
                                                                                <tps:rules/&gt;&#xA;
                                                                                                                                                 </tps:templateItemDef&gt;&#xA;
</tps:autoText&gt;&#xA;
</tps:definition&gt;&#xA;
                                                                               <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                                                                                                                                  <tps:name&gt;FE2-FM-EM
Inside 2-col:0</tps:name&gt;&#xA;
                                                                                                                             <tps:partOf&gt;&#xA;
                                                                                                                                <tps:spreadName&gt;FE2-FM-EM Inside
<tps:masterPage&gt;&#xA;
2-col</tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                                                                                                               </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                                                                                 <tps:pos x="23.2833 \text{ mm}" y="25.4 \text{ mm}"/\>\&\#xA;
```

<tps:autoText>

<tps:parStyle/>

<tps:size width="158.75 mm" height="229.306 mm"/>

<tps:leading>0 pt</tps:leading>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 <tps:definition tag="templateItemDef">
 </tps:definition>
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>FE2-FM-EM Inside 2-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>FE2-FM-EM Inside 2-col</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="33.8667 mm" y="25.4 mm"/>
<tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 </tps:templateItemDef>
 </tps:definition>
 <tps:rules/>
 <tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>FE2-FM-EM Inside 2-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>FE2-FM-EM Inside 2-col</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 <tps:pos x="33.8667 mm" y="25.4 mm"/>
 </tps:partOf>
 <tps:size width="158.75 mm" height="229.306 mm"/>
 <:tps:autoText> <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef

</tps:autoText>

mm</tps:baselineToFrameGap>

type="mainStoryFrame">
 <tps:name>Co2-Chapter

Opener:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="23.2833 mm" y="55.0333 mm"/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Co2-Chapter

Opener</tps:spreadName>

Bullet</tps:parStyle>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="55.0333 mm"/>

<tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>C1-Inside Pages

1-col:0</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>C1-Inside Pages 1-col</tps:spreadName>


```
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                        <tps:parStyle/&gt;&#xA;
<tps:baselineToFrameGap&gt;0 mm&lt;/tps:baselineToFrameGap&gt;&#xA;
</tps:autoText&gt;&#xA;
                              <tps:rules/&gt;&#xA;
                                                        </tps:templateItemDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="templateItemDef"&gt;&#xA;
<tps:templateItemDef type="mainStoryFrame"&gt;&#xA;
                                                          <tps:name&gt;C1-Inside Pages
1-col:1</tps:name&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
                                 &lt:tps:partOf&gt:&#xA:
          <tps:spreadName&gt;C1-Inside Pages 1-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
                               <tps:pos x="33.8667 mm" y="25.4 mm"/xgt;
</tps:partOf&gt;&#xA;
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                    <tps:parStyle&gt;List
Bullet</tps:parStyle&gt;&#xA;
                                                          <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                    </tps:autoText&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                   <tps:templateItemDef
type="mainStoryFrame">

                                                         <tps:name&gt;C2-Inside Pages
2-col:0</tps:name&gt;&#xA;
                                 <tps:partOf&gt;&#xA;
                                                              <tps:masterPage&gt;&#xA;
          <tps:spreadName&gt;C2-Inside Pages 2-col&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=23.2833 \text{ mm} = 25.4 \text{ mm} / \text{gt}
<tps:size width="158.75 mm" height="229.306 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
      <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                        <tps:parStyle/&gt;&#xA;
```

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

<:/tps:autoText>:
: <tps:rules/&at;
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>C2-Inside Pages 2-col:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>C2-Inside Pages 2-col</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>
 t=0.8667 mm = 1.5.4 mm = 1</tps:partOf>
 <tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 </tps:templateItemDef>
 <tps:rules/>
 </tps:definition>
 <:tps:definition tag="templateItemDef"> <tps:templateItemDef type="mainStoryFrame"> <tps:name>So2-Special Feature Opener:0</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>So2-Special Feature Opener</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>
 </tps:partOf>
 <tps:pos x="23.2833 mm" y="41.1574 mm"/>
 <tps:size width="158.75 mm" height="213.548 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle/>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <:tps:rules/&at:
: </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">

<tps:name>So2-Special

<tps:partOf>

<tps:templateItemDef type="mainStoryFrame">

Feature Opener:1</tps:name>


```
<tps:masterPage&gt;&#xA; &lt;tps:spreadName&gt;So2-Special Feature
```

Opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="33.8667 mm" y="41.1574 mm"/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Feature Text:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>S2-Special Feature

Text</tps:spreadName>
 <tps:spreadSide>0</tps:spreadSide>

</tps:masterPage>
 </tps:partOf>
 <tps:pos

mm"/>
 <tps:autoText>
 <tps:leading>0

pt</tps:leading>
 <tps:parStyle/>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

Feature Text:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>S2-Special Feature

Text</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>

</tps:masterPage>
 </tps:partOf>
 <tps:pos

 mm"/>
 <tps:autoText>
 <tps:leading>0

pt</tps:leading>
 <tps:parStyle>List Bullet</tps:parStyle>

<tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>

</tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>

</tps:definition>
 <tps:definition tag="templateItemDef">

opener:0</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>Bo2-Box

opener</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/>

Normal</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

type="mainStoryFrame">
 <tps:name>Bo2-Box opener:1</tps:name>

<tps:partOf>
 <tps:masterPage>

<tps:spreadName>Bo2-Box opener</tps:spreadName>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

t, tys:partOf>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>&\#xA;

Normal.flush</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>


```
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
                                    <tps:name&gt;B2-Box Text:0&lt;/tps:name&gt;&#xA;
type="mainStoryFrame">

    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;0&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                             <tps:pos x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
<tps:rules/&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
&lt:tps:definition
                tag="templateItemDef">

                                                                  <tps:templateItemDef
type="mainStoryFrame">

                                    <tps:name&gt;B2-Box Text:1&lt;/tps:name&gt;&#xA;
    <tps:partOf&gt;&#xA;
                                         <tps:masterPage&gt;&#xA;
<tps:spreadName&gt;B2-Box Text&lt;/tps:spreadName&gt;&#xA;
<tps:spreadSide&gt;1&lt;/tps:spreadSide&gt;&#xA;
                                                       </tps:masterPage&gt;&#xA;
</tps:partOf&gt;&#xA;
                               t=0.05 <tps:pos x="38.1 mm" y="37.7472 mm"/&gt;&#xA;
<tps:size width="150.283 mm" height="210.256 mm"/&gt;&#xA;
                                                               <tps:autoText&gt;&#xA;
           <tps:leading&gt;0 pt&lt;/tps:leading&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
Normal.flush</tps:parStyle&gt;&#xA;
                                                         <tps:baselineToFrameGap&gt;0
mm</tps:baselineToFrameGap&gt;&#xA;
                                                   </tps:autoText&gt;&#xA;
<tps:rules/&gt;&#xA;
                           </tps:templateItemDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition tag="templateItemDef"&gt;&#xA;
                                                                  <tps:templateItemDef
                                                <tps:name&gt;SBo2-Special Feature Box
type="mainStoryFrame">
```

<tps:partOf>

Opener:0</tps:name>


```
<tps:masterPage&gt;&#xA; &lt;tps:spreadName&gt;SBo2-Special Feature Box
```

Opener</tps:spreadName>

</tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/>

<tps:size width="150.283 mm" height="210.256 mm"/>
 <tps:autoText>

Normal</tps:parStyle>
 <tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>SBo2-Special Feature Box

Opener:1</tps:name>
 <tps:partOf>

<tps:masterPage>
 <tps:spreadName>SBo2-Special Feature Box

Opener</tps:spreadName>

Normal.flush</tps:parStyle>

<tps:spreadSide>1</tps:spreadSide>
 </tps:masterPage>

</tps:partOf>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>

<tps:size width="150.283 mm" height="210.256 mm"/>
 <tps:autoText>

<tps:baselineToFrameGap>0

mm</tps:baselineToFrameGap>
 </tps:autoText>

<tps:rules/>
 </tps:templateItemDef>
 </tps:definition>

<tps:definition tag="templateItemDef">
 <tps:templateItemDef

type="mainStoryFrame">
 <tps:name>SB2-Special Feature Box

Text:0</tps:name>
 <tps:partOf>
 <tps:masterPage>

<tps:spreadName>SB2-Special Feature Box Text</tps:spreadName>

<tps:spreadSide>0</tps:spreadSide>

</tps:masterPage>
 </tps:partOf>
 <tps:pos x="27.5167 mm" y="37.7472 mm"/> <tps:size width="150.283 mm" height="210.256 mm"/>
 <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>Box Normal</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 </tps:definition>
 <tps:definition tag="templateItemDef">
 <tps:templateItemDef type="mainStoryFrame">
 <tps:name>SB2-Special Feature Box Text:1</tps:name>
 <tps:partOf>
 <tps:masterPage>
 <tps:spreadName>SB2-Special Feature Box Text</tps:spreadName>
 <tps:spreadSide>1</tps:spreadSide>
 </tps:partOf>
 </tps:masterPage>
 t=0.11 <tps:pos x="38.1" mm" y="37.7472 mm"/> <tps:size width="150.283 mm" height="210.256 mm"/> <tps:autoText>
 <tps:leading>0 pt</tps:leading>
 <tps:parStyle>Box Normal.flush</tps:parStyle>
 <tps:baselineToFrameGap>0 mm</tps:baselineToFrameGap>
 </tps:autoText>
 <tps:rules/>
 </tps:templateItemDef>
 <:/tps:definition>
 <!-- ========== -->
 <!-- Element Definitions --> <!-- ======== --&qt;
 <tps:definition tag="placedElementDef"> <tps:placedElementDef>
 <tps:name>Title</tps:name>
 </tps:placedElementDef>
 </tps:definition>
 <tps:definition tag="floatingElementDef">
 <tps:floatingElementDef>
 <tps:name>Figure</tps:name>

<tps:name>2 Col</tps:name>
 <tps:name>2 Col Tall

<tps:name>1 Col</tps:name>

<tps:keywords>

Wide<:/tps:name>:
:

</tps:keywords>

</tps:floatingElementDef>

</tps:definition>

<tps:definition

tag="floatingElementDef">

<tps:floatingElementDef>

<tps:name>Table-Wrap</tps:name>

<tps:keywords>

<tps:name>1 Col</tps:name>

<tps:name>1 Col

Wide</tps:name>

<tps:name>2 Col</tps:name>

<tps:name>2 Col Wide</tps:name>

<tps:name>Sideturn 1

Col</tps:name>

<tps:name>Sideturn 1 Col Wide</tps:name>

<tps:name>Sideturn 2 Col</tps:name>

<tps:name>Sideturn 2

Col Wide</tps:name>

<tps:name>Sideturn 2 Col Tall

Wide</tps:name>

<:/tps:keywords>

</tps:floatingElementDef>

</tps:definition>

<tps:definition

tag="floatingElementDef">

<tps:floatingElementDef>

<tps:name>Box Figure</tps:name>

<tps:keywords>

<tps:name>1 Col</tps:name>

<tps:name>2 Col</tps:name>

</tps:keywords>

</tps:floatingElementDef>

</tps:definition>

<tps:definition tag="floatingElementDef">

<tps:floatingElementDef>

<tps:name>Box Table-Wrap</tps:name>

<tps:keywords>

<tps:name>2 Col</tps:name>

<tps:name>1 Col</tps:name>

</tps:keywords>

</tps:floatingElementDef>

</tps:definition>

<tps:definition

tag="inlineElementDef">

<tps:inlineElementDef>

<tps:name>ScenarioBoxFigure-1col</tps:name>

<tps:parStyle>Figure

Title</tps:parStyle>

</tps:inlineElementDef>
 </tps:definition>

<tps:definition tag="inlineElementDef">

<tps:inlineElementDef>

<tps:name>ScenarioBoxFigure-2col</tps:name>

<tps:parStyle>Figure

```
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="inlineElementDef"&gt;&#xA;
                                                 <tps:inlineElementDef&gt;&#xA;
<tps:name&gt;ScenarioBoxTable-1col&lt;/tps:name&gt;&#xA;
                                                             <tps:parStyle&gt;Box Table
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="inlineElementDef"&gt;&#xA;
                                                 <tps:inlineElementDef&gt;&#xA;
<tps:name&gt;ScenarioBoxTable-2col&lt;/tps:name&gt;&#xA;
                                                             <tps:parStyle&gt;Box Table
Title</tps:parStyle&gt;&#xA;
                              </tps:inlineElementDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="floatingElementDef"&gt;&#xA;
                                                  <tps:floatingElementDef&gt;&#xA;
 <tps:name&gt;ScenarioBox&lt;/tps:name&gt;&#xA;
                                                                   <tps:parStyle&gt;Box
                                                </tps:floatingElementDef&gt;&#xA;
Normal</tps:parStyle&gt;&#xA;
</tps:definition&gt;&#xA;

                                                 &lt:!-- =============================
-->

                     <!--
                             Element
                                       Variants
                                                 Definitions
                                                            -->

                                                                                  &lt:!--
_____
                                  --&at:&#xA:

                                                                         &lt:tps:definition
tag="elementVariantDef">

                                      <tps:elementVariantDef id="1"&gt;&#xA;
<tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
                                                              <tps:keywords&gt;&#xA;
        <tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                        </tps:keywords&gt;&#xA;
<tps:pos x="10.5833 \text{ mm}" y="25.4 \text{ mm}"/\>\&\#xA;
                                                             <tps:size width="88.9 mm"
height="229.306 mm"/>

                                         <tps:rules&gt;&#xA;
                                                                              <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="left"/>

                               </tps:rule&qt;&#xA;
                                                           <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                    <tps:placementRule
pageSide="right"/>

                                         </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
                                      floatYRef="top"
                                                                        rightLimit="none"
topLimit="textFrame"
                     floatXRef="left"
                                                       leftLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
```

```
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule
                                   xRef="left"
                                                  yRef="middle"
                                                                     xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                           </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule
                                   xRef="left"
                                                  yRef="bottom"
                                                                     xBase="columnEdge"
yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                           </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule
                                xRef="left"
                                                xBase="columnEdge"
                                                                         yBase="baseline"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame_type="contentFrame"/&gt;&#xA;
                                                      </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35 mm" bottom="4.23333
mm"/>

                        </tps:elementVariantDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  <tps:elementVariantDef id="3"&gt;&#xA;
              <tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                   <tps:pos x="12.7 mm" y="25.4 mm"/xgt;
</tps:keywords&gt;&#xA;
<tps:size width="179.917 mm" height="234.95 mm"/&gt;&#xA;
                                                               &lt:tps:rules&at;

    <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         &lt:/tps:rule&gt:

<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
```

```
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
                          floatXRef="center"
topLimit="textFrame"
                                                  floatYRef="top"
                                                                       leftLimit="pageEdge"
rightLimit="pageEdge" bottomLimit="variant"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                      floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                                                                <tps:rule
                                              </tps:rule&gt;&#xA;
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                   xRef="center"
                                                     vRef="bottom"
                                                                        xBase="textFrame"
yBase="textFrame" topLimit="textFrame" floatXRef="center" floatYRef="bottom" leftLimit="none"
rightLimit="none" bottomLimit="variant"/>

                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&qt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="imageFrame"/&gt;&#xA;
<tps:frame type="contentFrame"/&gt;&#xA;
                                                       </tps:frames&gt;&#xA;
<tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/&gt;&#xA;
      </tps:elementVariantDef&gt;&#xA;
                                             </tps:definition&gt;&#xA;
                                                                           <tps:definition
tag="elementVariantDef">

                                       <tps:elementVariantDef id="8"&qt;&#xA;
<tps:elementFamily&gt;Figure&lt;/tps:elementFamily&gt;&#xA;
                                                                <tps:keywords&gt;&#xA;
       <tps:name&gt;2 Col Tall Wide&lt;/tps:name&gt;&#xA;
                                                               </tps:keywords&gt;&#xA;
    <tps:pos x="22.9306 \text{ mm}" y="19.7556 \text{ mm}"/\>\&\#xA;
                                                             &lt:tps:size width="179.917 mm"
height="242.006 mm"/>

                                           <tps:rules&gt;&#xA;
                                                                                <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                      <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                             <tps:rule tag="placementRule"
```

```
type="pageSide" priority="1">
```

<tps:placementRule

pageSide="right"/>

</tps:rule>

<tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="variant"

topLimit="variant" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="variant"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"

floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="imageFrame"/>

<tps:floatSpacing top="0 mm" left="0 mm" right="0 mm" bottom="0 mm"/>

</tps:elementVariantDef>
 </tps:definition>
 <tps:definition

tag="elementVariantDef">
 <tps:elementVariantDef id="1">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>1 Col</tps:name>

 $t_{y=27.5167} = t_{y=27.5167} = t_{y=27.5167$

```
<tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
bottom="4.23333 mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
</tps:definition&gt;&#xA;
```

id="2"&qt;

<tps:size width="76.2 mm" height="1.05833 mm"/>

<tps:elementVariantDef

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>1 Col Wide</tps:name>

</tps:keywords>
 <tps:pos x="12.7 mm" y="49.53 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="pageEdge" rightLimit="pageEdge"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"

floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="4.23333 mm" left="-6.35 mm" right="-6.35

```
mm" bottom="4.23333 mm"/>

                                                  &lt:/tps:elementVariantDef>&#xA:
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                          id="6"\>\&\#xA;
<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                      <tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                               t=0.6967 \text{ mm}^2/\text{kgt}
<tps:size width="158.75 mm" height="1.05833 mm"/&gt;&#xA;
                                                               <tps:rules&gt;&#xA;
    <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                        </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="center"
                                        floatYRef="top"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="pageEdge"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
                     floatXRef="left"
topLimit="pageEdge"
                                     floatYRef="bottom"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="pageEdge"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
```

leftLimit="none"

rightLimit="none"

floatXRef="left"

floatYRef="top"

bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rules>

<tps:frames>
 <tps:frame type="contentFrame"/>

</tps:frames>
 <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"

bottom="4.23333 mm"/>
 </tps:elementVariantDef>

</tps:definition>
 <tps:definition tag="elementVariantDef">

<tps:elementVariantDef id="7">

<tps:elementFamily>Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>2 Col Wide</tps:name>

</tps:keywords>
 <tps:pos x="12.7 mm" y="99.06 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"

topLimit="pageEdge" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none"

bottomLimit="pageEdge"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"

topLimit="pageEdge" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none"

bottomLimit="pageEdge"/>
 </tps:rule>
 <tps:rule

```
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                 leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                         </tps:rule&gt;&#xA;
                                                                   </tps:rules&qt;&#xA;
     <tps:frames&gt;&#xA;
                                        <tps:frame type="contentFrame"/&gt;&#xA;
                               <tps:floatSpacing top="4.23333 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
                                                  </tps:elementVariantDef&gt;&#xA;
bottom="4.23333" mm"/>

</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef
                           id="8"&qt;

<tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                  <tps:name&gt;Sideturn 1 Col&lt;/tps:name&gt;&#xA;
</tps:keywords&gt;&#xA;
                                 t=0.85 <tps:pos x="33.8667 mm" y="25.4 mm"/&gt;&#xA;
<tps:size width="76.2 mm" height="229.306 mm"/&gt;&#xA;
                                                              <tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                         leftLimit="none"
                                                                          rightLimit="none"
```

</tps:rule>

<tps:rule

bottomLimit="textFrame"/>

tag="floatFrameAlignmentRule" type="alignment" priority="0">

```
<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
                                     floatYRef="bottom"
topLimit="textFrame"
                     floatXRef="left"
                                                         leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
                                                 leftLimit="none"
floatXRef="left"
                        floatYRef="top"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                  </tps:rules&gt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
                                   <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="0 mm"/>

                            </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  &lt:tps:elementVariantDef id="9"&qt;&#xA:
            <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                <tps:name&gt;Sideturn 1 Col Wide&lt;/tps:name&gt;&#xA;
   </tps:keywords&gt;&#xA;
                                   t=0.25.4 \text{ mm}^{\prime\prime}
<tps:size width="88.9 mm" height="229.306 mm"/&gt;&#xA;
                                                             <tps:rules&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                         </tps:rule&gt;&#xA;
<tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule_pageSide="right"/&gt;&#xA;
                                                          </tps:rule&gt;&#xA;
<tps:rule_tag="floatFrameAlignmentRule"_type="alignment"_priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"
topLimit="textFrame"
                      floatXRef="left"
                                       floatYRef="top"
                                                        leftLimit="none"
                                                                          rightLimit="none"
bottomLimit="textFrame"/>

                                              </tps:rule&gt;&#xA;
                                                                                <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
```

floatYRef="middle"

leftLimit="none"

rightLimit="none"

topLimit="textFrame"

floatXRef="left"

bottomLimit="textFrame"/> </tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"> <tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/> </tps:rule>
 <tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0"> <tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/> </tps:rule>
 </tps:rules&qt;
 <tps:frames>
 <tps:frame type="contentFrame"/>
 </tps:frames>
 <tps:floatSpacing top="0 mm" left="-6.35 mm" right="-6.35 mm" bottom="-6.35 mm"/> </tps:elementVariantDef>
 </tps:definition>
 <tps:definition tag="elementVariantDef">
 <tps:elementVariantDef id="13"> <tps:elementFamily>Table-Wrap</tps:elementFamily>
 <tps:keywords>
 <tps:name>Sideturn 2 Col</tps:name>
 t=0.05 <tps:pos x="33.8667 mm" y="25.4 mm"/>
 </tps:keywords>
 <tps:size width="158.75 mm" height="229.306 mm"/>
 <tps:rules>
 <tps:rule tag="placementRule" type="pageSide" priority="1">
 <tps:placementRule pageSide="left"/>
 </tps:rule>
 <tps:rule_tag="placementRule"_type="pageSide"_priority="1">
 <tps:placementRule pageSide="right"/>
 </tps:rule>

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame" topLimit="textFrame" floatXRef="center" floatYRef="top" leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>
 </tps:rule>
 </tps:rule

```
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                                                  floatXRef="left"
                                                                                        floatYRef="middle"
                                                                                                                                      leftLimit="none"
                                                                                                                                                                              rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                            </tps:rule&gt;&#xA;
                                                                                                                                                                                           <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                                                  floatXRef="left"
                                                                                        floatYRef="bottom"
                                                                                                                                      leftLimit="none"
                                                                                                                                                                              rightLimit="none"
bottomLimit="textFrame"/>

                                                                                                            </tps:rule&gt;&#xA;
                                                                                                                                                                                           <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                                                         floatYRef="top"
                                                                                                                   leftLimit="none"
                                                                                                                                                                              rightLimit="none"
bottomLimit="textFrame"/>

                                                                                               </tps:rule&gt;&#xA;
                                                                                                                                                            </tps:rules&gt;&#xA;
            <tps:frames&gt;&#xA;
                                                                                             <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                                                                  <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
bottom="0 mm"/>

                                                                   </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                                                                                      <tps:elementVariantDef id="14"&gt;&#xA;
                                <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                                            <tps:name&gt;Sideturn 2 Col Wide&lt;/tps:name&gt;&#xA;
                                                                                   t=23.2833 \text{ mm} = 25.4 \text{ m
        </tps:keywords&gt;&#xA;
<tps:size width="179.917 mm" height="229.306 mm"/&gt;&#xA;
                                                                                                                                                        <tps:rules&qt;&#xA;
              <tps:rule tag="placementRule" type="pageSide" priority="1"&gt;&#xA;
<tps:placementRule pageSide="left"/&gt;&#xA;
                                                                                                                                       </tps:rule&gt;&#xA;
<tps:rule_tag="placementRule"_type="pageSide"_priority="1"&gt;&#xA;
<tps:placementRule pageSide="right"/&gt;&#xA;
                                                                                                                                        </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
```

```
topLimit="pageEdge"
                     floatXRef="center"
                                        floatYRef="top"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="pageEdge"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
topLimit="textFrame"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="0">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="bottom"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                              <tps:rule
tag="floatLineAlignmentRule" type="alignment" priority="0">

<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
floatXRef="left"
                        floatYRef="top"
                                                leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                        </tps:rule&gt;&#xA;
                                                                 </tps:rules&qt;&#xA;
     <tps:frames&gt;&#xA;
                                       <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                                  <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
                            </tps:elementVariantDef&gt;&#xA;
bottom="0 mm"/>

                                                              </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                  &lt:tps:elementVariantDef id="15">

             <tps:elementFamily&gt;Table-Wrap&lt;/tps:elementFamily&gt;&#xA;
<tps:keywords&gt;&#xA;
                                                     <tps:name&gt;Sideturn 2 Col Tall
Wide</tps:name&gt;&#xA;
                                </tps:keywords&gt;&#xA;
                                                               <tps:pos x="23.2833 mm"
y="19.7556 mm"/>

                              <tps:size width="179.917 mm" height="242.006 mm"/&gt;&#xA;
          <tps:rules&gt;&#xA;
                                           <tps:rule tag="placementRule" type="pageSide"
priority="1">

                                 <tps:placementRule pageSide="left"/&gt;&#xA;
                                          <tps:rule tag="placementRule" type="pageSide"
</tps:rule&gt;&#xA;
```

<tps:placementRule pageSide="right"/>

priority="1">

```
</tps:rule&gt;&#xA;
                                  <tps:rule tag="floatFrameAlignmentRule" type="alignment"
priority="3">

                                    <tps:floatFrameAlignmentRule xRef="center" yRef="top"
xBase="textFrame"
                   yBase="variant"
                                   topLimit="pageEdge"
                                                        floatXRef="center"
                                                                           floatYRef="top"
leftLimit="none" rightLimit="none" bottomLimit="pageEdge"/>

                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="middle"
xBase="variant"
                yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left"
                                                                        floatYRef="middle"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"
xBase="variant"
                yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left" floatYRef="bottom"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

                                    <tps:rule tag="floatLineAlignmentRule" type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                     <tps:floatLineAlignmentRule xRef="left" xBase="variant"
yBase="baseline"
                   topLimit="textFrame"
                                         floatXRef="left"
                                                          floatYRef="top"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                              <tps:frame
type="contentFrame"/>

                                    </tps:frames&gt;&#xA;
                                                                 <tps:floatSpacing top="0
mm" left="0 mm" right="0 mm" bottom="0 mm"/>

                                                       </tps:elementVariantDef&gt;&#xA;
                               <tps:definition tag="elementVariantDef"&gt;&#xA;
 </tps:definition&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                               <tps:elementFamily&gt;Box
Figure</tps:elementFamily&gt;&#xA;
                                                <tps:keywords&gt;&#xA;
<tps:name&gt;1 Col&lt;/tps:name&gt;&#xA;
                                                </tps:keywords&gt;&#xA;
                                                                               <tps:pos
x="38.1 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                             <tps:size width="71.9667 mm" height="210.256
                                                            <tps:rule tag="placementRule"
mm"/>

                         <tps:rules&gt;&#xA;
type="pageSide" priority="1">

                                             <tps:placementRule pageSide="left"/&gt;&#xA;
```

```
</tps:rule&gt;&#xA;
                                            &lt:tps:rule tag="placementRule" type="pageSide"
priority="1">

                                 <tps:placementRule pageSide="right"/&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="3">

                                       <tps:floatFrameAlignmentRule xRef="left" yRef="top"
xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="top"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatFrameAlignmentRule xRef="left" yRef="middle"
                yBase="textFrame"
                                   topLimit="textFrame" floatXRef="left"
                                                                        floatYRef="middle"
xBase="variant"
leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                  <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"
                                    <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"
priority="2">

xBase="columnEdge" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
                   topLimit="textFrame"
                                         floatXRef="left"
                                                          floatYRef="top"
yBase="baseline"
                                                                           leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
                                   <tps:frames&gt;&#xA;
</tps:rules&gt;&#xA;
                                                                             <tps:frame
type="imageFrame"/>

                                        <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
bottom="8.46667
                 mm"/>

                                                  </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef id="2"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Figure</tps:elementFamily&gt;&#xA;
                                                <tps:keywords&gt;&#xA;
```

</tps:keywords>

<tps:pos

<tps:name>2 Col</tps:name>


```
x="27.5167 \text{ mm}" y="37.7472 \text{ mm}"/\>\&\#xA;
                                                          <tps:size width="150.283 mm"
height="210.256 mm"/>

                                          <tps:rules&gt;&#xA;
                                                                               <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                            <tps:rule tag="placementRule"
type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
                                                                      leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                             </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
bottomLimit="textFrame"/>

                                             </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
yBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
</tps:rule&gt;&#xA;
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
vBase="baseline"
                   topLimit="textFrame"
                                        floatXRef="left"
                                                         floatYRef="top"
                                                                          leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
</tps:rules&gt;&#xA;
                                   <tps:frames&gt;&#xA;
                                                                             <tps:frame
type="imageFrame"/>

                                       <tps:frame type="contentFrame"/&gt;&#xA;
                              <tps:floatSpacing top="8.46667 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
```

</tps:elementVariantDef>

bottom="8.46667 mm"/>

```
</tps:definition&gt;&#xA;
                              <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef id="1"&gt;&#xA;
                                                              <tps:elementFamily&gt;Box
Table-Wrap</tps:elementFamily&gt;&#xA;
                                                  <tps:keywords&gt;&#xA;
<tps:name&gt;2 Col&lt;/tps:name&gt;&#xA;
                                               </tps:keywords&gt;&#xA;
                                                                               <tps:pos
x="27.5167 mm" y="37.7472 mm"/>

                                                          <tps:size width="150.283 mm"
height="1.05833 mm"/>

                                          <tps:rules&gt;&#xA;
                                                                               <tps:rule
tag="placementRule" type="pageSide" priority="1">

                                                                     <tps:placementRule
pageSide="left"/>

                                </tps:rule&gt;&#xA;
                                                           <tps:rule tag="placementRule"
type="pageSide" priority="0">

                                                                     <tps:placementRule
pageSide="right"/>

                                          </tps:rule&gt;&#xA;
                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="center" yRef="top" xBase="textFrame" yBase="textFrame"
topLimit="textFrame"
                         floatXRef="center"
                                                 floatYRef="top"
                                                                     leftLimit="textFrame"
rightLimit="textFrame" bottomLimit="textFrame"/>

                                                            </tps:rule&gt;&#xA;
<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="0"&gt;&#xA;
<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"
topLimit="textFrame"
                     floatXRef="left"
                                     floatYRef="middle"
                                                        leftLimit="none"
                                                                         rightLimit="none"
                                             </tps:rule&gt;&#xA;
bottomLimit="textFrame"/>

                                                                               <tps:rule
tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule
                                  xRef="center"
                                                    yRef="bottom"
                                                                       xBase="textFrame"
vBase="textFrame"
                       topLimit="textFrame"
                                                floatXRef="center"
                                                                       floatYRef="bottom"
leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule&gt;&#xA;
                                    <tps:rule_tag="floatLineAlignmentRule"_type="alignment"
priority="0">

                                    <tps:floatLineAlignmentRule xRef="left" xBase="variant"
                  topLimit="textFrame"
                                        floatXRef="left"
yBase="baseline"
                                                         floatYRef="top"
                                                                          leftLimit="none"
```

</tps:rule>

rightLimit="none" bottomLimit="textFrame"/>

</tps:rules>
 <tps:frames>
 <tps:frame

type="contentFrame"/>
 </tps:frames>
 <tps:floatSpacing

top="9.17222 mm" left="0 mm" right="0 mm" bottom="9.17222 mm"/>

</tps:elementVariantDef>
 </tps:definition>
 <tps:definition

tag="elementVariantDef">
 <tps:elementVariantDef id="2">

<tps:elementFamily>Box Table-Wrap</tps:elementFamily>

<tps:keywords>
 <tps:name>1 Col</tps:name>

</tps:keywords>
 <tps:pos x="38.1 mm" y="37.7472 mm"/>

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="placementRule" type="pageSide" priority="1">

<tps:rule tag="floatFrameAlignmentRule" type="alignment" priority="3">

<tps:floatFrameAlignmentRule xRef="left" yRef="top" xBase="columnEdge" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="top" leftLimit="textFrame" rightLimit="textFrame"

</tps:rule>

<tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="0">

bottomLimit="textFrame"/>

<tps:floatFrameAlignmentRule xRef="left" yRef="middle" xBase="variant" yBase="textFrame"

topLimit="textFrame" floatXRef="left" floatYRef="middle" leftLimit="none" rightLimit="none"

bottomLimit="textFrame"/>
 </tps:rule>
 <tps:rule

tag="floatFrameAlignmentRule" type="alignment" priority="2">

<tps:floatFrameAlignmentRule xRef="left" yRef="bottom" xBase="columnEdge"

yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom" leftLimit="textFrame"

<tps:rule tag="floatLineAlignmentRule" type="alignment" priority="0">


```
<tps:floatLineAlignmentRule xRef="left" xBase="variant" yBase="baseline" topLimit="textFrame"
                                                                       rightLimit="none"
floatXRef="left"
                       floatYRef="top"
                                               leftLimit="none"
bottomLimit="textFrame"/>

                                       </tps:rule&gt;&#xA;
                                                                </tps:rules&gt;&#xA;
    <tps:frames&gt;&#xA;
                                      <tps:frame type="contentFrame"/&gt;&#xA;
                             <tps:floatSpacing top="9.17222 mm" left="0 mm" right="0 mm"
</tps:frames&gt;&#xA;
bottom="9.17222 mm"/>

                                                </tps:elementVariantDef&gt;&#xA;
</tps:definition&gt;&#xA;
                             <tps:definition tag="elementVariantDef"&gt;&#xA;
<tps:elementVariantDef id="1"
                                 type="inline">

<tps:elementFamily&gt;ScenarioBoxFigure-1col&lt;/tps:elementFamily&gt;&#xA;
                                                                             <tps:pos
x="127.423 \text{ mm}" y="55.0333 \text{ mm}"/\>\&\#xA;
                                                         <tps:size width="71.9667 mm"
height="213.431 mm"/>

                                       <tps:frames&gt;&#xA;
                                                                           &lt:tps:frame
type="imageFrame"/>

                                      <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                           </tps:elementVariantDef&gt;&#xA;
                                                             &lt:/tps:definition&qt;

<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                         <tps:elementVariantDef id="1"
type="inline">

<tps:elementFamily&gt;ScenarioBoxFigure-2col&lt;/tps:elementFamily&gt;&#xA;
                                                                             &lt:tps:pos
                                           <tps:size width="150.283 mm" height="213.431
x="28.3633 mm" y="41.275 mm"/>

mm"/>

                               <tps:frames&gt;&#xA;
                                                                           &lt:tps:frame
type="imageFrame"/>

                                      <tps:frame type="contentFrame"/&gt;&#xA;
</tps:frames&gt;&#xA;
                           </tps:elementVariantDef&gt;&#xA;
                                                             </tps:definition&gt;&#xA;
<tps:definition tag="elementVariantDef"&gt;&#xA;
                                                         <tps:elementVariantDef id="1"
type="inline">

<tps:elementFamily&gt;ScenarioBoxTable-1col&lt;/tps:elementFamily&gt;&#xA;
                                                                             &lt:tps:pos
x="33.8667 mm" y="82.7617 mm"/>

                                                         <tps:size width="71.9667 mm"
height="3.07759 mm"/>

                                       <tps:frames&gt;&#xA;
                                                                           <tps:frame
```

</tps:frames>

type="contentFrame"/>

</tps:elementVariantDef>
 </tps:definition>
 <tps:definition

tag="elementVariantDef">
 <tps:elementVariantDef id="1" type="inline">

<tps:elementFamily>ScenarioBoxTable-2col</tps:elementFamily>

height="3.07759 mm"/>
 <tps:frames>
 <tps:frame

type="contentFrame"/>
 </tps:frames>

</tps:elementVariantDef>
 </tps:definition>
 <tps:definition

tag="elementVariantDef">
 <tps:elementVariantDef id="1">

<tps:elementFamily>ScenarioBox</tps:elementFamily>
 <tps:pos

mm"/>
 <tps:rules>
 <tps:rule tag="placementRule"

</tps:rule>
 <tps:rule tag="placementRule" type="pageSide"

</tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment"

priority="4">
 <tps:floatFrameAlignmentRule xRef="left" yRef="top"

xBase="textFrame" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="top"

leftLimit="textFrame" rightLimit="textFrame" bottomLimit="textFrame"/>

</tps:rule>
 <tps:rule_tag="floatFrameAlignmentRule"_type="alignment"

priority="0">
 <tps:floatFrameAlignmentRule xRef="left" yRef="middle"

xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="middle"

leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

</tps:rule>
 <tps:rule tag="floatFrameAlignmentRule" type="alignment"

priority="0">
 <tps:floatFrameAlignmentRule xRef="left" yRef="bottom"

xBase="variant" yBase="textFrame" topLimit="textFrame" floatXRef="left" floatYRef="bottom"

leftLimit="none" rightLimit="none" bottomLimit="textFrame"/>

```
</tps:rule&gt;&#xA;
                                <tps:rule tag="floatLineAlignmentRule" type="alignment"
priority="0">

                                <tps:floatLineAlignmentRule xRef="left" xBase="variant"
                 topLimit="textFrame"
                                    floatXRef="left"
yBase="baseline"
                                                   floatYRef="top"
                                                                  leftLimit="none"
rightLimit="none" bottomLimit="textFrame"/>

                                                      </tps:rule&gt;&#xA;
                               <tps:frames&gt;&#xA;
</tps:rules&gt;&#xA;
                                                                     <tps:frame
                                 <tps:frame name="Title" type="element"&gt;&#xA;
type="contentFrame"/>

      <tps:frame type="contentFrame"/&gt;&#xA;
                                                     </tps:frame&gt;&#xA;
</tps:frames&gt;&#xA;
                               <tps:floatSpacing top="0 mm" left="0 mm" right="0 mm"
bottom="0 mm"/>

                        </tps:elementVariantDef&gt;&#xA; &lt;/tps:definition&gt;&#xA;
<tps:sectionDef toc="false" type="mainStory" repeating="true"&gt;&#xA;
<tps:name&gt;Chapter&lt;/tps:name&gt;&#xA;
                                            <tps:masterSpreads&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                        <tps:name&gt;Co2-Chapter
                                  <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
Opener</tps:name&gt;&#xA;
         <tps:filler/&gt;&#xA;
                                        </tps:masterSpread&gt;&#xA;
                                                    <tps:name&gt;C2-Inside Pages
<tps:masterSpread&gt;&#xA;
                                <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
                                         </tps:masterSpread&gt;&#xA;
      <tps:filler/&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                 <tps:fields&gt;&#xA;
                                                             <tps:field&qt;Chapter
Number</tps:field&gt;&#xA;
                               </tps:fields&gt;&#xA;
                                                       </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA;
                        <tps:definition tag="sectionDef"&gt;&#xA;
                                                                 <tps:sectionDef
toc="false" type="mainStory" repeating="true">

                                                     <tps:name&gt;Chapter Special
Feature</tps:name&gt;&#xA;
                                     <tps:masterSpreads&gt;&#xA;
                                                 <tps:name&gt;So2-Special Feature
<tps:masterSpread&gt;&#xA;
```

<tps:startsOn>either</tps:startsOn>

Opener</tps:name&qt;

<tps:filler/>
 </tps:masterSpread>

<tps:masterSpread>
 <tps:name>S2-Special Feature

Text</tps:name>
 <tps:startsOn>either</tps:startsOn>

<tps:filler/>
 </tps:masterSpread>

</tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef

Box</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Bo2-Box opener</tps:name>

<tps:startsOn>either</tps:startsOn>
 <tps:filler/>

</tps:masterSpread>
 <tps:masterSpread>

<tps:name>B2-Box Text</tps:name>

<tps:startsOn>either</tps:startsOn>
 <tps:filler/>

</tps:masterSpread>
 </tps:masterSpreads>

<tps:fields/>
 </tps:sectionDef>
 </tps:definition>

repeating="true">
 <tps:name>Chapter References</tps:name>

<tps:masterSpreads>
 <tps:masterSpread>

<tps:name>C2-Inside Pages 2-col</tps:name>

<tps:startsOn>either</tps:startsOn>
 <tps:filler/>

</tps:masterSpread>
 </tps:masterSpreads>

<tps:fields/>
 </tps:sectionDef>
 </tps:definition>

repeating="true">
 <tps:name>Frontmatter Exec

Summary</tps:name>
 <tps:masterSpreads>

<tps:masterSpread>
 <tps:name>Fo2-FM-EM

2-col</tps:name>
 <tps:startsOn>right</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>C2-Inside Pages 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 </tps:masterSpread>
 <tps:filler/>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Frontmatter <tps:masterSpreads>
 1-col</tps:name>
 <tps:masterSpread>
 <tps:name>Fo1-FM-EM 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE1-FM-EM Inside 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Frontmatter <tps:masterSpreads>
 2-col</tps:name>
 <tps:masterSpread>
 <tps:name>Fo1-FM-EM 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE2-FM-EM Inside 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>

</tps:masterSpread>

</tps:sectionDef>

<tps:fields/>

<tps:filler/>

</tps:masterSpreads>

</tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Special Feature Box</tps:name>
 <tps:masterSpreads>
 <tps:masterSpread>
 <tps:name>SBo2-Special Feature Box Opener</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>SB2-Special Feature Box Text</tps:name>
 <tps:startsOn>either</tps:startsOn>
 </tps:masterSpread>
 <tps:filler/>
 </tps:masterSpreads>
 <tps:fields/>
 </tps:sectionDef>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Chapter Annex</tps:name>
 <tps:masterSpreads>
 <tps:name>C2-Inside Pages <tps:masterSpread>
 2-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:fields/>
 </tps:sectionDef>
 </tps:masterSpreads>
 </tps:definition>
 <tps:definition tag="sectionDef">
 <tps:sectionDef toc="false" type="mainStory" repeating="true"> <tps:name>Endmatter 1-col</tps:name>
 <tps:masterSpreads>
 <tps:name>Fo1-FM-EM <tps:masterSpread>
 1-col</tps:name>
 <tps:startsOn>either</tps:startsOn>
 <tps:filler/>
 </tps:masterSpread>
 <tps:masterSpread>
 <tps:name>FE1-FM-EM Inside

1-col</tps:name>

<tps:filler/>

<tps:startsOn>either</tps:startsOn>

</tps:masterSpread>


```
</tps:masterSpreads&gt;&#xA;
                                   <tps:fields/&gt;&#xA;
                                                            </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA;
                          <tps:definition tag="sectionDef"&gt;&#xA;
                                                                       <tps:sectionDef
toc="false" type="mainStory" repeating="true">

                                                               <tps:name&gt;Endmatter
2-col</tps:name&gt;&#xA;
                                       <tps:masterSpreads&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                              <tps:name&gt;Fo2-FM-EM
                                   <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
      <tps:filler/&gt;&#xA;
                                          </tps:masterSpread&gt;&#xA;
<tps:masterSpread&gt;&#xA;
                                                       <tps:name&gt;FE2-FM-EM Inside
                                   <tps:startsOn&gt;either&lt;/tps:startsOn&gt;&#xA;
2-col</tps:name&gt;&#xA;
       <tps:filler/&gt;&#xA;
                                             </tps:masterSpread&gt;&#xA;
</tps:masterSpreads&gt;&#xA;
                                   <tps:fields/&gt;&#xA;
                                                            </tps:sectionDef&gt;&#xA;
</tps:definition&gt;&#xA; &#xA; &#xA; &lt;!-- ============ --&gt;&#xA; &lt;!-- Field
Definitions -->

                       <!-- ======== --&gt;&#xA;

                                                                        &lt:tps:definition
tag="fieldDef">

                             <tps:fieldDef&gt;&#xA;
                                                                 <tps:name&gt;Chapter
Number</tps:name&gt;&#xA;
                                          <tps:type&gt;text&lt;/tps:type&gt;&#xA;
</tps:fieldDef&gt;&#xA; &lt;/tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
                              <tps:name&gt;Publication Date&lt;/tps:name&gt;&#xA;
  <tps:fieldDef&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                           <tps:level&gt;project&lt;/tps:level&gt;&#xA;
                        </tps:definition&gt;&#xA; &lt;tps:definition tag="fieldDef"&gt;&#xA;
</tps:fieldDef&gt;&#xA;
  <tps:fieldDef&gt;&#xA;
                               <tps:name&gt;Publication Title&lt;/tps:name&gt;&#xA;
<tps:type&gt;text&lt;/tps:type&gt;&#xA;
                                           <tps:level&gt;project&lt;/tps:level&gt;&#xA;
</tps:fieldDef&gt;&#xA;
                            </tps:definition&gt;&#xA;

                                                                                  <!--
<!-- TOC Style Definitions --&gt;&#xA;
                                                                                  &lt:!--
  ==================== -->

 &It;tps:definition tag="tocStyleDef">

                                     <tps:name&gt;[Default]&lt;/tps:name&gt;&#xA;
<tps:tocStyleDef&gt;&#xA;
```

</tps:tocStyleDef>
 </tps:definition>
</tps:template>
</tps:txml>

</rdf:Description>
</rdf:RDF>

</x:xmpmeta>

endstream endobj 529 0 obj <</Author(IMF)/CreationDate(D:20230404012728+08'00')/Creator(Adobe InDesign 14.0 \(Macintosh\))/Keywords(World Economic Outlook: A rocky recovery; chapter 4, Geoeconomic Fragmentation Foreign Direct Investment, And April 2023)/ModDate(D:20230403184030-04'00')/Producer(Adobe PDF Library 15.0)/Title(World Economic Outlook: A rocky recovery; chapter 4, Geoeconomic Fragmentation And Foreign Direct Investment, April 2023)/Trapped/False>> endobj xref 0 1 0000000000 65535 f 469 1 0000904189 00000 n 529 1 0001104645 00000 n trailer <</Size 530/Root 472 0 R/Info 529 0 R/ID[<D0B17C0ECB784E7BAA5A76F6AD60761E><B813C4F884C51E459751CBEBA3696F76>]/ Prev 116>> startxref 1105099 %%EOF